

UNIVERSIDAD PRIVADA DOMINGO SAVIO



LICENCIATURA EN INGENIERÍA EN SISTEMAS

"ACTIVIDAD III"

“RESOLUCION DE LA PRACTICA 13-15”

NOMBRE DEL ESTUDIANTE

Douglas Flor Hernández

DOCENTE

Ing. Edmundo Rivas V.

SANTA CRUZ DE LA SIERRA – BOLIVIA

2025

13.2 Cuentas de Usuario y de Grupo

13.2.1 Paso 1

```
This message is shown once a day. To disable it please create the
/home/dell/.hushlogin file.
dell@Dell:~$ su dflor
Password:
dflor@Dell:/home/dell$ head /etc/passwd
root:x:0:0:root:/root:/bin/bash
daemon:x:1:1:daemon:/usr/sbin:/usr/sbin/nologin
bin:x:2:2:bin:/bin:/usr/sbin/nologin
sys:x:3:3:sys:/dev:/usr/sbin/nologin
sync:x:4:65534:sync:/bin:/bin/sync
games:x:5:60:games:/usr/games:/usr/sbin/nologin
man:x:6:12:man:/var/cache/man:/usr/sbin/nologin
lp:x:7:7:lp:/var/spool/lpd:/usr/sbin/nologin
mail:x:8:8:mail:/var/mail:/usr/sbin/nologin
news:x:9:9:news:/var/spool/news:/usr/sbin/nologin
dflor@Dell:/home/dell$ |
```

13.2.2 Paso 2

```
dflor@Dell:~$ grep dflor /etc/passwd
dflor:x:1001:1001:,,,:/home/dflor:/bin/bash
dflor@Dell:~$
```

13.2.3 Paso 3

```
dflor@Dell:~$ getent passwd dflor
dflor:x:1001:1001:,,,:/home/dflor:/bin/bash
dflor@Dell:~$
```

13.2.4 Paso 4

```
PASSWD(5) File Formats and Configuration PASSWD(5)
Default: dflor@Dell: /home/dell
ctrl+alt+1

passwd - the password file

DESCRIPTION
/etc/passwd contains one line for each user account, with seven
fields delimited by colons (":"). These fields are:

• login name
• optional encrypted password
• numerical user ID
• numerical group ID
• user name or comment field
• user home directory
• optional user command interpreter

If the password field is a lower-case "x", then the encrypted
password is actually stored in the shadow(5) file instead; there
must be a corresponding line in the /etc/shadow file, or else the
user account is invalid.

The encrypted password field may be empty, in which case no
password is required to authenticate as the specified login name.
However, some applications which read the /etc/passwd file may
decide not to permit any access at all if the password field is
blank.

A password field which starts with an exclamation mark means that
the password is locked. The remaining characters on the line
represent the password field before the password was locked.

Refer to crypt(3) for details on how this string is interpreted.

Manual page passwd(5) line 1 (press h for help or q to quit)
```

13.2.5 Paso 5

```
dflor@Dell:/home/dell$ id
uid=1001(dflor) gid=1001(dflor) groups=1001(dflor),100(users)
dflor@Dell:/home/dell$ id root
uid=0(root) gid=0(root) groups=0(root)
dflor@Dell:/home/dell$
```

id

13.2.6 Paso 6

```
dflor@dell:/home/dell$ getent group dflor
dflor:x:1001:
dflor@dell:/home/dell$ getent group adm
adm:x:4:syslog,dell
dflor@dell:/home/dell$
```

13.2.7 Paso 7

```
dflor@dell:/home/dell$ whoami
dflor
dflor@dell:/home/dell$ groups
dflor users
dflor@dell:/home/dell$ groups root
root : root
dflor@dell:/home/dell$
```

13.3 ¿Quién está en el Sistema?

13.3.1 Paso 1

```
dflor@dell:/home/dell$ who
dell pts/1 2025-09-15 09:03
dflor@dell:/home/dell$
```

13.3.2 Paso 2

```
dflor@dell:/home/dell$ w
10:56:23 up 2:12, 2 users, load average: 0.01, 0.02, 0.00
USER TTY FROM LOGIN@ IDLE JCPU PCPU WHAT
dflor pts/0 - 09:08 1.00s 0.40s 0.11s w
dell pts/1 - 09:03 1:52m 0.05s 0.03s -bash
dflor@dell:/home/dell$
```

13.4 El Usuario root

13.4.1 Paso 1

```
dflor@dell:/home/dell$ visudo
visudo: /etc/sudoers: Permission denied
dflor@dell:/home/dell$
```

13.4.2 Paso 2

```
dflor@dell:/home/dell$ sudo root
[sudo] password for dflor:
dflor is not in the sudoers file.
dflor@dell:/home/dell$
```

13.4.3 Paso 3

```
dell@Dell:~$ visudo
visudo: /etc/sudoers: Permission denied
dell@Dell:~$
```

13.4.4 Paso 4

```
dell@Dell:~$ sudo
usage: sudo -h | -K | -k | -V
usage: sudo -v [-ABkNnS] [-g group] [-h host] [-p prompt] [-u user]
usage: sudo -l [-ABkNnS] [-g group] [-h host] [-p prompt] [-U user]
           [-u user] [command [arg ...]]
usage: sudo [-ABbEHkNnPS] [-r role] [-t type] [-C num] [-D directory]
           [-g group] [-h host] [-p prompt] [-R directory] [-T timeout]
           [-u user] [VAR=value] [-i | -s] [command [arg ...]]
usage: sudo -e [-ABkNnS] [-r role] [-t type] [-C num] [-D directory]
           [-g group] [-h host] [-p prompt] [-R directory] [-T timeout]
           [-u user] file ...
dell@Dell:~$
```

13.4.5 Paso 5

```
root@localhost:~# exit
logout
sysadmin@localhost:~$
```

13.4.6 Paso 6

```
dflor@Dell:/home/dell$ head -3 /etc/shadow
head: cannot open '/etc/shadow' for reading: Permission denied
dflor@Dell:/home/dell$
```

13.4.7 Paso 7

```
dflor@Dell:/home/dell$ ls -l /etc/shadow
-rw-r----- 1 root shadow 899 Sep 12 08:50 /etc/shadow
dflor@Dell:/home/dell$
```

13.4.8 Paso 8

```
dflor@Dell:/home/dell$ sudo head -3 /etc/shadow
[sudo] password for dflor:
dflor is not in the sudoers file.
dflor@Dell:/home/dell$
```


14.2.1 Paso 1

```
dflor@Dell:/home/dell$ su -  
Password:
```

14.2.2 Paso 2

```
dflor@Dell:/home/dell$ groupadd -r research  
groupadd: Permission denied.  
groupadd: cannot lock /etc/group; try again later.  
dflor@Dell:/home/dell$
```

14.2.3 Paso 3

```
root@localhost:~# getent group research  
research:x:999:  
root@localhost:~#
```

14.2.4 Paso 4

```
dflor@Dell:/home/dell$ usermod  
Usage: usermod [options] LOGIN  
  
Options:  
  -a, --append                append the user to the supplemental GROUPS  
                              mentioned by the -G option without removing  
                              the user from other groups  
  -b, --badname               allow bad names  
  -c, --comment COMMENT       new value of the GECOS field  
  -d, --home HOME_DIR         new home directory for the user account  
  -e, --expiredate EXPIRE_DATE set account expiration date to EXPIRE_DATE  
  -f, --inactive INACTIVE     set password inactive after expiration  
                              to INACTIVE  
  -g, --gid GROUP             force use GROUP as new primary group  
  -G, --groups GROUPS         new list of supplementary GROUPS  
  -h, --help                  display this help message and exit  
  -l, --login NEW_LOGIN       new value of the login name  
  -L, --lock                  lock the user account  
  -m, --move-home             move contents of the home directory to the  
                              new location (use only with -d)  
  -o, --non-unique             allow using duplicate (non-unique) UID  
  -p, --password PASSWORD     use encrypted password for the new password  
  -P, --prefix PREFIX_DIR     prefix directory where are located the /etc/* files  
  -r, --remove                remove the user from only the supplemental GROUPS  
                              mentioned by the -G option without removing  
                              the user from other groups  
  -R, --root CHROOT_DIR       directory to chroot into  
  -s, --shell SHELL           new login shell for the user account  
  -u, --uid UID               new UID for the user account  
  -U, --unlock                unlock the user account
```

14.2.5 Paso 5

```
dflor@dell:/home/dell$ groups dflor
dflor : dflor users
dflor@dell:/home/dell$ id dflor
uid=1001(dflor) gid=1001(dflor) groups=1001(dflor),100(users)
dflor@dell:/home/dell$ getent group research
dflor@dell:/home/dell$
```

14.2.6 Paso 6

```
dflor@dell:/home/dell$ useradd
Usage: useradd [options] LOGIN
        useradd -D
        useradd -D [options]

Options:
  --badname                do not check for bad names
  -b, --base-dir BASE_DIR  base directory for the home directory of the
                           new account
        --btrfs-subvolume-home use BTRFS subvolume for home directory
  -c, --comment COMMENT    GECOS field of the new account
  -d, --home-dir HOME_DIR  home directory of the new account
  -D, --defaults            print or change default useradd configuration
  -e, --expiredate EXPIRE_DATE expiration date of the new account
  -f, --inactive INACTIVE  password inactivity period of the new account
  -F, --add-subids-for-system add entries to sub[uid]id even when adding a system user
  -g, --gid GROUP           name or ID of the primary group of the new
                           account
  -G, --groups GROUPS       list of supplementary groups of the new
                           account
  -h, --help                display this help message and exit
  -k, --skel SKEL_DIR       use this alternative skeleton directory
  -K, --key KEY=VALUE        override /etc/login.defs defaults
  -l, --no-log-init          do not add the user to the lastlog and
                           faillog databases
  -m, --create-home         create the user's home directory
  -M, --no-create-home       do not create the user's home directory
  -N, --no-user-group        do not create a group with the same name as
```

14.2.7 Paso 7

```
root@localhost:~# getent group research
research:x:999:sysadmin,student
root@localhost:~# getent group student
student:x:1002:
root@localhost:~# getent passwd student
student:x:1002:1002:Linux Student:/home/student:/bin/sh
root@localhost:~# getent shadow student
student:!:16902:0:99999:7:::
root@localhost:~#
```

14.2.8 Paso 8

```
root@localhost:~# passwd student
Enter new UNIX password:
Retype new UNIX password:
passwd: password updated successfully
root@localhost:~# getent shadow student
student:$6$pIIEdvAX$GB0beYhojL3/vDrOP2UAQR6uVCWMZxMPqImREJWw/5oR2WTtM6dH3H83VjrmG6hGd9ux2I9F0
root@localhost:~#
```

14.2.9 Paso 9

```
dflor@Dell:/home/dell$ last
reboot    system boot    6.6.87.2-microso Mon Sep 15 11:05    still running
reboot    system boot    6.6.87.2-microso Mon Sep 15 09:03    still running
reboot    system boot    6.6.87.2-microso Mon Sep 15 08:19    still running
reboot    system boot    6.6.87.2-microso Fri Sep 12 08:41    still running
reboot    system boot    6.6.87.2-microso Thu Sep 11 08:24    still running
reboot    system boot    6.6.87.2-microso Mon Sep  8 09:43    still running
reboot    system boot    6.6.87.2-microso Mon Sep  8 09:40    still running
reboot    system boot    6.6.87.2-microso Mon Sep  8 09:12    still running
reboot    system boot    6.6.87.2-microso Mon Sep  8 09:11    still running
reboot    system boot    6.6.87.2-microso Mon Sep  8 09:05    still running
reboot    system boot    6.6.87.2-microso Mon Sep  8 08:57    still running

wtmp begins Mon Sep  8 08:57:13 2025
dflor@Dell:/home/dell$ last student

wtmp begins Mon Sep  8 08:57:13 2025
dflor@Dell:/home/dell$
```

14.2.10 Paso 10

```
root@localhost:~# userdel -r student
root@localhost:~#
```

15.2.1 Paso 1

```
dflor@Dell:/home/dell$ cd /tmp
dflor@Dell:/tmp$ mkdir priv-dir pub-dir
dflor@Dell:/tmp$ touch priv-dir/priv-file
dflor@Dell:/tmp$ touch pub-dir/pub-file
dflor@Dell:/tmp$
```

15.2.2 Paso 2

```
dflor@Dell:/tmp$ ls -l priv-dir
total 0
-rw-rw-r-- 1 dflor dflor 0 Sep 15 11:50 priv-file
dflor@Dell:/tmp$ ls -l pub-dir
total 0
-rw-rw-r-- 1 dflor dflor 0 Sep 15 11:50 pub-file
dflor@Dell:/tmp$ |
```


