

UNIVERSIDAD PRIVADA DOMINGO SAVIO



LICENCIATURA EN INGENIERÍA EN SISTEMAS

"ACTIVIDAD II"

“RESOLUCION DE LA PRACTICA 11”

NOMBRE DEL ESTUDIANTE

Douglas Flor Hernández

DOCENTE

Ing. Edmundo Rivas V.

SANTA CRUZ DE LA SIERRA – BOLIVIA

2025

```
sysadmin@localhost:~$ su - douglas
Password:
douglas@localhost:~$ ls /proc
```

1	bus	interrupts	meminfo	swaps
108	cgroups	iomem	misc	sys
109	cmdline	ioports	modules	sysrq-trigger
156	consoles	irq	mounts	sysvipc
157	cpuinfo	kallsyms	mtrr	thread-self
168	crypto	kcore	net	timer_list
17	devices	key-users	pagetypeinfo	tty
21	diskstats	keys	partitions	uptime
23	dma	kmsg	pressure	version
39	driver	kpagecgroup	schedstat	version_signature
76	dynamic_debug	kpagecount	scsi	vmallocinfo
88	execdomains	kpageflags	self	vmstat
acpi	fb	loadavg	slabinfo	zoneinfo
bootconfig	filesystems	locks	softirqs	

```
douglas@localhost:~$ cat /proc/1/cmdline; echo
/sbin/init
douglas@localhost:~$ ps -p 1
  PID TTY          TIME CMD
    1 pts/0    00:00:00 init
```

```
douglas@localhost:~$ cat /proc/cmdline
BOOT_IMAGE=/vmlinuz-5.15.0-139-generic root=/dev/mapper/mpatha-part1 ro rootflag
```

```
douglas@localhost:~$ ping localhost > /dev/null
^Cdouglas@localhost:~$ ping localhost > /dev/null &
[1] 173
douglas@localhost:~$ jobs
[1]+  Running                  ping localhost > /dev/null &
douglas@localhost:~$
```

```
douglas@localhost:~$ jobs
[1]+  Running                  ping localhost > /dev/null &
douglas@localhost:~$ ping localhost > /dev/null &
[2] 174
douglas@localhost:~$ jobs
[1]-  Running                  ping localhost > /dev/null &
[2]+  Running                  ping localhost > /dev/null &
douglas@localhost:~$ fg %1
ping localhost > /dev/null
█
```

```
douglas@localhost:~$ fg %1
ping localhost > /dev/null
^Z
[1]+  Stopped                  ping localhost > /dev/null
douglas@localhost:~$
```

```
douglas@localhost:~$ fg %1
ping localhost > /dev/null
^Z
[1]+  Stopped                  ping localhost > /dev/null
douglas@localhost:~$ jobs
[1]+  Stopped                  ping localhost > /dev/null
[2]-  Running                  ping localhost > /dev/null &
douglas@localhost:~$ ping localhost > /dev/null &
[3] 175
douglas@localhost:~$ jobs
[1]+  Stopped                  ping localhost > /dev/null
[2]  Running                  ping localhost > /dev/null &
[3]-  Running                  ping localhost > /dev/null &
douglas@localhost:~$ kill %3
douglas@localhost:~$ jobs
[1]+  Stopped                  ping localhost > /dev/null
[2]  Running                  ping localhost > /dev/null &
[3]-  Terminated             ping localhost > /dev/null
douglas@localhost:~$
```

```
douglas@localhost:~$ killall ping
ping(108): Operation not permitted
ping(109): Operation not permitted
[2]- Terminated ping localhost > /dev/null
douglas@localhost:~$ jobs
[1]+ Stopped ping localhost > /dev/null
douglas@localhost:~$ ping localhost > /dev/null &
[2] 177
douglas@localhost:~$ ping localhost > /dev/null &
[3] 178
douglas@localhost:~$
```

```
top - 14:10:16 up 134 days, 10:34, 1 user, load average: 0.59, 0.72, 0.98
tasks: 15 total, 1 running, 13 sleeping, 1 stopped, 0 zombie
cpu(s): 1.2%us, 0.3%sy, 0.0%ni, 98.5%id, 0.0%wa, 0.0%hi, 0.1%si, 0.0%st
mem: 264017876k total, 132652076k used, 131365800k free, 6740k buffers
swap: 8388604k total, 0k used, 8388604k free, 108290120k cached
```

PID	USER	PR	NI	VIRT	RES	SHR	S	%CPU	%MEM	TIME+	COMMAND
1	root	20	0	17872	2904	2652	S	0	0.0	0:00.06	init
17	syslog	20	0	171m	2812	2436	S	0	0.0	0:01.05	rsyslogd
21	root	20	0	19124	2120	1924	S	0	0.0	0:00.01	cron
23	root	20	0	50056	3412	2808	S	0	0.0	0:00.00	sshd
39	bind	20	0	1837m	43m	6024	S	0	0.0	0:00.11	named
76	root	20	0	54464	2572	2160	S	0	0.0	0:00.00	login
88	sysadmin	20	0	18088	3320	2828	S	0	0.0	0:00.03	bash
108	sysadmin	20	0	6508	1860	1728	S	0	0.0	0:00.41	ping
109	sysadmin	20	0	6508	1804	1672	S	0	0.0	0:00.41	ping
156	douglas	20	0	37964	2436	2128	S	0	0.0	0:00.00	su
157	douglas	20	0	18088	3284	2788	S	0	0.0	0:00.02	bash
173	douglas	20	0	6508	1820	1684	T	0	0.0	0:00.02	ping
177	douglas	20	0	6508	1776	1640	S	0	0.0	0:00.00	ping
178	douglas	20	0	6508	1816	1684	S	0	0.0	0:00.00	ping
179	douglas	20	0	17216	2300	2064	R	0	0.0	0:00.00	top

```
top - 14:10:43 up 134 days, 10:34, 1 user, load average: 0.47, 0.68, 0.96
Tasks: 15 total, 1 running, 13 sleeping, 1 stopped, 0 zombie
Cpu(s): 1.6%us, 0.7%sy, 0.0%ni, 97.6%id, 0.0%wa, 0.0%hi, 0.0%si, 0.0%st
Mem: 264017876k total, 132632392k used, 131385484k free, 6740k buffers
Swap: 8388604k total, 0k used, 8388604k free, 108290776k cached
Kill PID 178 with signal [15]:
```

PID	USER	PR	NI	VIRT	RES	SHR	S	%CPU	%MEM	TIME+	COMMAND
108	sysadmin	20	0	6508	1860	1728	S	0	0.0	0:00.42	ping
1	root	20	0	17872	2904	2652	S	0	0.0	0:00.06	init
17	syslog	20	0	171m	2812	2436	S	0	0.0	0:01.05	rsyslogd
21	root	20	0	19124	2120	1924	S	0	0.0	0:00.01	cron
23	root	20	0	50056	3412	2808	S	0	0.0	0:00.00	sshd
39	bind	20	0	1837m	43m	6024	S	0	0.0	0:00.11	named
76	root	20	0	54464	2572	2160	S	0	0.0	0:00.00	login
88	sysadmin	20	0	18088	3320	2828	S	0	0.0	0:00.03	bash
109	sysadmin	20	0	6508	1804	1672	S	0	0.0	0:00.42	ping
156	douglas	20	0	37964	2436	2128	S	0	0.0	0:00.00	su
157	douglas	20	0	18088	3284	2788	S	0	0.0	0:00.02	bash
173	douglas	20	0	6508	1820	1684	T	0	0.0	0:00.02	ping
177	douglas	20	0	6508	1776	1640	S	0	0.0	0:00.01	ping
178	douglas	20	0	6508	1816	1684	S	0	0.0	0:00.01	ping
179	douglas	20	0	17216	2300	2064	R	0	0.0	0:00.01	top

```
douglas@localhost:~$ sleep 888888 &
[3] 180
douglas@localhost:~$ sleep 888888 &
[4] 181
douglas@localhost:~$
```

```
douglas@localhost:~$ jobs
[1]+  Stopped                  ping localhost > /dev/null
[2]   Running                  ping localhost > /dev/null &
[3]   Running                  sleep 888888 &
[4]-  Running                  sleep 888888 &
douglas@localhost:~$
```

```
douglas@localhost:~$ ps
  PID TTY          TIME CMD
  156 pts/0    00:00:00 su
  157 pts/0    00:00:00 bash
  173 pts/0    00:00:00 ping
  177 pts/0    00:00:00 ping
  180 pts/0    00:00:00 sleep
  181 pts/0    00:00:00 sleep
  182 pts/0    00:00:00 ps
douglas@localhost:~$ kill 181
douglas@localhost:~$ jobs
[1]+  Stopped                  ping localhost > /dev/null
[2]   Running                  ping localhost > /dev/null &
[3]   Running                  sleep 888888 &
[4]-  Terminated              sleep 888888
douglas@localhost:~$
```

```
Cpu(s):  5.1%us,  2.4%sy,  0.0%ni, 92.4%id,  0.0%wa,  0.0%hi,  0.1%si,  0.0%st
Mem:  264017876k total, 132504756k used, 131513120k free,   6740k buffers
Swap:  8388604k total,    0k used,  8388604k free, 108289140k cached
```

PID	USER	PR	NI	VIRT	RES	SHR	S	%CPU	%MEM	TIME+	COMMAND
179	douglas	20	0	17216	2300	2064	R	0	0.0	0:00.05	top
1	root	20	0	17872	2904	2652	S	0	0.0	0:00.06	init
17	syslog	20	0	171m	2812	2436	S	0	0.0	0:01.05	rsyslogd
21	root	20	0	19124	2120	1924	S	0	0.0	0:00.01	cron
23	root	20	0	50056	3412	2808	S	0	0.0	0:00.00	sshd
39	bind	20	0	1837m	43m	6024	S	0	0.0	0:00.11	named
76	root	20	0	54464	2572	2160	S	0	0.0	0:00.00	login
88	sysadmin	20	0	18088	3320	2828	S	0	0.0	0:00.03	bash
108	sysadmin	20	0	6508	1860	1728	S	0	0.0	0:00.45	ping
109	sysadmin	20	0	6508	1804	1672	S	0	0.0	0:00.45	ping
156	douglas	20	0	37964	2436	2128	S	0	0.0	0:00.00	su
157	douglas	20	0	18088	3284	2788	S	0	0.0	0:00.02	bash
173	douglas	20	0	6508	1820	1684	T	0	0.0	0:00.02	ping
177	douglas	20	0	6508	1776	1640	S	0	0.0	0:00.04	ping

```
[3]-  Terminated              ping localhost > /dev/null
douglas@localhost:~$
```

```
douglas@localhost:~$ ping localhost > /dev/null &  
[3] 184
```

```
douglas@localhost:~$ ps  
  PID TTY          TIME CMD  
  156 pts/0    00:00:00 su  
  157 pts/0    00:00:00 bash  
  173 pts/0    00:00:00 ping  
  177 pts/0    00:00:00 ping  
  184 pts/0    00:00:00 ping  
  185 pts/0    00:00:00 ps  
douglas@localhost:~$
```

```
douglas@localhost:~$ ps -e  
  PID TTY          TIME CMD  
    1 pts/0    00:00:00 init  
   17 ?          00:00:01 rsyslogd  
   21 ?          00:00:00 cron  
   23 ?          00:00:00 sshd  
   39 ?          00:00:00 named  
   76 pts/0    00:00:00 login  
   88 pts/0    00:00:00 bash  
  108 pts/0    00:00:00 ping  
  109 pts/0    00:00:00 ping  
  156 pts/0    00:00:00 su  
  157 pts/0    00:00:00 bash  
  173 pts/0    00:00:00 ping  
  177 pts/0    00:00:00 ping  
  184 pts/0    00:00:00 ping  
  186 pts/0    00:00:00 ps  
douglas@localhost:~$
```

```
douglas@localhost:~$ ps -o pid, tty, time, %cpu, cmd  
  PID TT          TIME %CPU CMD  
  156 pts/0    00:00:00  0.0 su - douglas  
  157 pts/0    00:00:00  0.0 -su  
  173 pts/0    00:00:00  0.0 ping localhost  
  177 pts/0    00:00:00  0.0 ping localhost  
  184 pts/0    00:00:00  0.0 ping localhost  
  190 pts/0    00:00:00  0.0 ps -o pid, tty, time, %cpu, cmd  
douglas@localhost:~$
```

```
douglas@localhost:~$ ps -o pid, tty, time, %mem, cmd --sort %mem
PID TT      TIME %MEM CMD
191 pts/0    00:00:00 0.0 ps -o pid, tty, time, %mem, cmd --sort %mem
177 pts/0    00:00:00 0.0 ping localhost
184 pts/0    00:00:00 0.0 ping localhost
173 pts/0    00:00:00 0.0 ping localhost
156 pts/0    00:00:00 0.0 su - douglas
157 pts/0    00:00:00 0.0 -su
douglas@localhost:~$
```

```
douglas@localhost:~$ free
              total        used        free      shared    buffers     cached
Mem:      264017876  132414476  131603400           0       6740  108309524
-/+ buffers/cache:  24098212  239919664
Swap:      8388604           0      8388604
douglas@localhost:~$
```

```
douglas@localhost:~$ kill 184
douglas@localhost:~$ jobs
[1]+  Stopped                  ping localhost > /dev/null
[2]   Running                  ping localhost > /dev/null &
[3]-  Terminated              ping localhost > /dev/null
douglas@localhost:~$
```

```
douglas@localhost:~$ su - root
Password:
root@localhost:~#
```

```
root@localhost:~# ls /var/log
alternatives.log  boot          cron.log  faillog  lastlog  news  wtmp
apt               bootstrap.log dmesg     fsck     mail.err syslog
auth.log          btmp         dpkg.log  kern.log mail.log  upstart
root@localhost:~#
```



```
root@localhost:~# ssh localhost
The authenticity of host 'localhost (::1)' can't be established.
ECDSA key fingerprint is 5f:e2:43:0f:f9:26:e5:d5:77:ba:9e:95:72:9e:ee:64.
Are you sure you want to continue connecting (yes/no)? y
```

```
root@localhost:~# tail -5 /var/log/auth.log
Sep 25 14:20:45 localhost sshd[208]: pam_unix(sshd:auth): authentication failure
; logname= uid=0 euid=0 tty=ssh ruser= rhost=localhost user=root
Sep 25 14:20:46 localhost sshd[208]: Failed password for root from ::1 port 3703
2 ssh2
Sep 25 14:21:02 localhost sshd[208]: Accepted password for root from ::1 port 37
032 ssh2
Sep 25 14:21:02 localhost sshd[208]: pam_unix(sshd:session): session opened for
user root by (uid=0)
Sep 25 14:21:02 localhost sshd[208]: pam_env(sshd:session): Unable to open env f
ile: /etc/default/locale: No such file or directory
root@localhost:~#
```