

IHSeeds
Irwin Hunter & Co

Western Australian PASTURE GROWERS GUIDE 2026



IHSeeds
Irwin Hunter & Co

CELEBRATING

60
YEARS

Western Australian Pasture Seed Specialists.
Since 1966.

P: 08 9383 4708 | M: 0407 929 363

Western Australian

Pasture **Growers** Guide 2026

Western Australian Pasture Seed Specialists. Since 1966.

IH SEEDS IS WA'S LONGEST ESTABLISHED SUPPLIER OF QUALITY PASTURE SEEDS THAT HAVE BEEN PRODUCED BY SPECIALIST SEED PRODUCTION FARMERS UNDER ACCREDITED SEED CERTIFICATION SYSTEMS FROM DOMESTIC AND INTERNATIONAL PROGRAMS. THIS ENSURES VARIETAL AND GENETIC INTEGRITY PROVIDING YOU AS A PURCHASER WITH PRODUCT THAT IS TRUE TO TYPE AND HAS CONSISTENCY IN ITS PERFORMANCE IN LINE WITH ITS DESCRIPTION.

This product range listed below is a broad spectrum of what IH Seeds supplies. Please contact us if you are seeking a Pasture seed variety that is not shown on this Pasture Guide as we can source it or provide you with an alternative variety with similar attributes.

Contents

01	Specialist Seed Mixes	13 items	p. 5
02	Annual Tetraploid Ryegrasses	5 items	p. 13
03	Annual Diploid Ryegrasses	3 items	p. 16
04	Short Term – Biennials and Perennial Ryegrass Varieties	5 items	p. 18
05	Subterranean Clovers	5 items	p. 21
06	Aerial Seeded Clovers, White Clovers	14 items	p. 24
07	Lucerne	4 items	p. 32
08	Other Grasses	10 items	p. 35
09	Serradellas & Medic	6 items	p. 41
10	Alternative Crops	16 items	p. 45
11	Sub Tropical Perennial Grasses and Mixes	8 items	p. 54
12	Biologicals	1 items	p. 59
	Contact IH Seeds		p. 60

Reading each variety

Sowing rate kg/ha	SOWING RATE KG/HA
Rainfall mm	RAINFALL MM
Flowering / heading	APPROX TIME OF FLOWERING · HEADING DATE · APPROX. DAYS TO FLOWERING IN PERTH · WINTER ACTIVITY (varies by section)
Ideal soil range	IDEAL SOIL RANGE LS/S/L/H
P · W · S	LOW PH (P) · WATERLOGGING (W) · SALINITY TOLERANCE (S)
Inoculant	INOCULANT (legume sections)

SOIL RANGE KEY: **LS** - Light Sands **S** - Sands **L** - Loam
H - Heavy

01

Specialist Seed Mixes

Many of our pasture mixes have a wide range of diversity and are suitable for meeting one of the “Carbon Farming” requirements of the ERF, enabling farmers to earn Australian Carbon Credit Units (ACCU's) through Soil Carbon Sequestration.

IH Seeds mixes have been proven to ensure consistent performance across all production areas, producing the best results for the farmers' requirements, year on year. Annually, we endeavour to include new and improved varieties to ensure that we keep supplying the best mixes, for the best results to WA farmers. Occasionally some varieties in our mix will be replaced with a like-for-like variety where the original is not available or not easily accessible. Varieties in the mix will be specified on the bag label.



“Your farm. Your mix.”

CHOOSE FROM THE WIDEST RANGE OF PASTURE SPECIES IN WA AND TELL US WHAT COMBINATION OF PASTURE SPECIES YOU WOULD LIKE AND WE WILL **MIX & MATCH** IT FOR YOU!

SOUWEST PASTURE MIX™

The perfect mix, combining productivity with diversity.

SOWING RATE KG/HA

15 to 25

RAINFALL MM

500+

APPROX. TIME OF FLOWERING

Aug-Nov

IDEAL SOIL RANGE

S-H

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

—

Adaptable & diverse mix across a wide range of soil types. A blend of Annual ryegrass & Perennial ryegrasses; Black and White seeded sub clovers; Balansa; Persian; Crimson and Arrowleaf clovers. Ideal mix for dryland sowing. Can be manipulated for seed set therefore providing pasture over subsequent years. Good option for farmers wishing to pursue Regenerative Agriculture Practices with its diversity in the mix. Suited for grazing, silage or hay.

SILAHAY MIX™

The Big Producer!

SOWING RATE KG/HA

15 to 25

RAINFALL MM

450+

APPROX. TIME OF FLOWERING

Aug-Oct

IDEAL SOIL RANGE

S-H

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

—

High production mix of ryegrass and clovers for silage, hay & can also be grazed: Abundant; Dargo; Balansa clover; Persian clover: Early establishment vigour that produces high quality bulk for silage and hay in the spring.

SELF REGENERATION MIX™

ARGT resistant ryegrass base Tough and reliable.

SOWING RATE KG/HA

12 to 15

RAINFALL MM

350+

APPROX. TIME OF FLOWERING

Aug-Nov

IDEAL SOIL RANGE

LS-H

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

Mild S

Safeguard ARGT resistant ryegrass; Dalkeith and Nungarin Sub clovers; Paradana Balansa; Hykon Rose clover: Suited for sowing in areas with lower rainfall and where Wimmera exists and farmers wish to reduce the risk of ARGT poisoning. Productive across a wide range of soil types. A mix to consider for Regenerative Pasture or Cover Cropping.

MAXIMIX

Bang for your Buck.

SOWING RATE KG/HA

25 to 35

RAINFALL MM

400+

APPROX. TIME OF FLOWERING

Aug-Nov

IDEAL SOIL RANGE

S-H

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

—

Highly productive and our **BEST VALUE MIX** – Early, medium and late varieties of Diploid and Tetraploid ryegrasses, Oats and aerial seeded Clovers to extend your annual season production whilst maximising livestock nutritional intake. *Biological BioNPK Powder S Coated. ECOCERT APPROVED.*

EQUI1ST MIX™

The Horse's Choice. Suitable for All livestock.

SOWING RATE KG/HA

25 to 35

RAINFALL MM

400+

APPROX. TIME OF FLOWERING

All Year Round

IDEAL SOIL RANGE

S-H

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

—

The absolute **No. 1** choice for all equine enthusiasts. A scientifically developed combination of selected legumes, annual & perennial grasses providing your horses with nutritional healthy feed. Equi1st is also suitable for all livestock and a perennial option providing all year round production based on the availability of soil moisture.

WESTERN ANNUAL RYEGRASS MIX

Capitalise your growing season.

SOWING RATE KG/HA

15 to 30

RAINFALL MM

450+

APPROX. TIME OF FLOWERING

Aug-Oct

IDEAL SOIL RANGE

S-H

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

W/Mild S

Our top annual ryegrass mix using early to mid-late season maturing varieties of our leading Diploid and Tetraploid ryegrasses blended to give full production over the total growing season.

WINTER COVER CROP PLUS

Winter Cover Crop Mix.

SOWING RATE KG/HA

25 to 35

RAINFALL MM

350+

APPROX. TIME OF FLOWERING

Winter

IDEAL SOIL RANGE

LS-H

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

—

A unique blend of 13 species which combines all the benefits of cover cropping including those that provide high levels of biomass, nitrogen fixing legumes, soil improvers that improve soil health as well as species that attract beneficial insects. Winter Cover Crop Plus provides protection for bare soil creating biodiversity and benefits the environment. It is suited to a wide range of soil types and conditions and can be mulched, incorporated into the soil and grazed. *Biological BioNPK S Coated. ECOCERT APPROVED.*

SUMMER COVER CROP PLUS

Summer Cover Crop Mix

SOWING RATE KG/HA

15 to 20

RAINFALL MM

350+

APPROX. TIME OF FLOWERING

Summer

IDEAL SOIL RANGE

LS-H

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

—

A combination of grains, broadleaves and legumes formulated to provide biodiversity and assists in promoting the health of your soil. Providing a blanket of biomass over the soil to ensure water infiltration; nitrogen fixing legumes, protection against soil erosion and suppressing pests and weeds. *Biological BioNPK S Coated. ECOCERT APPROVED.*

NITRO MIX

A unique combination of legumes to build a healthy soil.

SOWING RATE KG/HA

5 to 10

RAINFALL MM

400+

APPROX. TIME OF FLOWERING

Aug-Nov

IDEAL SOIL RANGE

S-H

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

—

Combining various attributes of both sub clovers and aerial clovers with the inclusion of a hard seeded Serradella gives your soil a healthy boost in respect to soil structure and fertility. All seeds are bare with no chemical treatments and therefore can be used on organic farms. A good regenerative or cover crop option with a combination of soft and hard seeded varieties. *Biological BioNPK S Coated. ECOCERT APPROVED.*

INTEROW MIX™

Beneficial mix for vineyards, orchards and plantations.

SOWING RATE KG/HA

25 to 35

RAINFALL MM

500+

APPROX. TIME OF FLOWERING

Aug-Nov

IDEAL SOIL RANGE

S-H

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

—

A specially formulated blend of perennial grasses, Saia oats, tillage radish, legumes, subterranean and aerial seeded clovers that will provide; EXCELLENT ground cover suppressing weeds, bulk for mulching, quick growth to reduce erosion and attracts beneficial insects, especially bees. Interow increases the retention of nutrients through increased levels of organic biomass while its legumes provide an important source of nitrogen. Interow is also a great mix to consider as Regenerative or Cover Cropping. *Biological BioNPK S Coated. ECOCERT APPROVED.*

IH DAIRY SELECT MIX **NEW**

Specifically formulated for the dairy industry for high production and quality feed.

SOWING RATE KG/HA

25 to 30

RAINFALL MM

550+

APPROX. TIME OF FLOWERING

Aug-Nov

IDEAL SOIL RANGE

S-H

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

—

A combination of superior tetraploid annuals and Italian ryegrass varieties with 20% of late maturing aerial clovers, including Persian, Balansa and Arrowleaf. With leading tetraploid varieties Abundant and Evoke combined with Italians Amass and Achieve, this mix is formulated to achieve excellent high quality feed and high levels of production and season dependent, has the potential for two cuts of silage, haylage or hay.

IRRIGATION MIX

Highly productive mix of ryegrasses and white clover.

SOWING RATE KG/HA

25 to 30

RAINFALL MM

500+

APPROX. TIME OF FLOWERING

Aug-Nov

IDEAL SOIL RANGE

S-H

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

—

The Irrigation Mix is a blend of Amass and Achieve, combining Tetraploid and Diploid Italian Ryegrasses with Hypa, a new hybrid ryegrass being bred with 25% Italian and 75% Perennial ryegrass. Haifa White Clover serves as the legume component. Providing excellent production for dairy and livestock enterprises requiring extended seasonal production under irrigation.

GREEN MANURE MIX

Improve your soil structure, suppress weeds, add nutrients!

SOWING RATE KG/HA

50 to 75

RAINFALL MM

350+

APPROX. TIME OF FLOWERING

Jul-Aug

IDEAL SOIL RANGE

S-H

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

~~**W**~~

Green Manure Mix is designed to supercharge your soil structure by improving soil nitrogen, suppressing weeds, and returning depleted nutrients with a fast growing crop of approximately 6 - 8 weeks before mulching. Can be grazed for extra feed.

Annual Tetraploid Ryegrasses

Varieties suited to annual pasture systems where optimal production is required over the period of one growing season that can be used for grazing, silage and hay. Annual ryegrasses respond to good fertility and levels of production will be relative to management of grazing/cutting periods, followed by an adequate nitrogen application.

ABUNDANT

Year-on-Year top performer from Esperance to Perth.

SOWING RATE KG/HA

25 to 35

RAINFALL MM

500+

HEADING DATE

MID

IDEAL SOIL RANGE

S-H

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

W

Extremely reliable year on year and well suited to WA's unique growing environment. Abundant has optimal full season production. A Tetraploid with exceptional plant vigour, very high forage yielding ability, stress tolerance and disease resistance. Stays green longer into the late spring when managed appropriately. Abundant continues to set the benchmark for Tetraploid Ryegrasses in WA.

AMAZON T

Quick to establish, outstanding rust tolerance. Excellent producer.

SOWING RATE KG/HA

25 to 35

RAINFALL MM

500+

HEADING DATE

MID-LATE

IDEAL SOIL RANGE

S-H

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

Mild P/W

Amazon T is an excellent DM high volume yielder. Large seed with strong establishment. Exceptional rust resistance. Large leaf producing high quality grazing or hay options. Australian bred for Australian farming conditions.

ASTOUND

Excellent winter and early spring production.

SOWING RATE KG/HA

25 to 35

RAINFALL MM

450+

HEADING DATE

MID-LATE

IDEAL SOIL RANGE

S-H

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

W

Astound Tetraploid is recording high DM yields and fast emergence vigour for unreliable autumn breaks. Performs consistently across the whole season giving reliable quality production and making the variety highly suitable for silage and hay. Australian bred for Australian farming conditions.

EVOKE

Establishes quickly. Improved later season growth. High quality winter and spring production.

SOWING RATE KG/HA

25 to 35

RAINFALL MM

550+

HEADING DATE

LATE

IDEAL SOIL RANGE

S-H

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

W

Evoke is a tetraploid annual Australian bred ryegrass and has been selected for improved later season growth whilst still producing high quality feed through winter and early spring. Evoke combines annual and Italian ryegrass genetics which gives this variety the ability to establish quickly, produce high quality winter feed and hold onto quality later in the season.

TETILA USA

High feed quality with good growth late autumn, winter and early spring.

SOWING RATE KG/HA

25 to 35

RAINFALL MM

500+

HEADING DATE

EARLY

IDEAL SOIL RANGE

S-H

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

W/Mild S

Tetila annual tetraploid ryegrass has exceptional feed quality, establishing quickly with strong winter growth. A very reliable specialist winter crop with good yields through winter and into early spring. Grow for pasture, silage, hay or in a mix with suitable clovers to improve its forage quality.

03

Annual Diploid Ryegrasses

Diploids can be more robust than Tetraploids which also form denser stands that are more competitive with weeds. They can also handle lower fertility and wetter conditions better than Tetraploids.

DARGO

Highly proven from Esperance to Geraldton.

SOWING RATE KG/HA

15 to 30

RAINFALL MM

400+

HEADING DATE

EARLY

IDEAL SOIL RANGE

S-H

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

Mild S

Is a well proven and adapted variety grown from Esperance to Geraldton. Year on year proven ability to produce well in shorter growing seasons. Diploid annual ryegrass with high winter and early spring yields. Good rust tolerance. Adaptable to a wide range of soils. Australian bred for Australian farming conditions.

FINEFEED

Fast emergence, quality feed.

SOWING RATE KG/HA

20 to 30

RAINFALL MM

500+

HEADING DATE

MID

IDEAL SOIL RANGE

S-H

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

Mild P

Fast emergence, with improved rust resistance. A fine leafed grass producing excellent quality feed. Being a late flowering variety it has high winter and spring dry matter yields. As a diploid it works well mixed with Amazon T due to it being later flowering. Excellent for grazing, silage and hay. Australian bred for Australian farming conditions.

SAFEGUARD

ARGT resistant ryegrass for reducing risk of ARGT poisoning.

SOWING RATE KG/HA

8 to 15

RAINFALL MM

350+

HEADING DATE

VERY EARLY

IDEAL SOIL RANGE

LS-H

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

Mild S

ARGT resistant Hybrid ryegrass. Very early flowering with significantly more dry matter production than Wimmera. Suited to the Wheatbelt areas or where ARGT poisoning is a likely occurrence. Option for crop disease break for Take All and Cereal Cyst nematode. Safeguard is the only commercially available ARGT resistant ryegrass. Australian bred for Australian farming conditions.

Short Term – Biennials and Perennial Ryegrass Varieties

Short term pasture varieties are suited where production is required over a one to two year period. These varieties generally produce similar yields to annual pasture through winter and spring and will continue to produce through summer and autumn under irrigation. Short term pastures can be used as a transition towards a more permanent pasture option. These varieties are suited to grazing and silage and should not be taken for hay. Perennial pasture varieties will generally produce less than annual and short term pastures in the winter / spring period but come into their own over the summer / autumn periods under irrigation. Have rapid regrowth after cutting and grazing.

ACHIEVE DIPLOID ITALIAN

Improved winter production and faster establishment.

SOWING RATE KG/HA

20 to 25

RAINFALL MM

450+

HEADING DATE

MID-LATE

IDEAL SOIL RANGE

S-H

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

Mild P/W

A late heading variety with excellent rust resistance which maintains its quality late into the season. Good tillering ensures excellent recovery from grazing. Its upright growth habit prevents lodging during hay and silage production. Has late season maturity giving high spring yields.

AMASS TETRAPLOID ITALIAN

Late heading variety that is a big producer into winter and spring.

SOWING RATE KG/HA

25 to 35

RAINFALL MM

600+

HEADING DATE

MID-LATE

IDEAL SOIL RANGE

S-H

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

Mild P/W

Persistent under heavy grazing pressure with quality feed in spring and early summer. Recovers well from heavy grazing and holds its quality for a lot longer. Ideal for areas where periodic winter waterlogging occurs. Good variety for silage and hay if planted in early autumn.

DUNSTAN PERENNIAL

Strong rust resistance and persistence.

SOWING RATE KG/HA

15 to 25

RAINFALL MM

600+

HEADING DATE

MID

IDEAL SOIL RANGE

S-H

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

Mild S

A diploid perennial ryegrass, produces high quality feed during winter and spring. Its mid maturity makes it a suitable option for medium rainfall zones and will make a great backbone to a pasture plan with a good chance of finishing strong in a variable season.

AUSVIC PERENNIAL

Very low endophyte perennial ryegrass designed to stop Staggers.

SOWING RATE KG/HA

12 to 20

RAINFALL MM

550+

HEADING DATE

EARLY

IDEAL SOIL RANGE

S-H

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

Mild P/W

AusVic perennial ryegrass is an early heading Australian-bred variety with excellent winter feed production and very low endophyte levels to prevent staggers. AusVic is a versatile, persistent, perennial ryegrass suitable for prolific feed production under a wide range of dryland farm conditions and will regenerate well the following season if left to go to seed.

HYPA HYBRID PERENNIAL **NEW**

Mid-late maturing. High dry matter yields late winter - mid spring. Drought tolerance and highly resistant to rust.

SOWING RATE KG/HA

15 to 25

RAINFALL MM

650+

HEADING DATE

MID-LATE

IDEAL SOIL RANGE

S-H

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

Mild S

Hypa tetraploid hybrid perennial ryegrass, bred out of 25% Italian and 75% Perennial, has been selected for high dry matter yields over late winter to mid-spring. Its mid-late maturity makes it a suitable choice for most environments. Its breeding background makes it more persistent than other hybrid ryegrasses in drier conditions. Hypa displays excellent rust resistance. Suitable for sheep, beef, and dairy.

05

Subterranean Clovers

Legumes can be an essential component to developing pastures. They produce high quality feed and can be a rich source of nitrogen for the existing pasture and following crops. Selection of different hard or soft seeded types can also provide improved pasture persistence for permanent pastures, particularly in areas where there is a high probability of false breaks. Legumes generally perform best in good pH soils, 5.5 CaCl₂, which is important for their establishment and thereafter monitoring of soil pH is advantageous during the life of the stand. Check that the right inoculant is used depending on the type of legume.

NUNGARIN

Short season variety.

SOWING RATE KG/HA

6 to 20

RAINFALL MM

300+

APPROX. DAYS TO FLOWERING
IN PERTH

77

IDEAL SOIL RANGE

L

LOW PH (P) · WATERLOGGING
(W) · SALINITY (S)

Mild P

INOCULANT

C

Early maturing hard black seeded variety with very good persistence due to its high level of hard seeds. More suited to drier areas. Because it is early maturing it does not produce much feed in late spring.

URANA

Increased winter / spring production & hardseedness.

SOWING RATE KG/HA

6 to 20

RAINFALL MM

400+

APPROX. DAYS TO FLOWERING
IN PERTH

105

IDEAL SOIL RANGE

L

LOW PH (P) · WATERLOGGING
(W) · SALINITY (S)

Mild P

INOCULANT



Urana is a highly winter-active, high-producing sub clover with strong hard-seed levels and low formononetin. Urana's indeterminate nature allows it to keep growing right through into spring when moisture is available. Urana performs best in well-drained, higher-rainfall areas, where it delivers outstanding winter production.

DALKEITH

Very persistent and prolific seeder.

SOWING RATE KG/HA

6 to 20

RAINFALL MM

325+

APPROX. DAYS TO FLOWERING
IN PERTH

96

IDEAL SOIL RANGE

L

LOW PH (P) · WATERLOGGING
(W) · SALINITY (S)

Mild P

INOCULANT



Medium maturing, semi-erect Sub Clover, with excellent early vigour. It is a prolific seeder that produces a high percentage of hardness. Dalkeith is very tolerant of hard grazing and very persistent. It is susceptible to a range of diseases, including Clover Scorch, but generally these are not an issue in the low rainfall regions where Dalkeith is most popular.

SEATON PARK

Older variety, good production.

SOWING RATE KG/HA

6 to 20

RAINFALL MM

425+

APPROX. DAYS TO FLOWERING
IN PERTH

108

IDEAL SOIL RANGE

L

LOW PH (P) · WATERLOGGING
(W) · SALINITY (S)

Mild P

INOCULANT



Moderately hard seeded variety that is very persistent under heavy grazing and has improved disease resistance to Dalkeith. Is susceptible to Clover Scorch but shows tolerance to Phytophthora Root Rot. Has very good spring growth.

RIVERINA

Higher production than older varieties with tolerance to some waterlogging.

SOWING RATE KG/HA

6 to 20

RAINFALL MM

425+

APPROX. DAYS TO FLOWERING
IN PERTH

122

IDEAL SOIL RANGE

L

LOW PH (P) · WATERLOGGING
(W) · SALINITY (S)

W

INOCULANT



A white seeded, (Yanninicum) type, with mid season maturity exhibiting high forage production with good levels of hard seed. Increased autumn and winter production over Trikkala. Riverina withstands waterlogging and has high levels of resistance to Phytophthora Root Rot, Scorch and Powdery Mildew.

06

Aerial Seeded Clovers, White Clovers

Aerial Seeded Clovers, Serradellas, Medics provide improved options to the legume component for all pasture systems, including grazing, hay and silage, as well as additions to mixes since some are more adaptable to various soil types, more persistent in lower rainfall areas and others can tolerate mild salinity and soil acidity.

ARROWLEAF CLOVER

Deep rooted, late flowering aerial clover.

SOWING RATE KG/HA

3 to 10

RAINFALL MM

400+

APPROX. DAYS TO FLOWERING
IN PERTH

110

IDEAL SOIL RANGE

S-H

LOW PH (P) · WATERLOGGING
(W) · SALINITY (S)

P

INOCULANT

C

Highly productive **hard seeded** species with deep root structure enabling excellent late spring/early summer growth. Adapted to deep acid sands but does not tolerate waterlogging or saline soils. White flower developing pink tinge. Suitable for grazing, hay and silage. Non bloating.

PARADANA BALANSA

Adaptable species that tolerates acid and waterlogged soils.

SOWING RATE KG/HA

1 to 4

RAINFALL MM

500+

APPROX. DAYS TO FLOWERING
IN PERTH

120

IDEAL SOIL RANGE

S-H

LOW PH (P) · WATERLOGGING
(W) · SALINITY (S)

P/W/Mild S

INOCULANT



Hard seeded annual that exhibits high spring production and excellent waterlogging tolerance. Will have limited regeneration if cut for late silage or hay. Sets large amount of seeds therefore good for regeneration under appropriate grazing management. Suited to medium to high rainfall areas.

CRIMSON CLOVER

Attractive crimson flowers and highly palatable.

SOWING RATE KG/HA

3 to 10

RAINFALL MM

500+

APPROX. DAYS TO FLOWERING
IN PERTH

120

IDEAL SOIL RANGE

S-H

LOW PH (P) · WATERLOGGING
(W) · SALINITY (S)

P

INOCULANT



Soft seeded erect annual clover suited to medium-high rainfall areas. Produces a large amount of high quality forage in the late spring period and is adaptable to loam and gravelly soils. Susceptible to germination after false breaks. Often used in mixes for cover crops and regenerative pastures, being deep rooted and having high seed production.

HYKON ROSE CLOVER

Tolerates acid sands.

SOWING RATE KG/HA

3 to 8

RAINFALL MM

300+

APPROX. DAYS TO FLOWERING
IN PERTH

100

IDEAL SOIL RANGE

LS-L

LOW PH (P) · WATERLOGGING
(W) · SALINITY (S)

Mild P

INOCULANT



Hard seeded early flowering semi-erect clover with high levels of hard seeds which therefore tolerates false breaks. It has very good insect tolerance. Deep rooted which provides palatable and non bloating forage. Ideal alternative to Serradella in lower pH soils.

BARTOLO BLADDER

Adaptable over wide soil types. Produces high level of hard seeds.

SOWING RATE KG/HA

5 to 10

RAINFALL MM

350+

APPROX. DAYS TO FLOWERING
IN PERTH

105

IDEAL SOIL RANGE

S-H

LOW PH (P) · WATERLOGGING
(W) · SALINITY (S)

Mild P

INOCULANT



Semi erect cultivar suited to mildly acid-alkaline sandy loam soils with pH 5-8. Tolerant of heavy grazing. **Hard seeded** with protection against false breaks. Does not produce well in saline or waterlogged soils.

DIAMAN2TI BLADDER CLOVER

Productive and nutritious with high levels of nitrogen fixation and harder seed levels.

SOWING RATE KG/HA

5 to 10

RAINFALL MM

300+

APPROX. DAYS TO FLOWERING
IN PERTH

95

IDEAL SOIL RANGE

S-L

LOW PH (P) · WATERLOGGING
(W) · SALINITY (S)

P

INOCULANT



Diaman2ti is a highly productive and nutritious winter legume with greater levels of hard seed than Bartolo providing more resilience to false breaks. It flowers earlier and thus can extend further into the drier regions of the Eastern Wheatbelt.

CASBAH BISERRULA

Suitable for low rainfall areas.

SOWING RATE KG/HA

3 to 6

RAINFALL MM

300+

APPROX. DAYS TO FLOWERING
IN PERTH

100

IDEAL SOIL RANGE

LS

LOW PH (P) · WATERLOGGING
(W) · SALINITY (S)

P/W

INOCULANT



Recommended for most soil types. **Hard seeded** therefore tolerant of false breaks. Tolerant of low fertility. Low bloat risk. But it has no waterlogging tolerance. Casbah can cause Photosensitisation in livestock during the spring period if sown as a monoculture. Can tolerate heavy grazing.

KYAMBRO PERSIAN CLOVER

Thrives in high pH soils.

SOWING RATE KG/HA

3 to 6

RAINFALL MM

500+

APPROX. DAYS TO FLOWERING
IN PERTH

120

IDEAL SOIL RANGE

S-H

LOW PH (P) · WATERLOGGING
(W) · SALINITY (S)

W/Mild S

INOCULANT



Mid season flowering **hard seeded** Persian. Very persistent if allowed to reseed in first year. Handles wet conditions, has high quality forage and makes higher quality hay than Balansa. Suited to permanent pasture systems. Will tolerate limited salinity.

SHAFTAL PERSIAN CLOVER

Tolerant of seasonal flooding.

SOWING RATE KG/HA

4 to 6

RAINFALL MM

400+

APPROX. DAYS TO FLOWERING
IN PERTH

140

IDEAL SOIL RANGE

S-H

LOW PH (P) · WATERLOGGING
(W) · SALINITY (S)

W/Mild S

INOCULANT



Late flowering, large leaved erect **soft seeded** Persian clover offering excellent winter spring production. Suited to annual pasture systems. Handles medium waterlogged conditions and has some salt tolerance. Extremely palatable and high quality forage.

BERSEEM CLOVER

High quality, nutritious and productive forage, excellent bulk for silage and hay.

SOWING RATE KG/HA

8 to 10

RAINFALL MM

550+

APPROX. DAYS TO FLOWERING
IN PERTH

144

IDEAL SOIL RANGE

L-H

LOW PH (P) · WATERLOGGING
(W) · SALINITY (S)

W/Mild S

INOCULANT



Soft seeded erect annual clover with rapid establishment vigour. Suited to medium-high rainfall areas growing in autumn, winter and spring and to neutral fertile alluvial and medium to heavy soils. High quality forage and bulk for silage and hay providing multiple cuts and commonly used in mixes with other legumes or annual ryegrasses. Rapid establishment. Low cold tolerance and low risk of bloat.

PRIMA GLAND CLOVER

Early maturing, pest tolerant.

SOWING RATE KG/HA

4 to 6

RAINFALL MM

350+

APPROX. DAYS TO FLOWERING
IN PERTH

100

IDEAL SOIL RANGE

S-H

LOW PH (P) · WATERLOGGING
(W) · SALINITY (S)

—

INOCULANT



White seeded type. Early maturing with good regenerative abilities. Tolerant of Red Legged Earth Mite and Blue Green Aphid.

HAIFA WHITE CLOVER

Perennial clover under irrigation – winter producer.

SOWING RATE KG/HA

2 to 4

RAINFALL MM

500+

APPROX. DAYS TO FLOWERING
IN PERTH

90

IDEAL SOIL RANGE

S-H

LOW PH (P) · WATERLOGGING
(W) · SALINITY (S)

P/W

INOCULANT



Small-medium sized leaves with high winter / early spring activity. Older variety with prolific seed set and some hard seed dispersed by livestock.

RED CLOVER

Good summer growth, tap rooted, drought tolerance.

SOWING RATE KG/HA

6 to 10

RAINFALL MM

600+

APPROX. DAYS TO FLOWERING
IN PERTH

140

IDEAL SOIL RANGE

L-H

LOW PH (P) · WATERLOGGING
(W) · SALINITY (S)

~~**P/W**~~

INOCULANT



A late flowering, summer active highly productive perennial legume with high feed value. Suitable for grazing, silage or hay. It has a strong tap root, has some drought tolerance and good summer growth. Often sown as a component in a mix for permanent pasture.

STRAWBERRY CLOVER

Tolerant of mild salinity, late producer.

SOWING RATE KG/HA

½ to 2

RAINFALL MM

450+

APPROX. DAYS TO FLOWERING
IN PERTH

140

IDEAL SOIL RANGE

L-H

LOW PH (P) · WATERLOGGING
(W) · SALINITY (S)

W/Mild S

INOCULANT



Perennial clover suited to waterlogged areas, tolerant to mild salinity and neutral to alkaline soils. Grazing tolerant and persistent. More productive through spring and summer than winter. Can cause bloat in cattle.

07

Lucerne

Lucerne must be inoculated at the time of sowing with group AL which enables the plant to convert nitrogen from the air in a form that the plant can use. A minimum soil pH of 5.5 CaCl_2 is critical for the establishment of Lucerne and monitoring of soil pH is advantageous during the life of the stand.

L91 **NEW**

Improved Forage production.

SOWING RATE KG/HA

**Dryland 4 to 10
Irrigation 18 to 25**

RAINFALL

400+

WINTER ACTIVITY

9

IDEAL SOIL RANGE

S-H

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

~~**W/S**~~

INOCULANT

AL

Highly winter active, with good pest and disease resistance. Prefers deep well drained soils (sands to moderately heavy clay), tolerates slightly acidic to low pH and periods of waterlogging. Rotationally graze and reduce grazing pressure over summer to avoid grazing out the crown. Highly palatable and digestible and ideal for grazing, silage and hay. Coated - Goldstrike.

L97 NEW

Salt tolerant and suited to wide range of soil types. High quality feed grain and hay.

SOWING RATE KG/HA

Dryland 4 to 10
Irrigation 18 to 25

RAINFALL

400+

WINTER ACTIVITY

9

IDEAL SOIL RANGE

S-H

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

~~W~~/Mild S

INOCULANT

AL

L97 is the most salt tolerant variety of lucerne on the market and has outstanding winter growth. Producing consistent high-quality feed year round for grazing or cutting. Suited to a wide range of soil types and produces in both saline and non saline conditions. Suitable for grazing, silage or hay. Australian bred. Coated - Goldstrike.

L70 NEW

High yielding quality hay.

SOWING RATE KG/HA

Dryland 4 to 10
Irrigation 18 to 25

RAINFALL

400+

WINTER ACTIVITY

7

IDEAL SOIL RANGE

S-L

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

~~W~~/Mild S

INOCULANT

AL

This popular, semi-winter dormant, highly persistent lucerne has excellent resistance to pests/diseases and provides excellent grazing and hay / forage production. High leaf to stem ratio enhancing quality and yield. Adaptable to various soil types, making it a reliable leading choice for consistent yields. Coated - Goldstrike.

SCEPTRE

Widely adaptable.

SOWING RATE KG/HA

**Dryland 4 to 10
Irrigation 10 to 20**

RAINFALL

350+

WINTER ACTIVITY

9

IDEAL SOIL RANGE

S-L

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

~~W~~/Mild S

INOCULANT

AL

Older variety that has vigorous seedling establishment which ensures strong robust plants. Excellent disease and pest resistance profile.

Other Grasses

Something to fit all production systems and livestock feed requirements. Depending on the species, these grasses are generally highly adaptable across a wide range of soils and rainfall zones. Some of these can be used as replacements for ryegrass pastures in the higher rainfall areas or specialist pasture situations where salinity or low pH is a problem.

AMPLIFY PHALARIS

Deep rooted perennial capable in tolerating waterlogging and salinity.

SOWING RATE KG/HA

2 to 8

RAINFALL MM

500+

IDEAL SOIL RANGE

L-H

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

P/W/MILD S

A great all rounder with high winter forage yields and some summer production under favourable conditions. Can go summer dormant under adverse conditions for increased persistence. A long term perennial that has increased seedling vigour and lower toxicity. Tolerance to acid soils and heavy grazing.

KIKUYU

Highly persistent, survives long dry periods.

SOWING RATE KG/HA

2 to 5

RAINFALL MM

650+

IDEAL SOIL RANGE

S-H

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

W/Mild S

High quality forage if moisture is available in the summer but poor winter growth. Long growing season. Responds well to fertilisation, especially nitrogen in the warm season. Reasonable frost tolerance. Very competitive and reduces soil erosion. Persistence and competitiveness reduce compatibility with other pastures including legumes. **Coated and treated with Gaucho.**

BERMUDA COUCH GRASS

Warm Season grass for permanent pastures.

SOWING RATE KG/HA

**8kg pasture
100kg turf**

RAINFALL MM

600+

IDEAL SOIL RANGE

S-H

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

W/S

Widely adaptable grass to soils and climate. Tolerant of flooding and salinity and heavy grazing. Sow when soil temperatures are above 18 °C. Prefers pH of 5.5+. Propagates by a series of runners - stolon (above ground) and Rhizomes (below ground) Can strangle out other pastures as it is very vigorous and competitive. **Coated and treated with Gaucho.**

MATUA PRAIRIE GRASS

High quality feed with all year round production.

SOWING RATE KG/HA

25 to 40

RAINFALL MM

650+

IDEAL SOIL RANGE

L-H

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

~~W~~

As a pasture brome species it will persist for longer than ryegrass. It provides for an excellent long season option with strong summer heat tolerance as well as good winter production, and is perfectly suited to rotational grazing systems. A good quality and highly palatable pasture even at seedhead stage. Needs to be well managed to achieve high production levels.

MISSION VELDT GRASS

Perennial option for sandy soils.

SOWING RATE KG/HA

1 to 3

RAINFALL MM

300+

IDEAL SOIL RANGE

LS-L

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

P/~~W~~

Perennial grass suited to deep sands in moderate to high rainfall areas. Drought Resistant. Very palatable. Often sown with Lucerne.

PUCCINELLIA

Excellent saline and waterlogging tolerant perennial.

SOWING RATE KG/HA

1 to 2

RAINFALL MM

350+

IDEAL SOIL RANGE

L-H

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

W/S

Excellent for salt affected areas with a high level of salt tolerance. Good winter activity once established, graze rotationally avoiding overgrazing in late spring/summer. Responds to Nitrogen application. Does not survive where the soil surface remains wet over summer.

TALL FESCUE

Will survive and thrive through tough conditions.

SOWING RATE KG/HA

15 to 25

RAINFALL MM

450+

IDEAL SOIL RANGE

LS-H

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

W/Mild S

Summer active and deep rooted, with high resistance to drought and diseases. Fast establishing, highly adaptable with good production and longevity. Late heading and highly flexible. Foliage provides excellent palatability and feed value. Suited to a wide range of soil types and responds well to summer rainfall.

TALL WHEAT GRASS

Best pasture option for saline and waterlogged areas.

SOWING RATE KG/HA

10 to 15

RAINFALL MM

450+

IDEAL SOIL RANGE

S-H

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

W/S

Later maturing perennial adapted to a wide range of soil types including poorly drained and saline affected areas. It has high salt tolerance and will grow and persist in highly alkaline soils. Can be sown into saline areas with between 3 to 5dS/m (Deci siemens per metre). Can also be used in reclamation of saline soils and for soil conservation; also for pasture in low rainfall, non saline soils. Ideal companion to Puccinellia.

TEFF GRASS

Annual summer grass offering multiple harvests.

SOWING RATE KG/HA

3 to 6

RAINFALL MM

450+

IDEAL SOIL RANGE

L-H

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

P/~~W~~

Fast growing reasonable drought tolerant variety. Grows to 70cm - 1m high before harvest. 1st growth up to 10cm and cut to allow rapid growth. Plant seeds as shallow as possible in moist soil when soil temperatures are above 16°C. Not frost tolerant. Good tolerance to heat. Good forage crop that responds quickly to nitrogen applications.

TREPOSNO COCKSFOOT

Persistent, high yielding perennial. Tolerance to cold and drought.

SOWING RATE KG/HA

5 to 8

RAINFALL MM

450+

IDEAL SOIL RANGE

S-H

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

P

An improved variety selected for increased yields and cold tolerance. Suited to acid soils with excellent summer, autumn and spring production. Hardy perennial grass with dense swards. Ideally suited to permanent pasture, silage or hay. Good value for money being a small seed.

FRAN2O SERRADELLA

Earlier season than Margurita and suited to acid soils.

SOWING RATE KG/HA

5 to 8

RAINFALL MM

300+

APPROX. DAYS TO FLOWERING
IN PERTH

90

IDEAL SOIL RANGE

LS-L

LOW PH (P) · WATERLOGGING
(W) · SALINITY (S)

P

INOCULANT

G/S

Fran2o is a new improved variety of Margurita Serradella offering an all year round pasture seeding option if seeded as a podded seed (sowing rate 15-20kg) in summer. **Hard** seeded, pink flower with a shorter time to maturity than Margurita. Suited to acid sandy or loamy soils. Highly palatable and very productive in spring with a high nutritive value. (Pink Flower).

MARGURITA SERRADELLA

Deep rooted and hard seeded.

SOWING RATE KG/HA

6 to 10

RAINFALL MM

350+

APPROX. DAYS TO FLOWERING
IN PERTH

107

IDEAL SOIL RANGE

LS-L

LOW PH (P) · WATERLOGGING
(W) · SALINITY (S)

P

INOCULANT

G/S

A pink flowered medium maturing, **hard** seeded variety. Margurita has an erect growth habit with good production through early - mid spring. Should be sown as bare seed where pasture is required in year 1. Pod seed can be sown in February @ 20kg/ha, shallow (10mm) and will soften by the break of the season. (Pink Flower).

ELIZA SERRADELLA

Improved Cadiz variety.

SOWING RATE KG/HA

10 to 20

RAINFALL MM

350+

APPROX. DAYS TO FLOWERING
IN PERTH

80

IDEAL SOIL RANGE

LS-L

LOW PH (P) · WATERLOGGING
(W) · SALINITY (S)

P

INOCULANT

G

Eliza is a **soft** seeded pink flowering French Serradella with more early vigour than Cadiz. Higher seeding rates required, as 60% of the weight is pod not seed. Tolerates lower pH soils. Deep rooted behaviour on deep sandy soils can extend the growing season. Low bloat risk. (Pink Flower)

SANTORINI SERRADELLA

Excellent producer can be indeterminate in its flowering.

SOWING RATE KG/HA

6 to 10

RAINFALL MM

350+

APPROX. DAYS TO FLOWERING
IN PERTH

95

IDEAL SOIL RANGE

LS-L

LOW PH (P) · WATERLOGGING
(W) · SALINITY (S)

P

INOCULANT

G/S

A **very hard** seed, yellow flowered Serradella. Santorini does not suffer leaf loss or lodge like French Serradella and as a consequence holds the lower leaves resulting in better production. Sow as pure seed where pasture required in year 1. Toughest of all Serradellas that withstands heavy grazing (Yellow Flower).

SERRAMAX SERRADELLA

Hard seeded. Highly regenerative.

SOWING RATE KG/HA

6 to 10

RAINFALL MM

300+

APPROX. DAYS TO FLOWERING
IN PERTH

95

IDEAL SOIL RANGE

LS-L

LOW PH (P) · WATERLOGGING
(W) · SALINITY (S)

P/W

INOCULANT

G/S

WA bred new variety that is an early flowering, **hard** seeded, yellow serradella with a semi erect growth habit and an increased rate of hard seed breakdown which favours strong regeneration. Suited to acidic sands and sandy loams, it establishes quickly reducing early weed competition. Suitable as a permanent pasture improving soil fertility and boosting yields for subsequent crops (Yellow Flower).

CAVALIER MEDIC

Spineless Burr variety with good waterlogging and salinity tolerance.

SOWING RATE KG/HA

10 to 15

RAINFALL MM

350+

APPROX. DAYS TO FLOWERING
IN PERTH

90

IDEAL SOIL RANGE

LS-L

LOW PH (P) · WATERLOGGING
(W) · SALINITY (S)

P/W/Mild S

INOCULANT

AM

A medic with a relatively high percentage of soft seed compared to Santiago, which will result in more densely regenerated second year pastures. Cavalier has pest and disease tolerances, a broad range of maturity and the percentage of **hard** seededness provides both persistence through cropping phases and a better response to environmental variations.

Alternative Crops

Alternative crops which assist in providing additional options for fast establishing forage and cover crops, that also provide benefits for soil improvement. Some can be used for green manure or as a bio fumigant crop while others are suited to providing forage after summer rainfall events or legume or herb options under very intensive grazing systems.

BOUNTY SORGHUM

Fast establishment. High feed value and dry matter yields.

SOWING RATE KG/HA

10 to 20

RAINFALL MM

350+

IDEAL SOIL RANGE

H

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

P

INOCULANT

—

Early to mid-maturing variety with high leaf to stem ratio, suitable for grazing, hay and silage. Good tillering and quick regrowth post grazing. Drought tolerant with high dry matter production. Plant in late spring/summer where soil temperatures are 16°C and rising. **Coated and treated with Gaucho and Thiram**

BUCKWHEAT

Summer cover crop option.

SOWING RATE KG/HA

50

RAINFALL MM

550+

IDEAL SOIL RANGE

S-L

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

—

INOCULANT

—

Is not a cereal but a speedy short season summer cover crop option with a dense root system providing a good soil conditioner before the next autumn crop. Cover crops suppress weeds and attract beneficial insects and pollinators with their abundant blossoms. Good companion to add to a cover crop mix.

BLACK MUSTARD

Natural Biofumigant for pest and disease control.

SOWING RATE KG/HA

6 to 10

RAINFALL MM

400+

IDEAL SOIL RANGE

S-H

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

—

INOCULANT

—

A natural biofumigant grown in areas where soil borne pests and diseases are a problem. When cut and mixed into the soil it acts as a natural biofumigant and helps reduce soil-borne pests and diseases, builds soil organic carbon, improves soil structure, and increases the soil's ability to hold nutrients and moisture. It also boosts overall productivity, suppresses weeds, and reaches maturity in approximately 12 to 14 weeks.

CEREAL RYE

Inexpensive cover crop.

SOWING RATE KG/HA

80 to 100

RAINFALL MM

350+

IDEAL SOIL RANGE

L-H

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

W

INOCULANT

—

Ideal for providing a reliable pasture in drier years, getting early grazing in cold climates, and filling a feed gap in autumn and winter.

JOEY TRITICALE

Versatile, reliable and high yielding.

SOWING RATE KG/HA

60 to 100

RAINFALL MM

400+

IDEAL SOIL RANGE

S-H

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

P/W

INOCULANT

—

Known for excellent winter forage, fast growth, and good drought/acid soil tolerance, making it a top choice for grazing, hay, silage, and cover crops. This hybrid grain (wheat x rye) combines the hardiness of rye with wheat's productivity offering high yields and quality feed.

EBONY COWPEAS

Fast growing, multi purpose legume. Drought tolerant.

SOWING RATE KG/HA

15 to 20

RAINFALL MM

500+

IDEAL SOIL RANGE

S-H

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

~~W~~

INOCULANT

I

High nutritional value and palatability. Good soil conditioner and adapted to a wide range of soil types. Easy and quick to establish, high yielding with high seed production. Seed rate as a monoculture or in a mix will depend on soil moisture and/or irrigation. Ensure soil temperatures are 16°C and rising.

VETCH - COMMON - POPANY

Multipurpose legume that can be used for forage or soil improver.

SOWING RATE KG/HA

(C) 40 to 45
(P) 30 to 35

RAINFALL MM

(C) 300+
(P) 450+

IDEAL SOIL RANGE

L-H

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

(C) ~~W~~
(P) W

INOCULANT

E

Common vetch (C) is a highly palatable annual forage suitable for grazing, hay, or grain, while also improving soil fertility, structure, and organic matter and acting as an effective break crop. It suits drier areas and systems requiring early grazing or grain. Popany (P) is a later-maturing variety (130+days) best suited to higher rainfall areas, providing valuable late-season feed for grazing, hay or silage, and green manure.

FREYRS SUNN HEMP

Summer legume cover crop best suited to north of Perth.

SOWING RATE KG/HA

10 to 20

RAINFALL MM

350+

IDEAL SOIL RANGE

LS-H

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

—

INOCULANT

—

A good legume component to a summer cover crop mix. Very good as a Green and Brown Manure option being short season producing high levels of Biomass. Fast to establish so suppresses weeds. Benefits the soil by reducing nematode levels and increases soil nitrogen being a legume. Reasonable heat and drought tolerance. Also produces an abundance of yellow blossoms to attract beneficial insects and pollinators. Suited for areas north of Perth.

WINFRED FORAGE BRASSICA

All rounder forage and companion species.

SOWING RATE KG/HA

3 to 4

RAINFALL MM

500+

IDEAL SOIL RANGE

S-H

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

—

INOCULANT

—

A versatile, early maturing forage brassica, an outstanding option for cheap feed, suited to a wide range of soil types and environmental conditions, stock classes and sowing times. Good drought and frost tolerance with excellent regrowth potential with flexibility to perform well through summer and carry later into the season as winter feed is required.

COOGEE FIELD PEAS

Excellent nitrogen fixation in soils. Offers multiple options.

SOWING RATE KG/HA

80 to 100

RAINFALL MM

350+

IDEAL SOIL RANGE

S-H

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

P/S

INOCULANT

F/E

Coogee is an improved dun pea variety with rapid early growth, high biomass, basal branching, and longer vines, maturing slightly later than Parafield. It resists powdery mildew, tolerates boron and salinity, and offers flexibility for forage, stockfeed, or use as a green/brown manure or hay, depending on seasonal conditions.

SHIROHIE MILLET

Fast growing crop for summer rainfall events.

SOWING RATE KG/HA

10 to 15

RAINFALL MM

300+

IDEAL SOIL RANGE

S-L

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

S/W

INOCULANT

—

Sow when soil temperatures exceed 14°C. Should not be grazed until plants are well anchored, 20-30cm in plant height. Adequate fertiliser should be applied after each grazing. Has some salt tolerance but not frost tolerant. Fast growing, high production.

SIX POINT CHICORY

High quality summer forage.

SOWING RATE KG/HA

4 to 8

RAINFALL MM

550+

IDEAL SOIL RANGE

LS-H

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

W

INOCULANT

—

High quality feed and often sown in a mix of grasses and clovers at 2-5kg per hectare. Tolerant of waterlogging and drought periods, with a very deep tap root known to assist with breaking up the soil and enabling moisture to be drawn from deep within the soil profile. Can regenerate if allowed to go to seed. Parasite inhibiting properties, safe for animals and does not cause staggers.

SUNFLOWER -COMMON

Good cover crop option to include in mixes.

SOWING RATE KG/HA

5 to 8

RAINFALL MM

350+

IDEAL SOIL RANGE

H

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

W

INOCULANT

—

Plant at a soil temperature of over 14°C. Survives best in a soil pH of above 5. Good component to a cover crop mix as Sunflowers have a robust root system that enables them to capture nutrients that are available in the soil. Sunflowers also are good for Mycorrhizal Fungi growth.

TILLAGE FORAGE RADISH

Compaction buster with good forage production.

SOWING RATE KG/HA

5 to 8

RAINFALL MM

400+

IDEAL SOIL RANGE

S

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

—

INOCULANT

—

Achieves rapid ground cover providing a quick, highly palatable grazing feed for sheep and cattle. Draws up subsoil nitrogen and nutrients, green manure biomass, aerates soil, breaks down compacted soil. Sowing depth 0.75 to 2.5cm

KARAKA LEAFY TURNIP

Highly palatable, fast growing feed.

SOWING RATE KG/HA

4 to 5

RAINFALL MM

500+

IDEAL SOIL RANGE

L-H

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

—

INOCULANT

—

This annual hybrid brassica offers quick, high-quality, and palatable feed, delivering high yields through multiple grazes when grown on fertile soils and managed effectively.

TONIC PLANTAIN

Mineral rich year-round perennial grazing herb.

SOWING RATE KG/HA	RAINFALL MM	IDEAL SOIL RANGE
3 to 10	600+	L-H
LOW PH (P) · WATERLOGGING (W) · SALINITY (S)	INOCULANT	
—	—	

A highly digestible and nutritious perennial herb that establishes quickly and can be grown on a wide range of soil types. It has a deep root system so relatively drought tolerant with good winter and spring growth. Tolerates frequent grazing. Has high levels of protein. For sheep, dairy and beef cattle.

11

Sub Tropical Perennial Grasses and Mixes

NORTHERN PERENNIAL MIX

Mainly Panic with Rhodes grasses.

SOWING RATE KG/HA

6 to 8

RAINFALL MM

300+

IDEAL SOIL RANGE

LS-L

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

Mild S

Suited for areas north of Perth. A mix ideally adapted to a wide range of soils. A larger portion of the mix is Gatton Panic with the remainder being Rhodes grass. Sustainability and productivity of this pasture mix is highly relative to allowing it ample time to establish and managing its grazing appropriately. Also suited to areas for stabilisation, like mine rehabilitation and road verges etc.

SOUTHERN PERENNIAL MIX

Panic with Rhodes grasses, Phalaris and Kikuyu.

SOWING RATE KG/HA

6 to 8

RAINFALL MM

300+

IDEAL SOIL RANGE

LS-L

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

Mild S

Suited for areas south of Perth. Persistent and productive perennial mix which if allowed to establish with adequate moisture will continue to be productive in summer with the appropriate grazing systems. Suited to areas for stabilisation, like mine rehabilitation and road verges etc.

GATTON PANIC GRASS

Deep rooted and drought persistent.

SOWING RATE KG/HA

4 to 8

RAINFALL MM

300+

IDEAL SOIL RANGE

LS-L

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

~~**W**~~

Very popular perennial grass which is very persistent and has increased productivity in areas with summer rainfall. Gatton has a broader longer leaf and better palatability than green panic. Gatton Panic is tolerant to shade. Suited to well drained soils but will perform on other soils with good fertility. Responds quickly after rain. Does not tolerate waterlogging. Sensitive to frost. **Coated and treated with Gaucho.**

CARPET GRASS

Short perennial, stoloniferous, dense mat-like spreading grass.

SOWING RATE KG/HA

**8kg pasture;
100kg turf**

RAINFALL MM

650+

IDEAL SOIL RANGE

S-H

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

P/W

Good choice for areas with poor soil conditions, low fertility and shade. Not drought or saline tolerant. An alternative to Kikuyu and Bermuda Couch Grass. **Coated and treated with Gaucho.**

CALLIDE RHODES GRASS

Performs well in acidic and low fertility soils.

SOWING RATE KG/HA

4 to 8

RAINFALL MM

400+

IDEAL SOIL RANGE

LS-L

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

W/Mild S

Callide is a Tetraploid variety and later flowering than Katambora. It exhibits stolon density similar to Katambora. Requires a higher rainfall than Katambora. Callide can be more palatable and productive than Katambora under better fertility conditions. **Coated and treated with Gaucho.**

FINECUT RHODES GRASS

Proven in WA across a wide range of soils. Silage or hay.

SOWING RATE KG/HA

4 to 8

RAINFALL MM

300+

IDEAL SOIL RANGE

LS-L

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

Mild S

Finecut is a fine leaved selection from Katambora giving improved establishment vigour, higher palatability and increased production. Ideal hay option. One of the more productive of the Rhodes grass options. **Coated and treated with Gaucho.**

KATAMBORA RHODES GRASS

Popular variety with prostrate growth habit.

SOWING RATE KG/HA

4 to 8

RAINFALL MM

300+

IDEAL SOIL RANGE

LS-L

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

Mild W/Mild S

Older variety with prostrate spreading habit. Widely adapted and easily established. Tolerates heavy grazing once established. Provides Nematode resistance. Is more tolerant of lower temperatures. **Coated and treated with Gaucho.**

RECLAIMER RHODES GRASS

High salinity tolerance. Suits wide spectrum of soils. Hay option.

SOWING RATE KG/HA

4 to 8

RAINFALL MM

300+

IDEAL SOIL RANGE

LS-L

LOW PH (P) · WATERLOGGING (W) · SALINITY (S)

S

Reclaimer is a salt tolerant early maturing, erect, warm season, highly stoloniferous perennial Rhodes grass that has retained the attributes of Finecut but with increased stolon density and number of growing points giving increased plant recruitment. Will provide more rapid ground cover than other varieties. Excellent hay option. **Coated and treated with Gaucho.**



PLANT BIOSTIMULATOR

MICROBIOLOGICAL PRODUCT FOR SOIL TREATMENT AND SEED COATING (Powder)

BioNPK Powder S contains beneficial microorganisms that convert nutrients N, P, K into plant-available forms, improving nutrient uptake. Mycorrhizal fungi enhances phosphorus and water absorption while protecting roots from pathogens, and Trichoderma viride fungus promotes healthy strong root development, plant growth and resistance to stress factors. Applied in water with an adjuvant, BioNPK Powder S can be used as a soil treatment or seed coating, is compatible with other biologicals, fertilisers, pesticides and liquid urea sprayed onto bare soil at 100–200L of water per application.

SOIL RANGE KEY: **LS** - Light Sands **S** - Sands **L** - Loam
H - Heavy

This Pasture Growers Guide provides a brief description and broad based recommendations on the listed varieties and public material as to their main production characteristics. To get more detailed information always consult your local agronomist. Most varieties listed on this chart are protected under the Plant Breeders Rights Act 1994 and amendments. Unauthorised commercial propagation or sale of these varieties is an infringement under the Plant Breeders Act.



Western Australian Pasture Seed Specialists.

Since 1966.

P: 08 9383 4708 | M: 0407 929 363

irwinhunter.com.au

sales@irwinhunter.com.au

Unit 5 / 75 Robinson Avenue, Belmont, WA, 6104