

Making an Agent Public on RisingTide

Publishing an agent puts a chat bubble on a website that anyone can use — no login required. You build the agent in RisingTide, turn on public access, create a key tied to your site, and drop a small snippet of code into the site. This walks through the whole thing on **uat-ai.newtide.ai**.

Before you start

- **You need Company Super Admin access.** Only super admins can publish an agent or create keys. If you reach Advanced Settings and there's no **Public Agent** section, it's a permissions thing — ask a Company Super Admin on your team to grant you access or run this step for you.
 - **Save the agent at least once first.** The publishing controls live under **Advanced Settings**, which only shows up after the agent has been saved.
 - **Use an incognito window** if you're logged into more than one environment (PROD + UAT) — otherwise you can end up signed in as the wrong user.
-
-

1. Open Agent Harbor

From the dashboard, open **Agent Harbor**. This is where all your agents live.



Dashboard > Agent Harbor

Agent Harbor

Create Agent +



Prompt Engineering Agent
Perseus
This assistant helps you craft high-quality prompts for any use case. Whether you'r...



Support Agent
Sage
This agent is your dedicated support assistant for the platform. If you...



Generic Company Agent
Helps with most tasks. Ask me anything you would ask ChatGPT!



Jira Assistant
My assistant



Test Agent
Used for testing customer issues!



Coming Soon

Trade Analyst AI
Analyzes and organizes trade information, breaking it into structured elements for...



Coming Soon

Credit Agent
Collects and validates customer credit info, spots transactions, and automates...



Coming Soon

COI Management
Manages carrier COIs (cancellations/reinstatements) in real-ti...



Coming Soon

Sourcing Agent
Determines the best sourcing and supply options, whether fuel from a terminal or...



Coming Soon

Order Creation
Automatic data extraction and order creation injected into your current...



Coming Soon

Delivery Confirmation
Automatically reconciles fuel deliveries from multiple random document formats...



Coming Soon

BOL Reconciliation
Confirm that what was lifted on your behalf is what was actually delivered and...

< 1 2 >

2. Open your agent's settings

Find the agent you want to publish and click the **gear icon** on its card to open **Agent Settings**.



Dashboard > Agent Harbor

Agent Harbor

Search agents... Create Agent +



Prompt Engineering Agent
Perseus
This assistant helps you craft high-quality prompts for any use case. Whether you'r...





Support Agent
Sage
This agent is your dedicated support assistant for the platform. If you...





Generic Company Agent
Helps with most tasks. Ask me anything you would ask ChatGPT!





Jira Assistant
My assistant





Test Agent
Used for testing customer issues!





Trade Analyst AI
Analyzes and organizes trade information, breaking it into structured elements for...

Coming Soon



Credit Agent
Collects and validates customer credit info, spots transactions, and automates...

Coming Soon



COI Management
Manages carrier COIs (cancellations/reinstatements) in real-ti...

Coming Soon



Sourcing Agent
Determines the best sourcing and supply options, whether fuel from a terminal or...

Coming Soon



Order Creation
Automatic data extraction and order creation injected into your current...

Coming Soon



Delivery Confirmation
Automatically reconciles fuel deliveries from multiple random document formats...

Coming Soon




BOL Reconciliation
Confirm that what was lifted on your behalf is what was actually delivered and...

Coming Soon

< 1 2 >

3. Open Advanced Settings

On the **Settings** tab, scroll to the bottom and expand **Advanced Settings**. Don't see it? The agent hasn't been saved yet — hit **Save**, then look again.




4. Turn on public access

Under **Advanced Settings > Public Agent**, switch the toggle on. You'll get a **"Public access enabled for this agent"** confirmation. (No toggle here at all means you're not a Company Super Admin — that's an access issue, not something you did wrong.)

The screenshot shows the Newtide Agent Settings interface. The left sidebar has tabs for Settings, Files, Permissions, and Tasks. The 'Settings' tab is active, showing a 'Disable Platform Prompt' checkbox, a 'Conversation Starters' section with an 'Add starter' button, and a 'Tools Settings' section. The 'Advanced Settings' section is expanded, showing the 'Public Agent' toggle switch, which is currently turned off and highlighted with a red dashed box. The right panel is the 'Playground' area, which is empty. The top navigation bar includes 'Dashboard', 'Agent Harbor', 'Generic Company Agent', and 'Agent Settings'. The top right corner has buttons for 'Back to Agent', 'Delete Agent', and 'Version History'.

5. Create a public key

Click **+ Create key**. The key is what connects the website chat widget to your agent.




6. Fill out the key

Fill in the **Create public key** dialog:

- **Name** — anything you'll recognize (e.g. `Public Agent`).
- **Allowed origins** — the real site URL(s) where the chat is allowed to appear, one per line, starting with `https://`. The widget *only* works on these domains, so a placeholder like `example.com` won't do — use the actual site.
- **Bind to user** — pick a **non-admin** user. The chat runs with this user's permissions, so it should only have access to things that are safe to be public. Admin accounts are rejected.
- **Expected traffic** — pick **Small** / **Medium** / **Large** for rate limits (or **Customize values** for exact numbers). **Small** is fine for testing.

Then click **Create key**.



7. Copy the embed snippet

RisingTide now shows your API key and a ready-to-paste **embed snippet**. **Copy it right away** — the full key is shown only this once. If you lose it, you'll have to create a new key and re-embed.

The snippet looks like this:

```
<script
  src="https://uat-ai.newtide.ai/agent-embed.js"
  data-api-key="pk_.....">
</script>
```

8. Add the snippet to the website

Paste the snippet once into the site's HTML, just before the closing `</body>` tag, and redeploy. An **AI assistant bubble** then appears on the page; clicking it opens the chat.

On a real customer site, **the customer** (or their developer) pastes the snippet in — NewTide doesn't deploy to their site. For your own testing, a free host like Netlify works (name the file `index.html`).

9. If the chat loads but won't answer

Because the widget runs as the bound non-admin user, that user needs the agent's **"use"** permission (on the **Permissions** tab), plus access to any data group the agent relies on. If the bubble shows up but the agent errors out, check this first.

One important safety note

If your agent can search knowledge / Data Helm, an unrestricted public agent will happily answer internal questions for anyone on the internet. Add a line to the **system prompt** to keep it in bounds — for example: *"Only answer questions relevant to the business. Never share internal, NewTide, or Data Helm information."* The system prompt is the real guardrail here, so test it with a few nosy questions before going live.