Version Control EOAS Software Carpentry Workshop

September 20th, 2016

Learning Goals

- 1. Understand the benefits of an automated version control system.
- 2. Understand the basics of how Mercurial works

"FINAL"doc



 $^{\mathcal{C}}$ FINAL.doc!







FINAL_rev.6.COMMENTS.doc



FINAL_rev.8.comments5. CORRECTIONS doc














FINAL_rev.22.comments49. corrections.10.#@\$%WHYDID ICOMETOGRADSCHOOL????.doc







Configuring Mercurial

```
$ EDITOR=nano hg config --edit
[ui]
username = Vlad Dracula <vlad@tran.sylvan.ia>
editor = nano
[extensions]
color =
[color]
mode = win32
```

Creating a Repository

Learning Goal

1. Explain how to initialize a new Mercurial repository.

- mkdir forecast
- cd forecast
- hg init

- Is -a
- hg verify

Tracking Files

Learning Goals

- 1. Display the version control status of files in a repository and explain what those statuses mean.
- 2. Add files to Mercurial's collection of tracked files.
- 3. Record metadata about changes to a file.
- 4. Display the history of changes to files in a repository and explain the metadata that is recorded with each changeset.

- nano plan.txt
- hg status
- hg add plan.txt

- hg commit -m "Starting to plan the daily NEMO forecast system."
- hg log

Making Changes

Learning Goals

- 1. Display the uncommitted changes that have been made to tracked files.
- 2. Go through the modify-commit cycle for single and multiple files.

- nano plan.txt
- hg status
- hg diff
- hg commit -m "Note about atmospheric forcing."

- nano biblio.txt
- hg add biblio.txt
- hg commit -m "Added citation" biblio.txt

Exercise

Create a new Mercurial repository on your computer called bio. Write a three-line biography for yourself in a file called me.txt, commit your changes, then modify one line and add a fourth and display the differences between its updated state and its original state.

Exploring History

Learning Goals

- 1. Compare files with older versions of themselves.
- 2. Display the changes that were made to files in a previous changeset.

Lesson Commands

- hg diff --rev 1:2 plan.txt
- hg diff -r 0:2 plan.txt

hg diff --change 1

Recovering Old Versions

Learning Goals

- 1. Restore older versions of files.
- 2. Use configuration aliases to create custom Mercurial commands.

- nano plan.txt
- hg revert plan.txt

- hg revert --rev 0 plan.txt
- hg status

Ignoring Things

Learning Goal

1. Configure Mercurial to ignore specific files and explain why it is sometimes useful to do so.

- mkdir inprogress
- touch plan.txt inprogress/a.out inprogress/b.out
- hg status
- nano .hgignore
- hg status --ignored

.hgignore

```
syntax: glob
*~
inprogress/
```

Ignoring Things

Learning Goal

1. Configure Mercurial to ignore specific files and explain why it is sometimes useful to do so.

- mkdir inprogress
- touch plan.txt inprogress/a.out inprogress/b.out
- hg status
- nano .hgignore
- hg status --ignored


Remote Repositories

Learning Goals

- 1. Explain what remote repositories are and why they are useful.
- 2. Explain what happens when a remote repository is cloned.
- 3. Explain what happens when changes are pushed to or pulled from a remote repository.

- hg push
- hg config --local
- hg paths
- hg pull

Remote Repositories



Remote Repositories

Learning Goals

- 1. Explain what remote repositories are and why they are useful.
- 2. Explain what happens when a remote repository is cloned.
- 3. Explain what happens when changes are pushed to or pulled from a remote repository.

- hg push
- hg config --local
- hg paths
- hg pull

Exercise

Create a repository on Bitbucket, clone it, add a file, push those changes to Bitbucket. Look at the timestamp of the change on Bitbucket. How does Bitbucket record times, and why?


Learning Goals

- 1. Explain how to push, pull, update files, and update metadata among clones of a repository.
- 2. Display a simple visualization of the state of a repository and explain how updating the repository affects its state.


- hg clone
- hg add
- hg commit
- hg push
- hg pull
- · hg log --graph
- hg update



After Creating work and home Clones




After Pushing Change from work Clone





After Pulling Change into home Clone



local

Desktop/home/forecast/

plan.txt

biblio.txt

Learning Goals

- 1. Explain how to push, pull, update files, and update metadata among clones of a repository.
- 2. Display a simple visualization of the state of a repository and explain how updating the repository affects its state.

- hg clone
- hg add
- hg commit
- hg push
- hg pull
- hg log --graph
- hg update



Collaboration

Learning Goals

- 1. Explain the differences between public and private repositories on Bitbucket.
- 2. Configure user and group access settings for Bitbucket repositories.

Merging Changes from Different Clones

Learning Goals

- 1. Explain how Mercurial handles changes that make a repository's history diverge.
- 2. Explain what merges are.

- hg commit
- hg push
- hg pull
- hg heads
- hg log -G

- hg merge
- hg status
- hg diff
- hg summary

Merge Conflicts

Learning Goals

- 1. Explain what merge conflicts are and when they can occur.
- 2. Resolve conflicts resulting from a merge using the KDiff3 tool.

- hg incoming
- hg pull
- hg update
- hg log --graph
- hg merge --tool=kdiff3