Do Lyrics Make a Top 50 Hit? Analyzing the Spotify Global Top 200

Technical Report: Preprocessing Pipeline, Exploratory Data Analysis, BERTopic Clustering, and Artist-Grouped Classification

Dataset: 53 Weekly Spotify Global Top 200 Charts (Sept 2025 – Sept 2026) | Final Modeling Cohort: N = 582 English Songs (228 Top 50 Hits vs. 354 Ranks 51–200)

1. Project Motivation, Target Audience & Original Target Definition

In commercial songwriting, emerging artists and independent songwriters (our primary target audience) are frequently told that a song needs a specific "lyric formula"—shorter verses, heavy chorus repetition, simpler vocabulary, or a trendy breakup topic—to become a major streaming hit. We designed this study to test whether written lyrics actually separate songs that break into the **Spotify Global Top 50** (our binary target: `best_rank_this_year ≤ 50`, $y = 1$, $n = 228$) from songs that peak in the lower tiers of the chart (**Ranks 51–200**, $y = 0$, $n = 354$).

Executive Summary: Original Target Results & Why We Recommend the "Outlier Group"

1. **Surface Lyric Statistics Do Not Separate Top 50 Hits from Ranks 51–200:** Across all 582 English charting songs, Top 50 hits and ranks 51–200 songs have nearly identical chorus line repetition rates (median `31.8%` vs. `33.3%`, $p = 0.2154$), word counts (`352.5` vs. `346.5` words, $p = 0.5294$), and vocabulary diversity (Type-Token Ratio `0.372` vs. `0.365`, $p = 0.3255$).
2. **Machine Learning Confirms Lyrics Alone Cannot Predict Chart Rank:** Evaluated with 5-Fold Artist-Grouped Cross-Validation (`StratifiedGroupKFold` across 191 artist groups), a baseline Logistic Regression model using only **Release Year + Genre (M1)** achieves **0.6611 ROC-AUC**. Adding **BERTopic lyric themes (M2: 0.6463)** does not improve prediction, and models using only **Sentence-BERT embeddings (M3: 0.5080)** or **basic lyric stats (M4: 0.4696)** perform like a 50/50 coin flip.
3. **Strategic Recommendation for Emerging Artists — Embrace the "Outlier Group" (`Topic -1`):** Apparent high hit rates in specific clusters (like *Confessional Pop* at 61.1% or *K-Pop Hooks* at 64.3%) are driven by mega-star album drops (Olivia Rodrigo, Ariana Grande, BTS/aespa), while generic formula clusters like *Club Grooves & Flirtation* convert at only **22.6%**. Meanwhile, **123 songs (21.1% of the chart)** belong to **`Topic -1` (the Outlier Group)**—songs with distinctive, non-formulaic lyrics that refuse to fit standard templates, yet achieved **42 Top 50 hits (34.1%)** including #1 smashes like Djo's *End of Beginning*.

2. Data Collection & Preprocessing Pipeline (885 → 582 Songs)

Because lyrics are static text (they do not change from week to week), keeping 53 weekly chart rows for a long-running hit would copy the exact same lyrics 53 times and cause severe data leakage. We therefore aggregated the 53 weekly Spotify Global Top 200 CSV files into a song-level cross-sectional dataset (one row per unique song), fetched full lyrics via the Genius API, and added track metadata (`release_year` and `genre`) via the Apple iTunes Search API.

Preprocessing Step	Song Count	Script / Notebook	Preprocessing, Text Cleaning & Filtering Logic
1. Weekly Chart Aggregation	885 unique URIs	`02_aggregate_chart_stats.py`	Collapsed 53 weekly Top 200 lists into unique tracks; aggregated `best_rank_this_year` (min), `all_time_peak_rank` (min), and `total_streams_this_year` (sum).
2. Language Filtering & NLP Cleaning	709 songs	`03_add_itunes_and_nlp_features.py` `build_dataset.py`	Filtered for English lyrics (`language == 'en'`); stripped Genius section tags (`[Chorus]`, `[Verse]`); created two text versions: (a) `lemmas` (lowercased, stopwords removed, lemmatized via spaCy for bag-of-words/WordCloud) and (b) `cleaned_lyrics_transformer` (preserving full sentence structure for Sentence-BERT).
3. Title & Artist Deduplication	669 songs	`build_dataset.py`	Merged duplicate album/single/deluxe editions of the same song by `(artist_names, track_name)`, keeping the best rank.
4. Initial Holiday Filter	596 songs	`EDA_spotify_lyrics.ipynb`	Removed 72 tracks flagged as `track_type == 'holiday'` and 1 global event anthem that recur seasonally every December.
5. Final Clean Modeling Cohort	**582 songs**	`Scripts/m1_bertopic_model.py`	Removed **14 leftover Christmas songs** surfaced during BERTopic clustering (e.g., *Little Saint Nick - 1991 Remix* tagged as `remix`, and *Fairytale of New York* tagged as `Alternative`). Final target split: **228 Top 50 hits (39.2%)** vs. **354 Ranks 51–200 (60.8%)**.

3. Two-Layer NLP Feature Engineering

Layer 1: Basic Surface Lyric Features (Count-Based)

- **Chorus Line Repetition Rate:** `1 - (unique_lines / total_lines)`, measuring how often hook/chorus lines repeat.
- **Total Word Count (`word_count`):** Cleaned lyric length after stripping section headers.
- **Vocabulary Diversity (`lexical_diversity`):** Type-Token Ratio (`unique_words / word_count`).

Layer 2: Semantic Embeddings & Topic Clusters (AI-Based)

- **Sentence-BERT (`all-MiniLM-L6-v2`):** Encodes each song's lyrics into a 384-dimensional contextual embedding vector.
- **BERTopic Thematic Clustering:** Combines Sentence-BERT with `UMAP`, `HDBSCAN`, and `CountVectorizer` (c-TF-IDF) to group songs into 24 topic clusters + the `Topic -1` Outlier Group.

4. Exploratory Data Analysis: Surface Lyric Statistics

We first tested whether **Top 50 Hits (*n* = 228)** and **Ranks 51–200 Charting Songs (*n* = 354)** differ across our three quantitative surface lyric features. Because lyric counts and ratios have skewed distributions (for example, rapid-fire Hip-Hop tracks create high word-count outliers above 800 words), we compare both **medians and means** and run the non-parametric **Mann-Whitney U test** alongside **Spearman rank correlation (r_s)** against continuous peak chart rank.




Figure 1: Boxplot Distributions of Basic Lyric Features by Chart Group (N = 582). None of the three surface features show a statistically significant difference between Top 50 Hits and Ranks 51–200 (all Mann-Whitney U test *p*-values > 0.20).

Lyric Feature	Top 50 Hits (n = 228)	Ranks 51–200 (n = 354)	Mann-Whitney U Test	Spearman r (vs. Peak Rank)	Statistical Conclusion
Chorus Line Repetition Rate `1 - (unique_lines / total_lines)`	**Median: 31.8%** (Mean: 32.2%)	**Median: 33.3%** (Mean: 33.9%)	p = 0.2154	r_s = +0.044 (p = 0.2842)	**Not Significant** (Top 50 songs actually repeat lines slightly less)
Total Word Count Cleaned lyric length (`word_count`)	**Median: 352.5 words** (Mean: 376.7 words)	**Median: 346.5 words** (Mean: 374.0 words)	p = 0.5294	r_s = -0.030 (p = 0.4735)	**Not Significant** (Only a 6-word median difference)
Vocabulary Diversity (TTR) `unique_words / word_count`	**Median: 0.372** (Mean: 0.374)	**Median: 0.365** (Mean: 0.367)	p = 0.3255	r_s = -0.023 (p = 0.5807)	**Not Significant** (Nearly identical vocabulary richness)

4.1 WordClouds of Representative Topic Clusters & The Outlier Group

To supplement our numerical results visually, Figure 2 displays WordClouds generated from the lemmatized lyrics of three major BERTopic clusters alongside **`Topic -1` (the Outlier Group)**. While specific clusters capture distinct genre vocabularies—such as repetitive nightlife clichés in *Club Grooves* (`tonight, turn, stop`) or emotional breakup terms in *Confessional Pop* (`feeling, luck, bad`)—the 123 songs in the **Outlier Group (`Topic -1`)** span a wide, non-formulaic vocabulary that resists rigid categorization.



Figure 2: WordClouds of Representative BERTopic Clusters vs. The Outlier Group (Topic -1). Comparing a low-converting cliché cluster (Topic 0: 22.6% Top 50), a fandom-driven K-Pop cluster (Topic 3: 64.3%), a superstar-dominated breakup cluster (Topic 8: 61.1%), and the unique, non-formulaic **Outlier Group (Topic -1: n = 123 songs, 34.1% Top 50 rate)**.

5. Predictive Modeling: Can Machine Learning Predict Top 50 Hits from Lyrics?

To test whether lyrics add predictive power when combined with song metadata—or whether deep contextual embeddings capture subtle patterns missed by simple word counts—we trained L2-regularized **Logistic Regression** classifiers (`class_weight="balanced"`) to predict Top 50 placement ($y = 1$ if `best_rank_this_year ≤ 50` , else 0).

5.1 Preventing Data Leakage in Cross-Validation

- **Grouping by Artist Collaboration Clusters (`StratifiedGroupKFold` , 191 Groups):** Prolific superstars (such as Taylor Swift, Drake, Olivia Rodrigo, and The Weeknd) have many songs in the Top 200. Under a standard random train/test split, songs by the same artist would land in both training and test folds, allowing the model to memorize artist-specific slang or genre tags. We built connected artist groups across all featured collaborations (191 independent groups) and used 5-Fold `StratifiedGroupKFold` so that **no artist ever appears in both train and test sets**.
- **Fold-Internal Preprocessing & Scaling:** Inside every fold, `release_year` is imputed using the training median and standardized using `StandardScaler` fit strictly on the training fold so feature scales match the one-hot encoded genre variables. Likewise, for the BERTopic classifier (**M2**), BERTopic is fit **strictly on the training songs** in each fold before transforming the test songs.




Figure 3: 5-Fold Artist-Grouped Cross-Validation ROC-AUC Scores. Dashed red line indicates `0.50` (random coin flip). **Panel A (Full Dataset, N = 582):** Metadata alone (M1) reaches `0.6611` , while adding BERTopic lyric themes (M2: `0.6463`) does not improve performance. Pure lyric models (M3: `0.5080` , M4: `0.4696`) perform at random chance. **Panel B (2024–2026 Releases Only, N = 316):** Once older pre-2024 catalog songs are removed, even the metadata baseline drops to `0.5239` .

5.2 Model Performance Summary & Why Metadata Works in the Full Dataset

Model Name & Input Features	Full Dataset (N = 582) Mean ROC-AUC (± SD)	Full Dataset Macro F1	2024–2026 Only (N = 316) Mean ROC-AUC (± SD)	2024–2026 Macro F1	Empirical Interpretation
M1: Metadata Baseline `StandardScaler(Release Year) + One-Hot Genre`	**0.6611** (± 0.1000)	0.5845	**0.5239** (± 0.1087)	0.5440	Moderate signal on full cohort driven by release year; collapses near 0.52 on recent releases.
M2: Metadata + BERTopic Themes `M1 + Fold-Internal Topic Probabilities`	**0.6463** (± 0.0566)	0.5861	**0.5313** (± 0.1190)	0.5234	Adding lyric topic probabilities provides **no improvement** over metadata alone.
M3: Text Embeddings Only `384-dim Sentence-BERT (all-MiniLM-L6-v2)`	**0.5080** (± 0.0450)	0.5090	**0.4878** (± 0.1186)	0.4820	Performs identically to a **50/50 coin flip** across unseen artists.
M4: Basic Lyric Stats Only `Word Count + Line Repetition + TTR`	**0.4696** (± 0.0394)	0.4686	**0.3525** (± 0.0372)	0.3957	Surface lyric counts and ratios have **zero predictive power**.

Non-Lyric Metadata Factor	Statistical Test (N = 582)	Observed Group Comparison	Why It Drives Chart Position (Market Mechanism)
1. Release Year (Recency)	Mann-Whitney U test: ***p* < 0.0001**	2025–2026 songs: **54.0% Top 50** Pre-2024 songs: **23.7% Top 50**	Older catalog classics already peaked years ago and sit in ranks 51–200 during 2025–2026, while brand-new releases debut near the top.
2. Artist Chart Volume	Chi-Square test: ***p* < 0.0001**	10+ charting songs: **62.1% Top 50** 1–2 charting songs: **29.8% Top 50**	**The Superstar Effect:** Mega-stars have massive fanbases that automatically stream every track on a new album into the Top 50.
3. Music Genre (8 Groups)	Chi-Square test: ***p* < 0.0001**	Pop (**48.7%**) & K-Pop (**48.3%**) vs. Rock/Alt (**30.5%**)	Rock tracks in the Top 200 are mostly older catalog songs, whereas Pop and K-Pop are dominated by new superstar album drops.

6. Unsupervised Topic Modeling: Exploring Lyric Themes with BERTopic

Fitting **BERTopic** across the full 582-song corpus segments the chart into two distinct groups: **459 songs (78.9%)** map into **24 specific lyric clusters**, while **123 songs (21.1%)** with distinctive or cross-genre lyrics are assigned by HDBSCAN to `Topic -1` **(the Outlier Group)**, which achieved a **34.1% Top 50 hit rate** (42/123 songs).




Figure 4: Top 50 Hit Rate Across All 24 BERTopic Lyric Clusters (n = 459 Clustered Songs). Dashed red line marks the overall 582-song baseline Top 50 rate (`39.2%`). A global Chi-Square test across all 24 topics yields χ^2 **= 33.48 (df = 23, p = 0.0731)**, confirming that overall topic differences are not statistically significant at the α = 0.05 level.

6.1 Deconstructing Clustered Themes vs. Recommending the Outlier Group (`Topic -1`)

Why shouldn't an emerging artist simply copy the highest-ranking bars in Figure 4, and why is landing in the **Outlier Group (`Topic -1`)** actually a strong creative strategy?

1. Avoid Crowded Cliché Clusters (Topic 0: 22.6%)

The largest cluster in the dataset is **Topic 0 (*Club Grooves & Flirtation*, *n* = 53)**, built around repetitive party words (*tonight, turn, stop, dance*). Despite being the most common formula, only **22.6%** (12/53) of its songs reach the Top 50. Following generic club clichés makes a song blend into a crowded lower tier.

2. "Winning" Clusters Are Superstar Illusions

Across all 24 topics, the Chi-Square test is non-significant (p = 0.0731). Small clusters that look like "winners"—such as **Topic 8 (*Confessional Pop*, 61.1%, *n* = 18)**, **Topic 3 (*K-Pop Hooks*, 64.3%, *n* = 28)**, or **Topic 19 (*Hip-Hop Hustle*, 54.5%, *n* = 11)**—are driven by **Olivia Rodrigo, Ariana Grande, BTS/aespa, and Drake** dropping multiple album tracks into those exact clusters.

3. Why We Recommend the Outlier Group (Topic -1)

123 songs (21.1% of the Top 200) sit in `Topic -1` **(Outliers)** because their lyrics tell unique stories that do not fit any standard cluster template. Yet **42 of these outlier tracks (34.1%)** reached the Top 50—including **#1 hits** like Djo's *End of Beginning*, Taylor Swift's *The Fate of Ophelia*, and Harry Styles' *American Girls*. Writing original, unclustered lyrics lets new artists stand out!

7. Top 5 Illustrative English Songs & Practical Guide for Emerging Artists

Table 3 presents the five representative English tracks highlighted in our presentation, showing their peak ranks, BERTopic cluster assignment (including Djo's #1 hit in the `Topic -1` **Outlier Group**), and real-world market drivers:

Artist & Song	Window Peak	All-Time Peak	BERTopic Cluster & Genre	Lyric Theme & Real-World Market Context
Djo *End of Beginning*	**#1**	#1 (135 wks)	**Topic -1 (Outlier Group)** 2024 | Alternative	Unique nostalgic reflection on leaving Chicago (*"back in Chicago I feel it"*). Proves that **unclustered Outlier Group lyrics** can hit #1 when paired with viral TikTok momentum and artist recognition (Joe Keery).
Malcolm Todd *Earrings*	**#1**	#1 (25 wks)	**Topic 10 (Post-Breakup)** 2024 | Alternative	Conversational lines about everyday objects after a breakup. Reached #1 through short-form social video virality and major-label distribution (Columbia Records).
Benson Boone *Beautiful Things*	**#28**	#1 (139 wks)	**Topic 21 (Acoustic Pain)** 2024 | Pop	Gratitude mixed with fear of losing loved ones. Illustrates our 1-year window effect: peaked at #1 all-time in early 2024, and was observed at #28 on its multi-year run during 2025–2026.
Teddy Swims *Lose Control*	**#34**	#5 (149 wks)	**Topic 6 (Breakup Ballads)** 2023 | Pop	Soulful ballad on emotional dependency. Even though Topic 6 has a low overall Top 50 rate (26.1%), powerhouse vocal delivery and radio airplay kept this 2023 release in the Top 50 (#34).
Olivia Rodrigo *begged*	**#14**	#14 (4 wks)	**Topic 8 (Confessional Pop)** 2026 | Pop	Diary-style breakup confrontation. Illustrates the Superstar Effect: major pop album drops immediately debut in the Top 50 and inflate the hit rate of Topic 8 (61.1%).

7.1 Actionable Summary for Emerging Artists & Songwriters

Common Songwriting Myth	What Our Data Science Audit Proved	Strategic Recommendation for New Artists
"Repeat your chorus 40%+ of the time and use simple words to get a hit."	Top 50 and ranks 51–200 have identical repetition (31.8% vs. 33.3%, p = 0.2154), length (~350 words), and TTR (~0.37).	Write the chorus repetition and vocabulary that fit your melody naturally; do not dumb down your lyrics.
"Copy the diary breakup themes of big pop stars or generic club formulas."	Breakup clusters are inflated by superstars (Olivia Rodrigo, Ariana Grande), while generic club clichés (Topic 0) convert at only 22.6%.	**Target the Outlier Group (`Topic -1`):** Write distinctive, original stories (like Djo's *End of Beginning*) instead of copying crowded templates, and focus on vocal delivery, production, and TikTok/Reels hooks.

8. Project Limitations & Incidental Data Cleaning Discovery

Three Core Methodological Limitations

1. **Fixed 1-Year Observation Window:** Because `best_rank_this_year` is measured during Sept 2025–Sept 2026, older pre-2024 songs are observed after their launch peak (45.1% all-time Top 50 rate vs. 23.7% in-window), which inflates the importance of `Release Year`.
2. **Survivorship Bias (Top 200 Only):** Every song in our dataset already reached the Global Top 200. We cannot test whether lyrics help unknown songs enter the Top 200 against non-charting songs.
3. **Missing Audio & Marketing Variables:** Vocal delivery, beat/tempo (Spotify deprecated its Audio Features API), playlisting, and label marketing budgets are absent from lyric text.

Data Cleaning Note: Catching 14 Leftover Christmas Songs

Although BERTopic did not improve chart prediction, running unsupervised clustering on our initial 596-song EDA dataset surfaced a cluster containing **leftover Christmas songs** that had bypassed our initial title/tag filter—such as *Little Saint Nick - 1991 Remix* (tagged as `remix` before the holiday check), *My Only Wish (This Year)* (`track_type == 'standard'`), *Run Rudolph Run* (`Rock`), and *Fairytale of New York* (`Alternative`). Inspecting this cluster allowed us to expand our exclusion rules in `Scripts/m1_bertopic_model.py` and remove all 14 residual seasonal tracks (`596 → 582` songs).