





Other vals = 0.10




Other vals = 0.20









Other vals = 0.50








Other vals = 0.70




Other vals = 0.80









$\sigma_C 1$ at T = 300 K. Other vals = 0.00.




$\sigma_C 1$ at T = 300 K. Other vals = 0.10.




$\sigma_C 1$ at T = 300 K. Other vals = 0.20.




$\sigma_c 1$ at T = 300 K. Other vals = 0.30.




$\sigma_C 1$ at T = 300 K. Other vals = 0.40.




$\sigma_C 1$ at T = 300 K. Other vals = 0.50.




$\sigma_C 1$ at T = 300 K. Other vals = 0.60.




$\sigma_C 1$ at T = 300 K. Other vals = 0.70.




$\sigma_C 1$ at T = 300 K. Other vals = 0.80.




$\sigma_c 1$ at T = 300 K. Other vals = 0.90.




$\sigma_C 1$ at T = 300 K. Other vals = 1.00.




σ_c^2 at T = 300 K. Other vals = 0.00.




σ_c^2 at T = 300 K. Other vals = 0.10.




σ_c^2 at T = 300 K. Other vals = 0.20.




σ_c^2 at T = 300 K. Other vals = 0.30.




σ_c^2 at T = 300 K. Other vals = 0.40.




σ_c^2 at T = 300 K. Other vals = 0.50.




σ_c^2 at T = 300 K. Other vals = 0.60.




σ_c^2 at T = 300 K. Other vals = 0.70.




σ_c^2 at T = 300 K. Other vals = 0.80.




σ_c^2 at T = 300 K. Other vals = 0.90.




σ_c^2 at T = 300 K. Other vals = 1.00.




$\sigma_F 1$ at T = 300 K. Other vals = 0.00.




$\sigma_F 1$ at T = 300 K. Other vals = 0.10.




$\sigma_F 1$ at T = 300 K. Other vals = 0.20.




$\sigma_F 1$ at T = 300 K. Other vals = 0.30.




$\sigma_F 1$ at T = 300 K. Other vals = 0.40.




$\sigma_F 1$ at T = 300 K. Other vals = 0.50.




$\sigma_F 1$ at T = 300 K. Other vals = 0.60.




$\sigma_F 1$ at T = 300 K. Other vals = 0.70.




$\sigma_F 1$ at T = 300 K. Other vals = 0.80.



$\sigma_F 1$ at T = 300 K. Other vals = 0.90.



$\sigma_F 1$ at T = 300 K. Other vals = 1.00.



σ_H1 at T = 300 K. Other vals = 0.00.

Liquid Density [kg/m³]

500

0

-500

-1000

-1500

-2000

0.0

0.2

0.4

0.6

0.8

1.0

σ_H1



σ_H1 at T = 300 K. Other vals = 0.10.

Liquid Density [kg/m³]

500

0

-500

-1000

0.0

0.2

0.4

0.6


0.8

1.0


σ_H1




σ_H1 at T = 300 K. Other vals = 0.20.




σ_H1 at T = 300 K. Other vals = 0.30.




σ_H1 at T = 300 K. Other vals = 0.40.




σ_H1 at T = 300 K. Other vals = 0.50.




σ_H1 at T = 300 K. Other vals = 0.60.




σ_H1 at T = 300 K. Other vals = 0.70.




σ_H1 at T = 300 K. Other vals = 0.80.




σ_H1 at T = 300 K. Other vals = 0.90.




σ_H1 at T = 300 K. Other vals = 1.00.




ε_C1 at T = 300 K. Other vals = 0.00.




$\varepsilon_C 1$ at T = 300 K. Other vals = 0.10.




$\varepsilon_C 1$ at T = 300 K. Other vals = 0.20.




$\varepsilon_C 1$ at T = 300 K. Other vals = 0.30.




$\varepsilon_C 1$ at T = 300 K. Other vals = 0.40.




ε_C1 at T = 300 K. Other vals = 0.50.




ε_C1 at T = 300 K. Other vals = 0.60.




$\varepsilon_C 1$ at T = 300 K. Other vals = 0.70.




$\varepsilon_C 1$ at T = 300 K. Other vals = 0.80.




$\varepsilon_C 1$ at T = 300 K. Other vals = 0.90.




$\varepsilon_C 1$ at T = 300 K. Other vals = 1.00.




ε_C2 at T = 300 K. Other vals = 0.00.




$\varepsilon_C 2$ at T = 300 K. Other vals = 0.10.




$\varepsilon_C 2$ at T = 300 K. Other vals = 0.20.




ε_C2 at T = 300 K. Other vals = 0.30.




ε_C2 at T = 300 K. Other vals = 0.40.




ε_C2 at T = 300 K. Other vals = 0.50.




ε_C2 at T = 300 K. Other vals = 0.60.




ε_C2 at T = 300 K. Other vals = 0.70.




ε_C2 at T = 300 K. Other vals = 0.80.




$\varepsilon_C 2$ at T = 300 K. Other vals = 0.90.




ε_C2 at T = 300 K. Other vals = 1.00.




ε_F1 at T = 300 K. Other vals = 0.00.




$\varepsilon_F 1$ at T = 300 K. Other vals = 0.10.




$\varepsilon_F 1$ at T = 300 K. Other vals = 0.20.




$\varepsilon_F 1$ at T = 300 K. Other vals = 0.30.




$\varepsilon_F 1$ at T = 300 K. Other vals = 0.40.




ε_F1 at T = 300 K. Other vals = 0.50.




$\varepsilon_F 1$ at T = 300 K. Other vals = 0.60.




ε_F1 at T = 300 K. Other vals = 0.70.




ε_F1 at T = 300 K. Other vals = 0.80.




ε_F1 at T = 300 K. Other vals = 0.90.




$\varepsilon_F 1$ at T = 300 K. Other vals = 1.00.




ε_H1 at T = 300 K. Other vals = 0.00.




ε_H1 at T = 300 K. Other vals = 0.10.




ε_H1 at T = 300 K. Other vals = 0.20.




ε_H1 at T = 300 K. Other vals = 0.30.




ε_H1 at T = 300 K. Other vals = 0.40.




ε_H1 at T = 300 K. Other vals = 0.50.




ε_H1 at T = 300 K. Other vals = 0.60.




ε_H1 at T = 300 K. Other vals = 0.70.



ε_H1 at T = 300 K. Other vals = 0.80.



ε_H1 at T = 300 K. Other vals = 0.90.



ε_H1 at T = 300 K. Other vals = 1.00.

