





Other vals = 0.30













Other vals = 0.70






Other vals = 0.90







$\sigma_C 1$  at T = 300 K. Other vals = 0.00.




$\sigma_C 1$  at T = 300 K. Other vals = 0.10.




$\sigma_C 1$  at T = 300 K. Other vals = 0.20.




$\sigma_c 1$  at T = 300 K. Other vals = 0.30.




$\sigma_C 1$  at T = 300 K. Other vals = 0.40.




$\sigma_C 1$  at T = 300 K. Other vals = 0.50.




$\sigma_C 1$  at T = 300 K. Other vals = 0.60.




$\sigma_C 1$  at T = 300 K. Other vals = 0.70.




$\sigma_C 1$  at T = 300 K. Other vals = 0.80.




$\sigma_C 1$  at T = 300 K. Other vals = 0.90.




$\sigma_C 1$  at T = 300 K. Other vals = 1.00.




$\sigma_c^2$  at T = 300 K. Other vals = 0.00.




$\sigma_c^2$  at T = 300 K. Other vals = 0.10.




$\sigma_c^2$  at T = 300 K. Other vals = 0.20.




$\sigma_c^2$  at T = 300 K. Other vals = 0.30.




$\sigma_c^2$  at T = 300 K. Other vals = 0.40.




$\sigma_c^2$  at T = 300 K. Other vals = 0.50.




$\sigma_c^2$  at T = 300 K. Other vals = 0.60.




$\sigma_c^2$  at T = 300 K. Other vals = 0.70.




$\sigma_c^2$  at T = 300 K. Other vals = 0.80.




$\sigma_c^2$  at T = 300 K. Other vals = 0.90.




$\sigma_c^2$  at T = 300 K. Other vals = 1.00.




$\sigma_F 1$  at T = 300 K. Other vals = 0.00.




$\sigma_F 1$  at T = 300 K. Other vals = 0.10.




$\sigma_F 1$  at T = 300 K. Other vals = 0.20.




$\sigma_F 1$  at T = 300 K. Other vals = 0.30.




$\sigma_F 1$  at T = 300 K. Other vals = 0.40.




$\sigma_F 1$  at T = 300 K. Other vals = 0.50.




$\sigma_F 1$  at T = 300 K. Other vals = 0.60.




$\sigma_F 1$  at T = 300 K. Other vals = 0.70.




$\sigma_F 1$  at T = 300 K. Other vals = 0.80.




$\sigma_F 1$  at T = 300 K. Other vals = 0.90.




$\sigma_F 1$  at T = 300 K. Other vals = 1.00.




$\sigma_H1$  at T = 300 K. Other vals = 0.00.




$\sigma_H1$  at T = 300 K. Other vals = 0.10.




$\sigma_H1$  at T = 300 K. Other vals = 0.20.




$\sigma_H1$  at T = 300 K. Other vals = 0.30.




$\sigma_H1$  at T = 300 K. Other vals = 0.40.




$\sigma_H1$  at T = 300 K. Other vals = 0.50.




$\sigma_H1$  at T = 300 K. Other vals = 0.60.




$\sigma_H1$  at T = 300 K. Other vals = 0.70.




$\sigma_H1$  at T = 300 K. Other vals = 0.80.




$\sigma_H1$  at T = 300 K. Other vals = 0.90.




$\sigma_H1$  at T = 300 K. Other vals = 1.00.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.00.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.10.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.20.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.30.




$\varepsilon_C1$  at T = 300 K. Other vals = 0.40.




$\varepsilon_C1$  at T = 300 K. Other vals = 0.50.




$\varepsilon_C1$  at T = 300 K. Other vals = 0.60.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.70.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.80.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.90.




$\varepsilon_C 1$  at T = 300 K. Other vals = 1.00.




$\varepsilon_C2$  at T = 300 K. Other vals = 0.00.




$\varepsilon_C2$  at T = 300 K. Other vals = 0.10.




$\varepsilon_C 2$  at T = 300 K. Other vals = 0.20.




$\varepsilon_C 2$  at T = 300 K. Other vals = 0.30.




$\varepsilon_C 2$  at T = 300 K. Other vals = 0.40.




$\varepsilon_C2$  at T = 300 K. Other vals = 0.50.




$\varepsilon_C2$  at T = 300 K. Other vals = 0.60.




$\varepsilon_C 2$  at T = 300 K. Other vals = 0.70.




$\varepsilon_C^2$  at T = 300 K. Other vals = 0.80.




$\varepsilon_C 2$  at T = 300 K. Other vals = 0.90.




$\varepsilon_C2$  at T = 300 K. Other vals = 1.00.




$\varepsilon_F1$  at T = 300 K. Other vals = 0.00.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.10.




$\varepsilon_F1$  at T = 300 K. Other vals = 0.20.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.30.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.40.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.50.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.60.




$\varepsilon_F1$  at T = 300 K. Other vals = 0.70.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.80.




$\varepsilon_F1$  at T = 300 K. Other vals = 0.90.




$\varepsilon_F1$  at T = 300 K. Other vals = 1.00.




$\varepsilon_H1$  at T = 300 K. Other vals = 0.00.




$\varepsilon_H1$  at T = 300 K. Other vals = 0.10.




$\varepsilon_H1$  at T = 300 K. Other vals = 0.20.




$\varepsilon_H1$  at T = 300 K. Other vals = 0.30.




$\varepsilon_H1$  at T = 300 K. Other vals = 0.40.




$\varepsilon_H1$  at T = 300 K. Other vals = 0.50.




$\varepsilon_H1$  at T = 300 K. Other vals = 0.60.




$\varepsilon_H1$  at T = 300 K. Other vals = 0.70.




$\varepsilon_H1$  at T = 300 K. Other vals = 0.80.





$\varepsilon_H1$  at T = 300 K. Other vals = 0.90.





$\varepsilon_H1$  at T = 300 K. Other vals = 1.00.






























































































































































Other vals = 0.00




Other vals = 0.10




Other vals = 0.20




Other vals = 0.30





Other vals = 0.40




Other vals = 0.50









Other vals = 0.80







Other vals = 1.00




$\sigma_C 1$  at T = 300 K. Other vals = 0.00.




$\sigma_C 1$  at T = 300 K. Other vals = 0.10.




$\sigma_C 1$  at T = 300 K. Other vals = 0.20.




$\sigma_C 1$  at T = 300 K. Other vals = 0.30.




$\sigma_C 1$  at T = 300 K. Other vals = 0.40.




$\sigma_C 1$  at T = 300 K. Other vals = 0.50.




$\sigma_C 1$  at T = 300 K. Other vals = 0.60.




$\sigma_C 1$  at T = 300 K. Other vals = 0.70.




$\sigma_C 1$  at T = 300 K. Other vals = 0.80.




$\sigma_C 1$  at T = 300 K. Other vals = 0.90.




$\sigma_C 1$  at T = 300 K. Other vals = 1.00.




$\sigma_c^2$  at T = 300 K. Other vals = 0.00.




$\sigma_c^2$  at T = 300 K. Other vals = 0.10.




$\sigma_c^2$  at T = 300 K. Other vals = 0.20.




$\sigma_c^2$  at T = 300 K. Other vals = 0.30.




$\sigma_c^2$  at T = 300 K. Other vals = 0.40.




$\sigma_c^2$  at T = 300 K. Other vals = 0.50.




$\sigma_c^2$  at T = 300 K. Other vals = 0.60.




$\sigma_c^2$  at T = 300 K. Other vals = 0.70.




$\sigma_c^2$  at T = 300 K. Other vals = 0.80.




$\sigma_c^2$  at T = 300 K. Other vals = 0.90.




$\sigma_c^2$  at T = 300 K. Other vals = 1.00.




$\sigma_F 1$  at T = 300 K. Other vals = 0.00.




$\sigma_F 1$  at T = 300 K. Other vals = 0.10.




$\sigma_F 1$  at T = 300 K. Other vals = 0.20.




$\sigma_F 1$  at T = 300 K. Other vals = 0.30.




$\sigma_F 1$  at T = 300 K. Other vals = 0.40.




$\sigma_F 1$  at T = 300 K. Other vals = 0.50.




$\sigma_F 1$  at T = 300 K. Other vals = 0.60.




$\sigma_F 1$  at T = 300 K. Other vals = 0.70.




$\sigma_F 1$  at T = 300 K. Other vals = 0.80.




$\sigma_F 1$  at T = 300 K. Other vals = 0.90.




$\sigma_F 1$  at T = 300 K. Other vals = 1.00.




$\sigma_H 1$  at T = 300 K. Other vals = 0.00.




$\sigma_H1$  at T = 300 K. Other vals = 0.10.




$\sigma_H 1$  at T = 300 K. Other vals = 0.20.




$\sigma_H1$  at T = 300 K. Other vals = 0.30.




$\sigma_H 1$  at T = 300 K. Other vals = 0.40.




$\sigma_H1$  at T = 300 K. Other vals = 0.50.




$\sigma_H 1$  at T = 300 K. Other vals = 0.60.




$\sigma_H 1$  at T = 300 K. Other vals = 0.70.




$\sigma_H 1$  at T = 300 K. Other vals = 0.80.




$\sigma_H1$  at T = 300 K. Other vals = 0.90.




$\sigma_H1$  at T = 300 K. Other vals = 1.00.




$\varepsilon_C1$  at T = 300 K. Other vals = 0.00.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.10.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.20.




$\varepsilon_C1$  at T = 300 K. Other vals = 0.30.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.40.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.50.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.60.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.70.



$\varepsilon_C 1$  at T = 300 K. Other vals = 0.80.



$\varepsilon_C 1$  at T = 300 K. Other vals = 0.90.



$\varepsilon_C 1$  at T = 300 K. Other vals = 1.00.




Vapor Density [kg/m^3]

25  
0  
-25  
-50  
-75  
-100  
-125


0.0 0.2 0.4 0.6 0.8 1.0

$\varepsilon_C 1$


$\varepsilon_C 2$  at T = 300 K. Other vals = 0.00.




$\varepsilon_C2$  at T = 300 K. Other vals = 0.10.




$\varepsilon_C2$  at T = 300 K. Other vals = 0.20.




$\varepsilon_C2$  at T = 300 K. Other vals = 0.30.




$\varepsilon_C 2$  at T = 300 K. Other vals = 0.40.




$\varepsilon_C 2$  at T = 300 K. Other vals = 0.50.




$\varepsilon_C 2$  at T = 300 K. Other vals = 0.60.




$\varepsilon_C 2$  at T = 300 K. Other vals = 0.70.




$\varepsilon_C 2$  at T = 300 K. Other vals = 0.80.




$\varepsilon_C 2$  at T = 300 K. Other vals = 0.90.




$\varepsilon_C 2$  at T = 300 K. Other vals = 1.00.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.00.




$\varepsilon_F1$  at T = 300 K. Other vals = 0.10.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.20.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.30.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.40.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.50.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.60.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.70.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.80.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.90.




$\varepsilon_F 1$  at T = 300 K. Other vals = 1.00.




$\varepsilon_H1$  at T = 300 K. Other vals = 0.00.




$\varepsilon_H1$  at T = 300 K. Other vals = 0.10.




$\varepsilon_H1$  at T = 300 K. Other vals = 0.20.




$\varepsilon_H1$  at T = 300 K. Other vals = 0.30.




$\varepsilon_H1$  at T = 300 K. Other vals = 0.40.




$\varepsilon_H1$  at T = 300 K. Other vals = 0.50.




$\varepsilon_{H1}$  at T = 300 K. Other vals = 0.60.




$\varepsilon_H1$  at T = 300 K. Other vals = 0.70.




$\varepsilon_H1$  at T = 300 K. Other vals = 0.80.





$\varepsilon_H1$  at T = 300 K. Other vals = 0.90.





$\varepsilon_H1$  at T = 300 K. Other vals = 1.00.































































































































































Other vals = 0.00





Other vals = 0.10














Other vals = 0.60





Other vals = 0.70




Other vals = 0.80












$\sigma_C 1$  at T = 300 K. Other vals = 0.10.




$\sigma_C 1$  at T = 300 K. Other vals = 0.20.




$\sigma_C 1$  at T = 300 K. Other vals = 0.30.




$\sigma_C 1$  at T = 300 K. Other vals = 0.40.




$\sigma_C 1$  at T = 300 K. Other vals = 0.50.




$\sigma_C 1$  at T = 300 K. Other vals = 0.60.




$\sigma_C 1$  at T = 300 K. Other vals = 0.70.




$\sigma_C 1$  at T = 300 K. Other vals = 0.80.




$\sigma_C 1$  at T = 300 K. Other vals = 0.90.




$\sigma_C 1$  at T = 300 K. Other vals = 1.00.




$\sigma_c^2$  at T = 300 K. Other vals = 0.00.




$\sigma_c^2$  at T = 300 K. Other vals = 0.10.




$\sigma_c^2$  at T = 300 K. Other vals = 0.20.




$\sigma_c^2$  at T = 300 K. Other vals = 0.30.




$\sigma_c^2$  at T = 300 K. Other vals = 0.40.




$\sigma_c^2$  at T = 300 K. Other vals = 0.50.




$\sigma_c^2$  at T = 300 K. Other vals = 0.60.




$\sigma_c^2$  at T = 300 K. Other vals = 0.70.




$\sigma_c^2$  at T = 300 K. Other vals = 0.80.




$\sigma_c^2$  at T = 300 K. Other vals = 0.90.




$\sigma_c^2$  at T = 300 K. Other vals = 1.00.




$\sigma_F 1$  at T = 300 K. Other vals = 0.00.




$\sigma_F 1$  at T = 300 K. Other vals = 0.10.




$\sigma_F 1$  at T = 300 K. Other vals = 0.20.




$\sigma_F 1$  at T = 300 K. Other vals = 0.30.




$\sigma_F 1$  at T = 300 K. Other vals = 0.40.




$\sigma_F 1$  at T = 300 K. Other vals = 0.50.




$\sigma_F 1$  at T = 300 K. Other vals = 0.60.




$\sigma_F 1$  at T = 300 K. Other vals = 0.70.




$\sigma_F 1$  at T = 300 K. Other vals = 0.80.




$\sigma_F 1$  at T = 300 K. Other vals = 0.90.




$\sigma_F 1$  at T = 300 K. Other vals = 1.00.




$\sigma_H1$  at T = 300 K. Other vals = 0.00.




$\sigma_H1$  at T = 300 K. Other vals = 0.10.




$\sigma_H1$  at T = 300 K. Other vals = 0.20.




$\sigma_H1$  at T = 300 K. Other vals = 0.30.




$\sigma_H1$  at T = 300 K. Other vals = 0.40.




$\sigma_H1$  at T = 300 K. Other vals = 0.50.




$\sigma_H1$  at T = 300 K. Other vals = 0.60.




$\sigma_H1$  at T = 300 K. Other vals = 0.70.




$\sigma_H1$  at T = 300 K. Other vals = 0.80.




$\sigma_H1$  at T = 300 K. Other vals = 0.90.




$\sigma_H1$  at T = 300 K. Other vals = 1.00.







$\varepsilon_C 1$  at T = 300 K. Other vals = 0.10.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.20.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.30.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.40.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.50.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.60.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.70.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.80.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.90.




$\varepsilon_C 1$  at T = 300 K. Other vals = 1.00.




$\varepsilon_C 2$  at T = 300 K. Other vals = 0.00.




$\varepsilon_C 2$  at T = 300 K. Other vals = 0.10.




$\varepsilon_C 2$  at T = 300 K. Other vals = 0.20.




$\varepsilon_C 2$  at T = 300 K. Other vals = 0.30.




$\varepsilon_C2$  at T = 300 K. Other vals = 0.40.




$\varepsilon_C2$  at T = 300 K. Other vals = 0.50.




$\varepsilon_C 2$  at T = 300 K. Other vals = 0.60.




$\varepsilon_C 2$  at T = 300 K. Other vals = 0.70.




$\varepsilon_C 2$  at T = 300 K. Other vals = 0.80.




$\varepsilon_C 2$  at T = 300 K. Other vals = 0.90.




$\varepsilon_C 2$  at T = 300 K. Other vals = 1.00.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.00.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.10.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.20.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.30.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.40.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.50.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.60.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.70.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.80.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.90.




$\varepsilon_F 1$  at T = 300 K. Other vals = 1.00.




$\varepsilon_H1$  at T = 300 K. Other vals = 0.00.




$\varepsilon_{H1}$  at T = 300 K. Other vals = 0.10.




$\varepsilon_H1$  at T = 300 K. Other vals = 0.20.




$\varepsilon_{H1}$  at T = 300 K. Other vals = 0.30.




$\varepsilon_H1$  at T = 300 K. Other vals = 0.40.




$\varepsilon_H1$  at T = 300 K. Other vals = 0.50.




$\varepsilon_H1$  at T = 300 K. Other vals = 0.60.




$\varepsilon_H1$  at T = 300 K. Other vals = 0.70.




$\varepsilon_H1$  at T = 300 K. Other vals = 0.80.





$\varepsilon_{H1}$  at T = 300 K. Other vals = 0.90.





$\varepsilon_H1$  at T = 300 K. Other vals = 1.00.




































































































































































Other vals = 0.20







Other vals = 0.40




Other vals = 0.50




Other vals = 0.60




Other vals = 0.70




Other vals = 0.80




Other vals = 0.90




Other vals = 1.00




$\sigma_C 1$  at T = 300 K. Other vals = 0.00.




$\sigma_C 1$  at T = 300 K. Other vals = 0.10.




$\sigma_C 1$  at T = 300 K. Other vals = 0.20.




$\sigma_C 1$  at T = 300 K. Other vals = 0.30.




$\sigma_C 1$  at T = 300 K. Other vals = 0.40.




$\sigma_C 1$  at T = 300 K. Other vals = 0.50.




$\sigma_C 1$  at T = 300 K. Other vals = 0.60.




$\sigma_C 1$  at T = 300 K. Other vals = 0.70.




$\sigma_C 1$  at T = 300 K. Other vals = 0.80.




$\sigma_C 1$  at T = 300 K. Other vals = 0.90.




$\sigma_C 1$  at T = 300 K. Other vals = 1.00.




$\sigma_C^2$  at T = 300 K. Other vals = 0.00.




$\sigma_c^2$  at T = 300 K. Other vals = 0.10.




$\sigma_c^2$  at T = 300 K. Other vals = 0.20.




$\sigma_c^2$  at T = 300 K. Other vals = 0.30.




$\sigma_c^2$  at T = 300 K. Other vals = 0.40.




$\sigma_c^2$  at T = 300 K. Other vals = 0.50.




$\sigma_c^2$  at T = 300 K. Other vals = 0.60.




$\sigma_c^2$  at T = 300 K. Other vals = 0.70.




$\sigma_c^2$  at T = 300 K. Other vals = 0.80.




$\sigma_c^2$  at T = 300 K. Other vals = 0.90.




$\sigma_c^2$  at T = 300 K. Other vals = 1.00.




$\sigma_F 1$  at T = 300 K. Other vals = 0.00.




$\sigma_F 1$  at T = 300 K. Other vals = 0.10.




$\sigma_F 1$  at T = 300 K. Other vals = 0.20.




$\sigma_F 1$  at T = 300 K. Other vals = 0.30.




$\sigma_F 1$  at T = 300 K. Other vals = 0.40.




$\sigma_F 1$  at T = 300 K. Other vals = 0.50.




$\sigma_F 1$  at T = 300 K. Other vals = 0.60.




$\sigma_F 1$  at T = 300 K. Other vals = 0.70.




$\sigma_F 1$  at T = 300 K. Other vals = 0.80.




$\sigma_F 1$  at T = 300 K. Other vals = 0.90.




$\sigma_F 1$  at T = 300 K. Other vals = 1.00.




$\sigma_{H1}$  at T = 300 K. Other vals = 0.00.




$\sigma_H1$  at T = 300 K. Other vals = 0.10.




$\sigma_{H1}$  at T = 300 K. Other vals = 0.20.




$\sigma_{H1}$  at T = 300 K. Other vals = 0.30.




$\sigma_{H1}$  at T = 300 K. Other vals = 0.40.




$\sigma_{H1}$  at T = 300 K. Other vals = 0.50.




$\sigma_{H1}$  at T = 300 K. Other vals = 0.60.




$\sigma_H1$  at T = 300 K. Other vals = 0.70.




$\sigma_H1$  at T = 300 K. Other vals = 0.80.




$\sigma_H1$  at T = 300 K. Other vals = 0.90.




$\sigma_H1$  at T = 300 K. Other vals = 1.00.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.00.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.10.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.20.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.30.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.40.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.50.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.60.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.70.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.80.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.90.




$\varepsilon_C 1$  at T = 300 K. Other vals = 1.00.




$\varepsilon_C2$  at T = 300 K. Other vals = 0.00.




$\varepsilon_C 2$  at T = 300 K. Other vals = 0.10.




$\varepsilon_C 2$  at T = 300 K. Other vals = 0.20.




$\varepsilon_C2$  at T = 300 K. Other vals = 0.30.




$\varepsilon_C 2$  at T = 300 K. Other vals = 0.40.




$\varepsilon_C2$  at T = 300 K. Other vals = 0.50.




$\varepsilon_C2$  at T = 300 K. Other vals = 0.60.




$\varepsilon_C2$  at T = 300 K. Other vals = 0.70.




$\varepsilon_C 2$  at T = 300 K. Other vals = 0.80.




$\varepsilon_C2$  at T = 300 K. Other vals = 0.90.




$\varepsilon_C2$  at T = 300 K. Other vals = 1.00.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.00.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.10.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.20.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.30.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.40.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.50.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.60.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.70.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.80.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.90.




$\varepsilon_F 1$  at T = 300 K. Other vals = 1.00.




$\varepsilon_H1$  at T = 300 K. Other vals = 0.00.




$\varepsilon_H1$  at T = 300 K. Other vals = 0.10.




$\varepsilon_H1$  at T = 300 K. Other vals = 0.20.




$\varepsilon_{H1}$  at T = 300 K. Other vals = 0.30.




$\varepsilon_{H1}$  at T = 300 K. Other vals = 0.40.




$\varepsilon_{H1}$  at T = 300 K. Other vals = 0.50.




$\varepsilon_{H1}$  at T = 300 K. Other vals = 0.60.




$\varepsilon_{H1}$  at T = 300 K. Other vals = 0.70.



$\varepsilon_{H1}$  at T = 300 K. Other vals = 0.80.



$\varepsilon_H1$  at T = 300 K. Other vals = 0.90.



$\varepsilon_H1$  at T = 300 K. Other vals = 1.00.

