





Other vals = 0.00









Other vals = 0.30




Other vals = 0.40




Other vals = 0.50




Other vals = 0.60




Other vals = 0.70




Other vals = 0.80




Other vals = 0.90




Other vals = 1.00




$\sigma_c 1$ at T = 250 K. Other vals = 0.00.




$\sigma_C 1$ at T = 250 K. Other vals = 0.10.




$\sigma_c 1$ at T = 250 K. Other vals = 0.20.




$\sigma_c 1$ at T = 250 K. Other vals = 0.30.




$\sigma_c 1$ at T = 250 K. Other vals = 0.40.




$\sigma_c 1$ at T = 250 K. Other vals = 0.50.




$\sigma_C 1$ at T = 250 K. Other vals = 0.60.




$\sigma_C 1$ at T = 250 K. Other vals = 0.70.




$\sigma_C 1$ at T = 250 K. Other vals = 0.80.




$\sigma_C 1$ at T = 250 K. Other vals = 0.90.




$\sigma_C 1$ at T = 250 K. Other vals = 1.00.




$\sigma_F 1$ at T = 250 K. Other vals = 0.00.




$\sigma_F 1$ at T = 250 K. Other vals = 0.10.




$\sigma_F 1$ at T = 250 K. Other vals = 0.20.




$\sigma_F 1$ at T = 250 K. Other vals = 0.30.




$\sigma_F 1$ at T = 250 K. Other vals = 0.40.




$\sigma_F 1$ at T = 250 K. Other vals = 0.50.




$\sigma_F 1$ at T = 250 K. Other vals = 0.60.




$\sigma_F 1$ at T = 250 K. Other vals = 0.70.




$\sigma_F 1$ at T = 250 K. Other vals = 0.80.




$\sigma_F 1$ at T = 250 K. Other vals = 0.90.




$\sigma_F 1$ at T = 250 K. Other vals = 1.00.




$\sigma_H 1$ at T = 250 K. Other vals = 0.00.




$\sigma_H 1$ at T = 250 K. Other vals = 0.10.




$\sigma_H 1$ at T = 250 K. Other vals = 0.20.




σ_H1 at T = 250 K. Other vals = 0.30.




σ_H1 at T = 250 K. Other vals = 0.40.




σ_H1 at T = 250 K. Other vals = 0.50.




σ_H1 at T = 250 K. Other vals = 0.60.




σ_H1 at T = 250 K. Other vals = 0.70.




σ_H1 at T = 250 K. Other vals = 0.80.




σ_H1 at T = 250 K. Other vals = 0.90.




σ_H1 at T = 250 K. Other vals = 1.00.




$\varepsilon_C 1$ at T = 250 K. Other vals = 0.00.




$\varepsilon_C 1$ at T = 250 K. Other vals = 0.10.




$\varepsilon_C 1$ at T = 250 K. Other vals = 0.20.




$\varepsilon_C 1$ at T = 250 K. Other vals = 0.30.




$\varepsilon_C 1$ at T = 250 K. Other vals = 0.40.




$\varepsilon_C 1$ at T = 250 K. Other vals = 0.50.




$\varepsilon_C 1$ at T = 250 K. Other vals = 0.60.




$\varepsilon_C 1$ at T = 250 K. Other vals = 0.70.




$\varepsilon_C 1$ at T = 250 K. Other vals = 0.80.




$\varepsilon_C 1$ at T = 250 K. Other vals = 0.90.




$\varepsilon_C 1$ at T = 250 K. Other vals = 1.00.




$\varepsilon_F 1$ at T = 250 K. Other vals = 0.00.




$\varepsilon_F 1$ at T = 250 K. Other vals = 0.10.




$\varepsilon_F 1$ at T = 250 K. Other vals = 0.20.




$\varepsilon_F 1$ at T = 250 K. Other vals = 0.30.




$\varepsilon_F 1$ at T = 250 K. Other vals = 0.40.




$\varepsilon_F 1$ at T = 250 K. Other vals = 0.50.




$\varepsilon_F 1$ at T = 250 K. Other vals = 0.60.




$\varepsilon_F 1$ at T = 250 K. Other vals = 0.70.




$\varepsilon_F 1$ at T = 250 K. Other vals = 0.80.




$\varepsilon_F 1$ at T = 250 K. Other vals = 0.90.




$\varepsilon_F 1$ at T = 250 K. Other vals = 1.00.




ε_H1 at T = 250 K. Other vals = 0.00.




ε_H1 at T = 250 K. Other vals = 0.10.




ε_H1 at T = 250 K. Other vals = 0.20.




ε_H1 at T = 250 K. Other vals = 0.30.




ε_H1 at T = 250 K. Other vals = 0.40.




ε_H1 at T = 250 K. Other vals = 0.50.




ε_H1 at T = 250 K. Other vals = 0.60.




ε_H1 at T = 250 K. Other vals = 0.70.




ε_H1 at T = 250 K. Other vals = 0.80.





ε_H1 at T = 250 K. Other vals = 0.90.





ε_H1 at T = 250 K. Other vals = 1.00.


























































































































Other vals = 0.00




Other vals = 0.10




Other vals = 0.20




Other vals = 0.30




Other vals = 0.40




Other vals = 0.50





Other vals = 0.60




Other vals = 0.70









Other vals = 1.00




$\sigma_C 1$ at T = 250 K. Other vals = 0.00.




$\sigma_C 1$ at T = 250 K. Other vals = 0.10.




$\sigma_C 1$ at T = 250 K. Other vals = 0.20.




$\sigma_C 1$ at T = 250 K. Other vals = 0.30.




$\sigma_C 1$ at T = 250 K. Other vals = 0.40.




$\sigma_C 1$ at T = 250 K. Other vals = 0.50.




$\sigma_C 1$ at T = 250 K. Other vals = 0.60.




$\sigma_C 1$ at T = 250 K. Other vals = 0.70.




$\sigma_C 1$ at T = 250 K. Other vals = 0.80.




$\sigma_C 1$ at T = 250 K. Other vals = 0.90.




$\sigma_C 1$ at T = 250 K. Other vals = 1.00.




$\sigma_F 1$ at T = 250 K. Other vals = 0.00.




$\sigma_F 1$ at T = 250 K. Other vals = 0.10.




$\sigma_F 1$ at T = 250 K. Other vals = 0.20.




$\sigma_F 1$ at T = 250 K. Other vals = 0.30.




$\sigma_F 1$ at T = 250 K. Other vals = 0.40.




$\sigma_F 1$ at T = 250 K. Other vals = 0.50.




$\sigma_F 1$ at T = 250 K. Other vals = 0.60.




$\sigma_F 1$ at T = 250 K. Other vals = 0.70.




$\sigma_F 1$ at T = 250 K. Other vals = 0.80.




$\sigma_F 1$ at T = 250 K. Other vals = 0.90.




$\sigma_F 1$ at T = 250 K. Other vals = 1.00.




σ_H1 at T = 250 K. Other vals = 0.00.




$\sigma_H 1$ at T = 250 K. Other vals = 0.10.




σ_H1 at T = 250 K. Other vals = 0.20.




$\sigma_H 1$ at T = 250 K. Other vals = 0.30.




σ_H1 at T = 250 K. Other vals = 0.40.




σ_H1 at T = 250 K. Other vals = 0.50.




$\sigma_H 1$ at T = 250 K. Other vals = 0.60.




$\sigma_H 1$ at T = 250 K. Other vals = 0.70.




$\sigma_H 1$ at T = 250 K. Other vals = 0.80.




$\sigma_H 1$ at T = 250 K. Other vals = 0.90.




$\sigma_H 1$ at T = 250 K. Other vals = 1.00.




$\varepsilon_C 1$ at T = 250 K. Other vals = 0.00.




$\varepsilon_C 1$ at T = 250 K. Other vals = 0.10.




$\varepsilon_C 1$ at T = 250 K. Other vals = 0.20.




$\varepsilon_C 1$ at T = 250 K. Other vals = 0.30.




$\varepsilon_C 1$ at T = 250 K. Other vals = 0.40.




$\varepsilon_C 1$ at T = 250 K. Other vals = 0.50.




$\varepsilon_C 1$ at T = 250 K. Other vals = 0.60.




$\varepsilon_C 1$ at T = 250 K. Other vals = 0.70.




$\varepsilon_C 1$ at T = 250 K. Other vals = 0.80.




$\varepsilon_C 1$ at T = 250 K. Other vals = 0.90.




$\varepsilon_C 1$ at T = 250 K. Other vals = 1.00.




$\varepsilon_F 1$ at T = 250 K. Other vals = 0.00.




$\varepsilon_F 1$ at T = 250 K. Other vals = 0.10.




$\varepsilon_F 1$ at T = 250 K. Other vals = 0.20.




$\varepsilon_F 1$ at T = 250 K. Other vals = 0.30.




$\varepsilon_F 1$ at T = 250 K. Other vals = 0.40.




$\varepsilon_F 1$ at T = 250 K. Other vals = 0.50.




$\varepsilon_F 1$ at T = 250 K. Other vals = 0.60.




$\varepsilon_F 1$ at T = 250 K. Other vals = 0.70.




$\varepsilon_F 1$ at T = 250 K. Other vals = 0.80.




$\varepsilon_F 1$ at T = 250 K. Other vals = 0.90.




$\varepsilon_F 1$ at T = 250 K. Other vals = 1.00.




ε_H1 at T = 250 K. Other vals = 0.00.




ε_H1 at T = 250 K. Other vals = 0.10.




ε_H1 at T = 250 K. Other vals = 0.20.




ε_H1 at T = 250 K. Other vals = 0.30.




ε_H1 at T = 250 K. Other vals = 0.40.




ε_H1 at T = 250 K. Other vals = 0.50.




ε_H1 at T = 250 K. Other vals = 0.60.




ε_H1 at T = 250 K. Other vals = 0.70.




ε_H1 at T = 250 K. Other vals = 0.80.





ε_H1 at T = 250 K. Other vals = 0.90.





ε_H1 at T = 250 K. Other vals = 1.00.


























































































































Other vals = 0.00




Other vals = 0.10




Other vals = 0.20




Other vals = 0.30




Other vals = 0.40





Other vals = 0.50




Other vals = 0.60












Other vals = 1.00




$\sigma_C 1$ at T = 250 K. Other vals = 0.00.




$\sigma_C 1$ at T = 250 K. Other vals = 0.10.




$\sigma_C 1$ at T = 250 K. Other vals = 0.20.




$\sigma_C 1$ at T = 250 K. Other vals = 0.30.




$\sigma_C 1$ at T = 250 K. Other vals = 0.40.




$\sigma_C 1$ at T = 250 K. Other vals = 0.50.




$\sigma_C 1$ at T = 250 K. Other vals = 0.60.




$\sigma_C 1$ at T = 250 K. Other vals = 0.70.




$\sigma_C 1$ at T = 250 K. Other vals = 0.80.




$\sigma_C 1$ at T = 250 K. Other vals = 0.90.




$\sigma_C 1$ at T = 250 K. Other vals = 1.00.




$\sigma_F 1$ at T = 250 K. Other vals = 0.00.




$\sigma_F 1$ at T = 250 K. Other vals = 0.10.




$\sigma_F 1$ at T = 250 K. Other vals = 0.20.




$\sigma_F 1$ at T = 250 K. Other vals = 0.30.




$\sigma_F 1$ at T = 250 K. Other vals = 0.40.




$\sigma_F 1$ at T = 250 K. Other vals = 0.50.




$\sigma_F 1$ at T = 250 K. Other vals = 0.60.




$\sigma_F 1$ at T = 250 K. Other vals = 0.70.




$\sigma_F 1$ at T = 250 K. Other vals = 0.80.




$\sigma_F 1$ at T = 250 K. Other vals = 0.90.




$\sigma_F 1$ at T = 250 K. Other vals = 1.00.




σ_H1 at T = 250 K. Other vals = 0.00.




σ_H1 at T = 250 K. Other vals = 0.10.




σ_H1 at T = 250 K. Other vals = 0.20.




σ_H1 at T = 250 K. Other vals = 0.30.




σ_H1 at T = 250 K. Other vals = 0.40.




σ_H1 at T = 250 K. Other vals = 0.50.




σ_H1 at T = 250 K. Other vals = 0.60.




σ_H1 at T = 250 K. Other vals = 0.70.




σ_H1 at T = 250 K. Other vals = 0.80.




σ_H1 at T = 250 K. Other vals = 0.90.




σ_H1 at T = 250 K. Other vals = 1.00.




$\varepsilon_C 1$ at T = 250 K. Other vals = 0.00.




$\varepsilon_C 1$ at T = 250 K. Other vals = 0.10.




$\varepsilon_C 1$ at T = 250 K. Other vals = 0.20.




$\varepsilon_C 1$ at T = 250 K. Other vals = 0.30.




$\varepsilon_C 1$ at T = 250 K. Other vals = 0.40.




$\varepsilon_C 1$ at T = 250 K. Other vals = 0.50.




$\varepsilon_C 1$ at T = 250 K. Other vals = 0.60.




$\varepsilon_C 1$ at T = 250 K. Other vals = 0.70.




$\varepsilon_C 1$ at T = 250 K. Other vals = 0.80.




$\varepsilon_C 1$ at T = 250 K. Other vals = 0.90.




$\varepsilon_C 1$ at T = 250 K. Other vals = 1.00.




$\varepsilon_F 1$ at T = 250 K. Other vals = 0.00.




$\varepsilon_F 1$ at T = 250 K. Other vals = 0.10.




$\varepsilon_F 1$ at T = 250 K. Other vals = 0.20.




$\varepsilon_F 1$ at T = 250 K. Other vals = 0.30.




$\varepsilon_F 1$ at T = 250 K. Other vals = 0.40.




$\varepsilon_F 1$ at T = 250 K. Other vals = 0.50.




$\varepsilon_F 1$ at T = 250 K. Other vals = 0.60.




$\varepsilon_F 1$ at T = 250 K. Other vals = 0.70.




$\varepsilon_F 1$ at T = 250 K. Other vals = 0.80.




$\varepsilon_F 1$ at T = 250 K. Other vals = 0.90.




$\varepsilon_F 1$ at T = 250 K. Other vals = 1.00.




ε_{H1} at T = 250 K. Other vals = 0.00.




ε_{H1} at T = 250 K. Other vals = 0.10.




ε_{H1} at T = 250 K. Other vals = 0.20.




ε_{H1} at T = 250 K. Other vals = 0.30.




ε_H1 at T = 250 K. Other vals = 0.40.




ε_H1 at T = 250 K. Other vals = 0.50.




ε_{H1} at T = 250 K. Other vals = 0.60.




ε_{H1} at T = 250 K. Other vals = 0.70.




ε_{H1} at T = 250 K. Other vals = 0.80.





ε_H1 at T = 250 K. Other vals = 0.90.





ε_H1 at T = 250 K. Other vals = 1.00.































































































































Other vals = 0.20

Enthalpy of Vaporization [kJ/kg]




Other vals = 0.30


Enthalpy of Vaporization [kJ/kg]




Other vals = 0.40




Other vals = 0.50







Other vals = 0.70




Other vals = 0.80




Other vals = 0.90




Other vals = 1.00




$\sigma_C 1$ at T = 250 K. Other vals = 0.00.






$\sigma_C 1$ at T = 250 K. Other vals = 0.20.

Enthalpy of Vaporization [kJ/kg]





$\sigma_C 1$ at T = 250 K. Other vals = 0.40.

Enthalpy of Vaporization [kJ/kg]

200

0

-200

-400

-600

-800

-1000

0.0

0.2


0.4

0.6

0.8

1.0

$\sigma_C 1$



$\sigma_C 1$ at T = 250 K. Other vals = 0.50.


Enthalpy of Vaporization [kJ/kg]

200
0
-200
-400
-600
-800
-1000

0.0 0.2 0.4 0.6 0.8 1.0


$\sigma_C 1$

RBF
Matern32
Matern52




$\sigma_C 1$ at T = 250 K. Other vals = 0.60.


Enthalpy of Vaporization [kJ/kg]




$\sigma_C 1$ at T = 250 K. Other vals = 0.70.




$\sigma_C 1$ at T = 250 K. Other vals = 0.80.





$\sigma_C 1$ at T = 250 K. Other vals = 0.90.




$\sigma_C 1$ at T = 250 K. Other vals = 1.00.









$\sigma_F 1$ at T = 250 K. Other vals = 0.20.




$\sigma_F 1$ at T = 250 K. Other vals = 0.30.




$\sigma_F 1$ at T = 250 K. Other vals = 0.40.




$\sigma_F 1$ at T = 250 K. Other vals = 0.50.




$\sigma_F 1$ at T = 250 K. Other vals = 0.60.




$\sigma_F 1$ at T = 250 K. Other vals = 0.70.




$\sigma_F 1$ at T = 250 K. Other vals = 0.80.



$\sigma_F 1$ at T = 250 K. Other vals = 0.90.




$\sigma_F 1$ at T = 250 K. Other vals = 1.00.



σ_H1 at T = 250 K. Other vals = 0.00.


Enthalpy of Vaporization [kJ/kg]

- RBF
- Matern32
- Matern52




σ_H1 at T = 250 K. Other vals = 0.10.


Enthalpy of Vaporization [kJ/kg]




σ_H1 at T = 250 K. Other vals = 0.20.




σ_H1 at T = 250 K. Other vals = 0.30.




σ_H1 at T = 250 K. Other vals = 0.40.




σ_{H1} at T = 250 K. Other vals = 0.50.




σ_{H1} at T = 250 K. Other vals = 0.60.




σ_H1 at T = 250 K. Other vals = 0.70.




σ_{H1} at T = 250 K. Other vals = 0.80.



σ_{H1} at T = 250 K. Other vals = 0.90.





σ_H1 at T = 250 K. Other vals = 1.00.




ε_C1 at T = 250 K. Other vals = 0.00.

Enthalpy of Vaporization [kJ/kg]







$\varepsilon_C 1$ at T = 250 K. Other vals = 0.20.




$\varepsilon_C 1$ at T = 250 K. Other vals = 0.30.




$\varepsilon_C 1$ at T = 250 K. Other vals = 0.40.




$\varepsilon_C 1$ at T = 250 K. Other vals = 0.50.




$\varepsilon_C 1$ at T = 250 K. Other vals = 0.60.




$\varepsilon_C 1$ at T = 250 K. Other vals = 0.70.




$\varepsilon_C 1$ at T = 250 K. Other vals = 0.80.



ε_{C1} at T = 250 K. Other vals = 0.90.



$\varepsilon_C 1$ at T = 250 K. Other vals = 1.00.



$\varepsilon_F 1$ at T = 250 K. Other vals = 0.00.

Enthalpy of Vaporization [kJ/kg]

-200

-400

-600

-800

-1000

-1200

0.0

0.2


0.4

0.6


0.8

1.0


$\varepsilon_F 1$




$\varepsilon_F 1$ at T = 250 K. Other vals = 0.10.




$\varepsilon_F 1$ at T = 250 K. Other vals = 0.20.




$\varepsilon_F 1$ at T = 250 K. Other vals = 0.30.




$\varepsilon_F 1$ at T = 250 K. Other vals = 0.40.




$\varepsilon_F 1$ at T = 250 K. Other vals = 0.50.




$\varepsilon_F 1$ at T = 250 K. Other vals = 0.60.




$\varepsilon_F 1$ at T = 250 K. Other vals = 0.70.




$\varepsilon_F 1$ at T = 250 K. Other vals = 0.80.



$\varepsilon_F 1$ at T = 250 K. Other vals = 0.90.




$\varepsilon_F 1$ at T = 250 K. Other vals = 1.00.



ε_{H1} at T = 250 K. Other vals = 0.00.


Enthalpy of Vaporization [kJ/kg]




ε_H1 at T = 250 K. Other vals = 0.10.

Enthalpy of Vaporization [kJ/kg]


- RBF
- Matern32
- Matern52




ε_H1 at T = 250 K. Other vals = 0.20.




ε_H1 at T = 250 K. Other vals = 0.30.




ε_{H1} at T = 250 K. Other vals = 0.40.




ε_H1 at T = 250 K. Other vals = 0.50.




ε_{H1} at T = 250 K. Other vals = 0.60.




ε_{H1} at T = 250 K. Other vals = 0.70.



ε_{H1} at T = 250 K. Other vals = 0.80.



ε_{H1} at T = 250 K. Other vals = 0.90.



ε_{H1} at T = 250 K. Other vals = 1.00.

