





Other vals = 0.10














Other vals = 0.50














Other vals = 1.00




$\sigma_C 1$  at T = 300 K. Other vals = 0.00.




$\sigma_C 1$  at T = 300 K. Other vals = 0.10.




$\sigma_C 1$  at T = 300 K. Other vals = 0.20.




$\sigma_C 1$  at T = 300 K. Other vals = 0.30.




$\sigma_C 1$  at T = 300 K. Other vals = 0.40.




$\sigma_C 1$  at T = 300 K. Other vals = 0.50.




$\sigma_C 1$  at T = 300 K. Other vals = 0.60.




$\sigma_C 1$  at T = 300 K. Other vals = 0.70.




$\sigma_C 1$  at T = 300 K. Other vals = 0.80.




$\sigma_C 1$  at T = 300 K. Other vals = 0.90.




$\sigma_C 1$  at T = 300 K. Other vals = 1.00.




$\sigma_c^2$  at T = 300 K. Other vals = 0.00.




$\sigma_c^2$  at T = 300 K. Other vals = 0.10.




$\sigma_c^2$  at T = 300 K. Other vals = 0.20.




$\sigma_c^2$  at T = 300 K. Other vals = 0.30.




$\sigma_c^2$  at T = 300 K. Other vals = 0.40.




$\sigma_c^2$  at T = 300 K. Other vals = 0.50.




$\sigma_c^2$  at T = 300 K. Other vals = 0.60.




$\sigma_c^2$  at T = 300 K. Other vals = 0.70.




$\sigma_c^2$  at T = 300 K. Other vals = 0.80.




$\sigma_c^2$  at T = 300 K. Other vals = 0.90.




$\sigma_c^2$  at T = 300 K. Other vals = 1.00.




$\sigma_F 1$  at T = 300 K. Other vals = 0.00.




$\sigma_F 1$  at T = 300 K. Other vals = 0.10.




$\sigma_F 1$  at T = 300 K. Other vals = 0.20.




$\sigma_F 1$  at T = 300 K. Other vals = 0.30.




$\sigma_F 1$  at T = 300 K. Other vals = 0.40.




$\sigma_F 1$  at T = 300 K. Other vals = 0.50.




$\sigma_F 1$  at T = 300 K. Other vals = 0.60.




$\sigma_F 1$  at T = 300 K. Other vals = 0.70.




$\sigma_F 1$  at T = 300 K. Other vals = 0.80.




$\sigma_F 1$  at T = 300 K. Other vals = 0.90.




$\sigma_F 1$  at T = 300 K. Other vals = 1.00.




$\sigma_H1$  at T = 300 K. Other vals = 0.00.




$\sigma_H1$  at T = 300 K. Other vals = 0.10.




$\sigma_H 1$  at T = 300 K. Other vals = 0.20.




$\sigma_H 1$  at T = 300 K. Other vals = 0.30.




$\sigma_H1$  at T = 300 K. Other vals = 0.40.




$\sigma_H1$  at T = 300 K. Other vals = 0.50.




$\sigma_H1$  at T = 300 K. Other vals = 0.60.




$\sigma_H1$  at T = 300 K. Other vals = 0.70.




$\sigma_H 1$  at T = 300 K. Other vals = 0.80.




$\sigma_H1$  at T = 300 K. Other vals = 0.90.




$\sigma_H1$  at T = 300 K. Other vals = 1.00.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.00.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.10.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.20.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.30.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.40.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.50.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.60.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.70.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.80.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.90.




$\varepsilon_C 1$  at T = 300 K. Other vals = 1.00.




$\varepsilon_C^2$  at T = 300 K. Other vals = 0.00.




$\varepsilon_C^2$  at T = 300 K. Other vals = 0.10.




$\varepsilon_C2$  at T = 300 K. Other vals = 0.20.




$\varepsilon_C^2$  at T = 300 K. Other vals = 0.30.




$\varepsilon_C^2$  at T = 300 K. Other vals = 0.40.




$\varepsilon_C 2$  at T = 300 K. Other vals = 0.50.




$\varepsilon_C^2$  at T = 300 K. Other vals = 0.60.




$\varepsilon_C^2$  at T = 300 K. Other vals = 0.70.




$\varepsilon_C 2$  at T = 300 K. Other vals = 0.80.




$\varepsilon_C^2$  at T = 300 K. Other vals = 0.90.




$\varepsilon_C^2$  at T = 300 K. Other vals = 1.00.




$\varepsilon_F1$  at T = 300 K. Other vals = 0.00.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.10.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.20.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.30.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.40.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.50.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.60.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.70.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.80.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.90.




$\varepsilon_F 1$  at T = 300 K. Other vals = 1.00.




$\varepsilon_H1$  at T = 300 K. Other vals = 0.00.




$\varepsilon_H1$  at T = 300 K. Other vals = 0.10.




$\varepsilon_H1$  at T = 300 K. Other vals = 0.20.




$\varepsilon_H1$  at T = 300 K. Other vals = 0.30.




$\varepsilon_H1$  at T = 300 K. Other vals = 0.40.




$\varepsilon_H1$  at T = 300 K. Other vals = 0.50.




$\varepsilon_H1$  at T = 300 K. Other vals = 0.60.




$\varepsilon_H1$  at T = 300 K. Other vals = 0.70.




$\varepsilon_H1$  at T = 300 K. Other vals = 0.80.





$\varepsilon_H1$  at T = 300 K. Other vals = 0.90.





$\varepsilon_H1$  at T = 300 K. Other vals = 1.00.



















































































Other vals = 0.00




Other vals = 0.10




Other vals = 0.20




Other vals = 0.30




Other vals = 0.40




Other vals = 0.50




Other vals = 0.60




Other vals = 0.70




Other vals = 0.80




Other vals = 0.90







$\sigma_C 1$  at T = 300 K. Other vals = 0.00.




$\sigma_C 1$  at T = 300 K. Other vals = 0.10.




$\sigma_c 1$  at T = 300 K. Other vals = 0.20.




$\sigma_C 1$  at T = 300 K. Other vals = 0.30.




$\sigma_C 1$  at T = 300 K. Other vals = 0.40.




$\sigma_C 1$  at T = 300 K. Other vals = 0.50.




$\sigma_C 1$  at T = 300 K. Other vals = 0.60.




$\sigma_C 1$  at T = 300 K. Other vals = 0.70.




$\sigma_C 1$  at T = 300 K. Other vals = 0.80.




$\sigma_C 1$  at T = 300 K. Other vals = 0.90.




$\sigma_C 1$  at T = 300 K. Other vals = 1.00.




$\sigma_c^2$  at T = 300 K. Other vals = 0.00.




$\sigma_c^2$  at T = 300 K. Other vals = 0.10.




$\sigma_c^2$  at T = 300 K. Other vals = 0.20.




$\sigma_c^2$  at T = 300 K. Other vals = 0.30.




$\sigma_c^2$  at T = 300 K. Other vals = 0.40.




$\sigma_c^2$  at T = 300 K. Other vals = 0.50.




$\sigma_c^2$  at T = 300 K. Other vals = 0.60.




$\sigma_c^2$  at T = 300 K. Other vals = 0.70.




$\sigma_c^2$  at T = 300 K. Other vals = 0.80.




$\sigma_c^2$  at T = 300 K. Other vals = 0.90.




$\sigma_c^2$  at T = 300 K. Other vals = 1.00.




$\sigma_F 1$  at T = 300 K. Other vals = 0.00.




$\sigma_F 1$  at T = 300 K. Other vals = 0.10.




$\sigma_F 1$  at T = 300 K. Other vals = 0.20.




$\sigma_F 1$  at T = 300 K. Other vals = 0.30.




$\sigma_F 1$  at T = 300 K. Other vals = 0.40.




$\sigma_F 1$  at T = 300 K. Other vals = 0.50.




$\sigma_F 1$  at T = 300 K. Other vals = 0.60.




$\sigma_F 1$  at T = 300 K. Other vals = 0.70.




$\sigma_F 1$  at T = 300 K. Other vals = 0.80.




$\sigma_F 1$  at T = 300 K. Other vals = 0.90.




$\sigma_F 1$  at T = 300 K. Other vals = 1.00.




$\sigma_H1$  at T = 300 K. Other vals = 0.00.




$\sigma_H 1$  at T = 300 K. Other vals = 0.10.




$\sigma_H 1$  at T = 300 K. Other vals = 0.20.




$\sigma_H 1$  at T = 300 K. Other vals = 0.30.




$\sigma_H 1$  at T = 300 K. Other vals = 0.40.




$\sigma_H1$  at T = 300 K. Other vals = 0.50.




$\sigma_H1$  at T = 300 K. Other vals = 0.60.







$\sigma_H 1$  at T = 300 K. Other vals = 0.80.




$\sigma_H 1$  at T = 300 K. Other vals = 0.90.




$\sigma_H 1$  at T = 300 K. Other vals = 1.00.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.00.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.10.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.20.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.30.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.40.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.50.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.60.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.70.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.80.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.90.




$\varepsilon_C 1$  at T = 300 K. Other vals = 1.00.




$\varepsilon_C 2$  at T = 300 K. Other vals = 0.00.




$\varepsilon_C 2$  at T = 300 K. Other vals = 0.10.




$\varepsilon_C^2$  at T = 300 K. Other vals = 0.20.




$\varepsilon_C 2$  at T = 300 K. Other vals = 0.30.




$\varepsilon_C 2$  at T = 300 K. Other vals = 0.40.




$\varepsilon_C 2$  at T = 300 K. Other vals = 0.50.




$\varepsilon_C 2$  at T = 300 K. Other vals = 0.60.




$\varepsilon_C 2$  at T = 300 K. Other vals = 0.70.




$\varepsilon_C 2$  at T = 300 K. Other vals = 0.80.




$\varepsilon_C 2$  at T = 300 K. Other vals = 0.90.




$\varepsilon_C 2$  at T = 300 K. Other vals = 1.00.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.00.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.10.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.20.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.30.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.40.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.50.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.60.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.70.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.80.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.90.




$\varepsilon_F 1$  at T = 300 K. Other vals = 1.00.




$\varepsilon_H1$  at T = 300 K. Other vals = 0.00.




$\varepsilon_H1$  at T = 300 K. Other vals = 0.10.




$\varepsilon_H1$  at T = 300 K. Other vals = 0.20.




$\varepsilon_H1$  at T = 300 K. Other vals = 0.30.




$\varepsilon_{H1}$  at T = 300 K. Other vals = 0.40.




$\varepsilon_H1$  at T = 300 K. Other vals = 0.50.




$\varepsilon_H1$  at T = 300 K. Other vals = 0.60.




$\varepsilon_H1$  at T = 300 K. Other vals = 0.70.




$\varepsilon_H1$  at T = 300 K. Other vals = 0.80.





$\varepsilon_H1$  at T = 300 K. Other vals = 0.90.





$\varepsilon_H1$  at T = 300 K. Other vals = 1.00.






































































































Other vals = 0.60




Other vals = 0.70









Other vals = 1.00




$\sigma_C 1$  at T = 300 K. Other vals = 0.00.




$\sigma_C 1$  at T = 300 K. Other vals = 0.10.




$\sigma_C 1$  at T = 300 K. Other vals = 0.20.




$\sigma_C 1$  at T = 300 K. Other vals = 0.30.




$\sigma_C 1$  at T = 300 K. Other vals = 0.40.




$\sigma_C 1$  at T = 300 K. Other vals = 0.50.




$\sigma_C 1$  at T = 300 K. Other vals = 0.60.




$\sigma_C 1$  at T = 300 K. Other vals = 0.70.




$\sigma_C 1$  at T = 300 K. Other vals = 0.80.




$\sigma_C 1$  at T = 300 K. Other vals = 0.90.




$\sigma_C 1$  at T = 300 K. Other vals = 1.00.




$\sigma_c^2$  at T = 300 K. Other vals = 0.00.




$\sigma_c^2$  at T = 300 K. Other vals = 0.10.




$\sigma_c^2$  at T = 300 K. Other vals = 0.20.




$\sigma_c^2$  at T = 300 K. Other vals = 0.30.




$\sigma_c^2$  at T = 300 K. Other vals = 0.40.




$\sigma_c^2$  at T = 300 K. Other vals = 0.50.




$\sigma_c^2$  at T = 300 K. Other vals = 0.60.




$\sigma_c^2$  at T = 300 K. Other vals = 0.70.




$\sigma_c^2$  at T = 300 K. Other vals = 0.80.




$\sigma_c^2$  at T = 300 K. Other vals = 0.90.




$\sigma_c^2$  at T = 300 K. Other vals = 1.00.




$\sigma_F 1$  at T = 300 K. Other vals = 0.00.




$\sigma_F 1$  at T = 300 K. Other vals = 0.10.




$\sigma_F 1$  at T = 300 K. Other vals = 0.20.




$\sigma_F 1$  at T = 300 K. Other vals = 0.30.




$\sigma_F 1$  at T = 300 K. Other vals = 0.40.




$\sigma_F 1$  at T = 300 K. Other vals = 0.50.




$\sigma_F 1$  at T = 300 K. Other vals = 0.60.




$\sigma_F 1$  at T = 300 K. Other vals = 0.70.




$\sigma_F 1$  at T = 300 K. Other vals = 0.80.




$\sigma_F 1$  at T = 300 K. Other vals = 0.90.




$\sigma_F 1$  at T = 300 K. Other vals = 1.00.




$\sigma_H1$  at T = 300 K. Other vals = 0.00.




$\sigma_H1$  at T = 300 K. Other vals = 0.10.




$\sigma_H1$  at T = 300 K. Other vals = 0.20.




$\sigma_H1$  at T = 300 K. Other vals = 0.30.




$\sigma_H1$  at T = 300 K. Other vals = 0.40.




$\sigma_H1$  at T = 300 K. Other vals = 0.50.




$\sigma_{H1}$  at T = 300 K. Other vals = 0.60.




$\sigma_H1$  at T = 300 K. Other vals = 0.70.




$\sigma_H1$  at T = 300 K. Other vals = 0.80.




$\sigma_H1$  at T = 300 K. Other vals = 0.90.




$\sigma_H1$  at T = 300 K. Other vals = 1.00.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.00.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.10.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.20.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.30.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.40.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.50.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.60.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.70.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.80.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.90.




$\varepsilon_C 1$  at T = 300 K. Other vals = 1.00.




$\varepsilon_C2$  at T = 300 K. Other vals = 0.00.




$\varepsilon_C 2$  at T = 300 K. Other vals = 0.10.




$\varepsilon_C 2$  at T = 300 K. Other vals = 0.20.




$\varepsilon_C 2$  at T = 300 K. Other vals = 0.30.




$\varepsilon_C 2$  at T = 300 K. Other vals = 0.40.




$\varepsilon_C 2$  at T = 300 K. Other vals = 0.50.




$\varepsilon_C 2$  at T = 300 K. Other vals = 0.60.




$\varepsilon_C 2$  at T = 300 K. Other vals = 0.70.




$\varepsilon_C 2$  at T = 300 K. Other vals = 0.80.




$\varepsilon_C 2$  at T = 300 K. Other vals = 0.90.




$\varepsilon_C 2$  at T = 300 K. Other vals = 1.00.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.00.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.10.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.20.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.30.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.40.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.50.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.60.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.70.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.80.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.90.




$\varepsilon_F 1$  at T = 300 K. Other vals = 1.00.




$\varepsilon_H1$  at T = 300 K. Other vals = 0.00.




$\varepsilon_H1$  at T = 300 K. Other vals = 0.10.




$\varepsilon_{H1}$  at T = 300 K. Other vals = 0.20.




$\varepsilon_{H1}$  at T = 300 K. Other vals = 0.30.




$\varepsilon_{H1}$  at T = 300 K. Other vals = 0.40.




$\varepsilon_{H1}$  at T = 300 K. Other vals = 0.50.




$\varepsilon_{H1}$  at T = 300 K. Other vals = 0.60.




$\varepsilon_{H1}$  at T = 300 K. Other vals = 0.70.




$\varepsilon_H1$  at T = 300 K. Other vals = 0.80.





$\varepsilon_H1$  at T = 300 K. Other vals = 0.90.





$\varepsilon_H1$  at T = 300 K. Other vals = 1.00.






















































































Other vals = 0.10




Other vals = 0.20




Other vals = 0.30




Other vals = 0.40




Other vals = 0.50




Other vals = 0.60




Other vals = 0.70




Other vals = 0.80




Other vals = 0.90




Other vals = 1.00




$\sigma_C 1$  at T = 300 K. Other vals = 0.00.




$\sigma_C 1$  at T = 300 K. Other vals = 0.10.




$\sigma_C 1$  at T = 300 K. Other vals = 0.20.




$\sigma_C 1$  at T = 300 K. Other vals = 0.30.




$\sigma_C 1$  at T = 300 K. Other vals = 0.40.




$\sigma_C 1$  at T = 300 K. Other vals = 0.50.




$\sigma_C 1$  at T = 300 K. Other vals = 0.60.




$\sigma_C 1$  at T = 300 K. Other vals = 0.70.




$\sigma_C 1$  at T = 300 K. Other vals = 0.80.




$\sigma_C 1$  at T = 300 K. Other vals = 0.90.




$\sigma_C 1$  at T = 300 K. Other vals = 1.00.




$\sigma_c 2$  at T = 300 K. Other vals = 0.00.




$\sigma_c^2$  at T = 300 K. Other vals = 0.10.




$\sigma_c^2$  at T = 300 K. Other vals = 0.20.




$\sigma_c^2$  at T = 300 K. Other vals = 0.30.




$\sigma_c^2$  at T = 300 K. Other vals = 0.40.




$\sigma_c^2$  at T = 300 K. Other vals = 0.50.




$\sigma_c 2$  at T = 300 K. Other vals = 0.60.




$\sigma_c^2$  at T = 300 K. Other vals = 0.70.




$\sigma_c^2$  at T = 300 K. Other vals = 0.80.




$\sigma_c 2$  at T = 300 K. Other vals = 0.90.




$\sigma_c^2$  at T = 300 K. Other vals = 1.00.




$\sigma_F 1$  at T = 300 K. Other vals = 0.00.




$\sigma_F 1$  at T = 300 K. Other vals = 0.10.




$\sigma_F 1$  at T = 300 K. Other vals = 0.20.




$\sigma_F 1$  at T = 300 K. Other vals = 0.30.




$\sigma_F 1$  at T = 300 K. Other vals = 0.40.




$\sigma_F 1$  at T = 300 K. Other vals = 0.50.




$\sigma_F 1$  at T = 300 K. Other vals = 0.60.




$\sigma_F 1$  at T = 300 K. Other vals = 0.70.




$\sigma_F 1$  at T = 300 K. Other vals = 0.80.




$\sigma_F 1$  at T = 300 K. Other vals = 0.90.




$\sigma_F 1$  at T = 300 K. Other vals = 1.00.




$\sigma_{H1}$  at T = 300 K. Other vals = 0.00.




$\sigma_H1$  at T = 300 K. Other vals = 0.10.




$\sigma_{H1}$  at T = 300 K. Other vals = 0.20.




$\sigma_H1$  at T = 300 K. Other vals = 0.30.




$\sigma_{H1}$  at T = 300 K. Other vals = 0.40.




$\sigma_{H1}$  at T = 300 K. Other vals = 0.50.




$\sigma_{H1}$  at T = 300 K. Other vals = 0.60.




$\sigma_{H1}$  at T = 300 K. Other vals = 0.70.




$\sigma_{H1}$  at T = 300 K. Other vals = 0.80.




$\sigma_{H1}$  at T = 300 K. Other vals = 0.90.




$\sigma_{H1}$  at T = 300 K. Other vals = 1.00.




$\varepsilon_C1$  at T = 300 K. Other vals = 0.00.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.10.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.20.




$\varepsilon_{C1}$  at T = 300 K. Other vals = 0.30.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.40.




$\varepsilon_C1$  at T = 300 K. Other vals = 0.50.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.60.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.70.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.80.




$\varepsilon_C 1$  at T = 300 K. Other vals = 0.90.




$\varepsilon_C 1$  at T = 300 K. Other vals = 1.00.




$\varepsilon_C2$  at T = 300 K. Other vals = 0.00.




$\varepsilon_C 2$  at T = 300 K. Other vals = 0.10.




$\varepsilon_C 2$  at T = 300 K. Other vals = 0.20.




$\varepsilon_C2$  at T = 300 K. Other vals = 0.30.




$\varepsilon_C 2$  at T = 300 K. Other vals = 0.40.




$\varepsilon_C 2$  at T = 300 K. Other vals = 0.50.




$\varepsilon_C 2$  at T = 300 K. Other vals = 0.60.




$\varepsilon_C 2$  at T = 300 K. Other vals = 0.70.




$\varepsilon_C2$  at T = 300 K. Other vals = 0.80.




$\varepsilon_C2$  at T = 300 K. Other vals = 0.90.




$\varepsilon_C2$  at T = 300 K. Other vals = 1.00.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.00.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.10.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.20.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.30.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.40.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.50.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.60.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.70.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.80.




$\varepsilon_F 1$  at T = 300 K. Other vals = 0.90.




$\varepsilon_F 1$  at T = 300 K. Other vals = 1.00.




$\varepsilon_H1$  at T = 300 K. Other vals = 0.00.




$\varepsilon_H1$  at T = 300 K. Other vals = 0.10.




$\varepsilon_H1$  at T = 300 K. Other vals = 0.20.




$\varepsilon_H1$  at T = 300 K. Other vals = 0.30.




$\varepsilon_H1$  at T = 300 K. Other vals = 0.40.




$\varepsilon_H1$  at T = 300 K. Other vals = 0.50.




$\varepsilon_H1$  at T = 300 K. Other vals = 0.60.




$\varepsilon_{H1}$  at T = 300 K. Other vals = 0.70.



$\varepsilon_{H1}$  at T = 300 K. Other vals = 0.80.



$\varepsilon_{H1}$  at T = 300 K. Other vals = 0.90.



$\varepsilon_H1$  at T = 300 K. Other vals = 1.00.

