Trees


```
def tree(root_label, branches=[]):
    for branch in branches:
        assert is_tree(branch), 'branches must be trees'
        return [root_label] + list(branches)
def label(tree):
    return tree[0]
def branches(tree):
    return tree[1:]
def is_leaf(tree):
    return not(branches(tree))
```

Trees


```
>>> t = tree(3, [tree(1), tree(2, [tree(4), tree(5)])])
>>> t -> [3, [1], [2, [4], [5]]]
>>> label(t) -> 3
>>> branches(t) -> [[1], [2, [4], [5]]]
>>> label(branches(t)[0]) -> 1
>>> label(branches(t)[1]) -> 2
>>> r = branches(t)[1]
>>> label(branches(r)[0]) -> 4
```

>>> label(branches(r)[1]) -> 5


```
# Trees with objects (manual tree construction)
    class Tree:
        def __init__(self, label, branches=[]):
 5
            self.label = label
            self.branches = branches
 8
        def __repr__(self):
 9
            if self.branches:
                return 'T[{0}, {1}]'.format(self.label, repr(self.branches))
10
11
            else:
12
                return 'T[{0}]'.format(repr(self.label))
13
14 \mid t = Tree(3)
15 t.branches = [Tree(1),Tree(2)]
16 t.branches[1].branches = [Tree(4),Tree(5)]
17 print(t)
T[3, [T[1], T[2, [T[4], T[5]]]]]
```




```
# Trees with objects (manual tree construction)
    class Tree:
        def __init__(self, label, branches=[]):
 5
            self.label = label
            self.branches = branches
 8
        def __repr__(self):
 9
            if self.branches:
                return 'T[{0}, {1}]'.format(self.label, repr(self.branches))
10
11
            else:
12
                return 'T[{0}]'.format(repr(self.label))
13
14 \mid t = Tree(3)
15 t.branches = [Tree(1),Tree(2)]
16 t.branches[1].branches = [Tree(4),Tree(5)]
17 print(t)
T[3, [T[1], T[2, [T[4], T[5]]]]
```




```
# Trees with objects (manual tree construction)
 2
    class Tree:
        def __init__(self, label, branches=[]):
 4
 5
            self.label = label
            self.branches = branches
 8
        def __repr__(self):
 9
            if self.branches:
                return 'T[{0}, {1}]'.format(self.label, repr(self.branches))
10
11
            else:
12
                return 'T[{0}]'.format(repr(self.label))
13
14 \mid t = Tree(3)
15 t.branches = [Tree(1),Tree(2)]
16 t.branches[1].branches = [Tree(4),Tree(5)]
17 print(t)
T[3, [T[1], T[2, [T[4], T[5]]]]
```



```
# Trees with objects (manual tree construction)
    class Tree:
        def __init__(self, label, branches=[]):
 5
            self.label = label
            self.branches = branches
 8
        def __repr__(self):
 9
            if self.branches:
                return 'T[{0}, {1}]'.format(self.label, repr(self.branches))
10
11
            else:
12
                return 'T[{0}]'.format(repr(self.label))
13
14 \mid t = Tree(3)
15 t.branches = [Tree(1),Tree(2)]
16 t.branches[1].branches = [Tree(4),Tree(5)]
17 print(t)
T[3, [T[1], T[2, [T[4], T[5]]]]
```




```
# Trees with objects (manual tree construction)
 2
    class Tree:
        def __init__(self, label, branches=[]):
 5
            self.label = label
            self.branches = branches
 8
        def __repr__(self):
 9
            if self.branches:
                return 'T[{0}, {1}]'.format(self.label, repr(self.branches))
10
11
            else:
12
                return 'T[{0}]'.format(repr(self.label))
13
14 \mid t = Tree(3)
15 t.branches = [Tree(1),Tree(2)]
16 t.branches[1].branches = [Tree(4),Tree(5)]
17 print(t)
T[3, [T[1], T[2, [T[4], T[5]]]]
```




Trees with objects (manual tree construction)


```
class Tree:
        def __init__(self, label, branches=[]):
            self.label = label
            self.branches = branches
 8
        def __repr__(self):
 9
           if self.branches:
                return 'T[{0}, {1}]'.format(self.label, repr(self.branches))
10
11
            else:
12
                return 'T[{0}]'.format(repr(self.label))
13
14 t = Tree(3)
15 t.branches = [Tree(1),Tree(2)]
                                                  poor data abstraction
   t.branches[1].branches = [Tree(4),Tree(5)]
   print(t)
T[3, [T[1], T[2, [T[4], T[5]]]]]
```




```
# Trees with objects (functional tree construction)
    class Tree:
        def __init__(self, label):
            self.label = label
            self.branches = []
        # add child in the right-most branch
        def add_child(self,val):
 9
            if not self.branches:
10
                self.branches = [Tree(val)]
11
12
            else:
                self.branches.append(Tree(val))
13
14
15
        # return subtree in location num (0-indexed)
        def get_subtree(self,num):
16
            # make sure that there is a child numbered num
17
18
            if self.branches and num < len(self.branches):</pre>
                return self.branches[num]
19
20
            else:
21
                return None
22
23 t = Tree(3)
24 t.add_child(1)
25 t.add child(2)
26 c = t.get_subtree(1)
27 print(c)
28 c.add_child(4)
29 c.add_child(5)
30 print(t)
T[2]
T[3, [T[1], T[2, [T[4], T[5]]]]
```




```
# Trees with objects (functional tree construction)
    class Tree:
        def __init__(self, label):
            self.label = label
            self.branches = []
        # add child in the right-most branch
        def add_child(self,val):
 9
            if not self.branches:
10
                self.branches = [Tree(val)]
11
12
            else:
                self.branches.append(Tree(val))
13
14
15
        # return subtree in location num (0-indexed)
        def get_subtree(self,num):
16
            # make sure that there is a child numbered num
17
18
            if self.branches and num < len(self.branches):</pre>
                return self.branches[num]
19
20
            else:
21
                return None
22
23 t = Tree(3)
24 t.add_child(1)
25 t.add child(2)
26 c = t.get_subtree(1)
27 print(c)
28 c.add_child(4)
29 c.add_child(5)
30 print(t)
T[2]
T[3, [T[1], T[2, [T[4], T[5]]]]
```




```
# Trees with objects (functional tree construction)
    class Tree:
        def __init__(self, label):
            self.label = label
            self.branches = []
        # add child in the right-most branch
 9
        def add_child(self,val):
            if not self.branches:
10
                self.branches = [Tree(val)]
11
12
            else:
13
                self.branches.append(Tree(val))
14
15
        # return subtree in location num (0-indexed)
        def get_subtree(self,num):
16
            # make sure that there is a child numbered num
17
18
            if self.branches and num < len(self.branches):</pre>
                return self.branches[num]
19
20
            else:
21
                return None
22
23 t = Tree(3)
24 t.add_child(1)
25 t.add child(2)
26 c = t.get_subtree(1)
27 print(c)
28 c.add_child(4)
29 c.add_child(5)
30 print(t)
T[2]
T[3, [T[1], T[2, [T[4], T[5]]]]]
```




```
# Trees with objects (functional tree construction)
    class Tree:
        def __init__(self, label):
            self.label = label
            self.branches = []
        # add child in the right-most branch
        def add_child(self,val):
 9
            if not self.branches:
10
                self.branches = [Tree(val)]
11
12
            else:
                self.branches.append(Tree(val))
13
14
15
        # return subtree in location num (0-indexed)
16
        def get_subtree(self,num):
            # make sure that there is a child numbered num
17
            if self.branches and num < len(self.branches):</pre>
18
                return self.branches[num]
19
20
            else:
21
                return None
22
23
   t = Tree(3)
24 t.add_child(1)
25 t.add child(2)
26 c = t.get_subtree(1)
27 print(c)
28 c.add_child(4)
29 c.add_child(5)
30 print(t)
T[2]
T[3, [T[1], T[2, [T[4], T[5]]]]]
```



```
# Trees with objects (functional tree construction)
    class Tree:
        def __init__(self, label):
            self.label = label
            self.branches = []
        # add child in the right-most branch
        def add_child(self,val):
 9
            if not self.branches:
10
                self.branches = [Tree(val)]
11
12
            else:
                self.branches.append(Tree(val))
13
14
15
        # return subtree in location num (0-indexed)
        def get_subtree(self,num):
16
            # make sure that there is a child numbered num
17
18
            if self.branches and num < len(self.branches):</pre>
                return self.branches[num]
19
20
            else:
21
                return None
22
23 t = Tree(3)
24 t.add_child(1)
25 t.add child(2)
26 c = t.get_subtree(1)
27 print(c)
28 c.add_child(4)
29 c.add_child(5)
   print(t)
T[2]
T[3, [T[1], T[2, [T[4], T[5]]]]
```



Binary Trees



```
# Binary Tree in Python
class Node:
def __init__(self, data):
    self.label = data
    self.left = None
self.right = None
```


```
1 # Binary Tree in Python
2 class Node:
3    def __init__(self, data):
4         self.label = data
5         self.left = None
6         self.right = None
1 root = Node(1)
```



```
# Binary Tree in Python
class Node:


def __init__(self, data):
    self.label = data
    self.left = None
self.right = None
```

```
1 root = Node(1)
2 root.left = Node(2)
3 root.right = Node(3)
```




```
# Binary Tree in Python
class Node:
def __init__(self, data):
    self.label = data
    self.left = None
self.right = None
```

```
1 root = Node(1)
2 root.left = Node(2)
3 root.right = Node(3)
4 root.left.left = Node(4)
5 root.left.right = Node(5)
```



```
# Binary Tree in Python
class Node:
def __init__(self, data):
    self.label = data
    self.left = None
self.right = None
```

```
1 root = Node(1)
2 root.left = Node(2)
3 root.right = Node(3)
4 root.left.left = Node(4)
5 root.left.right = Node(5)
6 root.right.left = Node(6)
```



preorder: root, left subtree, right subtree

preorder: root, left subtree, right subtree

preorder: root, left subtree, right subtree 1 2


preorder: root, left subtree, right subtree 1 2 4


preorder: root, left subtree, right subtree 1 2 4 5

preorder: root, left subtree, right subtree 1 2 4 5 3


preorder: root, left subtree, right subtree 1 2 4 5 3 6

```
8  # Traverse preorder
9  def traversePreOrder(self):
    print(self.label, end=' ')
    if self.left:
        self.left.traversePreOrder()
    if self.right:
        self.right.traversePreOrder()
```







all nodes in left subtree are less than root all nodes in right subtree are larger than root




less than 6




greater than 6




less than 4




greater than 4




is 5 in this tree? search in preorder (root, left, right) *n* comparisons




is 5 in this tree?




is 5 in this tree?
5 cannot be in right subtree




is 5 in this subtree?




is 5 in this subtree?
5 cannot be in left subtree



is 5 in this subtree?



is 5 in this subtree? height of tree is at most log(n)



```
def bst(node, val):
    if node == None:
        return False

def bst(node == None:
        return False

def bst(node == None:
        return True

f        return True

elif val < node.label:
        return bst(node.left,val)

elif val > node.label:
        return bst(node.right,val)

bst(root,5)
```