

RETAIL BANKING

CAPSTONE 2026

Reproduction Guide

Step-by-step prompts to rebuild the project from scratch

[GitHub Pages](#) · [Three.js Robot](#) · [Dark Cinematic Design](#)

Phases	Prompts	Key Output
Phase 0	0.1 – 0.2	Project structure & folders
Phase 1	1.1 – 1.3	Team names, photos, section content
Phase 2	2.1 – 2.4	index_redesign.html + Three.js robot
Phase 3	3.1 – 3.2	All branch pages restyled
Phase 4	4.1 – 4.2	Git identity + push to GitHub

Convention: Variables you must customise are highlighted in **[BRACKETS]** throughout every prompt.

PHASE 0 — PROJECT SETUP

Prompt 0.1 — Read and understand the project

What it does: Tells the AI to scan the repo folder and report everything it finds — file structure, content, and what each file is for.

Variables to define:

- **[LOCAL_REPO_PATH]** — Full path to your cloned repository on your machine

```
Read the path: [LOCAL_REPO_PATH]
```

```
Tell me what you see.
```

Prompt 0.2 — Create subsection folders

What it does: Creates the branch-page subdirectories inside the project. Each folder becomes a section of the website.

Variables to define:

- **[LOCAL_REPO_PATH]** — Same repo path as above
- **[FOLDER_NAMES]** — Comma-separated list of subfolders to create

```
Create the sub section folders [FOLDER_NAMES] and add a
```

```
'behind the scenes' folder as well inside [LOCAL_REPO_PATH].
```

■ *Example folder names: loans-credit, savings-deposits, payments, investment-thesis, behind-the-scenes*

PHASE 1 — CONTENT & TEAM SETUP

Prompt 1.1 — Replace placeholder team names

What it does: Reads the README to find the real team member names, then updates index.html to replace any placeholder text with them.

Replace all placeholder team names with the ones in the README.

Prompt 1.2 — Add a profile photo for one team member

What it does: Copies a local image into assets/images/, renames it to a web-safe filename, and updates the team member's img tag so the photo renders correctly with object-fit: cover and circular cropping.

Variables to define:

- **[PHOTO_PATH]** — Full path to the photo file on your local machine
- **[TEAM_MEMBER_NAME]** — Display name of the team member this photo belongs to

[PHOTO_PATH]

Add this picture to **[TEAM_MEMBER_NAME]** and fit it perfectly in

the form for the webpage.

■ To add multiple photos at once, list all paths in a single message (see batch variant below).

Batch variant — multiple photos at once:

Do the same with the following pictures:

"**[PHOTO_PATH_1]**"

"**[PHOTO_PATH_2]**"

"**[PHOTO_PATH_3]**"

"**[PHOTO_PATH_4]**"

"**[PHOTO_PATH_5]**"

Prompt 1.3 — Restructure section content

What it does: Replaces per-topic content blocks inside the branch pages with three shared themes. Adds an Investment Thesis section and reorders the card navigation.

Variables to define:

- **[BRANCH_NAMES]** — Which pages to apply this to (e.g. payments, loans & credit, deposits & savings)
- **[THEMES]** — The shared theme names, comma-separated
- **[NEW_SECTION_NAME]** — Name of the new section to add below the themes
- **[CARD_ORDER]** — Desired ordering of navigation cards

The 3 branches **[BRANCH_NAMES]** should include the 3 themes:

[THEMES] instead of what's currently in them.

Below the themes add a section called **[NEW_SECTION_NAME]**.

At the end place the branch Behind the Scenes.

The card order should be: **[CARD_ORDER]**.

PHASE 2 — INDEX PAGE REDESIGN (THREE.JS ROBOT)

This phase generates the complete cinematic redesign. The file is saved locally only — nothing is pushed to Git until you explicitly approve.

Prompt 2.1 — Full cinematic redesign

What it does: Generates a complete self-contained `index_redesign.html` with embedded CSS and JS. Includes a WebGL Three.js robot, custom cursor, glassmorphism nav, scroll-driven animations, preloader, and magnetic buttons.

Variables to define:

- **[ACCENT_COLOR_1]** — Primary accent hex (default: #00f5ff cyan)
- **[ACCENT_COLOR_2]** — Secondary accent hex (default: #7b2fff violet)
- **[YEAR]** — Four-digit year shown in the UI (e.g. 2026)
- **[SITE_TITLE_INITIALS]** — Logo initials shown in the nav bar (e.g. RB·26)

Redesign the current GitHub webpage with an award-winning,
immersive frontend. Single self-contained HTML file.

RULES:

- DO NOT push or commit anything.
- Save as `index_redesign.html` (do NOT overwrite `index.html`).
- Open in browser after saving.
- Wait for approval before any further changes.

AESTHETIC:

- Dark theme: bg #0a0a0f, accents **[ACCENT_COLOR_1]** + **[ACCENT_COLOR_2]**
- Fonts: Bebas Neue (headings) + DM Sans (body) via Google Fonts
- Oversized fluid headline text (clamp-based sizing)

ROBOT (Three.js r128 from CDN):

- Built from BoxGeometry, CylinderGeometry, SphereGeometry primitives
- Idle: floating bob + slow Y-axis rotation
- Mouse: head/eyes follow cursor
- Hover: glow intensifies, arms raise, particle burst
- Click: full spin + glitch effect (600ms)
- Two PointLights in **[ACCENT_COLOR_1]** + **[ACCENT_COLOR_2]**
- 200-particle field behind robot

SCROLL (IntersectionObserver only, no scroll libraries):

- Hero: full-viewport, robot left / headline right
- Section 2: code snippet typed character reveal
- Section 3: animated contribution graph
- Section 4: horizontal-scroll card strip

MOTION:

- Preloader: 1.2s fade with robot parts flying in
- Scroll reveals: translateY(40px)->0 + opacity 0->1, staggered
- Custom cursor: 8px dot + 32px lerp ring
- Magnetic buttons: 60px magnetic field
- No transitions longer than 600ms

CONTENT:

- Year: **[YEAR]** | Nav logo: **[SITE_TITLE_INITIALS]**
- Glassmorphism nav, CTA button gradient border fills on hover
- prefers-reduced-motion respected
- aria-hidden='true' on Three.js canvas

DELIVERABLE:

Single index_redesign.html. Three.js from CDN only.

No other external deps except Google Fonts.

Prompt 2.2 — Adjust layout and replace icons

What it does: Moves the sections strip higher on the page, removes the Themes section from the index, replaces generic emoji icons with custom futuristic SVGs, and updates the year.

Variables to define:

- **[YEAR]** — Four-digit year to display (e.g. 2026)

The sections should be placed where the Themes section currently is.

Replace the symbols from the sections with futuristic symbols.

Themes shouldn't be on the index page — they must be included in the sections.

And it is **[YEAR]** instead of the previous year.

Prompt 2.3 — Redesign the robot to chibi style

What it does: Rebuilds the Three.js robot from scratch with a chibi aesthetic — cream/beige body, large screen-face with dot eyes, rainbow LED ring cycling through hues, chunky rounded limbs. Also moves Behind the Scenes to a standalone section after Team.

Variables to define:

- **[REFERENCE_IMAGE]** — Attach or describe a reference chibi robot image when sending this prompt

[Attach reference image]

Make the robot look more like the one in the attached picture.

Set the Behind the Scenes section below the Team section.

Prompt 2.4 — Undo a specific change

What it does: Reverts the most recent change completely. Use any time a modification was made that you want removed.

Variables to define:

- **[CHANGE_TO_UNDO]** — Describe what was just added that you want removed (e.g. the Bitcoin necklace on the robot)

Undo **[CHANGE_TO_UNDO]**.

PHASE 3 — APPLY DESIGN TO BRANCH PAGES

Prompt 3.1 — Restyle all branch pages

What it does: Takes the complete dark cinematic design system from `index_redesign.html` and applies it to every branch page. Each page gets section-specific preloader text, consistent header, and the same footer. The `investment-thesis` page uses a violet accent variant.

The style of the webpage should also be used on the branch sites.

■ This single prompt handles all five branch pages at once: `loans-credit`, `savings-deposits`, `payments`, `investment-thesis`, and `behind-the-scenes`.

Prompt 3.2 — Integrate external content into a branch page (advanced)

What it does: Multi-phase workflow: reads an external HTML source file, maps its content into the existing dark-themed template, saves a preview, and waits for approval before overwriting the branch page. Nothing is pushed until you explicitly say so.

Variables to define:

- `[SOURCE_FILE_PATH]` — Full path to the content HTML file to integrate
- `[TARGET_BRANCH_FOLDER]` — The branch folder to update (e.g. `payments`)
- `[REPO_PATH]` — Full path to the local repository
- `[COMMIT_MESSAGE]` — The Git commit message to use on approval

PHASE 1 — ANALYSIS (do this first, before touching any file)

1. Scan the full project structure and identify:

- Main layout/template file(s)
- All global CSS files and design tokens
- Navigation structure and how pages are linked
- Recurring UI patterns

2. Read and analyze: `[SOURCE_FILE_PATH]`

Identify meaningful visible content vs structural/layout-only.

3. Read the existing target: `[REPO_PATH]\[TARGET_BRANCH_FOLDER]`

Identify load-bearing vs content-only parts.

4. Present a short plan. STOP and wait for go-ahead.

PHASE 2 — SANDBOX (only after approval)

- Save to `/preview/[TARGET_BRANCH_FOLDER]/`
- Do NOT modify any file outside `/preview/`
- Do NOT stage, commit, or push
- Use existing HTML shell as base

- Strip: inline styles, <script> tags, layout wrapper divs

- Re-map content into existing UI components

- Open preview in browser after saving

PHASE 3 – REVIEW HANDOFF

Provide summary, file list, component mapping, exclusions.

Ask: "Preview ready. Say approved – push to Git when satisfied."

PHASE 4 – GIT PUSH (only on explicit approval)

- Copy preview to [REPO_PATH]\[TARGET_BRANCH_FOLDER]

- git add [TARGET_BRANCH_FOLDER]/

- git commit -m '[COMMIT_MESSAGE]'

- Push and confirm

PHASE 4 — GIT & DEPLOYMENT

Prompt 4.1 — Configure Git identity (one-time fix)

What it does: Sets the local Git user identity so commits don't fail with 'unable to auto-detect email address.' Only needed if a commit returns this error.

Variables to define:

- **[GIT_EMAIL]** — Your GitHub account email address
- **[GIT_USERNAME]** — Your GitHub username

```
[GIT_EMAIL] [GIT_USERNAME]
```

■ Run this only if a commit fails with a Git identity error, then retry the push prompt.

Prompt 4.2 — Push changes to GitHub

What it does: Stages all modified files, commits them, and pushes to the remote repository on GitHub. Only run after reviewing changes locally.

```
Now push it back to GitHub.
```

■ Never run this for `index_redesign.html` or `branch page redesigns` until you have reviewed and approved them locally.

QUICK REFERENCE — VARIABLE CHECKLIST

Fill in these values once before starting. Reuse them across all prompts.

Variable	Example value	Your value
[LOCAL_REPO_PATH]	C:\Users\yourname\Retail-Banking-Capstone-Project	
[GIT_EMAIL]	yourname@gmail.com	
[GIT_USERNAME]	yourgithubhandle	
[YEAR]	2026	
[SITE_TITLE_INITIALS]	RB-26	
[ACCENT_COLOR_1]	#00f5ff	
[ACCENT_COLOR_2]	#7b2fff	
[FOLDER_NAMES]	loans-credit, savings-deposits, payments, investment-thesis	
[THEMES]	Market Landscape, Disruptive Forces, Simulated Economic Impact	

Key Rules the AI Enforces Automatically

- **Never overwrites index.html:** The redesign always goes to index_redesign.html until you approve a swap.
- **No Git operations until you say so:** Every design change is local-only until you run Prompt 4.2.
- **Preview-first for content integration:** Prompt 3.2 always saves to /preview/ and asks for sign-off before touching production files.
- **No external libraries:** Beyond Three.js (CDN) and Google Fonts — everything else is vanilla HTML/CSS/JS.
- **Iteration rule:** Edit locally → re-open in browser → wait for approval. Repeat until satisfied.

Generated by Claude · Anthropic · Retail Banking Capstone 2026