

Clone + Coding

김도유




이 문서는 나눔글꼴로 작성되었습니다. [다운받기](#)



01. 레이아웃 구조 점검 및 분석	• 상세 내용 : 원본 사이트에 대한 구조를 파악하기
02. 레이아웃 영역 정의 및 구현결과(최종 스크린샷)	• 상세 내용 : 내가 구성한 HTML 태그 구조 • 상세 내용 : 각 영역별 HTML코드와 CSS코드 제시
03. 소요시간 및 소감	

1. 레이아웃 구조 점검 및 분석

- 원본 사이트에 대한 구조를 파악하기



Top menu

Content – Photo Grid

Content – Pagination

Content – About Section

Footer

2. 레이아웃 영역 정의 구현결과

- 공통 부분 CSS

공통 부분

```
html {  
    box-sizing: border-box  
}
```

```
*,  
*:before,  
*:after {  
    box-sizing: inherit  
}
```

```
html,  
body {  
    font-family: Verdana, sans-serif;  
    font-size: 15px;  
    line-height: 1.5  
}
```

```
html {  
    overflow-x: hidden  
}
```

```
h1 {  
    font-size: 36px  
}
```

```
h2 {  
    font-size: 30px  
}
```

```
h3 {  
    font-size: 24px  
}
```

```
h4 {  
    font-size: 20px  
}
```

```
h5 {  
    font-size: 18px  
}
```

```
h6 {  
    font-size: 16px  
}
```

```
h1,  
h2,  
h3,  
h4,  
h5,  
h6 {  
    font-family: "Segoe UI", Arial, sans-serif;  
    font-weight: 400;  
    margin: 10px 0  
}
```

```
hr {  
    box-sizing: content-box;  
    height: 0;  
    overflow: visible;  
    border: 0;  
    border-top: 1px solid #eee;  
    margin: 20px 0;  
}
```



2. 레이아웃 영역 정의 구현결과

- 주요 공통 클래스 CSS



주요 공통 클래스

```
.cc_3-image {
  max-width: 100%;
  height: auto
}

.cc_3-button {
  border: none;
  display: inline-block;
  padding: 8px 16px;
  vertical-align: middle;
  overflow: hidden;
  text-decoration: none;
  color: inherit;
  background-color: inherit;
  text-align: center;
  cursor: pointer;
  white-space: nowrap
}

.cc_3-tag {
  background-color: #000;
  color: #fff;
  display: inline-block;
  padding-left: 8px;
  padding-right: 8px;
  text-align: center
}

.cc_3-bar-item {
  padding: 20px;
  float: left;
  width: auto;
  border: none;
  display: block;
  outline: 0
}

.cc_3-row-padding:after,
.cc_3-row-padding:before {
  content: "";
  display: table;
  clear: both
}

.cc_3-quarter {
  float: left;
  width: 100%;
  padding: 0 8px;
}

@media (min-width:601px) {
  .cc_3-quarter {
    width: 24.99999%
  }
}

.cc_3-bar-item {
  text-align: center
}

}

.cc_3-row-paddingl {
  padding: 0 8px
}

.cc_3-small {
  font-size: 12px!important
}

.cc_3-center {
  text-align: center!important
}

.cc_3-margin-bottom {
  margin-bottom: 16px!important
}

.cc_3-margin-right {
  margin-right: 16px!important
}

.cc_3-padding {
  padding: 8px 16px!important
}

.cc_3-padding-16 {
  padding-top: 16px!important;
  padding-bottom: 16px!important
}

.cc_3-padding-32 {
  padding-top: 32px!important;
  padding-bottom: 32px!important
}

.cc_3-dark-grey,
.cc_3-hover-dark-grey:hover,
.cc_3-dark-gray,
.cc_3-hover-dark-gray:hover {
  color: #fff!important;
  background-color:
#616161!important
}
```


2. 레이아웃 영역 정의 구현결과 -Top menu HTML 및 주요 CSS



My Food

Mail

Top menu



```
.cc_3-white,  
.cc_3-hover-white:hover {  
  color: #000!important;  
  background-color: #fff!important;  
}  
.cc_3-xlarge {  
  font-size: 24px!important;  
}
```


```
.cc_3-left {  
  float: left!important;  
}  
.cc_3-right {  
  float: right!important;  
}  
.cc_3-center {  
  text-align: center!important;  
}
```

```
<!-- Top menu -->  
<div class="cc_3-top">  
  <div class="cc_3-white cc_3-xlarge" style="max-width:1200px;margin:auto">  
    <div class="cc_3-button cc_3-padding-16 cc_3-left">&#9776;</div>  
    <div class="cc_3-right cc_3-padding-16">Mail</div>  
    <div class="cc_3-center cc_3-padding-16">My Food</div>  
  </div>  
</div>
```

2. 레이아웃 영역 정의 구현결과

– Content

Content



Content – Photo Grid

Content – Pagination

About Me, The Food Man



I am Who I Am!

With Passion For Real, Good Food

Just me, myself and I, exploring the universe of unknownment. I have a heart of love and an interest of lorem ipsum and mauris neque quam blog. I want to share my world with you. Praesent tincidunt sed tellus ut rutrum. Sed vitae justo condimentum, porta lectus vitae, ultricies congue gravida diam non fringilla. Praesent tincidunt sed tellus ut rutrum. Sed vitae justo condimentum, porta lectus vitae, ultricies congue gravida diam non fringilla.

Content – About Section



```
<div class="cc_3-main cc_3-content cc_3-padding" style="max-width:1200px;margin-top:100px">
```

```
@media (max-width:992px) {  
  .cc_3-main {  
    margin-left: 0!important;  
    margin-right: 0!important;  
  }  
}
```

```
.cc_3-content {  
  margin-left: auto;  
  margin-right: auto;  
  max-width: 980px;  
}
```


2. 레이아웃 영역 정의 구현결과

- Content - PhotoGrid HTML 및 주요 CSS



```

<!-- First Photo Grid-->
<div class="cc_3-row-padding cc_3-padding-16 cc_3-center" id="food">
  <div class="cc_3-quarter">
    
    <h3>The Perfect Sandwich, A Real NYC Classic</h3>
    <p>Just some random text, lorem ipsum text praesent tincidunt ipsum ipsum.</p>
  </div>
  <div class="cc_3-quarter">
    
    <h3>Let Me Tell You About This Steak</h3>
    <p>Once again, some random text to lorem ipsum ipsum ipsum text praesent tincidunt ipsum ipsum.</p>
  </div>
  <div class="cc_3-quarter">
    
    <h3>Cherries, interrupted</h3>
    <p>Lorem ipsum text praesent tincidunt ipsum ipsum.</p>
    <p>What else?</p>
  </div>
  <div class="cc_3-quarter">
    
    <h3>Once Again, Robust Wine and Vegetable Pasta</h3>
    <p>Lorem ipsum text praesent tincidunt ipsum ipsum.</p>
  </div>
</div>


<!-- Second Photo Grid-->
<div class="cc_3-row-padding cc_3-padding-16 cc_3-center">
  <div class="cc_3-quarter">
    
    <h3>All I Need Is a Popsicle</h3>
    <p>Lorem ipsum text praesent tincidunt ipsum ipsum.</p>
  </div>
  <div class="cc_3-quarter">
    
    <h3>Salmon For Your Skin</h3>
    <p>Once again, some random text to lorem ipsum ipsum ipsum text praesent tincidunt ipsum ipsum.</p>
  </div>
  <div class="cc_3-quarter">
    
    <h3>The Perfect Sandwich, A Real Classic</h3>
    <p>Just some random text, lorem ipsum text praesent tincidunt ipsum ipsum.</p>
  </div>
  <div class="cc_3-quarter">
    
    <h3>Le French</h3>
    <p>Lorem ipsum ipsum ipsum ipsum ipsum text praesent tincidunt ipsum ipsum.</p>
  </div>
</div>
  
```


..... 2. 레이아웃 영역 정의 구현결과

- Content - Pagination HTML 및 주요 CSS

« 1 2 3 4 »

.cc_3-bar-item cc_3-black cc_3-button



```
<!-- Pagination -->
<div class="cc_3-center cc_3-padding-32">
  <div class="cc_3-bar">
    <a href="#" class="cc_3-bar-item cc_3-button cc_3-hover-black">&laquo;</a>
    <a href="#" class="cc_3-bar-item cc_3-black cc_3-button">1</a>
    <a href="#" class="cc_3-bar-item cc_3-button cc_3-hover-black">2</a>
    <a href="#" class="cc_3-bar-item cc_3-button cc_3-hover-black">3</a>
    <a href="#" class="cc_3-bar-item cc_3-button cc_3-hover-black">4</a>
    <a href="#" class="cc_3-bar-item cc_3-button cc_3-hover-black">&raquo;</a>
  </div>
</div>


.cc_3-bar {
  width: 100%;
  overflow: hidden;
  display: inline-block;
  width: auto;
}

.cc_3-black,
.cc_3-hover-black:hover {
  color: #fff!important;
  background-color: #000!important
}
```

2. 레이아웃 영역 정의 구현결과

- Content - About HTML 및 주요 CSS

.cc_3-container cc_3-padding-32 cc_3-center




About Me, The Food Man

I am Who I Am!

With Passion For Real, Good Food

Just me, myself and I, exploring the universe of unknownment. I have a heart of love and an interest of lorem ipsum and mauris neque quam blog. I want to share my world with you. Praesent tincidunt sed tellus ut rutrum. Sed vitae justo condimentum, porta lectus vitae, ultricies congue gravida diam non fringilla. Praesent tincidunt sed tellus ut rutrum. Sed vitae justo condimentum, porta lectus vitae, ultricies congue gravida diam non fringilla.



```
<div class="cc_3-container cc_3-padding-32 cc_3-center">
  <h3>About Me, The Food Man</h3><br>
  
  <div class="cc_3-padding-32">
    <h4><b>I am Who I Am!</b></h4>
    <h6><i>With Passion For Real, Good Food</i></h6>
    <p>Just me, myself and I, exploring the universe of unknownment.
    I have a heart of love and an interest of lorem ipsum and mauris neque quam blog.
    I want to share my world with you. Praesent tincidunt sed tellus ut rutrum. Sed vitae justo
    condimentum, porta lectus vitae, ultricies congue gravida diam non fringilla.
    Praesent tincidunt sed tellus ut rutrum. Sed vitae justo condimentum, porta lectus vitae,
    ultricies congue gravida diam non fringilla.
    </p>
  </div>
</div>

.cc_3-container {
  padding: 0.01em 16px
}
```

2. 레이아웃 영역 정의 구현결과

- Footer HTML 및 주요 CSS

FOOTER

Praesent tincidunt sed tellus ut rutrum. Sed vitae justo condimentum, porta lectus vitae, ultricies congue gravida diam non fringilla.

Powered by [w3.css](#)

BLOG POSTS



Lorem
Sed mattis nunc



Ipsum
Praes tinci sed

.cc_3-tag cc_3-black cc_3-margin-bottom

POPULAR TAGS



.cc_3-tag cc_3-dark-grey cc_3-small cc_3-margin-bottom

footer : .cc_3-row-padding cc_3-padding-32

- div : .cc_3-third

- h3

- p

- p -a

- div: .cc_3-third

- h3

- ul: .cc_3-ul cc_3-hoverable

- li: .cc_3-padding-16

- img: . cc_3-left cc_3-margin-right

- span: . cc_3-large

- span

- li

- img

- span

- span

- div: . cc_3-third cc_3-serif

- h3

- p

- span

- span

- span

- span

- span

```
.cc_3-ul {  
  list-style-type: none;  
  padding: 0;  
  margin: 0  
}  
  
.cc_3-ul li {  
  padding: 8px 16px;  
  border-bottom: 1px solid #ddd  
}  
  
.cc_3-ul li:last-child {  
  border-bottom: none  
}
```

2. 레이아웃 영역 정의 구현결과

– Footer HTML 및 주요 CSS

```
<!-- Footer -->
<footer class="cc_3-row-padding cc_3-padding-32">
  <div class="cc_3-third">
    <h3>FOOTER</h3>
    <p>Praesent tincidunt sed tellus ut rutrum. Sed vitae justo condimentum,
      porta lectus vitae, ultricies congue gravida diam non fringilla.</p>
    <p>Powered by <a href="https://www.w3schools.com/w3css/default.asp" target="_blank">w3.css</a>
    </p>
  </div>
  <div class="cc_3-third">
    <h3>BLOG POSTS</h3>
    <ul class="cc_3-ul cc_3-hoverable">
      <li class="cc_3-padding-16">
        
        <span class="cc_3-large">Lorem</span><br>
        <span>Sed mattis nunc</span>
      </li>
      <li class="cc_3-padding-16">
        
        <span class="cc_3-large">Ipsum</span><br>
        <span>Praes tinci sed</span>
      </li>
    </ul>
  </div>
  <div class="cc_3-third cc_3-serif">
    <h3>POPULAR TAGS</h3>
    <p>
      <span class="cc_3-tag cc_3-black cc_3-margin-bottom">Travel</span>
      <span class="cc_3-tag cc_3-dark-grey cc_3-small cc_3-margin-bottom">New York</span>
      <span class="cc_3-tag cc_3-dark-grey cc_3-small cc_3-margin-bottom">Dinner</span>
      <span class="cc_3-tag cc_3-dark-grey cc_3-small cc_3-margin-bottom">Salmon</span>
      <span class="cc_3-tag cc_3-dark-grey cc_3-small cc_3-margin-bottom">France</span>
      <span class="cc_3-tag cc_3-dark-grey cc_3-small cc_3-margin-bottom">Drinks</span>
      <span class="cc_3-tag cc_3-dark-grey cc_3-small cc_3-margin-bottom">Ideas</span>
      <span class="cc_3-tag cc_3-dark-grey cc_3-small cc_3-margin-bottom">Flavors</span>
      <span class="cc_3-tag cc_3-dark-grey cc_3-small cc_3-margin-bottom">Cuisine</span>
      <span class="cc_3-tag cc_3-dark-grey cc_3-small cc_3-margin-bottom">Chicken</span>
      <span class="cc_3-tag cc_3-dark-grey cc_3-small cc_3-margin-bottom">Dressing</span>
      <span class="cc_3-tag cc_3-dark-grey cc_3-small cc_3-margin-bottom">Fried</span>
      <span class="cc_3-tag cc_3-dark-grey cc_3-small cc_3-margin-bottom">Fish</span>
      <span class="cc_3-tag cc_3-dark-grey cc_3-small cc_3-margin-bottom">Duck</span>
    </p>
  </div>
</footer>
```

페이지를 만드는 것은 하나의 페이지당 1시간 반정도 소요되는 것 같고, ppt가 2시간 이상 소요되는 것 같습니다.

제대로 하고 있는 건지 의문이 들고 있습니다.

수단과 방법을 가리지 않고, 똑같이 만들기에 집중하면, 페이지를 만드는 건 금방이지만, ppt 만드는 것에 시간이 많이 드는 것 같습니다.