



LightCOM

Lighthouse Consortium on
Obesity Management

Study name: **Lighthouse Consortium on Obesity Management**
Short name: **LightCOM**

SOP title: **Standard Operating Procedure for randomisation
LightBAR trials in Denmark**

SOP short title: **SOP on randomisation LightBAR**

SOP Version: **1** Date: **01.07.2024**

Authored by:

**Sabrina Wielsøe
Camilla Verdich
Gitte Vestergaard**

Date:

July 2024

TABLE OF CONTENTS

1	NAME OF PROCEDURE:	3
2	PURPOSE AND APPLICABILITY	3
3	PERSONNEL QUALIFICATIONS AND RESPONSIBILITIES	3
4	EQUIPMENT AND RESOURCES.....	3
4.1	Equipment	3
4.2	Forms.....	3
4.3	Other Resources	3
5	HEALTH AND SAFETY	3
6	PROCEDURE	3
7	HISTORICAL RECORD OF SOP	5

1 NAME OF PROCEDURE:

Standard Operating Procedure for randomization in the LightBAR trial in Denmark.

2 PURPOSE AND APPLICABILITY

This document outlines the standardized procedure for randomisation in the LightBAR trial in Denmark.

A total of 250 individuals aged 18 - 60 years will be recruited from bariatric center in Denmark. A total of 125 individuals will be randomized to usual treatment (bariatric surgery) and a similar number will be randomized to the Intensive Weight Loss (IWL) intervention.

3 PERSONNEL QUALIFICATIONS AND RESPONSIBILITIES

4 EQUIPMENT AND RESOURCES

4.1 Equipment

Access to eCRF (Randomisation form in Open Clinica).

4.2 Forms

N/A

4.3 Other Resources

See resource section

5 HEALTH AND SAFETY

N/A

6 PROCEDURE

Once an initial weight loss of >5% have been reach in with a period of maximum 12 weeks from CID1. The participant can be randomized.

All participants randomized will be told which group they are randomized to.

The bariatric arm (control group) should follow the normal clinical procedure at the local study site, including supervision/teaching from dietician prior to and/or following the surgery in accordance with current local guidelines.

The randomization procedure includes the following steps.

1. Check identity of the participant.

- a. name and date of birth under "Screening" or you can find CPR number and date of birth.
2. Ensure that the participant is ready for randomisation, i.e:
 - a. All mandatory data from CID1 has been collected.
 - b. The participant has achieved a weight loss of >5% in period of maximum 12 weeks from CID1.
3. Find the randomization form in Openclinica
 - a. Access the participant by clicking on the row with the participant's name

Participant ID ▾	Name	NIN	Enrolment Date ▾	Pre-screening	Screening	CID1	CID1 [participant]	Randomisation
DK01_1004			01-05-2024					
DK01_1003	dasds	2005730050	30-04-2024					
DK01_1001	test1	2505960060	26-04-2024					

Results 1 - 3 of 3.

- b. find "Randomisation"
 - c. Click the yellow button "Click here to enter data"
4. Fill out the randomization form
 - a. RA01 "YES"
 - b. Report the participants current weight in RA03
 - c. If the weight loss meet the requirements for randomization the Button "Perform Randomisation" becomes green and active.
 - d. Perform randomization by clicking on "Perform randomisation"
5. The form will then close and an info box will appear with the outcome of the randomisation

Exit (no save)

Randomisation

Support: mail, tlf. 3334 3536

Prerequisites and stratification

RA01

Has the baseline CID, and have all patient-reported questionnaires, been completed?

☒ Yes
☐ No

RA03

What is the weight of the participant?

(kg)

RA04

LightBAR hub site

☒ Hvidovre
☐ Køge
☐ Esbjerg
☐ Århus
☐ UK

Randomisation outcome

Perform randomisation

RA05

Randomisation outcome

RA06

Randomisation timestamp

Return to top

Save

Exit (no save)

6. Inform the participant about the randomisation (use our own words)

- a. *Som du ved, er dette et randomiseret kontrolleret forsøg, hvilket betyder, at det er tilfældigt, om du som deltager vil modtage den intensive vægttabsbehandling eller overvægtskirurgi. Du kan altså ikke selv vælge hvilken behandling du ønsker, valget sker automatisk.*

7. Inform the participant about the outcome of the randomisation (use our own words)

- a. *Så har vi resultatet af lodtrækningen og du er blevet tildelt overvægt kirurgi/ den intensive vægttabsbehandling.*

b. When randomised to the **intensive weight loss treatment (IWL)**

- Give brief verbal information about the intensive weight loss treatment (see suggested "script" under 6.3)
- Follow local guidelines for booking the next appointment with the dietician. Please note that the goal is for the IWL treatment to begin within 14 days of randomisation.
- Hand out the Nupo taster pack, shaker and product flavour assessment list.

c. When randomised to **bariatric surgery**

- Provide brief verbal information about bariatric surgery and the next step for the participant.
- Follow local guidelines to book and refer the participant to the bariatric standard programm.

7. HISTORICAL RECORD of SOP

Rev# / Date	Written/Revised By	Revision Description	Approval
0. Written	Sabrina Wielsøe Camilla Verdich		
1. Edited			
2.			
3.			
4.			
Removed / replaced:			