# GlobalSight Upgrade Installer Instructions (for Windows & Ubuntu)

Note: before running the GlobalSight Upgrade Installer, make sure GlobalSight service is stopped and MySQL database is started

For Windows:

1. Download and unzip the *GlobalSight_Upgrade_Installer_<version>.zip* package.

2. Configure "config.properties".

3. Double click on the "*run.bat*". If the GlobalSight installation directory is not set in step 2, you will be prompted to manually enter the GlobalSight installation directory.

4. Enter the GlobalSight installation directory and click "**OK**".

5. The GlobalSight Upgrade Installer will backup previous version of GlobalSight and apply the upgrade to your GlobalSight instance. Click "**Finish**" to exit the installer.

The "backup" is stored in *<GlobalSight_Upgrade_Installer_x.x.x.x>*\installer\backup folder.

The upgrade log can be found in
<GlobalSight_Upgrade_Installer_x.x.x.x>\installer\log.txt

6. Re-start GlobalSight Service.

For Ubuntu:

Before doing the GlobalSight upgrade:
a. Login to a user with sudo privileges.
b. Stop Globalsight: **/etc/init.d/globalsight stop**
c. Make sure MySQL database is running.

1. Download and un-jar the GlobalSight_Upgrade_Installer_<*version*>.zip

   Type: **jar xvf GlobalSight_Upgrade_Installer_<*version*>.zip**

2. Add *execute* attribute to ***run.sh***

    Type: **chmod u+x run.sh**

3. Configure "config.properties".

4. Run the GlobalSight Upgrade Installer. If the GlobalSight installation directory is not set in step 3, you will be prompted to manually enter the GlobalSight installation directory.

    Type: **./run.sh**

    If this file is not found, you will be prompted to manually enter the GlobalSight installation directory.

5. Enter GlobalSight installation directory and press "*Enter*" key.

6. The GlobalSight Upgrade Installer backup previous version of GlobalSight and apply upgrade to GlobalSight.

   The "backup" is stored in *<GlobalSight_Upgrade_Installer_x.x.x.x>*/installer/backup directory.

   The upgrade log can be found in
   <GlobalSight_Upgrade_Installer_x.x.x.x>/installer/log.txt

Press "**_Enter_**" to exit the installer.

7. Add execute attribute to standalone.sh and jboss-cli.sh:

    Type: chmod u+x <GlobalSight installation directory>/jboss/server/bin/standalone.sh
    Type: chmod u+x <GlobalSight installation directory>/jboss/server/bin/jboss-cli.sh

8. Re-start GlobalSight:

    Type: **/etc/init.d/globalsight start**