

Jobs

Generated by Talend Cloud Data Fabric

Project Name	dpatel-ms	GENERATION DATE	Mar 4, 2024, 9:46:11 PM
AUTHOR	Patel, Dipen	Talend Cloud VERSION	8.0.1.20231219_0641-patch

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description


Project Description

Properties	Values
Name	dpatel-ms
Language	java
Description	

Description

Properties	Values
Name	SnowflakeDBOutput
Author	Patel, Dipen
Version	0.1
Purpose	
Status	
Description	Test job to see if DBOutput for snowflake fails on copy command issues encountered by snowflake
Creation	Dec 4, 2023, 12:20:51 PM
Modification	Dec 4, 2023, 12:31:50 PM

Preview Picture



Settings

Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false

On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextDefault

Name	Prompt	Need Prompt?	Туре	Value	Source

Component List

Component Name	Component Type
tDBConnection_1	tSnowflakeConnection
tDBOutput_1	tSnowflakeOutput
tFileInputRaw_1	tFileInputRaw

tMap_1	tMap	
tWarn_1	tWarn	

Components Description

Component tSnowflakeConnection

UNIQUE NAME	tDBConnection_1	INPUT(S)	none
LABEL	UNIQUE_NAME		tWarn_1 ,tFileInputRaw_1

Component Parameters:

Component i diameters.		
Properties	Values	
Database	tSnowflakeConnection	
Unique Name	tDBConnection_1	
Component Name	tSnowflakeConnection	
Family	Cloud/Snowflake	
Start	true	
Startable	true	
SUBTREE_START	true	
END_OF_FLOW	true	
Activate	true	
Help	HELP	
Update components	true	
IREPORT_PATH		

Property Type	Built-In
Query Type	Built-In
tStatCatcher Statistics	false
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Account	"talend"
Authentication Type	BASIC
User Id	"dipenpatel"
Password	"Learn24&"
Key Alias	пп
OAuth token endpoint	""
Client ID	""
Client secret	пп
Grant type	CLIENT_CREDENTIALS
OAuth username	nn
OAuth password	HTT
Scope	""
Warehouse	"DEMO_WH"
Schema	"DATA"
Database	"DIPEN"
Auto Commit	true

г

Additional JDBC Parameters	пп
Login Timeout	15
Role	""
Region ID (Deprecated)	""
Label format	UNIQUE_NAME
Hint format	_UNIQUE_NAME _COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters: Component tSnowflakeOutput

200	UNIQUE NAME	tDBOutput_1	INPUT(S)	tMap_1
	LABEL	UNIQUE_NAME	OUTPUT(S)	none

Component Parameters:

Component i diameters.	
Properties	Values
Database	tSnowflakeOutput
Unique Name	tDBOutput_1
Component Name	tSnowflakeOutput
Family	Cloud/Snowflake

Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
Help	HELP
Update components	true
IREPORT_PATH	
Property Type	Built-In
Query Type	Built-In
tStatCatcher Statistics	false
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
properties.referencedComponent.di	splayName
Account	""
Authentication Type	BASIC
User Id	""
Password	""
Key Alias	пп
OAuth token endpoint	пп
Client ID	пп
Client secret	пп

	,	
Grant type	CLIENT_CREDENTIALS	
OAuth username	""	
OAuth password	""	
Scope	""	
Warehouse	""	
Schema	пп	
Database	""	
Table	"MS_TESTING_1"	
Schema	{"type":"record","name":"tDBOutput_1","fields":[{"name":"NAME","type":["string","null	ן"],"default":"",".
Table Action	NONE	
Output Action	INSERT	
Upsert Key Column	NAME	
Die on error	true	
Auto Commit	true	
Additional JDBC Parameters	HIT	
Login Timeout	15	
Role	""	
Region ID (Deprecated)	111	
Allow Snowflake to convert columns and tables to uppercase (Note: Unquoted identifiers should match the Snowflake Identifier Syntax.)	true	
Convert empty strings to null	false	
Use schema keys for upsert	true	

Use existing database schema as the dynamic schema	true	
Custom DB Type	false	
DB column type		
Use schema date pattern	false	
Custom Date type mapping	false	
Convert Date values to	DATE	
schemaReject.schema	{"type":"record","name":"rejectOutput","fields":[{"name":"columnName","type":"string	","talend.isLocl
REPOSITORY_ALLOW_AUTO_S\	MHTEH	
Label format	UNIQUE_NAME	
Hint format	_UNIQUE_NAME _COMMENT	
Connection format	row	
Show Information	false	
Comment		
Use an existing validation rule	false	
Validation Rule Type		†

Schema for tDBOutput_1:

Column	Key	Туре	Length	Precision	Nullable	Comment
NAME	false	Object			true	

Original Function Parameters: Component tFileInputRaw

UNIQUE NAME	tFileInputRaw_1	INPUT(S)	tDBConnection_1

LABEL	UNIQUE_NAME_	OUTPUT(S)	tMap_1
-------	--------------	-----------	--------

Component Parameters:

Component Parameters:			
Properties	Values		
Unique Name	tFileInputRaw_1		
Component Name	tFileInputRaw		
Version	0.101 (ALPHA)		
Family	File/Input		
Start	false		
Startable	true		
SUBTREE_START	true		
END_OF_FLOW	false		
Activate	true		
DUMMY	false		
tStatCatcher Statistics	false		
Help	org.talend.help.tFileInputRaw		
Update components	true		
IREPORT_PATH			
JAVA_LIBRARY_PATH	C:\TalendStudio8\studio\configuration\lib\java		
Subjob color			
Title color			
Enable parallel execution	false		
Number of parallel executions	2		

PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SV	ALLIEH
Schema	Built-In
Filename	"C:/Users/PEZ/OneDrive - QlikTech Inc/Documents/Customers/MorganStanley/TestLargeJson.json"
Read the file as a string	true
Read the file as a bytes array	false
Stream the file	false
Encoding	"ISO-8859-15"
Die on error	false
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tFileInputRaw 1:

Column	Key	Туре	Length	Precision	Nullable	Comment
content	false	Object			true	

Original Function Parameters: Component tWarn

	UNIQUE NAME	tWarn_1	INPUT(S)	tDBConnection_1	
	LABEL	UNIQUE_NAME	OUTPUT(S)	none	

Component Parameters:			
Properties	Values		
Unique Name	tWarn_1		
Component Name	tWarn		
Version	0.101 (ALPHA)		
Family	Logs_Errors		
Start	false		
Startable	true		
SUBTREE_START	true		
END_OF_FLOW	true		
Activate	true		
DUMMY	false		
tStatCatcher Statistics	false		
Help	org.talend.help.tWarn		
Update components	true		
IREPORT_PATH			
JAVA_LIBRARY_PATH	C:\TalendStudio8\studio\configuration\lib\java		
Subjob color			
Title color			
Enable parallel execution	false		


Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Warn message	"this is a warning"
Code	42
Priority	4
Schema	Built-In
Label format	UNIQUE_NAME
Hint format	_UNIQUE_NAME _COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tWarn_1 :

Co	olumn	Key	Туре	Length	Precision	Nullable	Comment	
----	-------	-----	------	--------	-----------	----------	---------	--

Original Function Parameters: Component tMap

UNIQUE NAME	tMap_1	INPUT(S)	tFileInputRaw_1
LABEL	UNIQUE_NAME	OUTPUT(S)	tDBOutput_1



Component Parameters:

Component Parameters:			
Properties	Values		
tStatCatcher Statistics	false		
Mapping links display as:	AUTO		
Temp data directory path:			
Max buffer size (nb of rows):	2000000		
Ignore trailing zeros for BigDecimal	true		
Show Information	false		
Comment			
Use an existing validation rule	false		

Mapper table for tMap_1 (input):

Mapper table Properties (row1):

mapper table i reperties (rew i).				
Properties	Values			
Name	row1			
Matching-mode	UNIQUE_MATCH			
isMinimized	false			
isReject	false			
isRejectInnerJoin	false			
isInnerJoin	false			
expressionFilter	null			

Metadata Table Entries(row1):

Name	Туре	Expression	isNullable
content	Object		true

Constraint Table Entries(row1):

Name	Туре	Expression	isNullable
------	------	------------	------------

Mapper table for tMap_1 (output):

Mapper table Properties (out1):

5(Out 1).
Values
out1
false
false
false
false
null

Metadata Table Entries(out1):

Name		Expression	isNullable
NAME	Object	row1.content	true

Constraint Table Entries(out1):

Name Type Expression isNullable	
---------------------------------	--

Mapper table for tMap_1 (var):

Mapper table Properties (Var):

mapper table i reperties (tai):				
Properties	Values			
Name	Var			
Matching-mode				
isMinimized	true			
isReject	false			
isRejectInnerJoin	false			
isInnerJoin	false			
expressionFilter	null			

Metadata Table Entries(Var):

me	Туре	Expression	isNullable	
----	------	------------	------------	--

Constraint Table Entries(Var):

Name	Туре	Expression	isNullable