



# Jobs

Generated by Talend Cloud Data Fabric

Project Name	dpatel-ms	GENERATION DATE	Mar 4, 2024, 9:46:10 PM
AUTHOR	Patel, Dipen	Talend Cloud VERSION	8.0.1.20231219_0641-patch

## Summary

[Project Description](#)

[Description](#)

[Preview Picture](#)

[Settings](#)

[Context List](#)

[Component List](#)

[Components Description](#)


## Project Description

Properties	Values
Name	dpatel-ms
Language	java
Description	

# Description

Properties	Values
Name	RowGenerator
Author	Patel, Dipen
Version	0.1
Purpose	
Status	
Description	
Creation	Jan 12, 2024, 8:33:29 PM
Modification	Jan 17, 2024, 8:08:45 PM

# Preview Picture



# Settings

## Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

## Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false

On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

## Context List

### ContextDefault

Name	Prompt	Need Prompt?	Type	Value	Source
nbrRows	nbrRows?	false	id_Integer	10	
projectLocation	projectLocation?	false	id_String		
jobList	jobList?	false	id_String		
jobType	jobType?	false	id_String		
projectName	projectName?	false	id_String		

### ContextProd


Name	Prompt	Need Prompt?	Type	Value	Source
nbrRows	nbrRows?	false	id_Integer	100	
projectLocation	projectLocation?	false	id_String		
jobList	jobList?	false	id_String		
jobType	jobType?	false	id_String		
projectName	projectName?	false	id_String		

## Component List

Component Name	Component Type
tContextDump_1	tContextDump
tLogRow_1	tLogRow
tLogRow_2	tLogRow
tRowGenerator_1	tRowGenerator

## Components Description

Component **tContextDump**

	UNIQUE NAME	tContextDump_1	INPUT(S)	tRowGenerator_1

	LABEL	__UNIQUE_NAME__	OUTPUT(S)	<a href="#">tLogRow_2</a>
--	-------	-----------------	-----------	---------------------------

### Component Parameters:


Properties	Values
Unique Name	tContextDump_1
Component Name	tContextDump
Version	0.101 (ALPHA)
Family	Misc
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tContextDump
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendStudio8\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2

PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Hide Password	true
Label format	__UNIQUE_NAME__
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tContextDump\_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
key	false	String	255		true	
value	false	String	255		true	

Original Function Parameters:  
Component tLogRow

	UNIQUE NAME	tLogRow_1	INPUT(S)	tRowGenerator_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
------------	--------

---

Unique Name	tLogRow_1
Component Name	tLogRow
Version	0.101 (ALPHA)
Family	Logs_Errors
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tLogRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendStudio8\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	WITH
Schema	Built-In
Basic	true




Table (print values in cells of a table)	false
Vertical (each row is a key/value list)	false
Print unique name	true
Print label	false
Print unique name and label	false
Field Separator	" "
Print header	false
Print component unique name in front of each output row	false
Print schema column name in front of each value	false
Use fixed length for values	false
Lengths	[{SCHEMA_COLUMN=newColumn, LENGTH=10}]
Print content with log4j	true
Min column number of optimize code	100
Label format	__UNIQUE_NAME__
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

**Schema for tLogRow\_1 :**

---

Column	Key	Type	Length	Precision	Nullable	Comment
newColumn	false	String			true	

Original Function Parameters:  
Component tLogRow

	UNIQUE NAME	tLogRow_2	INPUT(S)	tContextDump_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tLogRow_2
Component Name	tLogRow
Version	0.101 (ALPHA)
Family	Logs_Errors
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tLogRow
Update components	true
IREPORT_PATH	


JAVA_LIBRARY_PATH	C:\TalendStudio8\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Basic	false
Table (print values in cells of a table)	true
Vertical (each row is a key/value list)	false
Print unique name	true
Print label	false
Print unique name and label	false
Field Separator	" "
Print header	false
Print component unique name in front of each output row	false
Print schema column name in front of each value	false
Use fixed length for values	false
Lengths	[[{SCHEMA_COLUMN=key, LENGTH=10}, {SCHEMA_COLUMN=value, LENGTH=10}]]
Print content with log4j	true

Min column number of optimize code	100
Label format	__UNIQUE_NAME__
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tLogRow\_2 :

Column	Key	Type	Length	Precision	Nullable	Comment
key	false	String	255		true	
value	false	String	255		true	

Original Function Parameters:  
Component tRowGenerator

	UNIQUE NAME	tRowGenerator_1	INPUT(S)	none
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	<a href="#">tLogRow_1</a> , <a href="#">tContextDump_1</a>

Component Parameters:

Properties	Values
tStatCatcher Statistics	false

Show Information	false
Comment	
Use an existing validation rule	false

Row generator information for tRowGenerator\_1 :

Column	Key	Type	Nullable	Length	Precision	Default	Comment	Functions	Parameters
newColumn	false	String	true					getAsciiRandomString(6)	