Session 11

1. Replace custom spacing with Bootstrap utilities

Open index.html and use Bootstrap spacing classes instead of custom margins and padding.

Apply these classes to your existing elements:

Element	Bootstrap class	Purpose
Carousel	mb-4	Bottom margin
Listings section	py-4	Top and bottom padding
Each card	mb-3	Bottom margin
Form container	p-4	Padding on all sides

Example:

```
<!-- Carousel -->
<div id="pgCarousel" class="carousel slide mb-4"
    data-bs-ride="carousel">

   <!-- Keep your existing carousel slides here -->

</div>

<!-- Listings Section -->
<div class="container py-4" id="listings">

   <h2>Available PG Rooms</h2>
```

```
  <div class="row g-3">

    <div class="col-12 col-sm-6 col-lg-4">
      <div class="card mb-3">
        <!-- Existing card content -->
      </div>
    </div>

  </div>

</div>

<!-- Enquiry Form -->
<div class="container p-4 mb-4" id="contact">

  <h2>PG Enquiry Form</h2>

  <!-- Keep your existing form here -->

</div>
```

Apply mb-3 to all six cards, not just the first one.

2. Style text and colours using Bootstrap utilities only

For this task, do not use custom CSS or inline styles.

Use these Bootstrap utility classes in your HTML.

A. Navbar

Update your navbar opening tag:

```
<nav class="navbar navbar-expand-lg navbar-dark bg-dark">
```

B. Main heading

```
<h1 class="display-4 fw-bold text-center text-primary">
  Welcome to Apna PG Finder
</h1>
```

C. Paragraph

```
<p class="lead text-secondary text-center">
  Find affordable and comfortable PG accommodation
  in your favourite city with Apna PG Finder.
</p>
```

D. Listing heading

```
<h2 class="fw-bold text-center text-dark">
  Available PG Rooms
</h2>
```

E. Card titles and prices

Use these classes inside each card:

```
<h5 class="card-title fw-bold text-dark">
  Sunshine PG
</h5>

<p class="card-text text-secondary">
  City: Ahmedabad
</p>

<p class="card-text fw-bold text-success">
  Rent: ₹5,000
</p>
```

Apply similar styling to all six cards.

F. Enquiry form heading

```
<h2 class="text-center fw-bold text-primary">
```

PG Enquiry Form

</h2>

Task 2 complete

Your four typography classes include display-4, fw-bold, text-center and lead.

Your colour classes include text-primary, text-secondary, text-success, text-dark and bg-dark.

3. Create custom.css for your PG brand

Now create a new file named custom.css inside your project folder.

Our brand colour will be dark navy blue:

Brand colour

#123456

Add this CSS:

```
/* Apna PG Finder - Custom Brand Colour */

/* Primary button */
.btn.btn-primary {
  background-color: #123456;
  border-color: #123456;
}

/* Card border */
.card {
  border: 2px solid #123456;
}

/* Navbar brand font */
.navbar .navbar-brand {
```

```
  font-family: Georgia, serif;
  font-weight: bold;
}

/* Website footer */
.site-footer {
  background-color: #123456;
  color: white;
}
```

Now open index.html and add the custom CSS link after the Bootstrap CSS link inside <head>.

```
<!-- Bootstrap CSS -->
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.8/dist/css/bootstrap.min.css" rel="stylesheet">

<!-- Custom CSS -->
<link rel="stylesheet" href="custom.css">
```

Why is the order important?

- Bootstrap CSS loads first.
- Your custom CSS loads second.
- Your custom rules override Bootstrap's default styling where applicable.

4. Add a three-column website footer

Add this HTML just before the Bootstrap JavaScript script and closing </body> tag.

```
<footer class="site-footer py-4">

  <div class="container">

    <div class="row text-center">
```

```
        <!-- About Column -->
        <div class="col-12 col-md-4">
          <h4>About</h4>
          <p>Apna PG Finder</p>
          <p>Find your perfect PG room.</p>
        </div>

        <!-- Areas Column -->
        <div class="col-12 col-md-4">
          <h4>Areas</h4>
          <p>Ahmedabad and Surat</p>
          <p>Vadodara and Rajkot</p>
        </div>

        <!-- Contact Column -->
        <div class="col-12 col-md-4">
          <h4>Contact</h4>
          <p>Email: info@apnapg.com</p>
          <p>Phone: 9876543210</p>
        </div>

      </div>

    </div>

</footer>
```

The footer uses:

- site-footer – applies your brand colour and white text.
- py-4 – vertical padding.
- container – keeps content properly aligned.
- row – creates the grid row.
- col-12 col-md-4 – stacks columns on mobile and displays three columns on medium and larger screens.
- text-center – centres all footer text.

Your footer will look like this:

About

Apna PG Finder

Find your perfect PG room.

Areas

Ahmedabad and Surat

Vadodara and Rajkot

Contact

info@apnapg.com

9876543210

5. Final folder structure

Your project should now look like this:

pg-finder-site/

│

├── index.html

├── custom.css

├── room.jpg

├── slide1.jpg

├── slide2.jpg

└── slide3.jpg

6. Commit and push to GitHub

Open VS Code Terminal inside pg-finder-site and run:

git add index.html custom.css

git commit -m "Add Bootstrap utilities and custom branding"

git push origin main

7. Final assignment checklist

Assignment progress

0/15

Replaced custom spacing with Bootstrap spacing utilities

Used at least four different spacing classes

Added four or more typography utility classes

Added three or more colour utility classes

Used dark navbar background

Added coloured prices to all six cards

Created custom.css

Linked custom.css after Bootstrap CSS

Changed primary button background colour

Changed card border colour and width

Changed navbar brand font-family

Added site-footer with dark brand colour and white text

Created three footer columns with two lines each

Used Bootstrap grid and text alignment utilities

Committed and pushed changes to GitHub

Important final checks:

1. Open the website in Chrome.
2. Inspect the primary buttons and card borders.
3. Confirm the footer has three columns on desktop.

4. Confirm the footer stacks on mobile.
5. Check that custom.css is loading correctly.

You can share your updated index.html and custom.css, and I can check both files for mistakes before submission.