



SYNC or Swim

A Particle Model of the Interaction within Fish Schools

David Ebert and Mikaela Jordan

Tarleton State University

May 4th, 2017

Motivation






Our model represents each fish adhering to the following three rules:



Our model represents each fish adhering to the following three rules:


- **Alignment**





Our model represents each fish adhering to the following three rules:


- **Alignment**
- **Cohesion**





Our model represents each fish adhering to the following three rules:

- **Alignment**
- **Cohesion**
- **Separation**





- Lagrangian Algorithm



- Metric distance model




- Metric distance model






- Metric distance model







- Metric distance model




Directional Alignment of Fish




Directional Alignment of Fish




Directional Alignment of Fish



Directional Alignment of Fish




Directional Alignment of Fish








$$F_{i_N} = \sum_{j=1}^N \left(\right. \tag{1}$$



$$F_{iN} = \sum_{j=1}^N \left(W_a \left(c_a \frac{p_j - p_i}{d^2} \right) \right) \quad (1)$$



$$F_{iN} = \sum_{j=1}^N \left(W_a \left(c_a \frac{p_j - p_i}{d^2} - c_r \frac{p_j - p_i}{d^4} \right) \right) \quad (1)$$



$$F_{i_N} = \sum_{j=1}^N \left(W_a \left(c_a \frac{p_j - p_i}{d^2} - c_r \frac{p_j - p_i}{d^4} \right) + W_d \left(\frac{v_j}{\|p_i - p_j\|} \right) \right) \quad (1)$$



