Table 14.5.2: Vital Signs - Summary Statistics
Safety Population

	Placebo (N=22) n (%)	Treatment A (N=19) n (%)	Treatment B (N=26) n (%)	Treatment A & B (N=45) n (%)	Total (N=67) n (%)
Weight					
Screening					
n	22	19	26	45	67
Mean	84.61	80.16	82.67	81.61	82.59
Median	83.52	80.33	81.35	80.33	80.59
SD	13.58	9.61	13.82	12.16	12.62
Range	64.9 - 111.5	64.5 - 103.8	56.4 - 112.3	56.4 - 112.3	56.4 - 112.3
Day 1					
n	22	19	26	45	67
Mean	85.40	78.80	82.46	80.91	82.39
Median	85.58	79.12	84.35	79.35	80.92
SD	15.17	10.31	16.10	13.93	14.39
Range	55.7 - 111.6	63.1 - 102.6	54.5 - 115.4	54.5 - 115.4	54.5 - 115.4

Table 14.5.2: Vital Signs - Summary Statistics
Safety Population

	Placebo (N=22) n (%)	Treatment A (N=19) n (%)	Treatment B (N=26) n (%)	Treatment A & B (N=45) n (%)	Total (N=67) n (%)
Week 1					
n	18	15	18	33	51
Mean	84.99	74.80	81.62	78.52	80.80
Median	81.96	77.00	82.82	79.04	81.12
SD	16.98	12.85	17.22	15.55	16.20
Range	53.2 - 115.7	52.2 - 99.7	55.2 - 114.1	52.2 - 114.1	52.2 - 115.7
Week 2					
n	15	13	15	28	43
Mean	84.50	72.72	82.29	77.85	80.17
Median	86.71	71.79	83.76	76.14	79.90
SD	18.42	14.94	15.66	15.81	16.85
Range	53.0 - 119.1	53.9 - 112.0	51.1 - 107.1	51.1 - 112.0	51.1 - 119.1

Table 14.5.2: Vital Signs - Summary Statistics
Safety Population

	Placebo (N=22) n (%)	Treatment A (N=19) n (%)	Treatment B (N=26) n (%)	Treatment A & B (N=45) n (%)	Total (N=67) n (%)
Systolic Blood Pressure					
Screening					
n	22	19	26	45	67
Mean	98.00	102.79	101.38	101.98	100.67
Median	100.00	103.00	101.00	103.00	101.00
SD	10.92	11.15	10.63	10.75	10.89
Range	78.0 - 113.0	77.0 - 125.0	82.0 - 117.0	77.0 - 125.0	77.0 - 125.0
Day 1					
n	22	19	26	45	67
Mean	104.36	97.16	99.73	98.64	100.52
Median	106.00	96.00	100.00	98.00	100.00
SD	11.10	9.86	11.39	10.73	11.10
Range	84.0 - 123.0	79.0 - 115.0	81.0 - 125.0	79.0 - 125.0	79.0 - 125.0

Program: \\sas-vm\Nimort-01\Reports\CSR\SAS Programs\\t-summary.sas (ID=44)

Table 14.5.2: Vital Signs - Summary Statistics
Safety Population

	Placebo (N=22) n (%)	Treatment A (N=19) n (%)	Treatment B (N=26) n (%)	Treatment A & B (N=45) n (%)	Total (N=67) n (%)
Week 1					
n	18	15	18	33	51
Mean	102.83	99.67	99.44	99.55	100.71
Median	104.50	101.00	99.50	100.00	100.00
SD	10.10	9.48	6.58	7.90	8.78
Range	79.0 - 126.0	77.0 - 112.0	88.0 - 116.0	77.0 - 116.0	77.0 - 126.0
Week 2					
n	15	13	15	28	43
Mean	101.60	95.46	103.53	99.79	100.42
Median	102.00	96.00	101.00	100.00	100.00
SD	6.86	8.86	9.68	10.01	9.00
Range	93.0 - 115.0	81.0 - 109.0	90.0 - 122.0	81.0 - 122.0	81.0 - 122.0

Table 14.5.2: Vital Signs - Summary Statistics
Safety Population

	Placebo (N=22) n (%)	Treatment A (N=19) n (%)	Treatment B (N=26) n (%)	Treatment A & B (N=45) n (%)	Total (N=67) n (%)
Diastolic Blood Pressure					
Screening					
n	22	19	26	45	67
Mean	81.73	82.84	78.08	80.09	80.63
Median	80.00	84.00	81.50	82.00	81.00
SD	14.10	15.94	13.73	14.72	14.43
Range	57.0 - 107.0	51.0 - 121.0	50.0 - 99.0	50.0 - 121.0	50.0 - 121.0
Day 1					
n	22	19	26	45	67
Mean	82.64	76.79	79.81	78.53	79.88
Median	78.50	75.00	75.00	75.00	76.00
SD	16.44	12.67	13.80	13.27	14.40
Range	54.0 - 115.0	57.0 - 98.0	60.0 - 112.0	57.0 - 112.0	54.0 - 115.0

Table 14.5.2: Vital Signs - Summary Statistics
Safety Population

	Placebo (N=22) n (%)	Treatment A (N=19) n (%)	Treatment B (N=26) n (%)	Treatment A & B (N=45) n (%)	Total (N=67) n (%)
Week 1					
n	18	15	18	33	51
Mean	82.56	81.47	84.11	82.91	82.78
Median	85.00	82.00	82.50	82.00	83.00
SD	13.50	14.60	11.32	12.77	12.90
Range	49.0 - 103.0	55.0 - 101.0	64.0 - 101.0	55.0 - 101.0	49.0 - 103.0
Week 2					
n	15	13	15	28	43
Mean	80.33	72.08	87.67	80.43	80.40
Median	79.00	72.00	91.00	78.50	79.00
SD	9.00	10.24	14.72	14.89	13.02
Range	60.0 - 94.0	52.0 - 88.0	64.0 - 113.0	52.0 - 113.0	52.0 - 113.0