

Activities Terminal Jul 6 08:22

Cómo instalar Node.js en x como desinstalar node.js x Cómo instalar Node.js en x como desinstalar node.js x Como desinstalar progr x desinstalar

digitalocean.com/community/tutorials/how-to-install-node.js-on-ubuntu-20-04-es

tutorial de configuración inicial para servidores de Ubuntu 20.04.

de los repositorios


sitorios predeterminados que puede
rios sistemas. En el momento en que
10.19. Esta no será la versión más
experimentación con el lenguaje.


e paquetes apt. Actualice su índice d


```
ogro@amrr-pc: ~  
$ sudo apt-get install nodejs  
Reading package lists... Done  
Building dependency tree  
Reading state information... Done  
qml-module-qtquick-privatewidgets qml-module-qtquick-window2  
qml-module-qtquick2  
Use 'sudo apt autoremove' to remove them.  
Suggested packages:  
  npm  
The following NEW packages will be installed:  
  nodejs  
0 upgraded, 1 newly installed, 0 to remove and 8 not upgraded.  
Need to get 61,1 kB of archives.  
After this operation, 158 kB of additional disk space will be used.  
Get:1 https://mirror.it.ubc.ca/ubuntu focal/universe amd64 nodejs amd64 10.19.0~dfsg-3ubuntu1 [61,1 kB]  
Fetched 61,1 kB in 2s (35,2 kB/s)  
Selecting previously unselected package nodejs.  
(Reading database ... 329976 files and directories currently installed.)  
Preparing to unpack .../nodejs_10.19.0~dfsg-3ubuntu1_amd64.deb ...  
Unpacking nodejs (10.19.0~dfsg-3ubuntu1) ...  
Setting up nodejs (10.19.0~dfsg-3ubuntu1) ...  
update-alternatives: using /usr/bin/nodejs to provide /usr/bin/js (js) in auto mode  
Processing triggers for man-db (2.9.1-1) ...  
ogro@amrr-pc:~$
```


Compruebe que la instalación se haya realizado de forma correcta haciendo una consulta a `nodejs` sobre su número de versión:

```
$ nodejs -v
```









```
ogro@amrr-pc: ~  
Setting up node-move-concurrently (1.0.1-2) ...  
Setting up node-term-size (1.2.0+dfsg-2) ...  
Setting up node-os-locale (4.0.0-1) ...  
Setting up node-http-signature (1.3.2-1) ...  
Setting up node-fs-vacuum (1.2.10-3) ...  
Setting up node-gauge (2.7.4-1) ...  
Setting up node-wrap-ansi (4.0.0-2) ...  
Setting up node-normalize-package-data (2.5.0-1) ...  
Setting up node-boxen (4.2.0-2) ...  
Setting up node-package-json (4.0.1-1) ...  
Setting up node-latest-version (3.1.0-1) ...  
Setting up node-request (2.88.1-4) ...  
Setting up node-npmlog (4.1.2-2) ...  
Setting up node-cliui (4.1.0-2) ...  
Setting up node-yargs (15.3.0-1) ...  
Setting up node-cacache (11.3.3-2) ...  
Setting up node-read-package-json (2.1.1-1) ...  
Setting up node-gyp (6.1.0-3) ...  
Setting up node-libnpv (10.2.1-2) ...  
Setting up npm (6.14.4+ds-1ubuntu2) ...  
Processing triggers for man-db (2.9.1-1) ...  
ogro@amrr-pc:~$
```



Trash



ogro



ogro.desktop

```
ogro@amrr-pc ~  
Setting up node-move-concurrently (1.0.1-2) ...  
Setting up node-term-size (1.2.0+dfsg-2) ...  
Setting up node-os-locale (4.0.0-1) ...  
Setting up node-http-signature (1.3.2-1) ...  
Setting up node-fs-vacuum (1.2.10-3) ...  
Setting up node-gauge (2.7.4-1) ...  
Setting up node-wrap-ansi (4.0.0-2) ...  
Setting up node-normalize-package-data (2.5.0-1) ...  
Setting up node-boxen (4.2.0-2) ...  
Setting up node-package-json (4.0.1-1) ...  
Setting up node-latest-version (3.1.0-1) ...  
Setting up node-request (2.88.1-4) ...  
Setting up node-npmlog (4.1.2-2) ...  
Setting up node-cliui (4.1.0-2) ...  
Setting up node-yargs (15.3.0-1) ...  
Setting up node-cacache (11.3.3-2) ...  
Setting up node-read-package-json (2.1.1-1) ...  
Setting up node-gyp (6.1.0-3) ...  
Setting up node-libnpv (10.2.1-2) ...  
Setting up npm (6.14.4+ds-1ubuntu2) ...  
Processing triggers for man-db (2.9.1-1) ...  
ogro@amrr-pc:~$ npm -v  
6.14.13  
ogro@amrr-pc:~$
```