

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial Number M22515215561
Internal CT Ratio NA
Internal PT Ratio NA

Manufacturer Name HPL Electric & Power Ltd. Firmware Version 1078.04
Meter Type 6(1P Direct Connected Watthour Smart Meter) Meter Year of Manufacture 2025
Download time(RTC) 26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg.Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
26/06/2026 12:00	239.56	0.974	0.972	0.103	0.206	0.105	0.21	0	0	0	0				
26/06/2026 11:30	240.37	1.09	1.089	0.116	0.232	0.12	0.24	0	0	0	0				
26/06/2026 11:00	238.81	1.037	1.035	0.108	0.216	0.113	0.226	0	0	0	0				
26/06/2026 10:30	240.07	0.634	0.632	0.055	0.11	0.063	0.126	0	0	0	0				
26/06/2026 10:00	240.08	0.599	0.596	0.062	0.124	0.069	0.138	0	0	0	0				
26/06/2026 09:30	240.14	0.666	0.665	0.07	0.14	0.077	0.154	0	0	0	0				
26/06/2026 09:00	244.36	1.238	1.237	0.132	0.264	0.137	0.274	0	0	0	0				
26/06/2026 08:30	243.93	1.322	1.321	0.149	0.298	0.154	0.308	0	0	0	0				
26/06/2026 08:00	245.24	0.787	0.784	0.09	0.18	0.098	0.196	0	0	0	0				
26/06/2026 07:30	246.23	0.741	0.741	0.08	0.16	0.087	0.174	0	0	0	0				
26/06/2026 07:00	247.56	0.727	0.728	0.076	0.152	0.085	0.17	0	0	0	0				
26/06/2026 06:30	249.4	0.67	0.669	0.07	0.14	0.081	0.162	0	0	0	0				
26/06/2026 06:00	250.63	0.702	0.7	0.083	0.166	0.092	0.184	0	0	0	0				
26/06/2026 05:30	254.27	0.602	0.601	0.066	0.132	0.079	0.158	0	0	0	0				
26/06/2026 05:00	257	0.705	0.706	0.086	0.172	0.095	0.19	0	0	0	0				
26/06/2026 04:30	258.47	0.609	0.606	0.068	0.136	0.081	0.162	0	0	0	0				
26/06/2026 04:00	260.43	0.72	0.719	0.087	0.174	0.097	0.194	0	0	0	0				
26/06/2026 03:30	260.39	0.612	0.607	0.069	0.138	0.082	0.164	0	0	0	0				
26/06/2026 03:00	259.43	0.844	0.84	0.087	0.174	0.096	0.192	0	0	0	0				
26/06/2026 02:30	259.41	0.665	0.66	0.076	0.152	0.088	0.176	0	0	0	0				
26/06/2026 02:00	258.06	0.682	0.679	0.08	0.16	0.091	0.182	0	0	0	0				
26/06/2026 01:30	256.9	0.716	0.715	0.085	0.17	0.095	0.19	0	0	0	0				
26/06/2026 01:00	254.74	0.615	0.616	0.068	0.136	0.08	0.16	0	0	0	0				
26/06/2026 00:30	254.65	0.949	0.946	0.112	0.224	0.12	0.24	0	0	0	0				
26/06/2026 00:00	255.21	0.88	0.879	0.098	0.196	0.105	0.21	0	0	0	0				
25/06/2026 23:30	257.52	1.016	1.015	0.114	0.228	0.119	0.238	0	0	0	0				
25/06/2026 23:00	259.15	0.874	0.873	0.092	0.184	0.095	0.19	0	0	0	0				
25/06/2026 22:30	256.3	0.75	0.748	0.076	0.152	0.079	0.158	0	0	0	0				
25/06/2026 22:00	255.52	0.774	0.773	0.081	0.162	0.087	0.174	0	0	0	0				
25/06/2026 21:30	254.25	0.683	0.68	0.068	0.136	0.069	0.138	0	0	0	0				
25/06/2026 21:00	252.01	0.681	0.678	0.073	0.146	0.079	0.158	0	0	0	0				
25/06/2026 20:30	251.79	0.887	0.886	0.104	0.208	0.107	0.214	0	0	0	0				
25/06/2026 20:00	250.57	0.678	0.676	0.077	0.154	0.08	0.16	0	0	0	0				
25/06/2026 19:30	252.66	0.448	0.445	0.05	0.1	0.054	0.108	0	0	0	0				
25/06/2026 19:00	254.81	0.382	0.38	0.039	0.078	0.047	0.094	0	0	0	0				
25/06/2026 18:30	254.86	0.349	0.348	0.043	0.086	0.043	0.086	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial NumberM22515215561Manufacturer NameHPL Electric & Power Ltd.Firmware Version1078.04

Internal CT RatioNA Meter Type6(1P Direct Connected Watthour Smart Meter)Meter Year of Manufacture2025

Internal PT RatioNADownload time(RTC)26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
25/06/2026 18:00	255.39	0.531	0.53	0.062	0.124	0.068	0.136	0	0	0	0				
25/06/2026 17:30	256.67	0.418	0.418	0.048	0.096	0.05	0.1	0	0	0	0				
25/06/2026 17:00	254.59	0.664	0.663	0.059	0.118	0.064	0.128	0	0	0	0				
25/06/2026 16:30	252.97	0.578	0.576	0.064	0.128	0.067	0.134	0	0	0	0				
25/06/2026 16:00	251.32	0.688	0.687	0.074	0.148	0.086	0.172	0	0	0	0				
25/06/2026 15:30	251	0.844	0.844	0.097	0.194	0.106	0.212	0	0	0	0				
25/06/2026 15:00	251.72	0.918	0.916	0.088	0.176	0.101	0.202	0	0	0	0				
25/06/2026 14:30	253.03	1.071	1.067	0.06	0.12	0.063	0.126	0	0	0	0				
25/06/2026 14:00	257.86	0.791	0.789	0.087	0.174	0.098	0.196	0	0	0	0				
25/06/2026 13:30	257.18	0.844	0.843	0.097	0.194	0.103	0.206	0	0	0	0				
25/06/2026 13:00	254.86	0.46	0.457	0.049	0.098	0.058	0.116	0	0	0	0				
25/06/2026 12:30	253.7	0.823	0.82	0.088	0.176	0.094	0.188	0	0	0	0				
25/06/2026 12:00	252.3	0.655	0.652	0.066	0.132	0.074	0.148	0	0	0	0				
25/06/2026 11:30	251.67	0.632	0.63	0.057	0.114	0.066	0.132	0	0	0	0				
25/06/2026 11:00	251.6	0.71	0.71	0.066	0.132	0.076	0.152	0	0	0	0				
25/06/2026 10:30	251.43	0.378	0.376	0.031	0.062	0.031	0.062	0	0	0	0				
25/06/2026 10:00	246.58	0.72	0.717	0.068	0.136	0.076	0.152	0	0	0	0				
25/06/2026 09:30	241.12	0.967	0.966	0.099	0.198	0.107	0.214	0	0	0	0				
25/06/2026 09:00	243.23	2.116	2.114	0.232	0.464	0.239	0.478	0	0	0	0				
25/06/2026 08:30	243.92	4.128	4.129	0.477	0.954	0.495	0.99	0	0	0	0				
25/06/2026 08:00	244.68	3.627	3.627	0.422	0.844	0.439	0.878	0	0	0	0				
25/06/2026 07:30	243.51	4.619	4.62	0.543	1.086	0.57	1.14	0	0	0	0				
25/06/2026 07:00	242.87	0.733	0.731	0.079	0.158	0.088	0.176	0	0	0	0				
25/06/2026 06:30	247.06	0.597	0.595	0.061	0.122	0.074	0.148	0	0	0	0				
25/06/2026 06:00	249.92	0.633	0.63	0.072	0.144	0.083	0.166	0	0	0	0				
25/06/2026 05:30	254.62	0.61	0.608	0.067	0.134	0.08	0.16	0	0	0	0				
25/06/2026 05:00	256.57	0.598	0.596	0.066	0.132	0.08	0.16	0	0	0	0				
25/06/2026 04:30	258.36	0.647	0.642	0.075	0.15	0.087	0.174	0	0	0	0				
25/06/2026 04:00	259.26	0.567	0.566	0.059	0.118	0.076	0.152	0	0	0	0				
25/06/2026 03:30	258.26	0.655	0.65	0.075	0.15	0.087	0.174	0	0	0	0				
25/06/2026 03:00	257.87	0.573	0.565	0.061	0.122	0.076	0.152	0	0	0	0				
25/06/2026 02:30	259.76	0.654	0.655	0.075	0.15	0.088	0.176	0	0	0	0				
25/06/2026 02:00	260.47	0.657	0.658	0.076	0.152	0.088	0.176	0	0	0	0				
25/06/2026 01:30	259.72	0.567	0.569	0.06	0.12	0.076	0.152	0	0	0	0				
25/06/2026 01:00	259.05	0.655	0.657	0.076	0.152	0.088	0.176	0	0	0	0				
25/06/2026 00:30	256.95	0.679	0.679	0.069	0.138	0.084	0.168	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial Number	M22515215561	Manufacturer Name	HPL Electric & Power Ltd.	Firmware Version	1078.04
Internal CT Ratio	NA	Meter Type	6(1P Direct Connected Watthour Smart Meter)	Meter Year of Manufacture	2025
Internal PT Ratio	NA	Download time(RTC)	26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)		

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
25/06/2026 00:00	256.67	1.028	1.026	0.106	0.212	0.112	0.224	0	0	0	0				
24/06/2026 23:30	255.33	1.046	1.044	0.112	0.224	0.116	0.232	0	0	0	0				
24/06/2026 23:00	257.6	0.924	0.923	0.096	0.192	0.103	0.206	0	0	0	0				
24/06/2026 22:30	259.85	0.79	0.788	0.084	0.168	0.091	0.182	0	0	0	0				
24/06/2026 22:00	259.48	0.699	0.697	0.07	0.14	0.074	0.148	0	0	0	0				
24/06/2026 21:30	257.16	0.577	0.577	0.061	0.122	0.064	0.128	0	0	0	0				
24/06/2026 21:00	255.88	0.617	0.616	0.047	0.094	0.054	0.108	0	0	0	0				
24/06/2026 20:30	253.85	0.841	0.838	0.073	0.146	0.076	0.152	0	0	0	0				
24/06/2026 20:00	251.06	1.08	1.078	0.115	0.23	0.121	0.242	0	0	0	0				
24/06/2026 19:30	251.21	0.912	0.91	0.088	0.176	0.097	0.194	0	0	0	0				
24/06/2026 19:00	252.75	0.856	0.855	0.08	0.16	0.095	0.19	0	0	0	0				
24/06/2026 18:30	253.81	0.9	0.899	0.089	0.178	0.1	0.2	0	0	0	0				
24/06/2026 18:00	251.09	0.82	0.82	0.073	0.146	0.089	0.178	0	0	0	0				
24/06/2026 17:30	251.98	1.04	1.04	0.104	0.208	0.114	0.228	0	0	0	0				
24/06/2026 17:00	250.31	1.057	1.056	0.108	0.216	0.116	0.232	0	0	0	0				
24/06/2026 16:30	250.52	0.659	0.659	0.059	0.118	0.075	0.15	0	0	0	0				
24/06/2026 16:00	249.64	0.683	0.683	0.072	0.144	0.083	0.166	0	0	0	0				
24/06/2026 15:30	250.36	0.719	0.718	0.078	0.156	0.085	0.17	0	0	0	0				
24/06/2026 15:00	251.45	0.738	0.735	0.076	0.152	0.081	0.162	0	0	0	0				
24/06/2026 14:30	252.35	0.33	0.328	0.037	0.074	0.04	0.08	0	0	0	0				
24/06/2026 14:00	254.54	0.365	0.364	0.036	0.072	0.046	0.092	0	0	0	0				
24/06/2026 13:30	255.97	0.326	0.323	0.032	0.064	0.041	0.082	0	0	0	0				
24/06/2026 13:00	253.06	0.306	0.303	0.041	0.082	0.042	0.084	0	0	0	0				
24/06/2026 12:30	252.11	0.658	0.656	0.064	0.128	0.07	0.14	0	0	0	0				
24/06/2026 12:00	249.2	0.709	0.708	0.067	0.134	0.073	0.146	0	0	0	0				
24/06/2026 11:30	249.21	0.622	0.621	0.052	0.104	0.053	0.106	0	0	0	0				
24/06/2026 11:00	250.5	0.831	0.83	0.083	0.166	0.088	0.176	0	0	0	0				
24/06/2026 10:30	250.14	0.985	0.983	0.103	0.206	0.11	0.22	0	0	0	0				
24/06/2026 10:00	248.74	0.917	0.915	0.089	0.178	0.101	0.202	0	0	0	0				
24/06/2026 09:30	250.18	0.96	0.958	0.101	0.202	0.111	0.222	0	0	0	0				
24/06/2026 09:00	252.45	1.183	1.18	0.135	0.27	0.142	0.284	0	0	0	0				
24/06/2026 08:30	247.58	1.096	1.094	0.124	0.248	0.126	0.252	0	0	0	0				
24/06/2026 08:00	246.98	0.873	0.872	0.1	0.2	0.109	0.218	0	0	0	0				
24/06/2026 07:30	247.52	0.528	0.525	0.054	0.108	0.061	0.122	0	0	0	0				
24/06/2026 07:00	248.46	0.735	0.734	0.084	0.168	0.091	0.182	0	0	0	0				
24/06/2026 06:30	249.26	0.681	0.68	0.075	0.15	0.08	0.16	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial Number	M22515215561	Manufacturer Name	HPL Electric & Power Ltd.	Firmware Version	1078.04
Internal CT Ratio	NA	Meter Type	6(1P Direct Connected Watthour Smart Meter)	Meter Year of Manufacture	2025
Internal PT Ratio	NA	Download time(RTC)	26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)		

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
24/06/2026 06:00	253.68	0.675	0.673	0.075	0.15	0.081	0.162	0	0	0	0				
24/06/2026 05:30	257.37	0.728	0.726	0.083	0.166	0.089	0.178	0	0	0	0				
24/06/2026 05:00	259.61	0.691	0.691	0.078	0.156	0.084	0.168	0	0	0	0				
24/06/2026 04:30	260.95	0.672	0.67	0.076	0.152	0.082	0.164	0	0	0	0				
24/06/2026 04:00	261.86	0.695	0.692	0.086	0.172	0.093	0.186	0	0	0	0				
24/06/2026 03:30	260.82	0.666	0.666	0.083	0.166	0.09	0.18	0	0	0	0				
24/06/2026 03:00	260.47	0.585	0.584	0.073	0.146	0.078	0.156	0	0	0	0				
24/06/2026 02:30	259.66	0.688	0.687	0.084	0.168	0.091	0.182	0	0	0	0				
24/06/2026 02:00	259.35	0.688	0.688	0.085	0.17	0.091	0.182	0	0	0	0				
24/06/2026 01:30	260.02	0.594	0.593	0.073	0.146	0.079	0.158	0	0	0	0				
24/06/2026 01:00	258.93	0.663	0.662	0.082	0.164	0.088	0.176	0	0	0	0				
24/06/2026 00:30	258.19	0.76	0.758	0.094	0.188	0.099	0.198	0	0	0	0				
24/06/2026 00:00	256.07	0.795	0.793	0.099	0.198	0.105	0.21	0	0	0	0				
23/06/2026 23:30	252.85	1.001	1.001	0.124	0.248	0.128	0.256	0	0	0	0				
23/06/2026 23:00	253.48	1.341	1.341	0.022	0.044	0.023	0.046	0	0	0	0				
23/06/2026 22:30	0	0	0	0	0	0	0	0	0	0	0				
23/06/2026 22:00	0	0	0	0	0	0	0	0	0	0	0				
23/06/2026 21:30	0	0	0	0.001	0.002	0.001	0.002	0	0	0	0				
23/06/2026 21:00	256.46	0.836	0.834	0.085	0.17	0.091	0.182	0	0	0	0				
23/06/2026 20:30	256.24	0.671	0.671	0.079	0.158	0.087	0.174	0	0	0	0				
23/06/2026 20:00	252.35	0.742	0.741	0.087	0.174	0.093	0.186	0	0	0	0				
23/06/2026 19:30	251.86	0.644	0.644	0.071	0.142	0.079	0.158	0	0	0	0				
23/06/2026 19:00	252.42	0.564	0.566	0.06	0.12	0.068	0.136	0	0	0	0				
23/06/2026 18:30	252.35	0.351	0.351	0.004	0.008	0.005	0.01	0	0	0	0				
23/06/2026 18:00	0	0	0	0	0	0	0	0	0	0	0				
23/06/2026 17:30	0	0	0	0	0	0	0	0	0	0	0				
23/06/2026 17:00	0	0	0	0	0	0	0	0	0	0	0				
23/06/2026 16:30	0	0	0	0	0	0	0	0	0	0	0				
23/06/2026 16:00	0	0	0	0	0	0	0	0	0	0	0				
23/06/2026 15:30	228.4	2.029	0.018	0.031	0.062	0.031	0.062	0	0	0	0				
23/06/2026 15:00	227.21	6.958	0.003	0.857	1.714	0.858	1.716	0	0	0	0				
23/06/2026 14:30	226.29	7.773	0	0.935	1.87	0.935	1.87	0	0	0	0				
23/06/2026 14:00	227.57	4.116	0.03	0.354	0.708	0.356	0.712	0	0	0	0				
23/06/2026 13:30	0	0	0	0	0	0	0	0	0	0	0				
23/06/2026 13:00	0	0	0	0	0	0	0	0	0	0	0				
23/06/2026 12:30	0	0	0	0	0	0	0	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial NumberM22515215561Manufacturer NameHPL Electric & Power Ltd.Firmware Version1078.04

Internal CT RatioNA Meter Type6(1P Direct Connected Watthour Smart Meter)Meter Year of Manufacture2025

Internal PT RatioNADownload time(RTC)26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
23/06/2026 12:00	0	0	0	0	0	0	0	0	0	0	0				
23/06/2026 11:30	0	0	0	0	0	0	0	0	0	0	0				
23/06/2026 11:00	0	0	0	0	0	0	0	0	0	0	0				
23/06/2026 10:30	0	0	0	0	0	0	0	0	0	0	0				
23/06/2026 10:00	246.72	0	0	0.019	0.038	0.019	0.038	0	0	0	0				
23/06/2026 09:30	240.89	5.267	5.264	0.647	1.294	0.656	1.312	0	0	0	0				
23/06/2026 09:00	241.99	2.138	2.137	0.254	0.508	0.265	0.53	0	0	0	0				
23/06/2026 08:30	241.76	2.448	2.447	0.279	0.558	0.287	0.574	0	0	0	0				
23/06/2026 08:00	243.59	2.201	2.2	0.252	0.504	0.265	0.53	0	0	0	0				
23/06/2026 07:30	245.03	2.841	2.839	0.319	0.638	0.34	0.68	0	0	0	0				
23/06/2026 07:00	245.15	1.932	1.93	0.224	0.448	0.236	0.472	0	0	0	0				
23/06/2026 06:30	247.82	7.807	7.797	0.97	1.94	0.983	1.966	0	0	0	0				
23/06/2026 06:00	250.94	2.469	2.469	0.278	0.556	0.301	0.602	0	0	0	0				
23/06/2026 05:30	254.84	2.458	2.458	0.26	0.52	0.286	0.572	0	0	0	0				
23/06/2026 05:00	257.19	2.796	2.794	0.324	0.648	0.359	0.718	0	0	0	0				
23/06/2026 04:30	257.85	2.825	2.823	0.311	0.622	0.346	0.692	0	0	0	0				
23/06/2026 04:00	258.27	2.825	2.823	0.324	0.648	0.362	0.724	0	0	0	0				
23/06/2026 03:30	256.92	2.807	2.806	0.323	0.646	0.359	0.718	0	0	0	0				
23/06/2026 03:00	256.22	2.887	2.886	0.324	0.648	0.358	0.716	0	0	0	0				
23/06/2026 02:30	256.86	3.487	3.488	0.39	0.78	0.433	0.866	0	0	0	0				
23/06/2026 02:00	255.84	3.451	3.452	0.405	0.81	0.448	0.896	0	0	0	0				
23/06/2026 01:30	254.69	3.951	3.954	0.492	0.984	0.537	1.074	0	0	0	0				
23/06/2026 01:00	252.59	3.102	3.102	0.325	0.65	0.359	0.718	0	0	0	0				
23/06/2026 00:30	249.86	1.164	1.162	0.132	0.264	0.14	0.28	0	0	0	0				
23/06/2026 00:00	249.58	1.137	1.136	0.12	0.24	0.129	0.258	0	0	0	0				
22/06/2026 23:30	249.62	0.837	0.836	0.086	0.172	0.089	0.178	0	0	0	0				
22/06/2026 23:00	248.15	0.806	0.805	0.083	0.166	0.088	0.176	0	0	0	0				
22/06/2026 22:30	248.88	1.008	1.007	0.114	0.228	0.118	0.236	0	0	0	0				
22/06/2026 22:00	250.68	0.984	0.983	0.107	0.214	0.113	0.226	0	0	0	0				
22/06/2026 21:30	253.31	7.176	7.162	0.904	1.808	0.906	1.812	0	0	0	0				
22/06/2026 21:00	253.85	1.674	1.671	0.177	0.354	0.182	0.364	0	0	0	0				
22/06/2026 20:30	251.57	0.955	0.953	0.111	0.222	0.115	0.23	0	0	0	0				
22/06/2026 20:00	248.63	1.007	1.005	0.113	0.226	0.119	0.238	0	0	0	0				
22/06/2026 19:30	250.39	0.96	0.958	0.108	0.216	0.113	0.226	0	0	0	0				
22/06/2026 19:00	250.61	1.038	1.037	0.126	0.252	0.13	0.26	0	0	0	0				
22/06/2026 18:30	251.3	0.55	0.548	0.063	0.126	0.064	0.128	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial NumberM22515215561Manufacturer NameHPL Electric & Power Ltd.Firmware Version1078.04

Internal CT RatioNAMeter Type6(1P Direct Connected Watthour Smart Meter)Meter Year of Manufacture2025

Internal PT RatioNADownload time(RTC)26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.255 5 (kVAh-E)	Demand(kVA-E)				
22/06/2026 18:00	249.14	0.344	0.311	0.035	0.07	0.044	0.088	0	0	0	0				
22/06/2026 17:30	248.15	0.359	0.356	0.045	0.09	0.045	0.09	0	0	0	0				
22/06/2026 17:00	247.04	0.482	0.479	0.055	0.11	0.061	0.122	0	0	0	0				
22/06/2026 16:30	246.77	0.481	0.478	0.057	0.114	0.062	0.124	0	0	0	0				
22/06/2026 16:00	244.8	0.483	0.48	0.056	0.112	0.061	0.122	0	0	0	0				
22/06/2026 15:30	243.45	0.285	0.28	0.035	0.07	0.035	0.07	0	0	0	0				
22/06/2026 15:00	242.34	0.35	0.347	0.031	0.062	0.041	0.082	0	0	0	0				
22/06/2026 14:30	244.13	0.451	0.448	0.047	0.094	0.055	0.11	0	0	0	0				
22/06/2026 14:00	249.22	0.446	0.444	0.049	0.098	0.058	0.116	0	0	0	0				
22/06/2026 13:30	251.13	0.537	0.535	0.056	0.112	0.065	0.13	0	0	0	0				
22/06/2026 13:00	243.96	0.71	0.708	0.075	0.15	0.083	0.166	0	0	0	0				
22/06/2026 12:30	240.87	0.623	0.62	0.067	0.134	0.074	0.148	0	0	0	0				
22/06/2026 12:00	240.22	0.889	0.886	0.1	0.2	0.106	0.212	0	0	0	0				
22/06/2026 11:30	239.3	4.053	4.052	0.453	0.906	0.456	0.912	0	0	0	0				
22/06/2026 11:00	237.95	8.406	8.389	0.557	1.114	0.558	1.116	0	0	0	0				
22/06/2026 10:30	238.62	5.615	5.605	0.671	1.342	0.673	1.346	0	0	0	0				
22/06/2026 10:00	242.35	2.735	2.734	0.284	0.568	0.297	0.594	0	0	0	0				
22/06/2026 09:30	238.21	6.357	6.349	0.755	1.51	0.762	1.524	0	0	0	0				
22/06/2026 09:00	243.28	2.441	2.438	0.291	0.582	0.299	0.598	0	0	0	0				
22/06/2026 08:30	243.49	1.851	1.851	0.214	0.428	0.221	0.442	0	0	0	0				
22/06/2026 08:00	244.02	1.536	1.534	0.178	0.356	0.184	0.368	0	0	0	0				
22/06/2026 07:30	244.42	2.148	2.146	0.248	0.496	0.258	0.516	0	0	0	0				
22/06/2026 07:00	243.03	2.067	2.067	0.236	0.472	0.247	0.494	0	0	0	0				
22/06/2026 06:30	245.78	7.994	7.984	0.994	1.988	1.002	2.004	0	0	0	0				
22/06/2026 06:00	248.2	1.922	1.922	0.226	0.452	0.241	0.482	0	0	0	0				
22/06/2026 05:30	251.37	2.686	2.685	0.315	0.63	0.338	0.676	0	0	0	0				
22/06/2026 05:00	254.51	2.088	2.088	0.247	0.494	0.268	0.536	0	0	0	0				
22/06/2026 04:30	256.14	2.796	2.796	0.328	0.656	0.358	0.716	0	0	0	0				
22/06/2026 04:00	258.43	2.807	2.808	0.326	0.652	0.362	0.724	0	0	0	0				
22/06/2026 03:30	256.94	2.749	2.75	0.318	0.636	0.349	0.698	0	0	0	0				
22/06/2026 03:00	256.61	3.026	3.027	0.331	0.662	0.363	0.726	0	0	0	0				
22/06/2026 02:30	256.67	2.737	2.737	0.33	0.66	0.363	0.726	0	0	0	0				
22/06/2026 02:00	256	2.785	2.786	0.326	0.652	0.357	0.714	0	0	0	0				
22/06/2026 01:30	253.64	3.425	3.425	0.392	0.784	0.424	0.848	0	0	0	0				
22/06/2026 01:00	252.44	3.116	3.116	0.333	0.666	0.358	0.716	0	0	0	0				
22/06/2026 00:30	250.44	4.002	4.001	0.45	0.9	0.481	0.962	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial Number	M22515215561	Manufacturer Name	HPL Electric & Power Ltd.	Firmware Version	1078.04
Internal CT Ratio	NA	Meter Type	6(1P Direct Connected Watthour Smart Meter)	Meter Year of Manufacture	2025
Internal PT Ratio	NA	Download time(RTC)	26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)		

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
22/06/2026 00:00	247.29	6.609	6.612	0.762	1.524	0.799	1.598	0	0	0	0				
21/06/2026 23:30	247.16	3.13	3.13	0.341	0.682	0.359	0.718	0	0	0	0				
21/06/2026 23:00	247.45	0.974	0.972	0.108	0.216	0.112	0.224	0	0	0	0				
21/06/2026 22:30	246.85	0.974	0.973	0.108	0.216	0.112	0.224	0	0	0	0				
21/06/2026 22:00	248.92	0.963	0.963	0.104	0.208	0.11	0.22	0	0	0	0				
21/06/2026 21:30	248.32	0.916	0.915	0.099	0.198	0.103	0.206	0	0	0	0				
21/06/2026 21:00	246.77	0.933	0.93	0.103	0.206	0.108	0.216	0	0	0	0				
21/06/2026 20:30	245.96	0.81	0.809	0.094	0.188	0.098	0.196	0	0	0	0				
21/06/2026 20:00	245.47	1.011	1.01	0.114	0.228	0.122	0.244	0	0	0	0				
21/06/2026 19:30	247.44	1.206	1.205	0.133	0.266	0.141	0.282	0	0	0	0				
21/06/2026 19:00	250.01	1.05	1.049	0.118	0.236	0.124	0.248	0	0	0	0				
21/06/2026 18:30	252.66	0.699	0.697	0.081	0.162	0.085	0.17	0	0	0	0				
21/06/2026 18:00	259.28	0.541	0.538	0.059	0.118	0.068	0.136	0	0	0	0				
21/06/2026 17:30	258.41	0.85	0.85	0.026	0.052	0.028	0.056	0	0	0	0				
21/06/2026 17:00	0	0	0	0	0	0	0	0	0	0	0				
21/06/2026 16:30	252.52	0.859	0.855	0.029	0.058	0.031	0.062	0	0	0	0				
21/06/2026 16:00	250.25	1.008	1.006	0.11	0.22	0.114	0.228	0	0	0	0				
21/06/2026 15:30	248.16	1.172	1.173	0.128	0.256	0.135	0.27	0	0	0	0				
21/06/2026 15:00	248.36	1.4	1.399	0.133	0.266	0.141	0.282	0	0	0	0				
21/06/2026 14:30	251.44	1.688	1.686	0.163	0.326	0.169	0.338	0	0	0	0				
21/06/2026 14:00	254.08	0.741	0.743	0.081	0.162	0.088	0.176	0	0	0	0				
21/06/2026 13:30	254.51	0.915	0.915	0.103	0.206	0.113	0.226	0	0	0	0				
21/06/2026 13:00	250.18	3.887	3.879	0.494	0.988	0.497	0.994	0	0	0	0				
21/06/2026 12:30	248.53	2.492	2.494	0.3	0.6	0.305	0.61	0	0	0	0				
21/06/2026 12:00	245.91	8.787	8.792	1.081	2.162	1.082	2.164	0	0	0	0				
21/06/2026 11:30	245.52	8.609	8.602	1.087	2.174	1.088	2.176	0	0	0	0				
21/06/2026 11:00	248.43	3.203	3.202	0.379	0.758	0.397	0.794	0	0	0	0				
21/06/2026 10:30	247.71	3.518	3.517	0.398	0.796	0.418	0.836	0	0	0	0				
21/06/2026 10:00	247.52	3.31	3.308	0.355	0.71	0.372	0.744	0	0	0	0				
21/06/2026 09:30	248.64	3.711	3.711	0.432	0.864	0.455	0.91	0	0	0	0				
21/06/2026 09:00	250.52	3.82	3.819	0.442	0.884	0.468	0.936	0	0	0	0				
21/06/2026 08:30	250.93	3.845	3.846	0.441	0.882	0.465	0.93	0	0	0	0				
21/06/2026 08:00	252.88	3.726	3.726	0.403	0.806	0.431	0.862	0	0	0	0				
21/06/2026 07:30	250.32	4.421	4.421	0.494	0.988	0.526	1.052	0	0	0	0				
21/06/2026 07:00	251.25	7.145	7.149	0.821	1.642	0.884	1.768	0	0	0	0				
21/06/2026 06:30	252.07	8.3	8.295	1.013	2.026	1.041	2.082	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial NumberM22515215561Manufacturer NameHPL Electric & Power Ltd.Firmware Version1078.04

Internal CT RatioNA Meter Type6(1P Direct Connected Watthour Smart Meter)Meter Year of Manufacture2025

Internal PT RatioNADownload time(RTC)26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.255 5 (kVAh-E)	Demand(kVA-E)				
21/06/2026 06:00	252.62	5.408	5.409	0.633	1.266	0.675	1.35	0	0	0	0				
21/06/2026 05:30	255.64	4.82	4.822	0.563	1.126	0.621	1.242	0	0	0	0				
21/06/2026 05:00	258.63	5.243	5.245	0.62	1.24	0.69	1.38	0	0	0	0				
21/06/2026 04:30	261.45	0.491	0.489	0.051	0.102	0.061	0.122	0	0	0	0				
21/06/2026 04:00	263.72	0.476	0.474	0.052	0.104	0.061	0.122	0	0	0	0				
21/06/2026 03:30	263.39	0.476	0.474	0.051	0.102	0.062	0.124	0	0	0	0				
21/06/2026 03:00	262.65	0.511	0.509	0.056	0.112	0.065	0.13	0	0	0	0				
21/06/2026 02:30	261.8	0.54	0.537	0.057	0.114	0.066	0.132	0	0	0	0				
21/06/2026 02:00	260.22	0.474	0.473	0.051	0.102	0.061	0.122	0	0	0	0				
21/06/2026 01:30	257.54	0.555	0.554	0.05	0.1	0.059	0.118	0	0	0	0				
21/06/2026 01:00	256.38	0.484	0.483	0.05	0.1	0.059	0.118	0	0	0	0				
21/06/2026 00:30	257.07	0.543	0.545	0.059	0.118	0.069	0.138	0	0	0	0				
21/06/2026 00:00	256.29	0.664	0.663	0.073	0.146	0.08	0.16	0	0	0	0				
20/06/2026 23:30	254.05	1.059	1.057	0.116	0.232	0.122	0.244	0	0	0	0				
20/06/2026 23:00	253.03	1.112	1.111	0.125	0.25	0.129	0.258	0	0	0	0				
20/06/2026 22:30	253.51	1.015	1.015	0.113	0.226	0.118	0.236	0	0	0	0				
20/06/2026 22:00	255.34	0.937	0.936	0.104	0.208	0.11	0.22	0	0	0	0				
20/06/2026 21:30	255.81	1.062	1.061	0.116	0.232	0.12	0.24	0	0	0	0				
20/06/2026 21:00	254.9	1.08	1.079	0.108	0.216	0.115	0.23	0	0	0	0				
20/06/2026 20:30	255.33	0.75	0.748	0.077	0.154	0.081	0.162	0	0	0	0				
20/06/2026 20:00	252.47	1.007	1.005	0.113	0.226	0.119	0.238	0	0	0	0				
20/06/2026 19:30	252.1	0.986	0.985	0.109	0.218	0.114	0.228	0	0	0	0				
20/06/2026 19:00	252.15	1.194	1.193	0.133	0.266	0.137	0.274	0	0	0	0				
20/06/2026 18:30	252.76	1.187	1.187	0.13	0.26	0.135	0.27	0	0	0	0				
20/06/2026 18:00	251.53	1.171	1.168	0.13	0.26	0.133	0.266	0	0	0	0				
20/06/2026 17:30	251.96	1.001	1	0.105	0.21	0.11	0.22	0	0	0	0				
20/06/2026 17:00	246.51	0.908	0.906	0.099	0.198	0.104	0.208	0	0	0	0				
20/06/2026 16:30	243.59	0.833	0.83	0.061	0.122	0.064	0.128	0	0	0	0				
20/06/2026 16:00	239.93	0.466	0.464	0.015	0.03	0.016	0.032	0	0	0	0				
20/06/2026 15:30	239.66	0.478	0.476	0.057	0.114	0.06	0.12	0	0	0	0				
20/06/2026 15:00	241.66	0.98	0.978	0.104	0.208	0.112	0.224	0	0	0	0				
20/06/2026 14:30	243.01	0.8	0.799	0.077	0.154	0.083	0.166	0	0	0	0				
20/06/2026 14:00	247.64	0.767	0.765	0.073	0.146	0.08	0.16	0	0	0	0				
20/06/2026 13:30	250.94	0.866	0.865	0.088	0.176	0.094	0.188	0	0	0	0				
20/06/2026 13:00	246.67	0.912	0.912	0.091	0.182	0.096	0.192	0	0	0	0				
20/06/2026 12:30	245.25	0.986	0.984	0.1	0.2	0.105	0.21	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial Number	M22515215561	Manufacturer Name	HPL Electric & Power Ltd.	Firmware Version	1078.04
Internal CT Ratio	NA	Meter Type	6(1P Direct Connected Watthour Smart Meter)	Meter Year of Manufacture	2025
Internal PT Ratio	NA	Download time(RTC)	26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)		

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
20/06/2026 12:00	241.96	0.913	0.912	0.091	0.182	0.098	0.196	0	0	0	0				
20/06/2026 11:30	242.51	0.864	0.863	0.088	0.176	0.093	0.186	0	0	0	0				
20/06/2026 11:00	242.02	0.904	0.901	0.097	0.194	0.102	0.204	0	0	0	0				
20/06/2026 10:30	241.41	4.368	4.363	0.527	1.054	0.529	1.058	0	0	0	0				
20/06/2026 10:00	240.04	3.526	3.516	0.417	0.834	0.421	0.842	0	0	0	0				
20/06/2026 09:30	239.67	0.729	0.726	0.082	0.164	0.087	0.174	0	0	0	0				
20/06/2026 09:00	242.93	0.963	0.962	0.117	0.234	0.121	0.242	0	0	0	0				
20/06/2026 08:30	240.87	1.086	1.085	0.125	0.25	0.128	0.256	0	0	0	0				
20/06/2026 08:00	242.82	0.833	0.832	0.094	0.188	0.098	0.196	0	0	0	0				
20/06/2026 07:30	244.15	0.535	0.532	0.064	0.128	0.07	0.14	0	0	0	0				
20/06/2026 07:00	243.27	5.919	5.91	0.735	1.47	0.739	1.478	0	0	0	0				
20/06/2026 06:30	244.03	0.694	0.694	0.075	0.15	0.085	0.17	0	0	0	0				
20/06/2026 06:00	247.33	0.868	0.868	0.08	0.16	0.091	0.182	0	0	0	0				
20/06/2026 05:30	252.07	0.735	0.733	0.079	0.158	0.091	0.182	0	0	0	0				
20/06/2026 05:00	254.63	1.012	1.011	0.12	0.24	0.128	0.256	0	0	0	0				
20/06/2026 04:30	256.91	0.968	0.966	0.11	0.22	0.12	0.24	0	0	0	0				
20/06/2026 04:00	256.58	8.955	8.951	1.108	2.216	1.122	2.244	0	0	0	0				
20/06/2026 03:30	256.73	4.669	4.669	0.55	1.1	0.587	1.174	0	0	0	0				
20/06/2026 03:00	257.04	3.611	3.612	0.416	0.832	0.457	0.914	0	0	0	0				
20/06/2026 02:30	256.3	3.701	3.702	0.444	0.888	0.481	0.962	0	0	0	0				
20/06/2026 02:00	254.68	3.608	3.609	0.437	0.874	0.471	0.942	0	0	0	0				
20/06/2026 01:30	253.95	4.33	4.331	0.505	1.01	0.543	1.086	0	0	0	0				
20/06/2026 01:00	251.97	4.652	4.653	0.523	1.046	0.556	1.112	0	0	0	0				
20/06/2026 00:30	249.5	4.077	4.078	0.462	0.924	0.49	0.98	0	0	0	0				
20/06/2026 00:00	248.61	1.138	1.137	0.122	0.244	0.127	0.254	0	0	0	0				
19/06/2026 23:30	247.08	1.023	1.023	0.114	0.228	0.119	0.238	0	0	0	0				
19/06/2026 23:00	246.02	1.01	1.009	0.113	0.226	0.117	0.234	0	0	0	0				
19/06/2026 22:30	247.56	0.964	0.962	0.107	0.214	0.112	0.224	0	0	0	0				
19/06/2026 22:00	252.49	1.024	1.024	0.113	0.226	0.119	0.238	0	0	0	0				
19/06/2026 21:30	253.79	1.027	1.028	0.117	0.234	0.122	0.244	0	0	0	0				
19/06/2026 21:00	253.26	0.967	0.965	0.106	0.212	0.111	0.222	0	0	0	0				
19/06/2026 20:30	252.01	1.083	1.081	0.119	0.238	0.124	0.248	0	0	0	0				
19/06/2026 20:00	248.71	0.902	0.901	0.095	0.19	0.099	0.198	0	0	0	0				
19/06/2026 19:30	250.64	0.838	0.837	0.096	0.192	0.102	0.204	0	0	0	0				
19/06/2026 19:00	251.71	0.729	0.727	0.089	0.178	0.093	0.186	0	0	0	0				
19/06/2026 18:30	252.74	0.754	0.753	0.093	0.186	0.097	0.194	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial Number	M22515215561	Manufacturer Name	HPL Electric & Power Ltd.	Firmware Version	1078.04
Internal CT Ratio	NA	Meter Type	6(1P Direct Connected Watthour Smart Meter)	Meter Year of Manufacture	2025
Internal PT Ratio	NA	Download time(RTC)	26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)		

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.255 5 (kVAh-E)	Demand(kVA-E)				
19/06/2026 18:00	247.39	0.751	0.751	0.088	0.176	0.093	0.186	0	0	0	0				
19/06/2026 17:30	247.19	0.726	0.724	0.084	0.168	0.089	0.178	0	0	0	0				
19/06/2026 17:00	243.8	0.839	0.837	0.091	0.182	0.095	0.19	0	0	0	0				
19/06/2026 16:30	242.23	0.884	0.882	0.097	0.194	0.101	0.202	0	0	0	0				
19/06/2026 16:00	240.36	0.982	0.98	0.103	0.206	0.106	0.212	0	0	0	0				
19/06/2026 15:30	239.77	0.857	0.855	0.086	0.172	0.092	0.184	0	0	0	0				
19/06/2026 15:00	239.95	0.746	0.745	0.072	0.144	0.077	0.154	0	0	0	0				
19/06/2026 14:30	241.8	0.751	0.75	0.071	0.142	0.078	0.156	0	0	0	0				
19/06/2026 14:00	246.98	1.446	1.447	0.171	0.342	0.181	0.362	0	0	0	0				
19/06/2026 13:30	250.97	0.855	0.854	0.09	0.18	0.096	0.192	0	0	0	0				
19/06/2026 13:00	247.46	0.895	0.894	0.092	0.184	0.097	0.194	0	0	0	0				
19/06/2026 12:30	244.35	4.859	4.849	0.605	1.21	0.609	1.218	0	0	0	0				
19/06/2026 12:00	244.32	0.517	0.515	0.055	0.11	0.063	0.126	0	0	0	0				
19/06/2026 11:30	242.27	0.542	0.54	0.058	0.116	0.064	0.128	0	0	0	0				
19/06/2026 11:00	236.11	0.863	0.861	0.089	0.178	0.093	0.186	0	0	0	0				
19/06/2026 10:30	236.7	0.984	0.98	0.105	0.21	0.109	0.218	0	0	0	0				
19/06/2026 10:00	238.28	3.208	3.205	0.355	0.71	0.358	0.716	0	0	0	0				
19/06/2026 09:30	239.87	7.733	7.722	0.932	1.864	0.942	1.884	0	0	0	0				
19/06/2026 09:00	242.88	4.392	4.394	0.516	1.032	0.539	1.078	0	0	0	0				
19/06/2026 08:30	243.25	3.166	3.165	0.377	0.754	0.39	0.78	0	0	0	0				
19/06/2026 08:00	242.47	4.249	4.247	0.476	0.952	0.495	0.99	0	0	0	0				
19/06/2026 07:30	241.17	3.353	3.354	0.385	0.77	0.4	0.8	0	0	0	0				
19/06/2026 07:00	242.03	2.903	2.904	0.3	0.6	0.315	0.63	0	0	0	0				
19/06/2026 06:30	244.31	8.242	8.231	1.012	2.024	1.024	2.048	0	0	0	0				
19/06/2026 06:00	246.13	4.198	4.198	0.488	0.976	0.512	1.024	0	0	0	0				
19/06/2026 05:30	251.54	3.085	3.085	0.334	0.668	0.364	0.728	0	0	0	0				
19/06/2026 05:00	254.19	3.293	3.293	0.356	0.712	0.393	0.786	0	0	0	0				
19/06/2026 04:30	255.61	3.219	3.221	0.389	0.778	0.432	0.864	0	0	0	0				
19/06/2026 04:00	258.06	3.654	3.654	0.407	0.814	0.459	0.918	0	0	0	0				
19/06/2026 03:30	257.88	4.136	4.138	0.44	0.88	0.496	0.992	0	0	0	0				
19/06/2026 03:00	257.36	3.682	3.683	0.415	0.83	0.467	0.934	0	0	0	0				
19/06/2026 02:30	261.55	4.05	4.051	0.461	0.922	0.532	1.064	0	0	0	0				
19/06/2026 02:00	260.32	4.223	4.226	0.46	0.92	0.527	1.054	0	0	0	0				
19/06/2026 01:30	258.06	4.352	4.352	0.492	0.984	0.556	1.112	0	0	0	0				
19/06/2026 01:00	255.99	5.523	5.525	0.632	1.264	0.704	1.408	0	0	0	0				
19/06/2026 00:30	256.25	1.993	1.992	0.222	0.444	0.248	0.496	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial NumberM22515215561Manufacturer NameHPL Electric & Power Ltd.Firmware Version1078.04

Internal CT RatioNAMeter Type6(1P Direct Connected Watthour Smart Meter)Meter Year of Manufacture2025

Internal PT RatioNADownload time(RTC)26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.255 5 (kVAh-E)	Demand(kVA-E)				
19/06/2026 00:00	256.49	0.865	0.864	0.099	0.198	0.105	0.21	0	0	0	0				
18/06/2026 23:30	255.5	1.009	1.008	0.109	0.218	0.114	0.228	0	0	0	0				
18/06/2026 23:00	255.5	1.076	1.074	0.118	0.236	0.124	0.248	0	0	0	0				
18/06/2026 22:30	256.69	1.113	1.113	0.128	0.256	0.133	0.266	0	0	0	0				
18/06/2026 22:00	256.85	0.973	0.973	0.114	0.228	0.12	0.24	0	0	0	0				
18/06/2026 21:30	256.61	0.91	0.909	0.108	0.216	0.113	0.226	0	0	0	0				
18/06/2026 21:00	255.31	0.911	0.909	0.107	0.214	0.113	0.226	0	0	0	0				
18/06/2026 20:30	252.15	0.993	0.99	0.115	0.23	0.121	0.242	0	0	0	0				
18/06/2026 20:00	248.96	2.455	2.454	0.276	0.552	0.29	0.58	0	0	0	0				
18/06/2026 19:30	250.88	6.538	6.54	0.772	1.544	0.821	1.642	0	0	0	0				
18/06/2026 19:00	254.62	8.727	8.731	1.009	2.018	1.091	2.182	0	0	0	0				
18/06/2026 18:30	256.1	4.643	4.643	0.538	1.076	0.582	1.164	0	0	0	0				
18/06/2026 18:00	254.46	1.008	1.007	0.111	0.222	0.116	0.232	0	0	0	0				
18/06/2026 17:30	253.1	1.111	1.11	0.12	0.24	0.124	0.248	0	0	0	0				
18/06/2026 17:00	249.07	1.084	1.082	0.115	0.23	0.119	0.238	0	0	0	0				
18/06/2026 16:30	247.04	1.138	1.136	0.122	0.244	0.127	0.254	0	0	0	0				
18/06/2026 16:00	237.56	6.078	6.079	0.69	1.38	0.711	1.422	0	0	0	0				
18/06/2026 15:30	239.1	4.227	4.228	0.084	0.168	0.089	0.178	0	0	0	0				
18/06/2026 15:00	0	0	0	0	0	0	0	0	0	0	0				
18/06/2026 14:30	0	0	0	0	0	0	0	0	0	0	0				
18/06/2026 14:00	0	0	0	0	0	0	0	0	0	0	0				
18/06/2026 13:30	0	0	0	0	0	0	0	0	0	0	0				
18/06/2026 13:00	0	0	0	0	0	0	0	0	0	0	0				
18/06/2026 12:30	0	0	0	0	0	0	0	0	0	0	0				
18/06/2026 12:00	0	0	0	0	0	0	0	0	0	0	0				
18/06/2026 11:30	0	0	0	0	0	0	0	0	0	0	0				
18/06/2026 11:00	0	0	0	0	0	0	0	0	0	0	0				
18/06/2026 10:30	0	0	0	0	0	0	0	0	0	0	0				
18/06/2026 10:00	0	0	0	0	0	0	0	0	0	0	0				
18/06/2026 09:30	0	0	0	0	0	0	0	0	0	0	0				
18/06/2026 09:00	0	0	0	0	0	0	0	0	0	0	0				
18/06/2026 08:30	247.32	0.963	0.958	0.002	0.004	0.002	0.004	0	0	0	0				
18/06/2026 08:00	242.7	4.17	4.168	0.483	0.966	0.512	1.024	0	0	0	0				
18/06/2026 07:30	242.06	3.642	3.641	0.409	0.818	0.43	0.86	0	0	0	0				
18/06/2026 07:00	242.21	4.503	4.504	0.496	0.992	0.519	1.038	0	0	0	0				
18/06/2026 06:30	241.52	9.781	9.77	1.161	2.322	1.174	2.348	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial Number	M22515215561	Manufacturer Name	HPL Electric & Power Ltd.	Firmware Version	1078.04
Internal CT Ratio	NA	Meter Type	6(1P Direct Connected Watthour Smart Meter)	Meter Year of Manufacture	2025
Internal PT Ratio	NA	Download time(RTC)	26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)		

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
18/06/2026 06:00	244.09	4.001	4.001	0.439	0.878	0.461	0.922	0	0	0	0				
18/06/2026 05:30	248.23	4.081	4.081	0.451	0.902	0.482	0.964	0	0	0	0				
18/06/2026 05:00	251.51	4.128	4.13	0.459	0.918	0.497	0.994	0	0	0	0				
18/06/2026 04:30	254.03	4.657	4.658	0.521	1.042	0.571	1.142	0	0	0	0				
18/06/2026 04:00	257.68	4.314	4.314	0.501	1.002	0.557	1.114	0	0	0	0				
18/06/2026 03:30	258.21	5.035	5.037	0.559	1.118	0.626	1.252	0	0	0	0				
18/06/2026 03:00	256.28	4.961	4.962	0.554	1.108	0.612	1.224	0	0	0	0				
18/06/2026 02:30	256.01	4.947	4.948	0.571	1.142	0.63	1.26	0	0	0	0				
18/06/2026 02:00	258.06	5.505	5.507	0.624	1.248	0.698	1.396	0	0	0	0				
18/06/2026 01:30	258.08	7.187	7.19	0.807	1.614	0.907	1.814	0	0	0	0				
18/06/2026 01:00	256.4	7.818	7.82	0.885	1.77	0.985	1.97	0	0	0	0				
18/06/2026 00:30	256.5	1.03	1.029	0.087	0.174	0.096	0.192	0	0	0	0				
18/06/2026 00:00	254.96	0.881	0.88	0.097	0.194	0.102	0.204	0	0	0	0				
17/06/2026 23:30	252.47	0.896	0.894	0.097	0.194	0.104	0.208	0	0	0	0				
17/06/2026 23:00	251.9	0.9	0.9	0.098	0.196	0.103	0.206	0	0	0	0				
17/06/2026 22:30	251.64	1.043	1.042	0.121	0.242	0.126	0.252	0	0	0	0				
17/06/2026 22:00	253.11	0.475	0.474	0.058	0.116	0.061	0.122	0	0	0	0				
17/06/2026 21:30	251.51	0.852	0.851	0.101	0.202	0.103	0.206	0	0	0	0				
17/06/2026 21:00	249.97	1.032	1.031	0.109	0.218	0.115	0.23	0	0	0	0				
17/06/2026 20:30	249.22	1.147	1.146	0.116	0.232	0.122	0.244	0	0	0	0				
17/06/2026 20:00	245.19	1.007	1.007	0.105	0.21	0.11	0.22	0	0	0	0				
17/06/2026 19:30	247.19	1.131	1.13	0.128	0.256	0.133	0.266	0	0	0	0				
17/06/2026 19:00	248.36	0.771	0.769	0.081	0.162	0.082	0.164	0	0	0	0				
17/06/2026 18:30	252.61	0.735	0.733	0.078	0.156	0.078	0.156	0	0	0	0				
17/06/2026 18:00	255.5	0.915	0.914	0.102	0.204	0.11	0.22	0	0	0	0				
17/06/2026 17:30	254.85	0.702	0.699	0.079	0.158	0.08	0.16	0	0	0	0				
17/06/2026 17:00	248.7	0.959	0.959	0.106	0.212	0.111	0.222	0	0	0	0				
17/06/2026 16:30	245.98	0.685	0.682	0.074	0.148	0.075	0.15	0	0	0	0				
17/06/2026 16:00	243.43	0.811	0.811	0.084	0.168	0.086	0.172	0	0	0	0				
17/06/2026 15:30	244.04	0.934	0.934	0.098	0.196	0.102	0.204	0	0	0	0				
17/06/2026 15:00	245.39	0.72	0.718	0.077	0.154	0.078	0.156	0	0	0	0				
17/06/2026 14:30	250.08	0.965	0.963	0.106	0.212	0.113	0.226	0	0	0	0				
17/06/2026 14:00	251.37	0.648	0.646	0.081	0.162	0.081	0.162	0	0	0	0				
17/06/2026 13:30	255.35	0.967	0.964	0.12	0.24	0.126	0.252	0	0	0	0				
17/06/2026 13:00	249.8	0.38	0.379	0.045	0.09	0.048	0.096	0	0	0	0				
17/06/2026 12:30	246.74	0.574	0.575	0.061	0.122	0.07	0.14	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial Number	M22515215561	Manufacturer Name	HPL Electric & Power Ltd.	Firmware Version	1078.04
Internal CT Ratio	NA	Meter Type	6(1P Direct Connected Watthour Smart Meter)	Meter Year of Manufacture	2025
Internal PT Ratio	NA	Download time(RTC)	26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)		

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
17/06/2026 12:00	244.21	0.688	0.686	0.076	0.152	0.083	0.166	0	0	0	0				
17/06/2026 11:30	243	0.603	0.6	0.062	0.124	0.07	0.14	0	0	0	0				
17/06/2026 11:00	237.37	6.583	6.574	0.789	1.578	0.791	1.582	0	0	0	0				
17/06/2026 10:30	237.32	2.561	2.554	0.294	0.588	0.298	0.596	0	0	0	0				
17/06/2026 10:00	238.89	0.874	0.872	0.086	0.172	0.091	0.182	0	0	0	0				
17/06/2026 09:30	243.22	1.279	1.275	0.116	0.232	0.118	0.236	0	0	0	0				
17/06/2026 09:00	248.23	8.125	8.116	0.989	1.978	1.001	2.002	0	0	0	0				
17/06/2026 08:30	249.22	3.974	3.97	0.451	0.902	0.464	0.928	0	0	0	0				
17/06/2026 08:00	249.08	7.37	7.359	0.887	1.774	0.895	1.79	0	0	0	0				
17/06/2026 07:30	249.81	2.601	2.6	0.297	0.594	0.315	0.63	0	0	0	0				
17/06/2026 07:00	248.18	2.395	2.396	0.259	0.518	0.273	0.546	0	0	0	0				
17/06/2026 06:30	248.03	6.3	6.291	0.75	1.5	0.756	1.512	0	0	0	0				
17/06/2026 06:00	251.6	1.91	1.911	0.219	0.438	0.235	0.47	0	0	0	0				
17/06/2026 05:30	254.98	2.152	2.153	0.244	0.488	0.267	0.534	0	0	0	0				
17/06/2026 05:00	257.56	2.004	2.002	0.231	0.462	0.255	0.51	0	0	0	0				
17/06/2026 04:30	259.69	2.006	2.005	0.23	0.46	0.257	0.514	0	0	0	0				
17/06/2026 04:00	260.92	2.229	2.228	0.258	0.516	0.291	0.582	0	0	0	0				
17/06/2026 03:30	259.98	2.701	2.701	0.298	0.596	0.331	0.662	0	0	0	0				
17/06/2026 03:00	257.91	2.889	2.889	0.313	0.626	0.345	0.69	0	0	0	0				
17/06/2026 02:30	257.32	2.389	2.388	0.25	0.5	0.273	0.546	0	0	0	0				
17/06/2026 02:00	258.53	2.985	2.986	0.341	0.682	0.377	0.754	0	0	0	0				
17/06/2026 01:30	257.33	2.37	2.368	0.269	0.538	0.293	0.586	0	0	0	0				
17/06/2026 01:00	256.81	3.758	3.757	0.445	0.89	0.481	0.962	0	0	0	0				
17/06/2026 00:30	255.59	1.303	1.303	0.154	0.308	0.161	0.322	0	0	0	0				
17/06/2026 00:00	259.92	0.891	0.891	0.114	0.228	0.115	0.23	0	0	0	0				
16/06/2026 23:30	258.65	1.307	1.307	0.16	0.32	0.163	0.326	0	0	0	0				
16/06/2026 23:00	254.88	7.743	7.747	0.931	1.862	1.006	2.012	0	0	0	0				
16/06/2026 22:30	256.02	1.078	1.076	0.123	0.246	0.129	0.258	0	0	0	0				
16/06/2026 22:00	257.23	1.134	1.132	0.128	0.256	0.135	0.27	0	0	0	0				
16/06/2026 21:30	256.93	1.284	1.282	0.141	0.282	0.151	0.302	0	0	0	0				
16/06/2026 21:00	256.3	1.394	1.393	0.167	0.334	0.173	0.346	0	0	0	0				
16/06/2026 20:30	253.78	5.826	5.829	0.677	1.354	0.718	1.436	0	0	0	0				
16/06/2026 20:00	249.6	5.515	5.517	0.63	1.26	0.669	1.338	0	0	0	0				
16/06/2026 19:30	253.44	0.844	0.842	0.083	0.166	0.09	0.18	0	0	0	0				
16/06/2026 19:00	255.4	0.794	0.791	0.08	0.16	0.086	0.172	0	0	0	0				
16/06/2026 18:30	255.24	0.69	0.689	0.065	0.13	0.074	0.148	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial Number	M22515215561	Manufacturer Name	HPL Electric & Power Ltd.	Firmware Version	1078.04
Internal CT Ratio	NA	Meter Type	6(1P Direct Connected Watthour Smart Meter)	Meter Year of Manufacture	2025
Internal PT Ratio	NA	Download time(RTC)	26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)		

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
16/06/2026 18:00	253.43	0.654	0.653	0.06	0.12	0.068	0.136	0	0	0	0				
16/06/2026 17:30	252.09	0.807	0.805	0.085	0.17	0.091	0.182	0	0	0	0				
16/06/2026 17:00	250.23	0.723	0.722	0.063	0.126	0.072	0.144	0	0	0	0				
16/06/2026 16:30	247.83	0.762	0.761	0.072	0.144	0.078	0.156	0	0	0	0				
16/06/2026 16:00	236.05	0.786	0.785	0.07	0.14	0.076	0.152	0	0	0	0				
16/06/2026 15:30	237.56	0.553	0.553	0.047	0.094	0.054	0.108	0	0	0	0				
16/06/2026 15:00	238.25	0.567	0.565	0.057	0.114	0.065	0.13	0	0	0	0				
16/06/2026 14:30	243.64	0.367	0.365	0.031	0.062	0.036	0.072	0	0	0	0				
16/06/2026 14:00	247.09	0.677	0.674	0.06	0.12	0.068	0.136	0	0	0	0				
16/06/2026 13:30	248.46	0.848	0.847	0.082	0.164	0.088	0.176	0	0	0	0				
16/06/2026 13:00	244.24	0.471	0.469	0.038	0.076	0.044	0.088	0	0	0	0				
16/06/2026 12:30	241.18	0.823	0.821	0.081	0.162	0.086	0.172	0	0	0	0				
16/06/2026 12:00	239.51	0.408	0.405	0.035	0.07	0.045	0.09	0	0	0	0				
16/06/2026 11:30	238.82	0.586	0.585	0.06	0.12	0.066	0.132	0	0	0	0				
16/06/2026 11:00	238.81	1.003	1.001	0.106	0.212	0.111	0.222	0	0	0	0				
16/06/2026 10:30	239.93	2.772	2.766	0.303	0.606	0.308	0.616	0	0	0	0				
16/06/2026 10:00	241.31	2.983	2.981	0.332	0.664	0.344	0.688	0	0	0	0				
16/06/2026 09:30	239.93	6.685	6.671	0.794	1.588	0.795	1.59	0	0	0	0				
16/06/2026 09:00	241.4	2.619	2.616	0.281	0.562	0.292	0.584	0	0	0	0				
16/06/2026 08:30	243.48	2.404	2.403	0.27	0.54	0.277	0.554	0	0	0	0				
16/06/2026 08:00	243.26	1.818	1.818	0.201	0.402	0.208	0.416	0	0	0	0				
16/06/2026 07:30	244.16	2.178	2.176	0.253	0.506	0.264	0.528	0	0	0	0				
16/06/2026 07:00	242.06	1.881	1.878	0.22	0.44	0.227	0.454	0	0	0	0				
16/06/2026 06:30	242.48	6.212	6.201	0.735	1.47	0.74	1.48	0	0	0	0				
16/06/2026 06:00	244.73	2.212	2.213	0.245	0.49	0.255	0.51	0	0	0	0				
16/06/2026 05:30	249.37	2.257	2.256	0.253	0.506	0.267	0.534	0	0	0	0				
16/06/2026 05:00	251.73	1.961	1.961	0.206	0.412	0.217	0.434	0	0	0	0				
16/06/2026 04:30	252.68	2.196	2.196	0.238	0.476	0.254	0.508	0	0	0	0				
16/06/2026 04:00	254.19	2.391	2.392	0.274	0.548	0.293	0.586	0	0	0	0				
16/06/2026 03:30	253.91	2.216	2.215	0.251	0.502	0.269	0.538	0	0	0	0				
16/06/2026 03:00	253.08	2.2	2.2	0.249	0.498	0.267	0.534	0	0	0	0				
16/06/2026 02:30	251.96	2.379	2.379	0.275	0.55	0.293	0.586	0	0	0	0				
16/06/2026 02:00	249.81	3.032	3.032	0.326	0.652	0.348	0.696	0	0	0	0				
16/06/2026 01:30	248.83	1.057	1.055	0.106	0.212	0.115	0.23	0	0	0	0				
16/06/2026 01:00	247.69	0.93	0.929	0.09	0.18	0.096	0.192	0	0	0	0				
16/06/2026 00:30	246.51	0.922	0.919	0.087	0.174	0.093	0.186	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial Number	M22515215561	Manufacturer Name	HPL Electric & Power Ltd.	Firmware Version	1078.04
Internal CT Ratio	NA	Meter Type	6(1P Direct Connected Watthour Smart Meter)	Meter Year of Manufacture	2025
Internal PT Ratio	NA	Download time(RTC)	26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)		

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
16/06/2026 00:00	245.92	1.065	1.064	0.113	0.226	0.117	0.234	0	0	0	0				
15/06/2026 23:30	248.76	0.508	0.506	0.053	0.106	0.056	0.112	0	0	0	0				
15/06/2026 23:00	248.15	0.596	0.595	0.058	0.116	0.065	0.13	0	0	0	0				
15/06/2026 22:30	249.34	0.447	0.445	0.049	0.098	0.052	0.104	0	0	0	0				
15/06/2026 22:00	250.72	0.419	0.417	0.048	0.096	0.049	0.098	0	0	0	0				
15/06/2026 21:30	250.85	0.678	0.676	0.078	0.156	0.084	0.168	0	0	0	0				
15/06/2026 21:00	249.03	0.352	0.35	0.042	0.084	0.042	0.084	0	0	0	0				
15/06/2026 20:30	249.65	0.614	0.612	0.066	0.132	0.075	0.15	0	0	0	0				
15/06/2026 20:00	246.36	0.801	0.799	0.094	0.188	0.098	0.196	0	0	0	0				
15/06/2026 19:30	247.27	0.911	0.907	0.107	0.214	0.111	0.222	0	0	0	0				
15/06/2026 19:00	248.61	2.56	2.561	0.288	0.576	0.3	0.6	0	0	0	0				
15/06/2026 18:30	248.91	4.214	4.214	0.47	0.94	0.493	0.986	0	0	0	0				
15/06/2026 18:00	243.73	3.936	3.937	0.459	0.918	0.479	0.958	0	0	0	0				
15/06/2026 17:30	246.36	4.458	4.457	0.534	1.068	0.556	1.112	0	0	0	0				
15/06/2026 17:00	243.5	5.894	5.895	0.701	1.402	0.731	1.462	0	0	0	0				
15/06/2026 16:30	241.69	1.016	1.014	0.117	0.234	0.118	0.236	0	0	0	0				
15/06/2026 16:00	239.3	1.02	1.018	0.116	0.232	0.116	0.232	0	0	0	0				
15/06/2026 15:30	242.11	1.095	1.094	0.122	0.244	0.126	0.252	0	0	0	0				
15/06/2026 15:00	241.57	0.738	0.735	0.08	0.16	0.081	0.162	0	0	0	0				
15/06/2026 14:30	242.09	0.882	0.879	0.098	0.196	0.104	0.208	0	0	0	0				
15/06/2026 14:00	245.94	0.126	0.124	0.014	0.028	0.015	0.03	0	0	0	0				
15/06/2026 13:30	248.74	0.181	0.179	0.019	0.038	0.021	0.042	0	0	0	0				
15/06/2026 13:00	244.29	0.63	0.628	0.07	0.14	0.078	0.156	0	0	0	0				
15/06/2026 12:30	244.3	0.553	0.551	0.067	0.134	0.068	0.136	0	0	0	0				
15/06/2026 12:00	241.46	0.713	0.712	0.082	0.164	0.088	0.176	0	0	0	0				
15/06/2026 11:30	238.83	0.45	0.449	0.052	0.104	0.053	0.106	0	0	0	0				
15/06/2026 11:00	238.48	1.083	1.082	0.118	0.236	0.123	0.246	0	0	0	0				
15/06/2026 10:30	240.31	1.019	1.016	0.098	0.196	0.104	0.208	0	0	0	0				
15/06/2026 10:00	241.16	4.822	4.824	0.569	1.138	0.573	1.146	0	0	0	0				
15/06/2026 09:30	240.54	8.562	8.55	1.055	2.11	1.064	2.128	0	0	0	0				
15/06/2026 09:00	246.41	1.66	1.656	0.198	0.396	0.202	0.404	0	0	0	0				
15/06/2026 08:30	247.08	2.049	2.05	0.238	0.476	0.249	0.498	0	0	0	0				
15/06/2026 08:00	250.29	2.049	2.047	0.22	0.44	0.231	0.462	0	0	0	0				
15/06/2026 07:30	247.83	1.889	1.888	0.195	0.39	0.209	0.418	0	0	0	0				
15/06/2026 07:00	246.07	1.491	1.489	0.175	0.35	0.183	0.366	0	0	0	0				
15/06/2026 06:30	245.97	7.284	7.271	0.926	1.852	0.931	1.862	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial Number	M22515215561	Manufacturer Name	HPL Electric & Power Ltd.	Firmware Version	1078.04
Internal CT Ratio	NA	Meter Type	6(1P Direct Connected Watthour Smart Meter)	Meter Year of Manufacture	2025
Internal PT Ratio	NA	Download time(RTC)	26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)		

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
15/06/2026 06:00	249.65	2.162	2.163	0.252	0.504	0.27	0.54	0	0	0	0				
15/06/2026 05:30	253.76	1.947	1.946	0.223	0.446	0.246	0.492	0	0	0	0				
15/06/2026 05:00	256.69	0.769	0.767	0.083	0.166	0.093	0.186	0	0	0	0				
15/06/2026 04:30	259.05	0.688	0.686	0.069	0.138	0.085	0.17	0	0	0	0				
15/06/2026 04:00	260.06	0.661	0.658	0.065	0.13	0.081	0.162	0	0	0	0				
15/06/2026 03:30	259.4	0.791	0.789	0.089	0.178	0.099	0.198	0	0	0	0				
15/06/2026 03:00	258.62	0.658	0.655	0.065	0.13	0.08	0.16	0	0	0	0				
15/06/2026 02:30	256.78	0.729	0.726	0.076	0.152	0.089	0.178	0	0	0	0				
15/06/2026 02:00	260.28	0.731	0.729	0.077	0.154	0.09	0.18	0	0	0	0				
15/06/2026 01:30	259.37	0.66	0.658	0.065	0.13	0.081	0.162	0	0	0	0				
15/06/2026 01:00	257.29	0.912	0.91	0.089	0.178	0.098	0.196	0	0	0	0				
15/06/2026 00:30	254.54	3.446	3.445	0.4	0.8	0.432	0.864	0	0	0	0				
15/06/2026 00:00	252.88	6.821	6.824	0.789	1.578	0.848	1.696	0	0	0	0				
14/06/2026 23:30	250.92	3.621	3.621	0.41	0.82	0.439	0.878	0	0	0	0				
14/06/2026 23:00	249.72	0.85	0.848	0.087	0.174	0.093	0.186	0	0	0	0				
14/06/2026 22:30	251.21	0.483	0.481	0.048	0.096	0.059	0.118	0	0	0	0				
14/06/2026 22:00	251.37	0.186	0.182	0.019	0.038	0.019	0.038	0	0	0	0				
14/06/2026 21:30	250.76	0.45	0.447	0.04	0.08	0.051	0.102	0	0	0	0				
14/06/2026 21:00	247.04	0.411	0.41	0.045	0.09	0.047	0.094	0	0	0	0				
14/06/2026 20:30	246.22	0.664	0.663	0.075	0.15	0.075	0.15	0	0	0	0				
14/06/2026 20:00	245.74	0.975	0.974	0.104	0.208	0.109	0.218	0	0	0	0				
14/06/2026 19:30	247.65	6.342	6.343	0.738	1.476	0.772	1.544	0	0	0	0				
14/06/2026 19:00	249.53	5.746	5.748	0.665	1.33	0.715	1.43	0	0	0	0				
14/06/2026 18:30	251.08	7.201	7.203	0.831	1.662	0.883	1.766	0	0	0	0				
14/06/2026 18:00	250.74	8.412	8.416	0.979	1.958	1.043	2.086	0	0	0	0				
14/06/2026 17:30	251.04	1.062	1.06	0.088	0.176	0.094	0.188	0	0	0	0				
14/06/2026 17:00	249.87	0.88	0.878	0.087	0.174	0.093	0.186	0	0	0	0				
14/06/2026 16:30	248.57	0.723	0.721	0.06	0.12	0.068	0.136	0	0	0	0				
14/06/2026 16:00	246.36	4.331	4.333	0.513	1.026	0.517	1.034	0	0	0	0				
14/06/2026 15:30	245.94	7.09	7.077	0.861	1.722	0.863	1.726	0	0	0	0				
14/06/2026 15:00	246.07	0.792	0.791	0.073	0.146	0.08	0.16	0	0	0	0				
14/06/2026 14:30	248.79	0.988	0.986	0.095	0.19	0.101	0.202	0	0	0	0				
14/06/2026 14:00	250.25	0.728	0.726	0.067	0.134	0.074	0.148	0	0	0	0				
14/06/2026 13:30	250.83	0.949	0.948	0.103	0.206	0.109	0.218	0	0	0	0				
14/06/2026 13:00	249.03	0.894	0.893	0.095	0.19	0.099	0.198	0	0	0	0				
14/06/2026 12:30	247.66	1.401	1.401	0.164	0.328	0.171	0.342	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial NumberM22515215561Manufacturer NameHPL Electric & Power Ltd.Firmware Version1078.04

Internal CT RatioNAMeter Type6(1P Direct Connected Watthour Smart Meter)Meter Year of Manufacture2025

Internal PT RatioNADownload time(RTC)26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
14/06/2026 12:00	247.19	2.373	2.367	0.273	0.546	0.277	0.554	0	0	0	0				
14/06/2026 11:30	245.85	3.684	3.678	0.431	0.862	0.435	0.87	0	0	0	0				
14/06/2026 11:00	245.43	5.447	5.45	0.687	1.374	0.687	1.374	0	0	0	0				
14/06/2026 10:30	246.79	7.389	7.377	0.88	1.76	0.887	1.774	0	0	0	0				
14/06/2026 10:00	245.83	4.863	4.865	0.532	1.064	0.558	1.116	0	0	0	0				
14/06/2026 09:30	247.82	4.698	4.697	0.516	1.032	0.541	1.082	0	0	0	0				
14/06/2026 09:00	254.75	5.058	5.058	0.604	1.208	0.655	1.31	0	0	0	0				
14/06/2026 08:30	254.87	5.311	5.314	0.587	1.174	0.64	1.28	0	0	0	0				
14/06/2026 08:00	255.4	4.938	4.939	0.517	1.034	0.585	1.17	0	0	0	0				
14/06/2026 07:30	254.23	5.001	5.002	0.571	1.142	0.638	1.276	0	0	0	0				
14/06/2026 07:00	253.5	6.409	6.411	0.713	1.426	0.79	1.58	0	0	0	0				
14/06/2026 06:30	253.41	7.347	7.341	0.882	1.764	0.919	1.838	0	0	0	0				
14/06/2026 06:00	255.1	6.867	6.863	0.798	1.596	0.845	1.69	0	0	0	0				
14/06/2026 05:30	256.7	5.155	5.156	0.562	1.124	0.636	1.272	0	0	0	0				
14/06/2026 05:00	259.27	5.096	5.096	0.566	1.132	0.635	1.27	0	0	0	0				
14/06/2026 04:30	260.67	5.41	5.411	0.596	1.192	0.681	1.362	0	0	0	0				
14/06/2026 04:00	261.13	5.981	5.983	0.657	1.314	0.747	1.494	0	0	0	0				
14/06/2026 03:30	260.51	5.732	5.733	0.603	1.206	0.692	1.384	0	0	0	0				
14/06/2026 03:00	258.86	6.262	6.264	0.723	1.446	0.812	1.624	0	0	0	0				
14/06/2026 02:30	257.51	6.633	6.635	0.741	1.482	0.832	1.664	0	0	0	0				
14/06/2026 02:00	255.45	7.779	7.784	0.883	1.766	0.975	1.95	0	0	0	0				
14/06/2026 01:30	259.69	8.262	8.266	0.931	1.862	1.058	2.116	0	0	0	0				
14/06/2026 01:00	261.18	6.789	6.791	0.28	0.56	0.324	0.648	0	0	0	0				
14/06/2026 00:30	0	0	0	0	0	0	0	0	0	0	0				
14/06/2026 00:00	0	0	0	0	0	0	0	0	0	0	0				
13/06/2026 23:30	0	0	0	0	0	0	0	0	0	0	0				
13/06/2026 23:00	254.05	1.005	1.005	0.045	0.09	0.047	0.094	0	0	0	0				
13/06/2026 22:30	255.65	0.964	0.963	0.104	0.208	0.11	0.22	0	0	0	0				
13/06/2026 22:00	255.8	1.145	1.144	0.132	0.264	0.136	0.272	0	0	0	0				
13/06/2026 21:30	254.27	0.878	0.877	0.093	0.186	0.099	0.198	0	0	0	0				
13/06/2026 21:00	253.64	1.023	1.021	0.113	0.226	0.118	0.236	0	0	0	0				
13/06/2026 20:30	253.57	1.023	1.024	0.117	0.234	0.121	0.242	0	0	0	0				
13/06/2026 20:00	250.26	1.033	1.032	0.112	0.224	0.118	0.236	0	0	0	0				
13/06/2026 19:30	251.44	1.086	1.084	0.118	0.236	0.121	0.242	0	0	0	0				
13/06/2026 19:00	252.98	0.79	0.79	0.077	0.154	0.078	0.156	0	0	0	0				
13/06/2026 18:30	253.49	1.028	1.027	0.104	0.208	0.111	0.222	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial NumberM22515215561Manufacturer NameHPL Electric & Power Ltd.Firmware Version1078.04

Internal CT RatioNAMeter Type6(1P Direct Connected Watthour Smart Meter)Meter Year of Manufacture2025

Internal PT RatioNADownload time(RTC)26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
13/06/2026 18:00	252.7	0.993	0.992	0.116	0.232	0.116	0.232	0	0	0	0				
13/06/2026 17:30	250.8	1.122	1.122	0.13	0.26	0.134	0.268	0	0	0	0				
13/06/2026 17:00	245.72	1.16	1.158	0.133	0.266	0.135	0.27	0	0	0	0				
13/06/2026 16:30	243.96	0.97	0.968	0.114	0.228	0.114	0.228	0	0	0	0				
13/06/2026 16:00	241.32	1.185	1.184	0.135	0.27	0.139	0.278	0	0	0	0				
13/06/2026 15:30	242.24	0.996	0.993	0.111	0.222	0.111	0.222	0	0	0	0				
13/06/2026 15:00	243.11	1.166	1.163	0.127	0.254	0.132	0.264	0	0	0	0				
13/06/2026 14:30	246.23	0.819	0.817	0.086	0.172	0.087	0.174	0	0	0	0				
13/06/2026 14:00	249.41	0.801	0.801	0.085	0.17	0.086	0.172	0	0	0	0				
13/06/2026 13:30	251.6	1.061	1.06	0.112	0.224	0.118	0.236	0	0	0	0				
13/06/2026 13:00	247.89	0.775	0.772	0.076	0.152	0.076	0.152	0	0	0	0				
13/06/2026 12:30	246.78	1.027	1.026	0.11	0.22	0.116	0.232	0	0	0	0				
13/06/2026 12:00	244.92	0.82	0.821	0.087	0.174	0.087	0.174	0	0	0	0				
13/06/2026 11:30	244.75	0.918	0.916	0.091	0.182	0.094	0.188	0	0	0	0				
13/06/2026 11:00	244.34	1.044	1.043	0.101	0.202	0.106	0.212	0	0	0	0				
13/06/2026 10:30	240.91	2.513	2.508	0.277	0.554	0.28	0.56	0	0	0	0				
13/06/2026 10:00	241.69	1	1.001	0.097	0.194	0.102	0.204	0	0	0	0				
13/06/2026 09:30	242.84	0.774	0.769	0.077	0.154	0.083	0.166	0	0	0	0				
13/06/2026 09:00	240.37	4.686	4.676	0.566	1.132	0.568	1.136	0	0	0	0				
13/06/2026 08:30	241.34	4.711	4.71	0.549	1.098	0.562	1.124	0	0	0	0				
13/06/2026 08:00	244.77	3.936	3.938	0.46	0.92	0.486	0.972	0	0	0	0				
13/06/2026 07:30	244.16	4.775	4.777	0.538	1.076	0.565	1.13	0	0	0	0				
13/06/2026 07:00	245.06	4.835	4.835	0.501	1.002	0.529	1.058	0	0	0	0				
13/06/2026 06:30	245.49	8.529	8.522	1.04	2.08	1.066	2.132	0	0	0	0				
13/06/2026 06:00	247.91	3.199	3.2	0.348	0.696	0.372	0.744	0	0	0	0				
13/06/2026 05:30	250.87	4.309	4.309	0.478	0.956	0.524	1.048	0	0	0	0				
13/06/2026 05:00	252.88	4.533	4.534	0.51	1.02	0.571	1.142	0	0	0	0				
13/06/2026 04:30	254.1	4.036	4.037	0.442	0.884	0.488	0.976	0	0	0	0				
13/06/2026 04:00	255.74	4.235	4.236	0.518	1.036	0.591	1.182	0	0	0	0				
13/06/2026 03:30	255.57	4.864	4.865	0.519	1.038	0.581	1.162	0	0	0	0				
13/06/2026 03:00	254.19	5.068	5.069	0.555	1.11	0.618	1.236	0	0	0	0				
13/06/2026 02:30	252.48	5.009	5.012	0.56	1.12	0.625	1.25	0	0	0	0				
13/06/2026 02:00	252.25	4.907	4.908	0.562	1.124	0.614	1.228	0	0	0	0				
13/06/2026 01:30	250.14	5.56	5.561	0.576	1.152	0.639	1.278	0	0	0	0				
13/06/2026 01:00	248.13	5.789	5.79	0.657	1.314	0.713	1.426	0	0	0	0				
13/06/2026 00:30	250.06	6.634	6.637	0.763	1.526	0.837	1.674	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial Number	M22515215561	Manufacturer Name	HPL Electric & Power Ltd.	Firmware Version	1078.04
Internal CT Ratio	NA	Meter Type	6(1P Direct Connected Watthour Smart Meter)	Meter Year of Manufacture	2025
Internal PT Ratio	NA	Download time(RTC)	26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)		

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
13/06/2026 00:00	252.83	6.823	6.826	0.769	1.538	0.847	1.694	0	0	0	0				
12/06/2026 23:30	251.85	2.895	2.895	0.322	0.644	0.343	0.686	0	0	0	0				
12/06/2026 23:00	252.27	1.556	1.556	0.182	0.364	0.186	0.372	0	0	0	0				
12/06/2026 22:30	250.84	1.219	1.217	0.141	0.282	0.145	0.29	0	0	0	0				
12/06/2026 22:00	251.19	0.92	0.919	0.1	0.2	0.106	0.212	0	0	0	0				
12/06/2026 21:30	249.43	0.9	0.898	0.098	0.196	0.103	0.206	0	0	0	0				
12/06/2026 21:00	247.27	1.082	1.082	0.125	0.25	0.128	0.256	0	0	0	0				
12/06/2026 20:30	246.56	0.918	0.915	0.095	0.19	0.101	0.202	0	0	0	0				
12/06/2026 20:00	243.62	1.26	1.259	0.141	0.282	0.144	0.288	0	0	0	0				
12/06/2026 19:30	243.27	1.353	1.352	0.155	0.31	0.156	0.312	0	0	0	0				
12/06/2026 19:00	244.16	1.113	1.111	0.121	0.242	0.125	0.25	0	0	0	0				
12/06/2026 18:30	244.4	1.134	1.133	0.126	0.252	0.129	0.258	0	0	0	0				
12/06/2026 18:00	242.23	1.031	1.031	0.114	0.228	0.114	0.228	0	0	0	0				
12/06/2026 17:30	242.06	1.246	1.245	0.136	0.272	0.142	0.284	0	0	0	0				
12/06/2026 17:00	241.73	1.029	1.029	0.116	0.232	0.116	0.232	0	0	0	0				
12/06/2026 16:30	240.13	1.192	1.191	0.128	0.256	0.134	0.268	0	0	0	0				
12/06/2026 16:00	239	0.711	0.711	0.072	0.144	0.072	0.144	0	0	0	0				
12/06/2026 15:30	238.47	1.005	1.004	0.106	0.212	0.108	0.216	0	0	0	0				
12/06/2026 15:00	238.37	1.009	1.008	0.106	0.212	0.109	0.218	0	0	0	0				
12/06/2026 14:30	240.15	1.066	1.063	0.112	0.224	0.114	0.228	0	0	0	0				
12/06/2026 14:00	242.49	1.232	1.23	0.098	0.196	0.105	0.21	0	0	0	0				
12/06/2026 13:30	0	0	0	0	0	0	0	0	0	0	0				
12/06/2026 13:00	243.13	0.904	0.904	0.042	0.084	0.043	0.086	0	0	0	0				
12/06/2026 12:30	244.59	0.836	0.834	0.09	0.18	0.091	0.182	0	0	0	0				
12/06/2026 12:00	242.43	1.163	1.162	0.133	0.266	0.138	0.276	0	0	0	0				
12/06/2026 11:30	242.09	0.877	0.875	0.106	0.212	0.109	0.218	0	0	0	0				
12/06/2026 11:00	242.71	2.678	2.67	0.328	0.656	0.331	0.662	0	0	0	0				
12/06/2026 10:30	245.06	0.843	0.841	0.094	0.188	0.1	0.2	0	0	0	0				
12/06/2026 10:00	246.47	2.7	2.698	0.331	0.662	0.332	0.664	0	0	0	0				
12/06/2026 09:30	241.99	8.863	8.853	1.061	2.122	1.066	2.132	0	0	0	0				
12/06/2026 09:00	240.95	4.236	4.237	0.427	0.854	0.437	0.874	0	0	0	0				
12/06/2026 08:30	244	3.447	3.446	0.369	0.738	0.385	0.77	0	0	0	0				
12/06/2026 08:00	247.12	2.966	2.964	0.325	0.65	0.339	0.678	0	0	0	0				
12/06/2026 07:30	245.24	3.449	3.449	0.395	0.79	0.423	0.846	0	0	0	0				
12/06/2026 07:00	244.24	3.576	3.575	0.387	0.774	0.405	0.81	0	0	0	0				
12/06/2026 06:30	244.56	7.489	7.48	0.899	1.798	0.909	1.818	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial NumberM22515215561Manufacturer NameHPL Electric & Power Ltd.Firmware Version1078.04

Internal CT RatioNAMeter Type6(1P Direct Connected Watthour Smart Meter)Meter Year of Manufacture2025

Internal PT RatioNADownload time(RTC)26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
12/06/2026 06:00	247.27	3.631	3.631	0.414	0.828	0.439	0.878	0	0	0	0				
12/06/2026 05:30	251.76	2.982	2.981	0.344	0.688	0.365	0.73	0	0	0	0				
12/06/2026 05:00	254.3	3.732	3.732	0.446	0.892	0.488	0.976	0	0	0	0				
12/06/2026 04:30	256.16	3.537	3.539	0.422	0.844	0.457	0.914	0	0	0	0				
12/06/2026 04:00	257.11	3.505	3.507	0.441	0.882	0.485	0.97	0	0	0	0				
12/06/2026 03:30	256.78	4.179	4.18	0.491	0.982	0.538	1.076	0	0	0	0				
12/06/2026 03:00	259.01	4.128	4.129	0.461	0.922	0.509	1.018	0	0	0	0				
12/06/2026 02:30	257.51	4.882	4.883	0.541	1.082	0.605	1.21	0	0	0	0				
12/06/2026 02:00	255.28	4.743	4.744	0.561	1.122	0.613	1.226	0	0	0	0				
12/06/2026 01:30	255.01	4.787	4.788	0.554	1.108	0.612	1.224	0	0	0	0				
12/06/2026 01:00	253.88	0.564	0.562	0.07	0.14	0.07	0.14	0	0	0	0				
12/06/2026 00:30	255.33	0.992	0.991	0.12	0.24	0.129	0.258	0	0	0	0				
12/06/2026 00:00	256.88	6.435	6.426	0.798	1.596	0.798	1.596	0	0	0	0				
11/06/2026 23:30	255.43	1.931	1.929	0.229	0.458	0.235	0.47	0	0	0	0				
11/06/2026 23:00	253.64	0.754	0.754	0.091	0.182	0.095	0.19	0	0	0	0				
11/06/2026 22:30	253.63	0.97	0.97	0.115	0.23	0.119	0.238	0	0	0	0				
11/06/2026 22:00	255.84	0.904	0.903	0.111	0.222	0.117	0.234	0	0	0	0				
11/06/2026 21:30	257.44	0.744	0.742	0.094	0.188	0.095	0.19	0	0	0	0				
11/06/2026 21:00	256.11	0.932	0.932	0.112	0.224	0.121	0.242	0	0	0	0				
11/06/2026 20:30	254.67	0.756	0.753	0.094	0.188	0.097	0.194	0	0	0	0				
11/06/2026 20:00	250.73	1.18	1.178	0.142	0.284	0.148	0.296	0	0	0	0				
11/06/2026 19:30	251.97	0.887	0.887	0.107	0.214	0.11	0.22	0	0	0	0				
11/06/2026 19:00	254.12	0.89	0.889	0.108	0.216	0.115	0.23	0	0	0	0				
11/06/2026 18:30	255.13	0.704	0.702	0.083	0.166	0.086	0.172	0	0	0	0				
11/06/2026 18:00	254.92	0.779	0.777	0.092	0.184	0.099	0.198	0	0	0	0				
11/06/2026 17:30	251.85	5.147	5.149	0.6	1.2	0.639	1.278	0	0	0	0				
11/06/2026 17:00	247.45	6.905	6.907	0.786	1.572	0.834	1.668	0	0	0	0				
11/06/2026 16:30	248.18	3.267	3.268	0.363	0.726	0.382	0.764	0	0	0	0				
11/06/2026 16:00	244.93	0.819	0.818	0.096	0.192	0.102	0.204	0	0	0	0				
11/06/2026 15:30	240.34	2.049	2.048	0.234	0.468	0.242	0.484	0	0	0	0				
11/06/2026 15:00	238.29	1.901	1.9	0.211	0.422	0.215	0.43	0	0	0	0				
11/06/2026 14:30	239.19	6.912	6.915	0.793	1.586	0.826	1.652	0	0	0	0				
11/06/2026 14:00	243.39	1.411	1.409	0.147	0.294	0.154	0.308	0	0	0	0				
11/06/2026 13:30	244.54	0.947	0.947	0.107	0.214	0.116	0.232	0	0	0	0				
11/06/2026 13:00	242.35	0.799	0.796	0.096	0.192	0.099	0.198	0	0	0	0				
11/06/2026 12:30	242.7	1.774	1.772	0.182	0.364	0.2	0.4	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial Number	M22515215561	Manufacturer Name	HPL Electric & Power Ltd.	Firmware Version	1078.04
Internal CT Ratio	NA	Meter Type	6(1P Direct Connected Watthour Smart Meter)	Meter Year of Manufacture	2025
Internal PT Ratio	NA	Download time(RTC)	26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)		

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
11/06/2026 12:00	243.69	0.918	0.921	0	0	0	0	0	0	0	0				
11/06/2026 11:30	0	0	0	0	0	0	0	0	0	0	0				
11/06/2026 11:00	0	0	0	0	0	0	0	0	0	0	0				
11/06/2026 10:30	0	0	0	0	0	0	0	0	0	0	0				
11/06/2026 10:00	0	0	0	0	0	0	0	0	0	0	0				
11/06/2026 09:30	0	0	0	0	0	0	0	0	0	0	0				
11/06/2026 09:00	241.47	4.948	4.944	0.442	0.884	0.451	0.902	0	0	0	0				
11/06/2026 08:30	241.81	6.304	6.297	0.754	1.508	0.764	1.528	0	0	0	0				
11/06/2026 08:00	243.74	6.847	6.839	0.828	1.656	0.839	1.678	0	0	0	0				
11/06/2026 07:30	244.09	4.043	4.045	0.446	0.892	0.468	0.936	0	0	0	0				
11/06/2026 07:00	242.82	4.002	4.003	0.464	0.928	0.486	0.972	0	0	0	0				
11/06/2026 06:30	244.25	6.908	6.898	0.848	1.696	0.858	1.716	0	0	0	0				
11/06/2026 06:00	246.72	3.355	3.354	0.384	0.768	0.398	0.796	0	0	0	0				
11/06/2026 05:30	249.83	2.776	2.777	0.303	0.606	0.326	0.652	0	0	0	0				
11/06/2026 05:00	252.36	2.557	2.56	0.295	0.59	0.32	0.64	0	0	0	0				
11/06/2026 04:30	253.5	2.602	2.603	0.3	0.6	0.326	0.652	0	0	0	0				
11/06/2026 04:00	255.5	2.866	2.865	0.329	0.658	0.362	0.724	0	0	0	0				
11/06/2026 03:30	254.07	2.57	2.572	0.287	0.574	0.314	0.628	0	0	0	0				
11/06/2026 03:00	253.53	3.16	3.162	0.344	0.688	0.376	0.752	0	0	0	0				
11/06/2026 02:30	253.32	2.661	2.661	0.312	0.624	0.341	0.682	0	0	0	0				
11/06/2026 02:00	251.15	2.944	2.945	0.325	0.65	0.35	0.7	0	0	0	0				
11/06/2026 01:30	248.06	3.611	3.612	0.397	0.794	0.426	0.852	0	0	0	0				
11/06/2026 01:00	245.01	3.171	3.173	0.406	0.812	0.424	0.848	0	0	0	0				
11/06/2026 00:30	248.66	2.906	2.907	0.353	0.706	0.375	0.75	0	0	0	0				
11/06/2026 00:00	247.34	1.003	1.003	0.119	0.238	0.124	0.248	0	0	0	0				
10/06/2026 23:30	245.91	0.844	0.842	0.088	0.176	0.094	0.188	0	0	0	0				
10/06/2026 23:00	246.1	1.087	1.086	0.121	0.242	0.126	0.252	0	0	0	0				
10/06/2026 22:30	247.29	0.908	0.907	0.094	0.188	0.099	0.198	0	0	0	0				
10/06/2026 22:00	247.21	2.873	2.873	0.301	0.602	0.317	0.634	0	0	0	0				
10/06/2026 21:30	244.76	5.752	5.754	0.652	1.304	0.681	1.362	0	0	0	0				
10/06/2026 21:00	244.02	6.178	6.179	0.727	1.454	0.757	1.514	0	0	0	0				
10/06/2026 20:30	242.86	5.759	5.76	0.678	1.356	0.711	1.422	0	0	0	0				
10/06/2026 20:00	240.33	0.734	0.733	0.084	0.168	0.089	0.178	0	0	0	0				
10/06/2026 19:30	243.7	1.012	1.009	0.12	0.24	0.124	0.248	0	0	0	0				
10/06/2026 19:00	244.67	1.339	1.337	0.151	0.302	0.16	0.32	0	0	0	0				
10/06/2026 18:30	246.3	1.945	1.943	0.209	0.418	0.22	0.44	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial Number	M22515215561	Manufacturer Name	HPL Electric & Power Ltd.	Firmware Version	1078.04
Internal CT Ratio	NA	Meter Type	6(1P Direct Connected Watthour Smart Meter)	Meter Year of Manufacture	2025
Internal PT Ratio	NA	Download time(RTC)	26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)		

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
10/06/2026 18:00	243.48	1.58	1.579	0.168	0.336	0.177	0.354	0	0	0	0				
10/06/2026 17:30	242.49	1.581	1.581	0.178	0.356	0.183	0.366	0	0	0	0				
10/06/2026 17:00	239.9	6.963	6.967	0.799	1.598	0.83	1.66	0	0	0	0				
10/06/2026 16:30	238.81	0.898	0.896	0.086	0.172	0.09	0.18	0	0	0	0				
10/06/2026 16:00	235.61	8.127	8.131	0.933	1.866	0.951	1.902	0	0	0	0				
10/06/2026 15:30	237.27	8.056	8.059	0.92	1.84	0.941	1.882	0	0	0	0				
10/06/2026 15:00	239.09	1.028	1.025	0.079	0.158	0.085	0.17	0	0	0	0				
10/06/2026 14:30	240.63	1.002	1	0.106	0.212	0.11	0.22	0	0	0	0				
10/06/2026 14:00	246.3	0.665	0.663	0.07	0.14	0.076	0.152	0	0	0	0				
10/06/2026 13:30	248.34	0.463	0.461	0.046	0.092	0.053	0.106	0	0	0	0				
10/06/2026 13:00	242.84	0.652	0.65	0.084	0.168	0.09	0.18	0	0	0	0				
10/06/2026 12:30	242.62	0.158	0.156	0.013	0.026	0.013	0.026	0	0	0	0				
10/06/2026 12:00	240.67	0.497	0.494	0.045	0.09	0.058	0.116	0	0	0	0				
10/06/2026 11:30	239.72	0.197	0.195	0.018	0.036	0.018	0.036	0	0	0	0				
10/06/2026 11:00	239.58	1.538	1.536	0.145	0.29	0.154	0.308	0	0	0	0				
10/06/2026 10:30	240.63	6.856	6.858	0.794	1.588	0.817	1.634	0	0	0	0				
10/06/2026 10:00	242.24	5.111	5.105	0.605	1.21	0.608	1.216	0	0	0	0				
10/06/2026 09:30	238.6	2.018	2.013	0.234	0.468	0.238	0.476	0	0	0	0				
10/06/2026 09:00	240.76	5.362	5.358	0.651	1.302	0.662	1.324	0	0	0	0				
10/06/2026 08:30	240.98	6.163	6.165	0.639	1.278	0.663	1.326	0	0	0	0				
10/06/2026 08:00	243.42	3.86	3.862	0.418	0.836	0.435	0.87	0	0	0	0				
10/06/2026 07:30	242.71	7.861	7.855	0.906	1.812	0.924	1.848	0	0	0	0				
10/06/2026 07:00	242.02	7.626	7.621	0.886	1.772	0.905	1.81	0	0	0	0				
10/06/2026 06:30	243.76	8.749	8.741	1.054	2.108	1.065	2.13	0	0	0	0				
10/06/2026 06:00	246	2.154	2.154	0.256	0.512	0.269	0.538	0	0	0	0				
10/06/2026 05:30	250.53	2.185	2.184	0.261	0.522	0.278	0.556	0	0	0	0				
10/06/2026 05:00	251.9	2.059	2.058	0.25	0.5	0.263	0.526	0	0	0	0				
10/06/2026 04:30	252.72	2.341	2.341	0.278	0.556	0.302	0.604	0	0	0	0				
10/06/2026 04:00	254.29	2.08	2.079	0.253	0.506	0.269	0.538	0	0	0	0				
10/06/2026 03:30	253.49	2.579	2.577	0.291	0.582	0.313	0.626	0	0	0	0				
10/06/2026 03:00	252.84	2.903	2.903	0.321	0.642	0.345	0.69	0	0	0	0				
10/06/2026 02:30	250.86	3.607	3.607	0.421	0.842	0.45	0.9	0	0	0	0				
10/06/2026 02:00	249.95	1.466	1.466	0.171	0.342	0.177	0.354	0	0	0	0				
10/06/2026 01:30	249.02	0.362	0.357	0.042	0.084	0.043	0.086	0	0	0	0				
10/06/2026 01:00	247.72	0.396	0.391	0.039	0.078	0.05	0.1	0	0	0	0				
10/06/2026 00:30	246.5	0.272	0.27	0.024	0.048	0.028	0.056	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial Number M22515215561 Manufacturer Name HPL Electric & Power Ltd. Firmware Version 1078.04
Internal CT Ratio NA Meter Type 6(1P Direct Connected Watthour Smart Meter) Meter Year of Manufacture 2025
Internal PT Ratio NA Download time(RTC) 26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.255 5 (kVAh-E)	Demand(kVA-E)				
10/06/2026 00:00	247.67	0.216	0.212	0.018	0.036	0.019	0.038	0	0	0	0				
09/06/2026 23:30	246.87	0.463	0.461	0.045	0.09	0.058	0.116	0	0	0	0				
09/06/2026 23:00	245	0.153	0.15	0.018	0.036	0.019	0.038	0	0	0	0				
09/06/2026 22:30	246.19	0.504	0.5	0.046	0.092	0.06	0.12	0	0	0	0				
09/06/2026 22:00	247.72	0.215	0.211	0.017	0.034	0.018	0.036	0	0	0	0				
09/06/2026 21:30	245.66	0.752	0.749	0.077	0.154	0.08	0.16	0	0	0	0				
09/06/2026 21:00	243.8	1.156	1.154	0.121	0.242	0.125	0.25	0	0	0	0				
09/06/2026 20:30	243.28	0.999	0.997	0.105	0.21	0.109	0.218	0	0	0	0				
09/06/2026 20:00	239.57	0.994	0.993	0.114	0.228	0.119	0.238	0	0	0	0				
09/06/2026 19:30	242.38	0.675	0.673	0.076	0.152	0.08	0.16	0	0	0	0				
09/06/2026 19:00	244.16	0.836	0.834	0.094	0.188	0.1	0.2	0	0	0	0				
09/06/2026 18:30	244.22	0.716	0.713	0.075	0.15	0.087	0.174	0	0	0	0				
09/06/2026 18:00	241.5	0.8	0.797	0.085	0.17	0.094	0.188	0	0	0	0				
09/06/2026 17:30	239.61	1.473	1.471	0.168	0.336	0.175	0.35	0	0	0	0				
09/06/2026 17:00	237.99	2.723	2.724	0.316	0.632	0.323	0.646	0	0	0	0				
09/06/2026 16:30	237.15	3.1	3.101	0.362	0.724	0.373	0.746	0	0	0	0				
09/06/2026 16:00	234.46	0.825	0.823	0.079	0.158	0.09	0.18	0	0	0	0				
09/06/2026 15:30	236.72	0.981	0.978	0.103	0.206	0.11	0.22	0	0	0	0				
09/06/2026 15:00	236.41	0.916	0.913	0.093	0.186	0.102	0.204	0	0	0	0				
09/06/2026 14:30	238.43	0.963	0.961	0.101	0.202	0.11	0.22	0	0	0	0				
09/06/2026 14:00	242.34	0.929	0.928	0.097	0.194	0.103	0.206	0	0	0	0				
09/06/2026 13:30	243.65	0.923	0.922	0.095	0.19	0.103	0.206	0	0	0	0				
09/06/2026 13:00	239.49	1.048	1.047	0.112	0.224	0.116	0.232	0	0	0	0				
09/06/2026 12:30	238.17	4.282	4.282	0.494	0.988	0.496	0.992	0	0	0	0				
09/06/2026 12:00	235.5	8.663	8.667	1.012	2.024	1.013	2.026	0	0	0	0				
09/06/2026 11:30	236.63	6.738	6.724	0.802	1.604	0.802	1.604	0	0	0	0				
09/06/2026 11:00	237.59	1.155	1.153	0.132	0.264	0.14	0.28	0	0	0	0				
09/06/2026 10:30	236.93	4.566	4.566	0.5	1	0.513	1.026	0	0	0	0				
09/06/2026 10:00	238.38	4.824	4.824	0.531	1.062	0.542	1.084	0	0	0	0				
09/06/2026 09:30	239.01	6.688	6.69	0.756	1.512	0.775	1.55	0	0	0	0				
09/06/2026 09:00	240.35	5.97	5.969	0.656	1.312	0.668	1.336	0	0	0	0				
09/06/2026 08:30	240.02	9.385	9.374	1.094	2.188	1.104	2.208	0	0	0	0				
09/06/2026 08:00	241.98	3.858	3.859	0.447	0.894	0.462	0.924	0	0	0	0				
09/06/2026 07:30	241.83	3.725	3.727	0.44	0.88	0.462	0.924	0	0	0	0				
09/06/2026 07:00	244.66	3.773	3.774	0.431	0.862	0.449	0.898	0	0	0	0				
09/06/2026 06:30	245.9	8.393	8.383	1.04	2.08	1.051	2.102	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial Number M22515215561 Manufacturer Name HPL Electric & Power Ltd. Firmware Version 1078.04
Internal CT Ratio NA Meter Type 6(1P Direct Connected Watthour Smart Meter) Meter Year of Manufacture 2025
Internal PT Ratio NA Download time(RTC) 26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
09/06/2026 06:00	247.15	3.994	3.996	0.447	0.894	0.471	0.942	0	0	0	0				
09/06/2026 05:30	250.19	3.595	3.598	0.411	0.822	0.439	0.878	0	0	0	0				
09/06/2026 05:00	250.64	3.914	3.915	0.46	0.92	0.491	0.982	0	0	0	0				
09/06/2026 04:30	251.54	4.034	4.035	0.444	0.888	0.476	0.952	0	0	0	0				
09/06/2026 04:00	253.03	4.454	4.455	0.506	1.012	0.547	1.094	0	0	0	0				
09/06/2026 03:30	252.51	4.245	4.247	0.495	0.99	0.531	1.062	0	0	0	0				
09/06/2026 03:00	252.05	5.161	5.163	0.581	1.162	0.627	1.254	0	0	0	0				
09/06/2026 02:30	252.11	4.98	4.981	0.565	1.13	0.604	1.208	0	0	0	0				
09/06/2026 02:00	251.33	5.797	5.8	0.676	1.352	0.73	1.46	0	0	0	0				
09/06/2026 01:30	250.09	1.062	1.06	0.115	0.23	0.12	0.24	0	0	0	0				
09/06/2026 01:00	247.54	1.288	1.287	0.146	0.292	0.15	0.3	0	0	0	0				
09/06/2026 00:30	245.99	1.18	1.179	0.131	0.262	0.134	0.268	0	0	0	0				
09/06/2026 00:00	245.84	1.367	1.365	0.159	0.318	0.162	0.324	0	0	0	0				
08/06/2026 23:30	245.45	0.776	0.775	0.086	0.172	0.088	0.176	0	0	0	0				
08/06/2026 23:00	244.91	0.772	0.769	0.084	0.168	0.088	0.176	0	0	0	0				
08/06/2026 22:30	246.46	0.971	0.969	0.102	0.204	0.105	0.21	0	0	0	0				
08/06/2026 22:00	246.66	1.35	1.348	0.15	0.3	0.154	0.308	0	0	0	0				
08/06/2026 21:30	245.76	0.748	0.746	0.084	0.168	0.089	0.178	0	0	0	0				
08/06/2026 21:00	245.38	0.645	0.644	0.069	0.138	0.076	0.152	0	0	0	0				
08/06/2026 20:30	244.47	1.002	1	0.111	0.222	0.118	0.236	0	0	0	0				
08/06/2026 20:00	248.96	1.226	1.225	0.144	0.288	0.147	0.294	0	0	0	0				
08/06/2026 19:30	251.99	1.315	1.314	0.155	0.31	0.159	0.318	0	0	0	0				
08/06/2026 19:00	253.29	1.171	1.17	0.128	0.256	0.133	0.266	0	0	0	0				
08/06/2026 18:30	251.86	0.99	0.989	0.113	0.226	0.118	0.236	0	0	0	0				
08/06/2026 18:00	249.01	0.824	0.822	0.094	0.188	0.098	0.196	0	0	0	0				
08/06/2026 17:30	248.35	0.942	0.94	0.11	0.22	0.115	0.23	0	0	0	0				
08/06/2026 17:00	246.17	0.647	0.644	0.073	0.146	0.077	0.154	0	0	0	0				
08/06/2026 16:30	245.31	0.916	0.914	0.107	0.214	0.112	0.224	0	0	0	0				
08/06/2026 16:00	242.97	0.692	0.689	0.078	0.156	0.081	0.162	0	0	0	0				
08/06/2026 15:30	242.38	3.163	3.165	0.361	0.722	0.374	0.748	0	0	0	0				
08/06/2026 15:00	242.08	6.305	6.295	0.752	1.504	0.753	1.506	0	0	0	0				
08/06/2026 14:30	245.09	0.848	0.845	0.097	0.194	0.103	0.206	0	0	0	0				
08/06/2026 14:00	249.12	0.838	0.835	0.102	0.204	0.106	0.212	0	0	0	0				
08/06/2026 13:30	252.21	1.396	1.394	0.166	0.332	0.171	0.342	0	0	0	0				
08/06/2026 13:00	246.97	0.962	0.962	0.106	0.212	0.113	0.226	0	0	0	0				
08/06/2026 12:30	245.25	0.798	0.799	0.09	0.18	0.098	0.196	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial NumberM22515215561Manufacturer NameHPL Electric & Power Ltd.Firmware Version1078.04

Internal CT RatioNAMeter Type6(1P Direct Connected Watthour Smart Meter)Meter Year of Manufacture2025

Internal PT RatioNADownload time(RTC)26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
08/06/2026 12:00	244.82	0.81	0.808	0.086	0.172	0.096	0.192	0	0	0	0				
08/06/2026 11:30	244.95	1.105	1.103	0.117	0.234	0.123	0.246	0	0	0	0				
08/06/2026 11:00	244.64	0.81	0.807	0.089	0.178	0.098	0.196	0	0	0	0				
08/06/2026 10:30	241.92	0.729	0.727	0.073	0.146	0.084	0.168	0	0	0	0				
08/06/2026 10:00	241.57	0.704	0.699	0.077	0.154	0.085	0.17	0	0	0	0				
08/06/2026 09:30	241.03	5.323	5.315	0.641	1.282	0.645	1.29	0	0	0	0				
08/06/2026 09:00	244.75	5.644	5.64	0.631	1.262	0.642	1.284	0	0	0	0				
08/06/2026 08:30	245.41	3.237	3.234	0.339	0.678	0.351	0.702	0	0	0	0				
08/06/2026 08:00	246.76	4.249	4.251	0.503	1.006	0.534	1.068	0	0	0	0				
08/06/2026 07:30	245.8	3.2	3.2	0.385	0.77	0.401	0.802	0	0	0	0				
08/06/2026 07:00	245.6	4.395	4.393	0.505	1.01	0.526	1.052	0	0	0	0				
08/06/2026 06:30	246.07	6.898	6.891	0.829	1.658	0.84	1.68	0	0	0	0				
08/06/2026 06:00	249.73	3.375	3.375	0.386	0.772	0.415	0.83	0	0	0	0				
08/06/2026 05:30	252.8	3.431	3.432	0.407	0.814	0.437	0.874	0	0	0	0				
08/06/2026 05:00	254.81	3.728	3.73	0.436	0.872	0.479	0.958	0	0	0	0				
08/06/2026 04:30	256.19	3.664	3.665	0.414	0.828	0.452	0.904	0	0	0	0				
08/06/2026 04:00	257.04	4.037	4.038	0.446	0.892	0.495	0.99	0	0	0	0				
08/06/2026 03:30	257.17	4.367	4.369	0.5	1	0.552	1.104	0	0	0	0				
08/06/2026 03:00	257.08	4.261	4.263	0.454	0.908	0.501	1.002	0	0	0	0				
08/06/2026 02:30	255.74	4.498	4.499	0.508	1.016	0.56	1.12	0	0	0	0				
08/06/2026 02:00	253.84	5.05	5.051	0.578	1.156	0.63	1.26	0	0	0	0				
08/06/2026 01:30	252.36	8.96	8.966	1.027	2.054	1.116	2.232	0	0	0	0				
08/06/2026 01:00	250.02	8.973	8.976	1.035	2.07	1.104	2.208	0	0	0	0				
08/06/2026 00:30	248.44	5.238	5.241	0.602	1.204	0.648	1.296	0	0	0	0				
08/06/2026 00:00	248.43	0.213	0.211	0.02	0.04	0.02	0.04	0	0	0	0				
07/06/2026 23:30	249.83	0.453	0.45	0.042	0.084	0.054	0.108	0	0	0	0				
07/06/2026 23:00	249.55	0.2	0.196	0.022	0.044	0.024	0.048	0	0	0	0				
07/06/2026 22:30	249.84	0.413	0.411	0.04	0.08	0.052	0.104	0	0	0	0				
07/06/2026 22:00	250.4	0.23	0.225	0.025	0.05	0.027	0.054	0	0	0	0				
07/06/2026 21:30	249.6	1.638	1.636	0.2	0.4	0.204	0.408	0	0	0	0				
07/06/2026 21:00	248.82	1.2	1.199	0.135	0.27	0.14	0.28	0	0	0	0				
07/06/2026 20:30	248.77	1.085	1.081	0.124	0.248	0.128	0.256	0	0	0	0				
07/06/2026 20:00	247.62	0.893	0.893	0.097	0.194	0.102	0.204	0	0	0	0				
07/06/2026 19:30	249.06	1.152	1.15	0.132	0.264	0.139	0.278	0	0	0	0				
07/06/2026 19:00	250.73	0.902	0.901	0.091	0.182	0.1	0.2	0	0	0	0				
07/06/2026 18:30	251.29	1.111	1.111	0.124	0.248	0.129	0.258	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial Number	M22515215561	Manufacturer Name	HPL Electric & Power Ltd.	Firmware Version	1078.04
Internal CT Ratio	NA	Meter Type	6(1P Direct Connected Watthour Smart Meter)	Meter Year of Manufacture	2025
Internal PT Ratio	NA	Download time(RTC)	26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)		

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
07/06/2026 18:00	248.08	0.963	0.963	0.095	0.19	0.106	0.212	0	0	0	0				
07/06/2026 17:30	248.51	1.273	1.272	0.144	0.288	0.15	0.3	0	0	0	0				
07/06/2026 17:00	247.99	0.997	0.996	0.116	0.232	0.118	0.236	0	0	0	0				
07/06/2026 16:30	244.67	1.047	1.045	0.125	0.25	0.129	0.258	0	0	0	0				
07/06/2026 16:00	242	0.696	0.697	0.084	0.168	0.084	0.168	0	0	0	0				
07/06/2026 15:30	240.53	0.719	0.717	0.078	0.156	0.086	0.172	0	0	0	0				
07/06/2026 15:00	238.84	0.441	0.436	0.052	0.104	0.053	0.106	0	0	0	0				
07/06/2026 14:30	240.25	1.058	1.058	0.12	0.24	0.124	0.248	0	0	0	0				
07/06/2026 14:00	243.13	0.896	0.894	0.098	0.196	0.103	0.206	0	0	0	0				
07/06/2026 13:30	244.19	0.992	0.99	0.116	0.232	0.12	0.24	0	0	0	0				
07/06/2026 13:00	241.89	0.801	0.8	0.093	0.186	0.097	0.194	0	0	0	0				
07/06/2026 12:30	241.34	0.674	0.672	0.077	0.154	0.084	0.168	0	0	0	0				
07/06/2026 12:00	240.96	0.72	0.72	0.084	0.168	0.088	0.176	0	0	0	0				
07/06/2026 11:30	238.98	0.63	0.63	0.07	0.14	0.075	0.15	0	0	0	0				
07/06/2026 11:00	240.3	0.926	0.922	0.107	0.214	0.111	0.222	0	0	0	0				
07/06/2026 10:30	240.85	0.75	0.748	0.087	0.174	0.09	0.18	0	0	0	0				
07/06/2026 10:00	242.68	1.062	1.062	0.124	0.248	0.128	0.256	0	0	0	0				
07/06/2026 09:30	245.99	0.9	0.898	0.103	0.206	0.107	0.214	0	0	0	0				
07/06/2026 09:00	246.15	6.282	6.275	0.788	1.576	0.791	1.582	0	0	0	0				
07/06/2026 08:30	247.24	4.575	4.566	0.557	1.114	0.562	1.124	0	0	0	0				
07/06/2026 08:00	246.27	0.753	0.75	0.084	0.168	0.089	0.178	0	0	0	0				
07/06/2026 07:30	245.62	0.776	0.773	0.09	0.18	0.095	0.19	0	0	0	0				
07/06/2026 07:00	246.61	0.379	0.379	0.046	0.092	0.047	0.094	0	0	0	0				
07/06/2026 06:30	244.77	5.555	5.543	0.649	1.298	0.652	1.304	0	0	0	0				
07/06/2026 06:00	245.27	5.574	5.569	0.667	1.334	0.686	1.372	0	0	0	0				
07/06/2026 05:30	247.43	4.325	4.326	0.512	1.024	0.542	1.084	0	0	0	0				
07/06/2026 05:00	249.17	4.129	4.129	0.505	1.01	0.534	1.068	0	0	0	0				
07/06/2026 04:30	249.77	4.402	4.404	0.507	1.014	0.542	1.084	0	0	0	0				
07/06/2026 04:00	251.33	4.645	4.646	0.519	1.038	0.555	1.11	0	0	0	0				
07/06/2026 03:30	250.06	4.61	4.611	0.538	1.076	0.575	1.15	0	0	0	0				
07/06/2026 03:00	250.3	5.04	5.04	0.572	1.144	0.611	1.222	0	0	0	0				
07/06/2026 02:30	249.98	5.082	5.082	0.581	1.162	0.617	1.234	0	0	0	0				
07/06/2026 02:00	249.05	5.282	5.284	0.603	1.206	0.64	1.28	0	0	0	0				
07/06/2026 01:30	248.65	5.729	5.731	0.66	1.32	0.693	1.386	0	0	0	0				
07/06/2026 01:00	247	7.286	7.29	0.845	1.69	0.886	1.772	0	0	0	0				
07/06/2026 00:30	245.97	7.732	7.734	0.916	1.832	0.951	1.902	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial Number	M22515215561	Manufacturer Name	HPL Electric & Power Ltd.	Firmware Version	1078.04
Internal CT Ratio	NA	Meter Type	6(1P Direct Connected Watthour Smart Meter)	Meter Year of Manufacture	2025
Internal PT Ratio	NA	Download time(RTC)	26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)		

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
07/06/2026 00:00	246.83	1.108	1.106	0.13	0.26	0.135	0.27	0	0	0	0				
06/06/2026 23:30	246.21	1.196	1.195	0.131	0.262	0.138	0.276	0	0	0	0				
06/06/2026 23:00	245.09	4.27	4.27	0.497	0.994	0.51	1.02	0	0	0	0				
06/06/2026 22:30	251.33	1.04	1.038	0.118	0.236	0.123	0.246	0	0	0	0				
06/06/2026 22:00	253.63	0.942	0.943	0.104	0.208	0.109	0.218	0	0	0	0				
06/06/2026 21:30	252.27	1.542	1.541	0.177	0.354	0.182	0.364	0	0	0	0				
06/06/2026 21:00	249.61	1.239	1.237	0.12	0.24	0.124	0.248	0	0	0	0				
06/06/2026 20:30	249.32	1.222	1.222	0.137	0.274	0.141	0.282	0	0	0	0				
06/06/2026 20:00	247.15	0.956	0.956	0.098	0.196	0.103	0.206	0	0	0	0				
06/06/2026 19:30	249.1	1.199	1.198	0.137	0.274	0.139	0.278	0	0	0	0				
06/06/2026 19:00	249.46	2.321	2.32	0.284	0.568	0.3	0.6	0	0	0	0				
06/06/2026 18:30	246.6	7.172	7.175	0.832	1.664	0.868	1.736	0	0	0	0				
06/06/2026 18:00	245.13	4.984	4.985	0.573	1.146	0.597	1.194	0	0	0	0				
06/06/2026 17:30	246.28	4.985	4.987	0.595	1.19	0.614	1.228	0	0	0	0				
06/06/2026 17:00	240.33	5.475	5.477	0.619	1.238	0.638	1.276	0	0	0	0				
06/06/2026 16:30	237.79	6.537	6.538	0.759	1.518	0.775	1.55	0	0	0	0				
06/06/2026 16:00	238.09	2.948	2.947	0.325	0.65	0.333	0.666	0	0	0	0				
06/06/2026 15:30	239.42	1.2	1.199	0.135	0.27	0.139	0.278	0	0	0	0				
06/06/2026 15:00	238.38	0.505	0.504	0.058	0.116	0.06	0.12	0	0	0	0				
06/06/2026 14:30	239.64	0.801	0.8	0.081	0.162	0.087	0.174	0	0	0	0				
06/06/2026 14:00	243.96	0.857	0.856	0.092	0.184	0.099	0.198	0	0	0	0				
06/06/2026 13:30	247.27	0.439	0.437	0.048	0.096	0.053	0.106	0	0	0	0				
06/06/2026 13:00	241.84	1.07	1.07	0.118	0.236	0.122	0.244	0	0	0	0				
06/06/2026 12:30	240	0.92	0.918	0.097	0.194	0.102	0.204	0	0	0	0				
06/06/2026 12:00	239.47	1.135	1.133	0.125	0.25	0.128	0.256	0	0	0	0				
06/06/2026 11:30	240.25	1.009	1.008	0.107	0.214	0.111	0.222	0	0	0	0				
06/06/2026 11:00	241.13	1.335	1.331	0.122	0.244	0.127	0.254	0	0	0	0				
06/06/2026 10:30	239.81	7.906	7.891	0.95	1.9	0.952	1.904	0	0	0	0				
06/06/2026 10:00	242.14	4.772	4.771	0.545	1.09	0.567	1.134	0	0	0	0				
06/06/2026 09:30	242.78	5.171	5.162	0.686	1.372	0.687	1.374	0	0	0	0				
06/06/2026 09:00	246.09	0.994	0.992	0.117	0.234	0.121	0.242	0	0	0	0				
06/06/2026 08:30	245.49	1.062	1.059	0.121	0.242	0.124	0.248	0	0	0	0				
06/06/2026 08:00	247.86	1.416	1.413	0.157	0.314	0.164	0.328	0	0	0	0				
06/06/2026 07:30	248.19	3.059	3.055	0.368	0.736	0.376	0.752	0	0	0	0				
06/06/2026 07:00	246.94	8.313	8.314	1.038	2.076	1.039	2.078	0	0	0	0				
06/06/2026 06:30	247.54	7.149	7.138	0.874	1.748	0.879	1.758	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial NumberM22515215561Manufacturer NameHPL Electric & Power Ltd.Firmware Version1078.04

Internal CT RatioNAMeter Type6(1P Direct Connected Watthour Smart Meter)Meter Year of Manufacture2025

Internal PT RatioNADownload time(RTC)26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
06/06/2026 06:00	249.7	2.869	2.869	0.329	0.658	0.353	0.706	0	0	0	0				
06/06/2026 05:30	251.1	3.246	3.245	0.339	0.678	0.365	0.73	0	0	0	0				
06/06/2026 05:00	252.31	3.151	3.15	0.335	0.67	0.366	0.732	0	0	0	0				
06/06/2026 04:30	253.26	3.05	3.051	0.349	0.698	0.377	0.754	0	0	0	0				
06/06/2026 04:00	254.37	3.26	3.261	0.372	0.744	0.402	0.804	0	0	0	0				
06/06/2026 03:30	253.8	3.818	3.818	0.412	0.824	0.45	0.9	0	0	0	0				
06/06/2026 03:00	253.44	3.656	3.657	0.411	0.822	0.442	0.884	0	0	0	0				
06/06/2026 02:30	254.43	3.376	3.376	0.389	0.778	0.424	0.848	0	0	0	0				
06/06/2026 02:00	253.52	4.124	4.124	0.453	0.906	0.488	0.976	0	0	0	0				
06/06/2026 01:30	252.27	4.265	4.266	0.454	0.908	0.492	0.984	0	0	0	0				
06/06/2026 01:00	250.76	4.195	4.195	0.493	0.986	0.528	1.056	0	0	0	0				
06/06/2026 00:30	250.56	4.69	4.691	0.507	1.014	0.541	1.082	0	0	0	0				
06/06/2026 00:00	251.37	6.128	6.129	0.691	1.382	0.738	1.476	0	0	0	0				
05/06/2026 23:30	250.66	5.213	5.214	0.613	1.226	0.647	1.294	0	0	0	0				
05/06/2026 23:00	251.71	1.263	1.262	0.151	0.302	0.159	0.318	0	0	0	0				
05/06/2026 22:30	255.63	1.424	1.424	0.141	0.282	0.146	0.292	0	0	0	0				
05/06/2026 22:00	259.29	0.828	0.825	0.091	0.182	0.097	0.194	0	0	0	0				
05/06/2026 21:30	257.98	0.95	0.95	0.111	0.222	0.117	0.234	0	0	0	0				
05/06/2026 21:00	256.24	0.872	0.871	0.096	0.192	0.102	0.204	0	0	0	0				
05/06/2026 20:30	255.25	0.79	0.789	0.084	0.168	0.089	0.178	0	0	0	0				
05/06/2026 20:00	254.05	1.1	1.1	0.126	0.252	0.131	0.262	0	0	0	0				
05/06/2026 19:30	255.09	0.996	0.994	0.103	0.206	0.109	0.218	0	0	0	0				
05/06/2026 19:00	256.53	1.099	1.099	0.106	0.212	0.111	0.222	0	0	0	0				
05/06/2026 18:30	255.74	0.819	0.819	0.082	0.164	0.087	0.174	0	0	0	0				
05/06/2026 18:00	254.52	0.901	0.899	0.096	0.192	0.101	0.202	0	0	0	0				
05/06/2026 17:30	253.72	0.68	0.678	0.075	0.15	0.082	0.164	0	0	0	0				
05/06/2026 17:00	249.08	0.488	0.484	0.046	0.092	0.054	0.108	0	0	0	0				
05/06/2026 16:30	246.28	0.548	0.546	0.052	0.104	0.061	0.122	0	0	0	0				
05/06/2026 16:00	242.01	0.809	0.808	0.072	0.144	0.078	0.156	0	0	0	0				
05/06/2026 15:30	243.44	0.787	0.786	0.069	0.138	0.075	0.15	0	0	0	0				
05/06/2026 15:00	243.05	0.839	0.837	0.079	0.158	0.085	0.17	0	0	0	0				
05/06/2026 14:30	245.31	0.696	0.696	0.061	0.122	0.067	0.134	0	0	0	0				
05/06/2026 14:00	248.35	0.909	0.907	0.089	0.178	0.094	0.188	0	0	0	0				
05/06/2026 13:30	249.97	0.852	0.852	0.08	0.16	0.086	0.172	0	0	0	0				
05/06/2026 13:00	245.89	2.211	2.211	0.232	0.464	0.239	0.478	0	0	0	0				
05/06/2026 12:30	244.96	4.545	4.547	0.53	1.06	0.549	1.098	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial NumberM22515215561Manufacturer NameHPL Electric & Power Ltd.Firmware Version1078.04

Internal CT RatioNA Meter Type6(1P Direct Connected Watthour Smart Meter)Meter Year of Manufacture2025

Internal PT RatioNADownload time(RTC)26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
05/06/2026 12:00	243.59	1.131	1.129	0.134	0.268	0.136	0.272	0	0	0	0				
05/06/2026 11:30	243.01	0.861	0.859	0.101	0.202	0.104	0.208	0	0	0	0				
05/06/2026 11:00	243.69	0.735	0.733	0.081	0.162	0.087	0.174	0	0	0	0				
05/06/2026 10:30	241.6	0.608	0.605	0.066	0.132	0.073	0.146	0	0	0	0				
05/06/2026 10:00	241.48	0.596	0.593	0.063	0.126	0.07	0.14	0	0	0	0				
05/06/2026 09:30	239.12	0.748	0.745	0.08	0.16	0.085	0.17	0	0	0	0				
05/06/2026 09:00	241.39	2.295	2.292	0.246	0.492	0.249	0.498	0	0	0	0				
05/06/2026 08:30	240.25	9.489	9.475	1.097	2.194	1.102	2.204	0	0	0	0				
05/06/2026 08:00	243.26	3.112	3.11	0.329	0.658	0.346	0.692	0	0	0	0				
05/06/2026 07:30	244.05	2.86	2.858	0.321	0.642	0.343	0.686	0	0	0	0				
05/06/2026 07:00	244.03	5.336	5.329	0.642	1.284	0.655	1.31	0	0	0	0				
05/06/2026 06:30	245.37	7.753	7.742	0.908	1.816	0.917	1.834	0	0	0	0				
05/06/2026 06:00	248.8	2.498	2.499	0.288	0.576	0.307	0.614	0	0	0	0				
05/06/2026 05:30	252	2.744	2.744	0.327	0.654	0.351	0.702	0	0	0	0				
05/06/2026 05:00	253.35	2.606	2.606	0.31	0.62	0.335	0.67	0	0	0	0				
05/06/2026 04:30	254.95	3.033	3.034	0.355	0.71	0.388	0.776	0	0	0	0				
05/06/2026 04:00	256.69	3.522	3.522	0.39	0.78	0.43	0.86	0	0	0	0				
05/06/2026 03:30	255.49	2.945	2.944	0.336	0.672	0.364	0.728	0	0	0	0				
05/06/2026 03:00	254.74	3.915	3.916	0.425	0.85	0.467	0.934	0	0	0	0				
05/06/2026 02:30	254.31	4.323	4.323	0.503	1.006	0.55	1.1	0	0	0	0				
05/06/2026 02:00	253.27	4.554	4.556	0.531	1.062	0.576	1.152	0	0	0	0				
05/06/2026 01:30	252.7	0.99	0.989	0.123	0.246	0.129	0.258	0	0	0	0				
05/06/2026 01:00	256.03	1.218	1.218	0.146	0.292	0.149	0.298	0	0	0	0				
05/06/2026 00:30	255.85	1.494	1.494	0.183	0.366	0.185	0.37	0	0	0	0				
05/06/2026 00:00	255.59	1.618	1.618	0.19	0.38	0.201	0.402	0	0	0	0				
04/06/2026 23:30	255.04	1.123	1.123	0.134	0.268	0.138	0.276	0	0	0	0				
04/06/2026 23:00	254.06	1.089	1.088	0.127	0.254	0.13	0.26	0	0	0	0				
04/06/2026 22:30	253.8	1.034	1.035	0.12	0.24	0.123	0.246	0	0	0	0				
04/06/2026 22:00	254.6	1.168	1.168	0.139	0.278	0.144	0.288	0	0	0	0				
04/06/2026 21:30	253.24	1.194	1.194	0.139	0.278	0.144	0.288	0	0	0	0				
04/06/2026 21:00	252.05	1.054	1.052	0.121	0.242	0.122	0.244	0	0	0	0				
04/06/2026 20:30	253.02	1.354	1.352	0.158	0.316	0.166	0.332	0	0	0	0				
04/06/2026 20:00	249.35	1.219	1.218	0.142	0.284	0.146	0.292	0	0	0	0				
04/06/2026 19:30	249.34	1.08	1.079	0.127	0.254	0.13	0.26	0	0	0	0				
04/06/2026 19:00	250.89	0.881	0.88	0.098	0.196	0.101	0.202	0	0	0	0				
04/06/2026 18:30	251.27	2.222	2.222	0.262	0.524	0.281	0.562	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial NumberM22515215561Manufacturer NameHPL Electric & Power Ltd.Firmware Version1078.04

Internal CT RatioNAMeter Type6(1P Direct Connected Watthour Smart Meter)Meter Year of Manufacture2025

Internal PT RatioNADownload time(RTC)26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.255 5 (kVAh-E)	Demand(kVA-E)				
04/06/2026 18:00	249.94	1.959	1.957	0.225	0.45	0.237	0.474	0	0	0	0				
04/06/2026 17:30	247.77	2.173	2.172	0.221	0.442	0.232	0.464	0	0	0	0				
04/06/2026 17:00	246.05	2.189	2.189	0.233	0.466	0.245	0.49	0	0	0	0				
04/06/2026 16:30	245.74	2.043	2.044	0.253	0.506	0.267	0.534	0	0	0	0				
04/06/2026 16:00	242.81	0.776	0.774	0.084	0.168	0.089	0.178	0	0	0	0				
04/06/2026 15:30	242.2	5.044	5.044	0.59	1.18	0.61	1.22	0	0	0	0				
04/06/2026 15:00	242.98	6.407	6.41	0.716	1.432	0.74	1.48	0	0	0	0				
04/06/2026 14:30	244.54	7.342	7.346	0.81	1.62	0.842	1.684	0	0	0	0				
04/06/2026 14:00	247.57	6.001	6.003	0.685	1.37	0.718	1.436	0	0	0	0				
04/06/2026 13:30	249.98	1.23	1.228	0.114	0.228	0.117	0.234	0	0	0	0				
04/06/2026 13:00	247.81	0.941	0.939	0.093	0.186	0.098	0.196	0	0	0	0				
04/06/2026 12:30	246.19	4.638	4.64	0.561	1.122	0.586	1.172	0	0	0	0				
04/06/2026 12:00	245.24	1.278	1.277	0.143	0.286	0.147	0.294	0	0	0	0				
04/06/2026 11:30	243.24	1.574	1.572	0.175	0.35	0.185	0.37	0	0	0	0				
04/06/2026 11:00	239.18	0.972	0.97	0.101	0.202	0.107	0.214	0	0	0	0				
04/06/2026 10:30	238.48	6.861	6.847	0.839	1.678	0.84	1.68	0	0	0	0				
04/06/2026 10:00	240.2	1.26	1.257	0.124	0.248	0.128	0.256	0	0	0	0				
04/06/2026 09:30	241.03	1.267	1.262	0.145	0.29	0.148	0.296	0	0	0	0				
04/06/2026 09:00	242.74	1.302	1.3	0.161	0.322	0.164	0.328	0	0	0	0				
04/06/2026 08:30	243.88	6.113	6.104	0.764	1.528	0.77	1.54	0	0	0	0				
04/06/2026 08:00	244.5	3.647	3.648	0.393	0.786	0.418	0.836	0	0	0	0				
04/06/2026 07:30	245.18	3.43	3.43	0.391	0.782	0.419	0.838	0	0	0	0				
04/06/2026 07:00	245.87	3.982	3.982	0.44	0.88	0.465	0.93	0	0	0	0				
04/06/2026 06:30	247.02	8.625	8.615	1.069	2.138	1.083	2.166	0	0	0	0				
04/06/2026 06:00	247.8	3.584	3.584	0.418	0.836	0.449	0.898	0	0	0	0				
04/06/2026 05:30	250.92	3.786	3.786	0.413	0.826	0.448	0.896	0	0	0	0				
04/06/2026 05:00	252.97	3.845	3.846	0.432	0.864	0.474	0.948	0	0	0	0				
04/06/2026 04:30	254.68	3.484	3.484	0.406	0.812	0.45	0.9	0	0	0	0				
04/06/2026 04:00	255.46	4.473	4.472	0.482	0.964	0.538	1.076	0	0	0	0				
04/06/2026 03:30	255.25	3.987	3.988	0.441	0.882	0.492	0.984	0	0	0	0				
04/06/2026 03:00	254.34	4.426	4.426	0.503	1.006	0.558	1.116	0	0	0	0				
04/06/2026 02:30	253.83	4.125	4.126	0.461	0.922	0.508	1.016	0	0	0	0				
04/06/2026 02:00	252.13	4.529	4.529	0.499	0.998	0.545	1.09	0	0	0	0				
04/06/2026 01:30	251.14	4.568	4.569	0.524	1.048	0.57	1.14	0	0	0	0				
04/06/2026 01:00	249.57	5.024	5.026	0.566	1.132	0.61	1.22	0	0	0	0				
04/06/2026 00:30	249.52	6.587	6.59	0.746	1.492	0.801	1.602	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial NumberM22515215561Manufacturer NameHPL Electric & Power Ltd.Firmware Version1078.04

Internal CT RatioNAMeter Type6(1P Direct Connected Watthour Smart Meter)Meter Year of Manufacture2025

Internal PT RatioNADownload time(RTC)26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
04/06/2026 00:00	254.21	8.321	8.324	0.951	1.902	1.044	2.088	0	0	0	0				
03/06/2026 23:30	253.81	1.586	1.586	0.166	0.332	0.174	0.348	0	0	0	0				
03/06/2026 23:00	252.75	1.122	1.12	0.132	0.264	0.14	0.28	0	0	0	0				
03/06/2026 22:30	253.06	0.825	0.823	0.101	0.202	0.106	0.212	0	0	0	0				
03/06/2026 22:00	253	0.519	0.516	0.059	0.118	0.065	0.13	0	0	0	0				
03/06/2026 21:30	253.36	1.071	1.071	0.128	0.256	0.13	0.26	0	0	0	0				
03/06/2026 21:00	252.02	1.066	1.066	0.125	0.25	0.128	0.256	0	0	0	0				
03/06/2026 20:30	250.79	1.018	1.017	0.117	0.234	0.12	0.24	0	0	0	0				
03/06/2026 20:00	249.87	1.066	1.064	0.118	0.236	0.12	0.24	0	0	0	0				
03/06/2026 19:30	250.09	0.695	0.694	0.083	0.166	0.084	0.168	0	0	0	0				
03/06/2026 19:00	249.82	0.558	0.555	0.063	0.126	0.068	0.136	0	0	0	0				
03/06/2026 18:30	255.13	0.672	0.67	0.079	0.158	0.083	0.166	0	0	0	0				
03/06/2026 18:00	252.09	0.964	0.963	0.112	0.224	0.115	0.23	0	0	0	0				
03/06/2026 17:30	250.51	1.206	1.203	0.125	0.25	0.127	0.254	0	0	0	0				
03/06/2026 17:00	246.62	1.046	1.046	0.115	0.23	0.116	0.232	0	0	0	0				
03/06/2026 16:30	245.5	1.123	1.122	0.122	0.244	0.123	0.246	0	0	0	0				
03/06/2026 16:00	238.6	1.098	1.097	0.118	0.236	0.121	0.242	0	0	0	0				
03/06/2026 15:30	239.12	1.122	1.121	0.12	0.24	0.122	0.244	0	0	0	0				
03/06/2026 15:00	239.68	1.1	1.099	0.118	0.236	0.119	0.238	0	0	0	0				
03/06/2026 14:30	243.16	0.72	0.719	0.079	0.158	0.08	0.16	0	0	0	0				
03/06/2026 14:00	247.67	0.727	0.725	0.082	0.164	0.086	0.172	0	0	0	0				
03/06/2026 13:30	249.4	0.726	0.724	0.084	0.168	0.088	0.176	0	0	0	0				
03/06/2026 13:00	246.01	0.543	0.543	0.054	0.108	0.059	0.118	0	0	0	0				
03/06/2026 12:30	243.73	0.69	0.689	0.061	0.122	0.065	0.13	0	0	0	0				
03/06/2026 12:00	240.97	0.759	0.757	0.069	0.138	0.074	0.148	0	0	0	0				
03/06/2026 11:30	240.6	0.978	0.976	0.092	0.184	0.097	0.194	0	0	0	0				
03/06/2026 11:00	240.68	1.081	1.08	0.104	0.208	0.109	0.218	0	0	0	0				
03/06/2026 10:30	241.98	0.793	0.791	0.081	0.162	0.085	0.17	0	0	0	0				
03/06/2026 10:00	243.22	0.707	0.705	0.074	0.148	0.08	0.16	0	0	0	0				
03/06/2026 09:30	239.34	1.178	1.175	0.124	0.248	0.129	0.258	0	0	0	0				
03/06/2026 09:00	242.28	4.095	4.083	0.498	0.996	0.5	1	0	0	0	0				
03/06/2026 08:30	243.54	1.146	1.144	0.118	0.236	0.122	0.244	0	0	0	0				
03/06/2026 08:00	244.61	9.973	9.963	1.221	2.442	1.234	2.468	0	0	0	0				
03/06/2026 07:30	244.77	5.03	5.027	0.567	1.134	0.592	1.184	0	0	0	0				
03/06/2026 07:00	243.28	5.789	5.787	0.652	1.304	0.673	1.346	0	0	0	0				
03/06/2026 06:30	243.26	7.774	7.766	0.924	1.848	0.94	1.88	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial NumberM22515215561Manufacturer NameHPL Electric & Power Ltd.Firmware Version1078.04

Internal CT RatioNAMeter Type6(1P Direct Connected Watthour Smart Meter)Meter Year of Manufacture2025

Internal PT RatioNADownload time(RTC)26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
03/06/2026 06:00	245.66	3.603	3.604	0.389	0.778	0.416	0.832	0	0	0	0				
03/06/2026 05:30	249.77	4.057	4.058	0.452	0.904	0.492	0.984	0	0	0	0				
03/06/2026 05:00	250.51	4.072	4.074	0.448	0.896	0.492	0.984	0	0	0	0				
03/06/2026 04:30	252.52	3.894	3.896	0.437	0.874	0.483	0.966	0	0	0	0				
03/06/2026 04:00	253.59	4.144	4.145	0.455	0.91	0.505	1.01	0	0	0	0				
03/06/2026 03:30	254.13	4.372	4.372	0.501	1.002	0.558	1.116	0	0	0	0				
03/06/2026 03:00	253.94	4.379	4.38	0.514	1.028	0.572	1.144	0	0	0	0				
03/06/2026 02:30	253.55	4.351	4.353	0.495	0.99	0.55	1.1	0	0	0	0				
03/06/2026 02:00	254.53	6.326	6.329	0.706	1.412	0.799	1.598	0	0	0	0				
03/06/2026 01:30	254.83	8.374	8.377	0.949	1.898	1.06	2.12	0	0	0	0				
03/06/2026 01:00	251.85	8.708	8.711	1.027	2.054	1.113	2.226	0	0	0	0				
03/06/2026 00:30	252.13	2.216	2.214	0.237	0.474	0.263	0.526	0	0	0	0				
03/06/2026 00:00	250.61	0.37	0.367	0.037	0.074	0.043	0.086	0	0	0	0				
02/06/2026 23:30	248.61	0.356	0.353	0.037	0.074	0.043	0.086	0	0	0	0				
02/06/2026 23:00	249.08	0.344	0.341	0.037	0.074	0.043	0.086	0	0	0	0				
02/06/2026 22:30	249.68	0.443	0.439	0.036	0.072	0.043	0.086	0	0	0	0				
02/06/2026 22:00	251.43	0.595	0.591	0.07	0.14	0.077	0.154	0	0	0	0				
02/06/2026 21:30	250.56	1.089	1.088	0.137	0.274	0.14	0.28	0	0	0	0				
02/06/2026 21:00	249.85	1.269	1.268	0.155	0.31	0.158	0.316	0	0	0	0				
02/06/2026 20:30	250.28	1.442	1.442	0.173	0.346	0.176	0.352	0	0	0	0				
02/06/2026 20:00	248.45	1.306	1.305	0.154	0.308	0.158	0.316	0	0	0	0				
02/06/2026 19:30	250.58	2.91	2.91	0.352	0.704	0.375	0.75	0	0	0	0				
02/06/2026 19:00	252.1	1.25	1.248	0.152	0.304	0.155	0.31	0	0	0	0				
02/06/2026 18:30	250.8	0.902	0.901	0.111	0.222	0.115	0.23	0	0	0	0				
02/06/2026 18:00	248.98	0.814	0.812	0.101	0.202	0.103	0.206	0	0	0	0				
02/06/2026 17:30	249.81	0.829	0.827	0.101	0.202	0.105	0.21	0	0	0	0				
02/06/2026 17:00	248.89	0.845	0.845	0.098	0.196	0.102	0.204	0	0	0	0				
02/06/2026 16:30	246.46	0.772	0.77	0.089	0.178	0.093	0.186	0	0	0	0				
02/06/2026 16:00	242.17	0.878	0.876	0.085	0.17	0.091	0.182	0	0	0	0				
02/06/2026 15:30	241.06	0.97	0.969	0.096	0.192	0.1	0.2	0	0	0	0				
02/06/2026 15:00	240.4	0.605	0.603	0.066	0.132	0.07	0.14	0	0	0	0				
02/06/2026 14:30	241.4	0.304	0.303	0.025	0.05	0.031	0.062	0	0	0	0				
02/06/2026 14:00	247.49	0.312	0.31	0.027	0.054	0.033	0.066	0	0	0	0				
02/06/2026 13:30	250.43	0.366	0.363	0.031	0.062	0.039	0.078	0	0	0	0				
02/06/2026 13:00	245.43	0.469	0.469	0.04	0.08	0.048	0.096	0	0	0	0				
02/06/2026 12:30	243.17	0.74	0.739	0.067	0.134	0.072	0.144	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial Number	M22515215561	Manufacturer Name	HPL Electric & Power Ltd.	Firmware Version	1078.04
Internal CT Ratio	NA	Meter Type	6(1P Direct Connected Watthour Smart Meter)	Meter Year of Manufacture	2025
Internal PT Ratio	NA	Download time(RTC)	26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)		

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
02/06/2026 12:00	241.39	0.899	0.898	0.09	0.18	0.095	0.19	0	0	0	0				
02/06/2026 11:30	239.85	0.899	0.898	0.088	0.176	0.093	0.186	0	0	0	0				
02/06/2026 11:00	238.57	0.916	0.915	0.088	0.176	0.093	0.186	0	0	0	0				
02/06/2026 10:30	238.79	1.229	1.227	0.128	0.256	0.132	0.264	0	0	0	0				
02/06/2026 10:00	237.96	6.133	6.12	0.73	1.46	0.732	1.464	0	0	0	0				
02/06/2026 09:30	238.1	5.124	5.121	0.594	1.188	0.606	1.212	0	0	0	0				
02/06/2026 09:00	241.74	10.701	10.696	1.264	2.528	1.285	2.57	0	0	0	0				
02/06/2026 08:30	242.43	10.622	10.619	1.26	2.52	1.289	2.578	0	0	0	0				
02/06/2026 08:00	244.33	10.713	10.718	1.243	2.486	1.279	2.558	0	0	0	0				
02/06/2026 07:30	244.46	10.735	10.726	1.267	2.534	1.283	2.566	0	0	0	0				
02/06/2026 07:00	245.86	5.807	5.81	0.66	1.32	0.701	1.402	0	0	0	0				
02/06/2026 06:30	247.45	8.097	8.089	1.009	2.018	1.027	2.054	0	0	0	0				
02/06/2026 06:00	249.86	3.248	3.248	0.338	0.676	0.361	0.722	0	0	0	0				
02/06/2026 05:30	252.62	3.415	3.415	0.389	0.778	0.419	0.838	0	0	0	0				
02/06/2026 05:00	254.62	3.453	3.454	0.409	0.818	0.447	0.894	0	0	0	0				
02/06/2026 04:30	255.19	3.733	3.734	0.409	0.818	0.448	0.896	0	0	0	0				
02/06/2026 04:00	256.7	3.57	3.57	0.419	0.838	0.465	0.93	0	0	0	0				
02/06/2026 03:30	256.03	4.049	4.05	0.45	0.9	0.498	0.996	0	0	0	0				
02/06/2026 03:00	255.27	3.985	3.986	0.461	0.922	0.508	1.016	0	0	0	0				
02/06/2026 02:30	254.57	3.495	3.495	0.412	0.824	0.45	0.9	0	0	0	0				
02/06/2026 02:00	253.76	3.925	3.926	0.487	0.974	0.533	1.066	0	0	0	0				
02/06/2026 01:30	251.28	3.653	3.655	0.416	0.832	0.448	0.896	0	0	0	0				
02/06/2026 01:00	249.19	5.93	5.931	0.687	1.374	0.736	1.472	0	0	0	0				
02/06/2026 00:30	247.55	7.382	7.386	0.865	1.73	0.918	1.836	0	0	0	0				
02/06/2026 00:00	248.03	8.601	8.604	0.985	1.97	1.044	2.088	0	0	0	0				
01/06/2026 23:30	250.09	1.893	1.892	0.219	0.438	0.231	0.462	0	0	0	0				
01/06/2026 23:00	249.05	0.697	0.696	0.08	0.16	0.086	0.172	0	0	0	0				
01/06/2026 22:30	250.19	0.731	0.731	0.084	0.168	0.089	0.178	0	0	0	0				
01/06/2026 22:00	252.82	0.76	0.757	0.088	0.176	0.094	0.188	0	0	0	0				
01/06/2026 21:30	253.63	0.793	0.791	0.094	0.188	0.1	0.2	0	0	0	0				
01/06/2026 21:00	251.45	1.194	1.193	0.133	0.266	0.137	0.274	0	0	0	0				
01/06/2026 20:30	250.4	0.805	0.804	0.086	0.172	0.091	0.182	0	0	0	0				
01/06/2026 20:00	250.17	1.083	1.082	0.099	0.198	0.103	0.206	0	0	0	0				
01/06/2026 19:30	248.8	6.157	6.16	0.706	1.412	0.745	1.49	0	0	0	0				
01/06/2026 19:00	250.82	4.089	4.091	0.458	0.916	0.487	0.974	0	0	0	0				
01/06/2026 18:30	252.93	0.345	0.344	0.033	0.066	0.04	0.08	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial Number	M22515215561	Manufacturer Name	HPL Electric & Power Ltd.	Firmware Version	1078.04
Internal CT Ratio	NA	Meter Type	6(1P Direct Connected Watthour Smart Meter)	Meter Year of Manufacture	2025
Internal PT Ratio	NA	Download time(RTC)	26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)		

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
01/06/2026 18:00	250.06	0.246	0.243	0.019	0.038	0.025	0.05	0	0	0	0				
01/06/2026 17:30	250.15	0.269	0.266	0.02	0.04	0.026	0.052	0	0	0	0				
01/06/2026 17:00	246.63	0.377	0.376	0.028	0.056	0.036	0.072	0	0	0	0				
01/06/2026 16:30	247.49	0.786	0.782	0.074	0.148	0.081	0.162	0	0	0	0				
01/06/2026 16:00	243.42	0.751	0.749	0.071	0.142	0.077	0.154	0	0	0	0				
01/06/2026 15:30	243.71	0.778	0.777	0.072	0.144	0.078	0.156	0	0	0	0				
01/06/2026 15:00	238.47	0.799	0.798	0.073	0.146	0.079	0.158	0	0	0	0				
01/06/2026 14:30	239.19	1.117	1.116	0.114	0.228	0.116	0.232	0	0	0	0				
01/06/2026 14:00	244.68	0.971	0.97	0.102	0.204	0.107	0.214	0	0	0	0				
01/06/2026 13:30	246.65	0.588	0.586	0.063	0.126	0.068	0.136	0	0	0	0				
01/06/2026 13:00	243.87	3.057	3.057	0.337	0.674	0.354	0.708	0	0	0	0				
01/06/2026 12:30	241.68	5.759	5.761	0.648	1.296	0.675	1.35	0	0	0	0				
01/06/2026 12:00	239.17	5.457	5.459	0.633	1.266	0.656	1.312	0	0	0	0				
01/06/2026 11:30	239.15	0.561	0.559	0.059	0.118	0.065	0.13	0	0	0	0				
01/06/2026 11:00	237.83	1.001	1	0.108	0.216	0.112	0.224	0	0	0	0				
01/06/2026 10:30	239.78	1.42	1.42	0.152	0.304	0.155	0.31	0	0	0	0				
01/06/2026 10:00	236.87	2.701	2.696	0.292	0.584	0.295	0.59	0	0	0	0				
01/06/2026 09:30	238.99	6.511	6.508	0.772	1.544	0.773	1.546	0	0	0	0				
01/06/2026 09:00	241.17	6.238	6.228	0.739	1.478	0.741	1.482	0	0	0	0				
01/06/2026 08:30	241.7	3.269	3.27	0.372	0.744	0.384	0.768	0	0	0	0				
01/06/2026 08:00	245.28	7.967	7.971	0.918	1.836	0.964	1.928	0	0	0	0				
01/06/2026 07:30	247.18	2.709	2.71	0.294	0.588	0.308	0.616	0	0	0	0				
01/06/2026 07:00	245.86	5.225	5.226	0.598	1.196	0.633	1.266	0	0	0	0				
01/06/2026 06:30	246.39	7.487	7.48	0.921	1.842	0.936	1.872	0	0	0	0				
01/06/2026 06:00	249.48	3.128	3.125	0.344	0.688	0.365	0.73	0	0	0	0				
01/06/2026 05:30	250.83	3.151	3.152	0.352	0.704	0.375	0.75	0	0	0	0				
01/06/2026 05:00	252.35	3.64	3.64	0.421	0.842	0.454	0.908	0	0	0	0				
01/06/2026 04:30	254.57	3.548	3.549	0.389	0.778	0.422	0.844	0	0	0	0				
01/06/2026 04:00	258.08	3.531	3.529	0.414	0.828	0.456	0.912	0	0	0	0				
01/06/2026 03:30	256.89	3.971	3.971	0.464	0.928	0.511	1.022	0	0	0	0				
01/06/2026 03:00	256.81	4.473	4.474	0.484	0.968	0.533	1.066	0	0	0	0				
01/06/2026 02:30	256.87	4.035	4.036	0.475	0.95	0.523	1.046	0	0	0	0				
01/06/2026 02:00	256.34	4.173	4.173	0.493	0.986	0.542	1.084	0	0	0	0				
01/06/2026 01:30	253.88	4.811	4.812	0.574	1.148	0.622	1.244	0	0	0	0				
01/06/2026 01:00	250.85	5.937	5.941	0.674	1.348	0.722	1.444	0	0	0	0				
01/06/2026 00:30	248.75	6.436	6.437	0.78	1.56	0.826	1.652	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial Number M22515215561 Manufacturer Name HPL Electric & Power Ltd. Firmware Version 1078.04
Internal CT Ratio NA Meter Type 6(1P Direct Connected Watthour Smart Meter) Meter Year of Manufacture 2025
Internal PT Ratio NA Download time(RTC) 26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.255 5 (kVAh-E)	Demand(kVA-E)				
01/06/2026 00:00	249.06	1.152	1.151	0.131	0.262	0.133	0.266	0	0	0	0				
31/05/2026 23:30	248.35	1.087	1.085	0.114	0.228	0.119	0.238	0	0	0	0				
31/05/2026 23:00	249.78	1.003	1.001	0.114	0.228	0.116	0.232	0	0	0	0				
31/05/2026 22:30	251.01	1.007	1.005	0.116	0.232	0.119	0.238	0	0	0	0				
31/05/2026 22:00	252.94	1.147	1.146	0.129	0.258	0.132	0.264	0	0	0	0				
31/05/2026 21:30	251.96	0.992	0.991	0.105	0.21	0.11	0.22	0	0	0	0				
31/05/2026 21:00	249.51	1.046	1.045	0.111	0.222	0.116	0.232	0	0	0	0				
31/05/2026 20:30	249.07	1.106	1.105	0.116	0.232	0.121	0.242	0	0	0	0				
31/05/2026 20:00	246.5	1.527	1.525	0.165	0.33	0.169	0.338	0	0	0	0				
31/05/2026 19:30	249.31	1.473	1.471	0.164	0.328	0.167	0.334	0	0	0	0				
31/05/2026 19:00	251.25	1.012	1.009	0.106	0.212	0.11	0.22	0	0	0	0				
31/05/2026 18:30	253.02	0.919	0.918	0.087	0.174	0.094	0.188	0	0	0	0				
31/05/2026 18:00	251.2	0.537	0.538	0.053	0.106	0.061	0.122	0	0	0	0				
31/05/2026 17:30	250.2	0.784	0.784	0.074	0.148	0.081	0.162	0	0	0	0				
31/05/2026 17:00	247.12	0.766	0.764	0.08	0.16	0.088	0.176	0	0	0	0				
31/05/2026 16:30	244.13	0.5	0.499	0.055	0.11	0.063	0.126	0	0	0	0				
31/05/2026 16:00	238.33	0.482	0.48	0.047	0.094	0.053	0.106	0	0	0	0				
31/05/2026 15:30	241.26	0.569	0.569	0.059	0.118	0.065	0.13	0	0	0	0				
31/05/2026 15:00	242.41	0.792	0.79	0.082	0.164	0.088	0.176	0	0	0	0				
31/05/2026 14:30	243.54	0.768	0.767	0.081	0.162	0.087	0.174	0	0	0	0				
31/05/2026 14:00	245.87	0.726	0.724	0.076	0.152	0.081	0.162	0	0	0	0				
31/05/2026 13:30	247.59	0.766	0.765	0.084	0.168	0.091	0.182	0	0	0	0				
31/05/2026 13:00	244.67	0.661	0.66	0.067	0.134	0.073	0.146	0	0	0	0				
31/05/2026 12:30	243.75	0.779	0.778	0.08	0.16	0.085	0.17	0	0	0	0				
31/05/2026 12:00	243.05	0.708	0.707	0.07	0.14	0.076	0.152	0	0	0	0				
31/05/2026 11:30	241.87	0.585	0.584	0.059	0.118	0.065	0.13	0	0	0	0				
31/05/2026 11:00	242.4	0.802	0.801	0.071	0.142	0.077	0.154	0	0	0	0				
31/05/2026 10:30	241.63	4.554	4.545	0.557	1.114	0.56	1.12	0	0	0	0				
31/05/2026 10:00	240.68	0.744	0.743	0.071	0.142	0.076	0.152	0	0	0	0				
31/05/2026 09:30	243.1	0.818	0.817	0.081	0.162	0.086	0.172	0	0	0	0				
31/05/2026 09:00	249.08	1.028	1.028	0.111	0.222	0.115	0.23	0	0	0	0				
31/05/2026 08:30	250.89	1.252	1.252	0.137	0.274	0.14	0.28	0	0	0	0				
31/05/2026 08:00	251.58	0.73	0.728	0.075	0.15	0.081	0.162	0	0	0	0				
31/05/2026 07:30	248.83	0.642	0.64	0.065	0.13	0.072	0.144	0	0	0	0				
31/05/2026 07:00	248.17	0.61	0.608	0.065	0.13	0.071	0.142	0	0	0	0				
31/05/2026 06:30	246.65	4.612	4.603	0.573	1.146	0.577	1.154	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial NumberM22515215561Manufacturer NameHPL Electric & Power Ltd.Firmware Version1078.04

Internal CT RatioNAMeter Type6(1P Direct Connected Watthour Smart Meter)Meter Year of Manufacture2025

Internal PT RatioNADownload time(RTC)26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.255 5 (kVAh-E)	Demand(kVA-E)				
31/05/2026 06:00	247.08	0.497	0.494	0.052	0.104	0.057	0.114	0	0	0	0				
31/05/2026 05:30	250.11	0.655	0.652	0.074	0.148	0.079	0.158	0	0	0	0				
31/05/2026 05:00	251.45	0.591	0.59	0.066	0.132	0.07	0.14	0	0	0	0				
31/05/2026 04:30	252.6	0.655	0.653	0.075	0.15	0.081	0.162	0	0	0	0				
31/05/2026 04:00	255.33	0.578	0.576	0.067	0.134	0.071	0.142	0	0	0	0				
31/05/2026 03:30	257.5	0.682	0.682	0.077	0.154	0.084	0.168	0	0	0	0				
31/05/2026 03:00	257.06	0.611	0.61	0.071	0.142	0.075	0.15	0	0	0	0				
31/05/2026 02:30	255.79	0.645	0.642	0.073	0.146	0.079	0.158	0	0	0	0				
31/05/2026 02:00	254.46	0.674	0.672	0.077	0.154	0.083	0.166	0	0	0	0				
31/05/2026 01:30	253.56	0.675	0.673	0.074	0.148	0.078	0.156	0	0	0	0				
31/05/2026 01:00	252.12	0.966	0.965	0.099	0.198	0.104	0.208	0	0	0	0				
31/05/2026 00:30	251.35	1.012	1.01	0.1	0.2	0.104	0.208	0	0	0	0				
31/05/2026 00:00	250.37	1.044	1.043	0.107	0.214	0.11	0.22	0	0	0	0				
30/05/2026 23:30	249.37	1.067	1.066	0.12	0.24	0.124	0.248	0	0	0	0				
30/05/2026 23:00	248.07	1.138	1.137	0.126	0.252	0.13	0.26	0	0	0	0				
30/05/2026 22:30	249.53	1.162	1.16	0.13	0.26	0.134	0.268	0	0	0	0				
30/05/2026 22:00	252.32	1.11	1.11	0.12	0.24	0.124	0.248	0	0	0	0				
30/05/2026 21:30	254.86	1.089	1.088	0.121	0.242	0.125	0.25	0	0	0	0				
30/05/2026 21:00	256.21	1.127	1.126	0.13	0.26	0.134	0.268	0	0	0	0				
30/05/2026 20:30	255.05	1.093	1.092	0.12	0.24	0.124	0.248	0	0	0	0				
30/05/2026 20:00	250.97	1.012	1.01	0.108	0.216	0.111	0.222	0	0	0	0				
30/05/2026 19:30	251.81	0.915	0.915	0.106	0.212	0.109	0.218	0	0	0	0				
30/05/2026 19:00	254.43	0.31	0.309	0.021	0.042	0.027	0.054	0	0	0	0				
30/05/2026 18:30	253.81	0.428	0.427	0.032	0.064	0.04	0.08	0	0	0	0				
30/05/2026 18:00	250.65	0.452	0.449	0.029	0.058	0.033	0.066	0	0	0	0				
30/05/2026 17:30	249.44	0.916	0.915	0.075	0.15	0.084	0.168	0	0	0	0				
30/05/2026 17:00	245.55	0.927	0.927	0.077	0.154	0.083	0.166	0	0	0	0				
30/05/2026 16:30	244.31	0.864	0.862	0.075	0.15	0.081	0.162	0	0	0	0				
30/05/2026 16:00	241.96	0.838	0.837	0.075	0.15	0.08	0.16	0	0	0	0				
30/05/2026 15:30	244.32	0.888	0.887	0.075	0.15	0.081	0.162	0	0	0	0				
30/05/2026 15:00	242.29	0.815	0.814	0.073	0.146	0.079	0.158	0	0	0	0				
30/05/2026 14:30	243.61	0.814	0.812	0.07	0.14	0.076	0.152	0	0	0	0				
30/05/2026 14:00	248.34	0.802	0.799	0.072	0.144	0.078	0.156	0	0	0	0				
30/05/2026 13:30	251.82	0.814	0.812	0.075	0.15	0.081	0.162	0	0	0	0				
30/05/2026 13:00	248.19	0.826	0.825	0.075	0.15	0.082	0.164	0	0	0	0				
30/05/2026 12:30	246.16	0.774	0.773	0.067	0.134	0.073	0.146	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial NumberM22515215561Manufacturer NameHPL Electric & Power Ltd.Firmware Version1078.04

Internal CT RatioNA Meter Type6(1P Direct Connected Watthour Smart Meter)Meter Year of Manufacture2025

Internal PT RatioNADownload time(RTC)26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.255 5 (kVAh-E)	Demand(kVA-E)				
30/05/2026 12:00	243.74	0.805	0.804	0.073	0.146	0.079	0.158	0	0	0	0				
30/05/2026 11:30	243.87	0.866	0.865	0.079	0.158	0.084	0.168	0	0	0	0				
30/05/2026 11:00	243.24	0.498	0.497	0.041	0.082	0.047	0.094	0	0	0	0				
30/05/2026 10:30	246.42	1.122	1.12	0.118	0.236	0.123	0.246	0	0	0	0				
30/05/2026 10:00	246.1	1.522	1.52	0.153	0.306	0.157	0.314	0	0	0	0				
30/05/2026 09:30	239.2	2.281	2.282	0.228	0.456	0.23	0.46	0	0	0	0				
30/05/2026 09:00	243.67	6.837	6.826	0.814	1.628	0.816	1.632	0	0	0	0				
30/05/2026 08:30	245.14	1.527	1.524	0.176	0.352	0.178	0.356	0	0	0	0				
30/05/2026 08:00	247.19	0.875	0.873	0.098	0.196	0.105	0.21	0	0	0	0				
30/05/2026 07:30	246.51	0.574	0.572	0.065	0.13	0.07	0.14	0	0	0	0				
30/05/2026 07:00	246.9	0.876	0.874	0.083	0.166	0.089	0.178	0	0	0	0				
30/05/2026 06:30	247	8.12	8.105	1.017	2.034	1.018	2.036	0	0	0	0				
30/05/2026 06:00	250.25	1.5	1.498	0.164	0.328	0.168	0.336	0	0	0	0				
30/05/2026 05:30	252.94	0.73	0.729	0.089	0.178	0.095	0.19	0	0	0	0				
30/05/2026 05:00	255.03	0.735	0.73	0.091	0.182	0.096	0.192	0	0	0	0				
30/05/2026 04:30	256.04	0.748	0.744	0.092	0.184	0.098	0.196	0	0	0	0				
30/05/2026 04:00	256.01	0.747	0.744	0.093	0.186	0.098	0.196	0	0	0	0				
30/05/2026 03:30	255.64	0.76	0.756	0.094	0.188	0.099	0.198	0	0	0	0				
30/05/2026 03:00	255.91	0.76	0.756	0.094	0.188	0.099	0.198	0	0	0	0				
30/05/2026 02:30	254.9	0.771	0.77	0.094	0.188	0.1	0.2	0	0	0	0				
30/05/2026 02:00	253.97	0.77	0.769	0.094	0.188	0.1	0.2	0	0	0	0				
30/05/2026 01:30	252.59	0.845	0.844	0.093	0.186	0.097	0.194	0	0	0	0				
30/05/2026 01:00	252.02	0.743	0.743	0.092	0.184	0.098	0.196	0	0	0	0				
30/05/2026 00:30	251.73	0.81	0.807	0.099	0.198	0.103	0.206	0	0	0	0				
30/05/2026 00:00	259.13	1.275	1.275	0.158	0.316	0.163	0.326	0	0	0	0				
29/05/2026 23:30	256.66	1.167	1.165	0.139	0.278	0.144	0.288	0	0	0	0				
29/05/2026 23:00	254.88	1.152	1.151	0.135	0.27	0.139	0.278	0	0	0	0				
29/05/2026 22:30	255.53	0.992	0.991	0.113	0.226	0.118	0.236	0	0	0	0				
29/05/2026 22:00	256.99	1.036	1.034	0.113	0.226	0.119	0.238	0	0	0	0				
29/05/2026 21:30	256.14	1.217	1.216	0.118	0.236	0.123	0.246	0	0	0	0				
29/05/2026 21:00	253.15	1.114	1.112	0.121	0.242	0.126	0.252	0	0	0	0				
29/05/2026 20:30	251.8	1.376	1.376	0.158	0.316	0.161	0.322	0	0	0	0				
29/05/2026 20:00	250.48	1.299	1.3	0.142	0.284	0.146	0.292	0	0	0	0				
29/05/2026 19:30	252.65	0.907	0.906	0.089	0.178	0.095	0.19	0	0	0	0				
29/05/2026 19:00	252.49	0.879	0.877	0.086	0.172	0.092	0.184	0	0	0	0				
29/05/2026 18:30	253.15	0.973	0.972	0.099	0.198	0.104	0.208	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial Number	M22515215561	Manufacturer Name	HPL Electric & Power Ltd.	Firmware Version	1078.04
Internal CT Ratio	NA	Meter Type	6(1P Direct Connected Watthour Smart Meter)	Meter Year of Manufacture	2025
Internal PT Ratio	NA	Download time(RTC)	26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)		

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
29/05/2026 18:00	249.42	1.048	1.048	0.111	0.222	0.115	0.23	0	0	0	0				
29/05/2026 17:30	246.48	1.074	1.073	0.112	0.224	0.117	0.234	0	0	0	0				
29/05/2026 17:00	244.22	1.058	1.056	0.11	0.22	0.113	0.226	0	0	0	0				
29/05/2026 16:30	243.84	1.071	1.069	0.11	0.22	0.114	0.228	0	0	0	0				
29/05/2026 16:00	238.61	1.098	1.097	0.11	0.22	0.114	0.228	0	0	0	0				
29/05/2026 15:30	241.97	1.046	1.047	0.106	0.212	0.109	0.218	0	0	0	0				
29/05/2026 15:00	243.67	1.12	1.119	0.114	0.228	0.117	0.234	0	0	0	0				
29/05/2026 14:30	246.12	0.938	0.937	0.092	0.184	0.098	0.196	0	0	0	0				
29/05/2026 14:00	251.31	0.863	0.86	0.082	0.164	0.087	0.174	0	0	0	0				
29/05/2026 13:30	255.09	0.825	0.823	0.079	0.158	0.087	0.174	0	0	0	0				
29/05/2026 13:00	249.71	0.561	0.558	0.055	0.11	0.064	0.128	0	0	0	0				
29/05/2026 12:30	247.32	0.576	0.573	0.06	0.12	0.067	0.134	0	0	0	0				
29/05/2026 12:00	244.89	0.666	0.664	0.078	0.156	0.084	0.168	0	0	0	0				
29/05/2026 11:30	237.8	0.631	0.631	0.071	0.142	0.075	0.15	0	0	0	0				
29/05/2026 11:00	235.69	4.17	4.172	0.481	0.962	0.492	0.984	0	0	0	0				
29/05/2026 10:30	238.52	1.116	1.115	0.13	0.26	0.134	0.268	0	0	0	0				
29/05/2026 10:00	240.34	0.832	0.829	0.098	0.196	0.103	0.206	0	0	0	0				
29/05/2026 09:30	241.9	0.877	0.878	0.103	0.206	0.108	0.216	0	0	0	0				
29/05/2026 09:00	243.53	0.919	0.919	0.115	0.23	0.118	0.236	0	0	0	0				
29/05/2026 08:30	243.97	4.146	4.138	0.487	0.974	0.489	0.978	0	0	0	0				
29/05/2026 08:00	247.48	5.906	5.903	0.687	1.374	0.711	1.422	0	0	0	0				
29/05/2026 07:30	247.63	0.566	0.563	0.067	0.134	0.07	0.14	0	0	0	0				
29/05/2026 07:00	246.82	1.32	1.32	0.166	0.332	0.175	0.35	0	0	0	0				
29/05/2026 06:30	247.26	9.176	9.164	1.148	2.296	1.16	2.32	0	0	0	0				
29/05/2026 06:00	249.13	3.17	3.169	0.339	0.678	0.357	0.714	0	0	0	0				
29/05/2026 05:30	252.4	3.458	3.459	0.402	0.804	0.429	0.858	0	0	0	0				
29/05/2026 05:00	253.87	3.484	3.486	0.416	0.832	0.447	0.894	0	0	0	0				
29/05/2026 04:30	256.05	3.552	3.552	0.423	0.846	0.46	0.92	0	0	0	0				
29/05/2026 04:00	258.58	3.621	3.622	0.429	0.858	0.47	0.94	0	0	0	0				
29/05/2026 03:30	257.91	4.078	4.08	0.473	0.946	0.521	1.042	0	0	0	0				
29/05/2026 03:00	256.62	4.031	4.031	0.461	0.922	0.502	1.004	0	0	0	0				
29/05/2026 02:30	256.16	4.259	4.261	0.503	1.006	0.549	1.098	0	0	0	0				
29/05/2026 02:00	254.46	4.253	4.254	0.499	0.998	0.54	1.08	0	0	0	0				
29/05/2026 01:30	252.73	4.444	4.446	0.502	1.004	0.537	1.074	0	0	0	0				
29/05/2026 01:00	250.68	4.403	4.404	0.497	0.994	0.528	1.056	0	0	0	0				
29/05/2026 00:30	249.07	5.22	5.221	0.572	1.144	0.606	1.212	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial Number M22515215561 Manufacturer Name HPL Electric & Power Ltd. Firmware Version 1078.04
Internal CT Ratio NA Meter Type 6(1P Direct Connected Watthour Smart Meter) Meter Year of Manufacture 2025
Internal PT Ratio NA Download time(RTC) 26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.255 5 (kVAh-E)	Demand(kVA-E)				
29/05/2026 00:00	247.57	5.398	5.401	0.592	1.184	0.62	1.24	0	0	0	0				
28/05/2026 23:30	244.99	8.399	8.402	0.972	1.944	1.012	2.024	0	0	0	0				
28/05/2026 23:00	246.45	3.762	3.764	0.416	0.832	0.42	0.84	0	0	0	0				
28/05/2026 22:30	246.98	5.706	5.694	0.689	1.378	0.691	1.382	0	0	0	0				
28/05/2026 22:00	249.38	1.543	1.542	0.179	0.358	0.183	0.366	0	0	0	0				
28/05/2026 21:30	248.82	0.989	0.989	0.108	0.216	0.109	0.218	0	0	0	0				
28/05/2026 21:00	248.57	1.363	1.362	0.149	0.298	0.158	0.316	0	0	0	0				
28/05/2026 20:30	248.08	1.224	1.221	0.123	0.246	0.125	0.25	0	0	0	0				
28/05/2026 20:00	245.51	0.969	0.967	0.102	0.204	0.103	0.206	0	0	0	0				
28/05/2026 19:30	245.6	1.285	1.286	0.138	0.276	0.144	0.288	0	0	0	0				
28/05/2026 19:00	249.59	0.976	0.975	0.106	0.212	0.108	0.216	0	0	0	0				
28/05/2026 18:30	249.44	1.118	1.117	0.124	0.248	0.126	0.252	0	0	0	0				
28/05/2026 18:00	245.7	1.325	1.324	0.147	0.294	0.152	0.304	0	0	0	0				
28/05/2026 17:30	246.83	1.125	1.124	0.122	0.244	0.123	0.246	0	0	0	0				
28/05/2026 17:00	244.61	1.333	1.333	0.132	0.264	0.136	0.272	0	0	0	0				
28/05/2026 16:30	241.85	1.202	1.202	0.119	0.238	0.124	0.248	0	0	0	0				
28/05/2026 16:00	238.67	0.997	0.995	0.09	0.18	0.09	0.18	0	0	0	0				
28/05/2026 15:30	240.35	1.313	1.313	0.129	0.258	0.133	0.266	0	0	0	0				
28/05/2026 15:00	239.96	1.317	1.317	0.129	0.258	0.131	0.262	0	0	0	0				
28/05/2026 14:30	243.3	1.212	1.211	0.124	0.248	0.129	0.258	0	0	0	0				
28/05/2026 14:00	246.18	0.874	0.873	0.089	0.178	0.093	0.186	0	0	0	0				
28/05/2026 13:30	248.08	0.794	0.792	0.075	0.15	0.079	0.158	0	0	0	0				
28/05/2026 13:00	244.33	0.823	0.822	0.09	0.18	0.097	0.194	0	0	0	0				
28/05/2026 12:30	242.74	0.571	0.57	0.066	0.132	0.071	0.142	0	0	0	0				
28/05/2026 12:00	240.84	0.387	0.388	0.046	0.092	0.049	0.098	0	0	0	0				
28/05/2026 11:30	239.9	0.664	0.664	0.075	0.15	0.083	0.166	0	0	0	0				
28/05/2026 11:00	239.34	0.785	0.783	0.083	0.166	0.09	0.18	0	0	0	0				
28/05/2026 10:30	242.07	3.111	3.104	0.364	0.728	0.371	0.742	0	0	0	0				
28/05/2026 10:00	240.15	4.327	4.32	0.552	1.104	0.554	1.108	0	0	0	0				
28/05/2026 09:30	242.74	1.003	1.001	0.109	0.218	0.118	0.236	0	0	0	0				
28/05/2026 09:00	245.26	1.429	1.429	0.171	0.342	0.174	0.348	0	0	0	0				
28/05/2026 08:30	247.66	1.44	1.439	0.166	0.332	0.17	0.34	0	0	0	0				
28/05/2026 08:00	247.99	1.239	1.238	0.149	0.298	0.152	0.304	0	0	0	0				
28/05/2026 07:30	247.14	5.224	5.225	0.601	1.202	0.631	1.262	0	0	0	0				
28/05/2026 07:00	247.24	5.109	5.11	0.621	1.242	0.626	1.252	0	0	0	0				
28/05/2026 06:30	249.28	6.906	6.893	0.84	1.68	0.849	1.698	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial Number	M22515215561	Manufacturer Name	HPL Electric & Power Ltd.	Firmware Version	1078.04
Internal CT Ratio	NA	Meter Type	6(1P Direct Connected Watthour Smart Meter)	Meter Year of Manufacture	2025
Internal PT Ratio	NA	Download time(RTC)	26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)		

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
28/05/2026 06:00	250.76	3.464	3.464	0.392	0.784	0.415	0.83	0	0	0	0				
28/05/2026 05:30	253.48	3.708	3.708	0.422	0.844	0.459	0.918	0	0	0	0				
28/05/2026 05:00	256.03	3.978	3.977	0.464	0.928	0.508	1.016	0	0	0	0				
28/05/2026 04:30	257.66	3.834	3.834	0.451	0.902	0.495	0.99	0	0	0	0				
28/05/2026 04:00	259.29	4.225	4.226	0.489	0.978	0.552	1.104	0	0	0	0				
28/05/2026 03:30	258.32	3.848	3.848	0.452	0.904	0.497	0.994	0	0	0	0				
28/05/2026 03:00	257.61	4.734	4.736	0.543	1.086	0.596	1.192	0	0	0	0				
28/05/2026 02:30	255.35	4.921	4.921	0.533	1.066	0.583	1.166	0	0	0	0				
28/05/2026 02:00	254.24	5.095	5.097	0.595	1.19	0.639	1.278	0	0	0	0				
28/05/2026 01:30	251.75	6.065	6.066	0.697	1.394	0.751	1.502	0	0	0	0				
28/05/2026 01:00	250.69	3.072	3.071	0.345	0.69	0.368	0.736	0	0	0	0				
28/05/2026 00:30	248.92	1.139	1.138	0.117	0.234	0.121	0.242	0	0	0	0				
28/05/2026 00:00	251.84	1.176	1.175	0.127	0.254	0.132	0.264	0	0	0	0				
27/05/2026 23:30	251.88	1.019	1.017	0.102	0.204	0.107	0.214	0	0	0	0				
27/05/2026 23:00	252.89	1.511	1.511	0.17	0.34	0.174	0.348	0	0	0	0				
27/05/2026 22:30	252.75	1.073	1.073	0.111	0.222	0.117	0.234	0	0	0	0				
27/05/2026 22:00	254.38	0.981	0.981	0.101	0.202	0.107	0.214	0	0	0	0				
27/05/2026 21:30	253.57	1.154	1.154	0.129	0.258	0.133	0.266	0	0	0	0				
27/05/2026 21:00	252.88	0.943	0.941	0.103	0.206	0.109	0.218	0	0	0	0				
27/05/2026 20:30	256.4	1.041	1.04	0.124	0.248	0.128	0.256	0	0	0	0				
27/05/2026 20:00	253.1	0.836	0.836	0.101	0.202	0.107	0.214	0	0	0	0				
27/05/2026 19:30	253.01	0.758	0.759	0.093	0.186	0.098	0.196	0	0	0	0				
27/05/2026 19:00	254.78	0.758	0.757	0.086	0.172	0.1	0.2	0	0	0	0				
27/05/2026 18:30	253.47	4.114	4.115	0.493	0.986	0.526	1.052	0	0	0	0				
27/05/2026 18:00	248.99	5.268	5.268	0.607	1.214	0.636	1.272	0	0	0	0				
27/05/2026 17:30	248.42	5.547	5.551	0.645	1.29	0.675	1.35	0	0	0	0				
27/05/2026 17:00	243.66	5.504	5.506	0.654	1.308	0.673	1.346	0	0	0	0				
27/05/2026 16:30	242.3	6.954	6.957	0.819	1.638	0.844	1.688	0	0	0	0				
27/05/2026 16:00	239.29	0.713	0.711	0.069	0.138	0.074	0.148	0	0	0	0				
27/05/2026 15:30	240.42	0.693	0.691	0.064	0.128	0.07	0.14	0	0	0	0				
27/05/2026 15:00	239.44	0.939	0.938	0.099	0.198	0.104	0.208	0	0	0	0				
27/05/2026 14:30	244.49	0.647	0.646	0.061	0.122	0.068	0.136	0	0	0	0				
27/05/2026 14:00	247.92	0.732	0.73	0.073	0.146	0.079	0.158	0	0	0	0				
27/05/2026 13:30	251.28	0.801	0.801	0.084	0.168	0.09	0.18	0	0	0	0				
27/05/2026 13:00	245.99	0.653	0.651	0.061	0.122	0.069	0.138	0	0	0	0				
27/05/2026 12:30	242.91	0.865	0.863	0.093	0.186	0.097	0.194	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial NumberM22515215561Manufacturer NameHPL Electric & Power Ltd.Firmware Version1078.04

Internal CT RatioNAMeter Type6(1P Direct Connected Watthour Smart Meter)Meter Year of Manufacture2025

Internal PT RatioNADownload time(RTC)26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.255 5 (kVAh-E)	Demand(kVA-E)				
27/05/2026 12:00	239.99	0.666	0.665	0.061	0.122	0.068	0.136	0	0	0	0				
27/05/2026 11:30	238.26	0.768	0.767	0.068	0.136	0.073	0.146	0	0	0	0				
27/05/2026 11:00	236	0.908	0.906	0.082	0.164	0.088	0.176	0	0	0	0				
27/05/2026 10:30	238.87	0.848	0.846	0.075	0.15	0.081	0.162	0	0	0	0				
27/05/2026 10:00	239.68	9.849	9.84	1.174	2.348	1.19	2.38	0	0	0	0				
27/05/2026 09:30	240.34	6.422	6.426	0.706	1.412	0.723	1.446	0	0	0	0				
27/05/2026 09:00	244.25	1.254	1.252	0.148	0.296	0.152	0.304	0	0	0	0				
27/05/2026 08:30	244.36	1.389	1.389	0.159	0.318	0.164	0.328	0	0	0	0				
27/05/2026 08:00	243.97	0.978	0.977	0.097	0.194	0.101	0.202	0	0	0	0				
27/05/2026 07:30	246.07	5.384	5.385	0.606	1.212	0.649	1.298	0	0	0	0				
27/05/2026 07:00	246.82	7.411	7.401	0.906	1.812	0.919	1.838	0	0	0	0				
27/05/2026 06:30	250.05	5.083	5.07	0.641	1.282	0.644	1.288	0	0	0	0				
27/05/2026 06:00	251.38	4.095	4.093	0.464	0.928	0.483	0.966	0	0	0	0				
27/05/2026 05:30	254.74	2.939	2.94	0.318	0.636	0.345	0.69	0	0	0	0				
27/05/2026 05:00	255.67	3.671	3.671	0.426	0.852	0.47	0.94	0	0	0	0				
27/05/2026 04:30	256.47	3.432	3.43	0.388	0.776	0.427	0.854	0	0	0	0				
27/05/2026 04:00	257.92	3.61	3.611	0.407	0.814	0.453	0.906	0	0	0	0				
27/05/2026 03:30	256.95	3.991	3.993	0.434	0.868	0.477	0.954	0	0	0	0				
27/05/2026 03:00	256.08	3.68	3.681	0.414	0.828	0.454	0.908	0	0	0	0				
27/05/2026 02:30	254.42	4.104	4.106	0.463	0.926	0.506	1.012	0	0	0	0				
27/05/2026 02:00	253.28	4.13	4.132	0.457	0.914	0.491	0.982	0	0	0	0				
27/05/2026 01:30	252.78	4.939	4.942	0.565	1.13	0.617	1.234	0	0	0	0				
27/05/2026 01:00	254.87	5.374	5.376	0.635	1.27	0.69	1.38	0	0	0	0				
27/05/2026 00:30	251.63	4.027	4.028	0.473	0.946	0.507	1.014	0	0	0	0				
27/05/2026 00:00	253.27	1.344	1.344	0.165	0.33	0.168	0.336	0	0	0	0				
26/05/2026 23:30	254.56	1.07	1.07	0.127	0.254	0.128	0.256	0	0	0	0				
26/05/2026 23:00	253.06	1.437	1.437	0.167	0.334	0.177	0.354	0	0	0	0				
26/05/2026 22:30	253.09	1.13	1.128	0.135	0.27	0.136	0.272	0	0	0	0				
26/05/2026 22:00	254.2	1.21	1.209	0.142	0.284	0.148	0.296	0	0	0	0				
26/05/2026 21:30	252.84	1.289	1.288	0.154	0.308	0.159	0.318	0	0	0	0				
26/05/2026 21:00	251.32	0.874	0.872	0.107	0.214	0.112	0.224	0	0	0	0				
26/05/2026 20:30	250.51	1.158	1.157	0.134	0.268	0.147	0.294	0	0	0	0				
26/05/2026 20:00	247.3	0.914	0.914	0.11	0.22	0.116	0.232	0	0	0	0				
26/05/2026 19:30	247.13	0.336	0.337	0.043	0.086	0.044	0.088	0	0	0	0				
26/05/2026 19:00	248.04	0.353	0.351	0.046	0.092	0.046	0.092	0	0	0	0				
26/05/2026 18:30	247.53	0.355	0.351	0.046	0.092	0.046	0.092	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial Number	M22515215561	Manufacturer Name	HPL Electric & Power Ltd.	Firmware Version	1078.04
Internal CT Ratio	NA	Meter Type	6(1P Direct Connected Watthour Smart Meter)	Meter Year of Manufacture	2025
Internal PT Ratio	NA	Download time(RTC)	26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)		

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
26/05/2026 18:00	245.81	0.354	0.351	0.046	0.092	0.046	0.092	0	0	0	0				
26/05/2026 17:30	244.11	0.337	0.333	0.044	0.088	0.044	0.088	0	0	0	0				
26/05/2026 17:00	239.47	0.215	0.215	0.022	0.044	0.025	0.05	0	0	0	0				
26/05/2026 16:30	237.3	0.746	0.744	0.081	0.162	0.088	0.176	0	0	0	0				
26/05/2026 16:00	233.02	1.136	1.136	0.122	0.244	0.122	0.244	0	0	0	0				
26/05/2026 15:30	234.63	1.179	1.18	0.121	0.242	0.122	0.244	0	0	0	0				
26/05/2026 15:00	236.31	0.846	0.846	0.08	0.16	0.085	0.17	0	0	0	0				
26/05/2026 14:30	240.38	0.706	0.704	0.057	0.114	0.065	0.13	0	0	0	0				
26/05/2026 14:00	243.64	0.943	0.941	0.091	0.182	0.095	0.19	0	0	0	0				
26/05/2026 13:30	247.17	0.849	0.847	0.071	0.142	0.079	0.158	0	0	0	0				
26/05/2026 13:00	243.02	0.87	0.869	0.073	0.146	0.078	0.156	0	0	0	0				
26/05/2026 12:30	240.63	0.957	0.956	0.088	0.176	0.094	0.188	0	0	0	0				
26/05/2026 12:00	239.96	0.743	0.742	0.059	0.118	0.066	0.132	0	0	0	0				
26/05/2026 11:30	240.27	0.923	0.922	0.088	0.176	0.093	0.186	0	0	0	0				
26/05/2026 11:00	238.48	0.756	0.755	0.061	0.122	0.068	0.136	0	0	0	0				
26/05/2026 10:30	239.5	4.503	4.489	0.524	1.048	0.528	1.056	0	0	0	0				
26/05/2026 10:00	240.73	1.741	1.74	0.184	0.368	0.188	0.376	0	0	0	0				
26/05/2026 09:30	243.15	0.891	0.889	0.085	0.17	0.086	0.172	0	0	0	0				
26/05/2026 09:00	245.15	1.546	1.546	0.16	0.32	0.165	0.33	0	0	0	0				
26/05/2026 08:30	242.28	3.525	3.518	0.417	0.834	0.417	0.834	0	0	0	0				
26/05/2026 08:00	247.92	4.174	4.164	0.501	1.002	0.512	1.024	0	0	0	0				
26/05/2026 07:30	245.82	2.593	2.593	0.287	0.574	0.302	0.604	0	0	0	0				
26/05/2026 07:00	246.15	9.153	9.145	1.042	2.084	1.071	2.142	0	0	0	0				
26/05/2026 06:30	247.35	8.219	8.208	0.988	1.976	1	2	0	0	0	0				
26/05/2026 06:00	250.75	3.371	3.371	0.4	0.8	0.427	0.854	0	0	0	0				
26/05/2026 05:30	253.74	4.161	4.163	0.461	0.922	0.512	1.024	0	0	0	0				
26/05/2026 05:00	256.07	3.943	3.943	0.457	0.914	0.504	1.008	0	0	0	0				
26/05/2026 04:30	262.29	4.191	4.191	0.46	0.92	0.53	1.06	0	0	0	0				
26/05/2026 04:00	262.84	4.42	4.421	0.505	1.01	0.589	1.178	0	0	0	0				
26/05/2026 03:30	261.54	4.337	4.337	0.505	1.01	0.574	1.148	0	0	0	0				
26/05/2026 03:00	261.89	4.797	4.799	0.554	1.108	0.648	1.296	0	0	0	0				
26/05/2026 02:30	260.92	4.572	4.573	0.538	1.076	0.61	1.22	0	0	0	0				
26/05/2026 02:00	259.6	4.739	4.741	0.538	1.076	0.612	1.224	0	0	0	0				
26/05/2026 01:30	258.89	5.5	5.501	0.607	1.214	0.693	1.386	0	0	0	0				
26/05/2026 01:00	256.96	6.729	6.731	0.759	1.518	0.848	1.696	0	0	0	0				
26/05/2026 00:30	255.86	4.313	4.312	0.477	0.954	0.536	1.072	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial NumberM22515215561Manufacturer NameHPL Electric & Power Ltd.Firmware Version1078.04

Internal CT RatioNAMeter Type6(1P Direct Connected Watthour Smart Meter)Meter Year of Manufacture2025

Internal PT RatioNADownload time(RTC)26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.255 5 (kVAh-E)	Demand(kVA-E)				
26/05/2026 00:00	256.73	1.303	1.302	0.162	0.324	0.163	0.326	0	0	0	0				
25/05/2026 23:30	254.71	1.198	1.197	0.141	0.282	0.147	0.294	0	0	0	0				
25/05/2026 23:00	253.8	1.778	1.778	0.195	0.39	0.201	0.402	0	0	0	0				
25/05/2026 22:30	252.91	1.182	1.181	0.141	0.282	0.145	0.29	0	0	0	0				
25/05/2026 22:00	253.07	0.973	0.973	0.108	0.216	0.113	0.226	0	0	0	0				
25/05/2026 21:30	253.42	0.989	0.989	0.118	0.236	0.124	0.248	0	0	0	0				
25/05/2026 21:00	252.59	0.661	0.657	0.083	0.166	0.086	0.172	0	0	0	0				
25/05/2026 20:30	251.49	1.126	1.126	0.128	0.256	0.141	0.282	0	0	0	0				
25/05/2026 20:00	248.52	1.095	1.093	0.118	0.236	0.125	0.25	0	0	0	0				
25/05/2026 19:30	249.93	1.116	1.113	0.124	0.248	0.126	0.252	0	0	0	0				
25/05/2026 19:00	251.22	3.075	3.076	0.346	0.692	0.374	0.748	0	0	0	0				
25/05/2026 18:30	252.7	3.393	3.393	0.404	0.808	0.427	0.854	0	0	0	0				
25/05/2026 18:00	250.96	1.254	1.252	0.144	0.288	0.154	0.308	0	0	0	0				
25/05/2026 17:30	248.31	2.555	2.554	0.28	0.56	0.294	0.588	0	0	0	0				
25/05/2026 17:00	246.35	3.001	3.002	0.333	0.666	0.353	0.706	0	0	0	0				
25/05/2026 16:30	245.14	0.598	0.596	0.048	0.096	0.063	0.126	0	0	0	0				
25/05/2026 16:00	242.5	0.315	0.313	0.022	0.044	0.022	0.044	0	0	0	0				
25/05/2026 15:30	243.25	0.715	0.713	0.06	0.12	0.08	0.16	0	0	0	0				
25/05/2026 15:00	240.9	3.977	3.977	0.459	0.918	0.473	0.946	0	0	0	0				
25/05/2026 14:30	242.58	0.67	0.668	0.066	0.132	0.075	0.15	0	0	0	0				
25/05/2026 14:00	245.66	0.693	0.693	0.072	0.144	0.077	0.154	0	0	0	0				
25/05/2026 13:30	247.07	8.616	8.62	0.995	1.99	1.048	2.096	0	0	0	0				
25/05/2026 13:00	244.33	3.537	3.536	0.403	0.806	0.418	0.836	0	0	0	0				
25/05/2026 12:30	243.32	0.724	0.723	0.066	0.132	0.082	0.164	0	0	0	0				
25/05/2026 12:00	243.03	0.912	0.91	0.095	0.19	0.096	0.192	0	0	0	0				
25/05/2026 11:30	239.79	0.799	0.797	0.078	0.156	0.089	0.178	0	0	0	0				
25/05/2026 11:00	239.57	0.423	0.421	0.044	0.088	0.048	0.096	0	0	0	0				
25/05/2026 10:30	243.54	0.7	0.699	0.082	0.164	0.09	0.18	0	0	0	0				
25/05/2026 10:00	241.51	0.598	0.596	0.067	0.134	0.072	0.144	0	0	0	0				
25/05/2026 09:30	242.67	1.075	1.074	0.131	0.262	0.135	0.27	0	0	0	0				
25/05/2026 09:00	246.9	3.162	3.156	0.396	0.792	0.397	0.794	0	0	0	0				
25/05/2026 08:30	244.94	9.258	9.25	1.112	2.224	1.141	2.282	0	0	0	0				
25/05/2026 08:00	247.87	5.312	5.312	0.63	1.26	0.672	1.344	0	0	0	0				
25/05/2026 07:30	247.32	4.259	4.258	0.475	0.95	0.513	1.026	0	0	0	0				
25/05/2026 07:00	251.55	3.721	3.72	0.488	0.976	0.521	1.042	0	0	0	0				
25/05/2026 06:30	251.93	7.624	7.616	0.989	1.978	1.019	2.038	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial Number	M22515215561	Manufacturer Name	HPL Electric & Power Ltd.	Firmware Version	1078.04
Internal CT Ratio	NA	Meter Type	6(1P Direct Connected Watthour Smart Meter)	Meter Year of Manufacture	2025
Internal PT Ratio	NA	Download time(RTC)	26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)		

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
25/05/2026 06:00	253.06	3.533	3.533	0.391	0.782	0.428	0.856	0	0	0	0				
25/05/2026 05:30	255.02	4.319	4.32	0.486	0.972	0.549	1.098	0	0	0	0				
25/05/2026 05:00	255.82	3.684	3.683	0.402	0.804	0.448	0.896	0	0	0	0				
25/05/2026 04:30	256.18	4.323	4.324	0.492	0.984	0.559	1.118	0	0	0	0				
25/05/2026 04:00	255.65	4.168	4.169	0.46	0.92	0.514	1.028	0	0	0	0				
25/05/2026 03:30	256.21	4.303	4.303	0.479	0.958	0.542	1.084	0	0	0	0				
25/05/2026 03:00	256.24	4.406	4.406	0.489	0.978	0.548	1.096	0	0	0	0				
25/05/2026 02:30	256.37	4.545	4.544	0.498	0.996	0.564	1.128	0	0	0	0				
25/05/2026 02:00	256.93	4.469	4.47	0.495	0.99	0.556	1.112	0	0	0	0				
25/05/2026 01:30	256.73	5.248	5.25	0.598	1.196	0.672	1.344	0	0	0	0				
25/05/2026 01:00	255.25	5.308	5.308	0.605	1.21	0.666	1.332	0	0	0	0				
25/05/2026 00:30	254.21	8.394	8.398	0.943	1.886	1.049	2.098	0	0	0	0				
25/05/2026 00:00	256.42	2.007	2.005	0.198	0.396	0.216	0.432	0	0	0	0				
24/05/2026 23:30	252.52	1.223	1.223	0.135	0.27	0.139	0.278	0	0	0	0				
24/05/2026 23:00	248.86	1.005	1.004	0.102	0.204	0.107	0.214	0	0	0	0				
24/05/2026 22:30	249.61	1.187	1.185	0.128	0.256	0.135	0.27	0	0	0	0				
24/05/2026 22:00	251.5	1.219	1.219	0.128	0.256	0.137	0.274	0	0	0	0				
24/05/2026 21:30	251.22	1.408	1.407	0.161	0.322	0.164	0.328	0	0	0	0				
24/05/2026 21:00	250.31	1.151	1.151	0.124	0.248	0.125	0.25	0	0	0	0				
24/05/2026 20:30	249.49	1.27	1.268	0.14	0.28	0.145	0.29	0	0	0	0				
24/05/2026 20:00	248.68	1.154	1.153	0.126	0.252	0.128	0.256	0	0	0	0				
24/05/2026 19:30	250.83	1.264	1.264	0.139	0.278	0.142	0.284	0	0	0	0				
24/05/2026 19:00	252.87	1.098	1.096	0.114	0.228	0.12	0.24	0	0	0	0				
24/05/2026 18:30	253.86	0.828	0.826	0.085	0.17	0.096	0.192	0	0	0	0				
24/05/2026 18:00	251.94	1.087	1.087	0.117	0.234	0.121	0.242	0	0	0	0				
24/05/2026 17:30	252.26	4.686	4.686	0.532	1.064	0.566	1.132	0	0	0	0				
24/05/2026 17:00	251.78	4.855	4.855	0.55	1.1	0.588	1.176	0	0	0	0				
24/05/2026 16:30	252.56	1.688	1.686	0.194	0.388	0.201	0.402	0	0	0	0				
24/05/2026 16:00	253.22	1.676	1.675	0.195	0.39	0.202	0.404	0	0	0	0				
24/05/2026 15:30	251.91	1.463	1.462	0.168	0.336	0.171	0.342	0	0	0	0				
24/05/2026 15:00	247.72	1.072	1.071	0.116	0.232	0.12	0.24	0	0	0	0				
24/05/2026 14:30	247.6	3.29	3.29	0.379	0.758	0.405	0.81	0	0	0	0				
24/05/2026 14:00	248.46	5.824	5.827	0.684	1.368	0.717	1.434	0	0	0	0				
24/05/2026 13:30	252.37	1.42	1.42	0.147	0.294	0.169	0.338	0	0	0	0				
24/05/2026 13:00	248.4	0.515	0.512	0.047	0.094	0.048	0.096	0	0	0	0				
24/05/2026 12:30	246.06	1.717	1.716	0.178	0.356	0.184	0.368	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial Number	M22515215561	Manufacturer Name	HPL Electric & Power Ltd.	Firmware Version	1078.04
Internal CT Ratio	NA	Meter Type	6(1P Direct Connected Watthour Smart Meter)	Meter Year of Manufacture	2025
Internal PT Ratio	NA	Download time(RTC)	26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)		

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
24/05/2026 12:00	244.18	7.083	7.07	0.869	1.738	0.87	1.74	0	0	0	0				
24/05/2026 11:30	244.78	0.924	0.923	0.102	0.204	0.107	0.214	0	0	0	0				
24/05/2026 11:00	245.3	0.822	0.821	0.112	0.224	0.112	0.224	0	0	0	0				
24/05/2026 10:30	244.89	0.938	0.939	0.103	0.206	0.108	0.216	0	0	0	0				
24/05/2026 10:00	246.34	0.754	0.753	0.083	0.166	0.084	0.168	0	0	0	0				
24/05/2026 09:30	247.86	1.812	1.807	0.2	0.4	0.205	0.41	0	0	0	0				
24/05/2026 09:00	250.78	8.457	8.447	1.037	2.074	1.052	2.104	0	0	0	0				
24/05/2026 08:30	251.15	4.629	4.63	0.532	1.064	0.562	1.124	0	0	0	0				
24/05/2026 08:00	253.6	3.885	3.885	0.474	0.948	0.51	1.02	0	0	0	0				
24/05/2026 07:30	253.87	5.088	5.091	0.53	1.06	0.577	1.154	0	0	0	0				
24/05/2026 07:00	253.75	7.397	7.399	0.805	1.61	0.88	1.76	0	0	0	0				
24/05/2026 06:30	254.27	9.081	9.073	1.087	2.174	1.121	2.242	0	0	0	0				
24/05/2026 06:00	254.71	5.435	5.435	0.649	1.298	0.693	1.386	0	0	0	0				
24/05/2026 05:30	256.77	4.553	4.554	0.549	1.098	0.617	1.234	0	0	0	0				
24/05/2026 05:00	256.78	4.57	4.573	0.499	0.998	0.561	1.122	0	0	0	0				
24/05/2026 04:30	256.54	4.754	4.755	0.551	1.102	0.616	1.232	0	0	0	0				
24/05/2026 04:00	256.37	4.884	4.887	0.545	1.09	0.615	1.23	0	0	0	0				
24/05/2026 03:30	254.9	4.597	4.597	0.545	1.09	0.599	1.198	0	0	0	0				
24/05/2026 03:00	254.35	4.863	4.866	0.56	1.12	0.623	1.246	0	0	0	0				
24/05/2026 02:30	253.48	5.318	5.319	0.615	1.23	0.672	1.344	0	0	0	0				
24/05/2026 02:00	252.37	5.513	5.515	0.616	1.232	0.678	1.356	0	0	0	0				
24/05/2026 01:30	252	5.877	5.878	0.656	1.312	0.718	1.436	0	0	0	0				
24/05/2026 01:00	249.86	7.221	7.223	0.821	1.642	0.882	1.764	0	0	0	0				
24/05/2026 00:30	249.29	6.796	6.801	0.781	1.562	0.837	1.674	0	0	0	0				
24/05/2026 00:00	252.41	1.04	1.04	0.117	0.234	0.122	0.244	0	0	0	0				
23/05/2026 23:30	250.89	0.482	0.48	0.043	0.086	0.052	0.104	0	0	0	0				
23/05/2026 23:00	248.69	0.529	0.526	0.05	0.1	0.062	0.124	0	0	0	0				
23/05/2026 22:30	247.1	0.283	0.279	0.025	0.05	0.025	0.05	0	0	0	0				
23/05/2026 22:00	247.81	5.195	5.197	0.601	1.202	0.638	1.276	0	0	0	0				
23/05/2026 21:30	247.72	4.033	4.034	0.466	0.932	0.488	0.976	0	0	0	0				
23/05/2026 21:00	249.48	1.07	1.07	0.123	0.246	0.128	0.256	0	0	0	0				
23/05/2026 20:30	247.66	0.958	0.955	0.108	0.216	0.113	0.226	0	0	0	0				
23/05/2026 20:00	245.42	2.389	2.385	0.26	0.52	0.263	0.526	0	0	0	0				
23/05/2026 19:30	246.57	1.921	1.918	0.2	0.4	0.207	0.414	0	0	0	0				
23/05/2026 19:00	249.09	0.657	0.653	0.072	0.144	0.073	0.146	0	0	0	0				
23/05/2026 18:30	250.31	1.275	1.275	0.148	0.296	0.151	0.302	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial Number	M22515215561	Manufacturer Name	HPL Electric & Power Ltd.	Firmware Version	1078.04
Internal CT Ratio	NA	Meter Type	6(1P Direct Connected Watthour Smart Meter)	Meter Year of Manufacture	2025
Internal PT Ratio	NA	Download time(RTC)	26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)		

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
23/05/2026 18:00	247.8	1.104	1.104	0.126	0.252	0.129	0.258	0	0	0	0				
23/05/2026 17:30	246.75	1.113	1.113	0.128	0.256	0.131	0.262	0	0	0	0				
23/05/2026 17:00	242.79	1.174	1.174	0.135	0.27	0.139	0.278	0	0	0	0				
23/05/2026 16:30	241.57	0.994	0.993	0.114	0.228	0.114	0.228	0	0	0	0				
23/05/2026 16:00	240.29	1.213	1.212	0.139	0.278	0.143	0.286	0	0	0	0				
23/05/2026 15:30	242.38	0.944	0.943	0.108	0.216	0.11	0.22	0	0	0	0				
23/05/2026 15:00	242.55	0.98	0.977	0.109	0.218	0.113	0.226	0	0	0	0				
23/05/2026 14:30	243.16	0.72	0.719	0.077	0.154	0.084	0.168	0	0	0	0				
23/05/2026 14:00	248.14	0.499	0.498	0.065	0.13	0.065	0.13	0	0	0	0				
23/05/2026 13:30	249.81	0.72	0.719	0.075	0.15	0.087	0.174	0	0	0	0				
23/05/2026 13:00	245.55	0.885	0.883	0.099	0.198	0.102	0.204	0	0	0	0				
23/05/2026 12:30	243.35	1.051	1.051	0.119	0.238	0.123	0.246	0	0	0	0				
23/05/2026 12:00	241.94	1.159	1.16	0.132	0.264	0.136	0.272	0	0	0	0				
23/05/2026 11:30	241.37	1.438	1.439	0.151	0.302	0.155	0.31	0	0	0	0				
23/05/2026 11:00	239.17	1.349	1.348	0.149	0.298	0.152	0.304	0	0	0	0				
23/05/2026 10:30	240.35	1.122	1.12	0.124	0.248	0.128	0.256	0	0	0	0				
23/05/2026 10:00	240.82	0.679	0.679	0.067	0.134	0.072	0.144	0	0	0	0				
23/05/2026 09:30	243.07	4.181	4.179	0.5	1	0.505	1.01	0	0	0	0				
23/05/2026 09:00	246.63	7.838	7.826	0.952	1.904	0.964	1.928	0	0	0	0				
23/05/2026 08:30	249.43	3.855	3.856	0.445	0.89	0.478	0.956	0	0	0	0				
23/05/2026 08:00	251.23	2.821	2.821	0.316	0.632	0.351	0.702	0	0	0	0				
23/05/2026 07:30	251.39	4.636	4.638	0.519	1.038	0.562	1.124	0	0	0	0				
23/05/2026 07:00	251.76	4.709	4.71	0.512	1.024	0.556	1.112	0	0	0	0				
23/05/2026 06:30	252.86	8.621	8.613	1.088	2.176	1.11	2.22	0	0	0	0				
23/05/2026 06:00	255.96	3.555	3.556	0.394	0.788	0.436	0.872	0	0	0	0				
23/05/2026 05:30	257.26	3.476	3.476	0.375	0.75	0.417	0.834	0	0	0	0				
23/05/2026 05:00	257.04	3.645	3.646	0.381	0.762	0.422	0.844	0	0	0	0				
23/05/2026 04:30	257.16	3.957	3.958	0.439	0.878	0.488	0.976	0	0	0	0				
23/05/2026 04:00	257.13	3.715	3.715	0.416	0.832	0.463	0.926	0	0	0	0				
23/05/2026 03:30	256.28	3.987	3.99	0.455	0.91	0.501	1.002	0	0	0	0				
23/05/2026 03:00	258.13	4.212	4.215	0.473	0.946	0.528	1.056	0	0	0	0				
23/05/2026 02:30	257.13	4.444	4.446	0.493	0.986	0.55	1.1	0	0	0	0				
23/05/2026 02:00	256.51	5.019	5.02	0.564	1.128	0.624	1.248	0	0	0	0				
23/05/2026 01:30	255.85	3.781	3.781	0.432	0.864	0.479	0.958	0	0	0	0				
23/05/2026 01:00	254.25	1.473	1.473	0.182	0.364	0.187	0.374	0	0	0	0				
23/05/2026 00:30	253.04	0.454	0.456	0.057	0.114	0.057	0.114	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial NumberM22515215561Manufacturer NameHPL Electric & Power Ltd.Firmware Version1078.04

Internal CT RatioNAMeter Type6(1P Direct Connected Watthour Smart Meter)Meter Year of Manufacture2025

Internal PT RatioNADownload time(RTC)26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
23/05/2026 00:00	252.81	0.915	0.915	0.103	0.206	0.117	0.234	0	0	0	0				
22/05/2026 23:30	251.14	1.444	1.445	0.171	0.342	0.177	0.354	0	0	0	0				
22/05/2026 23:00	249.68	1.239	1.239	0.138	0.276	0.146	0.292	0	0	0	0				
22/05/2026 22:30	250.62	1.108	1.108	0.123	0.246	0.129	0.258	0	0	0	0				
22/05/2026 22:00	253.63	0.906	0.904	0.098	0.196	0.103	0.206	0	0	0	0				
22/05/2026 21:30	253.7	0.868	0.865	0.093	0.186	0.099	0.198	0	0	0	0				
22/05/2026 21:00	253.37	1.113	1.112	0.126	0.252	0.131	0.262	0	0	0	0				
22/05/2026 20:30	252.2	1.02	1.019	0.112	0.224	0.115	0.23	0	0	0	0				
22/05/2026 20:00	249.05	1.34	1.338	0.151	0.302	0.16	0.32	0	0	0	0				
22/05/2026 19:30	250.28	0.957	0.956	0.107	0.214	0.115	0.23	0	0	0	0				
22/05/2026 19:00	250.72	1.056	1.054	0.124	0.248	0.124	0.248	0	0	0	0				
22/05/2026 18:30	254.2	0.75	0.748	0.088	0.176	0.094	0.188	0	0	0	0				
22/05/2026 18:00	258.31	0.542	0.539	0.062	0.124	0.069	0.138	0	0	0	0				
22/05/2026 17:30	257.77	0.463	0.461	0.05	0.1	0.057	0.114	0	0	0	0				
22/05/2026 17:00	255.43	0.815	0.814	0.04	0.08	0.045	0.09	0	0	0	0				
22/05/2026 16:30	0	0	0	0	0	0	0	0	0	0	0				
22/05/2026 16:00	0	0	0	0	0	0	0	0	0	0	0				
22/05/2026 15:30	254.41	0.591	0.588	0.03	0.06	0.035	0.07	0	0	0	0				
22/05/2026 15:00	246.65	0.413	0.411	0.042	0.084	0.048	0.096	0	0	0	0				
22/05/2026 14:30	246.02	0.464	0.462	0.044	0.088	0.055	0.11	0	0	0	0				
22/05/2026 14:00	247.04	0.517	0.516	0.056	0.112	0.065	0.13	0	0	0	0				
22/05/2026 13:30	249.14	0.513	0.511	0.053	0.106	0.06	0.12	0	0	0	0				
22/05/2026 13:00	244.99	0.518	0.517	0.052	0.104	0.059	0.118	0	0	0	0				
22/05/2026 12:30	241.6	0.737	0.736	0.078	0.156	0.086	0.172	0	0	0	0				
22/05/2026 12:00	241.28	3.155	3.155	0.352	0.704	0.362	0.724	0	0	0	0				
22/05/2026 11:30	240.27	0.819	0.817	0.036	0.072	0.038	0.076	0	0	0	0				
22/05/2026 11:00	241.5	0.75	0.748	0.082	0.164	0.087	0.174	0	0	0	0				
22/05/2026 10:30	241.09	0.976	0.974	0.1	0.2	0.105	0.21	0	0	0	0				
22/05/2026 10:00	238.59	2.344	2.345	0.245	0.49	0.248	0.496	0	0	0	0				
22/05/2026 09:30	240.2	8.398	8.393	1.015	2.03	1.015	2.03	0	0	0	0				
22/05/2026 09:00	246.47	4.658	4.656	0.552	1.104	0.566	1.132	0	0	0	0				
22/05/2026 08:30	247.23	9.727	9.714	1.181	2.362	1.195	2.39	0	0	0	0				
22/05/2026 08:00	248.2	5.706	5.705	0.651	1.302	0.684	1.368	0	0	0	0				
22/05/2026 07:30	251.71	2.651	2.65	0.306	0.612	0.341	0.682	0	0	0	0				
22/05/2026 07:00	254.06	3.423	3.424	0.395	0.79	0.439	0.878	0	0	0	0				
22/05/2026 06:30	253.9	6.741	6.736	0.839	1.678	0.861	1.722	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial Number	M22515215561	Manufacturer Name	HPL Electric & Power Ltd.	Firmware Version	1078.04
Internal CT Ratio	NA	Meter Type	6(1P Direct Connected Watthour Smart Meter)	Meter Year of Manufacture	2025
Internal PT Ratio	NA	Download time(RTC)	26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)		

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.255 5 (kVAh-E)	Demand(kVA-E)				
22/05/2026 06:00	255.79	3.231	3.232	0.364	0.728	0.397	0.794	0	0	0	0				
22/05/2026 05:30	256.86	2.829	2.829	0.328	0.656	0.362	0.724	0	0	0	0				
22/05/2026 05:00	255.87	3.279	3.278	0.38	0.76	0.419	0.838	0	0	0	0				
22/05/2026 04:30	256.98	3.154	3.154	0.341	0.682	0.375	0.75	0	0	0	0				
22/05/2026 04:00	257.07	3.363	3.364	0.411	0.822	0.453	0.906	0	0	0	0				
22/05/2026 03:30	257.51	3.327	3.328	0.375	0.75	0.415	0.83	0	0	0	0				
22/05/2026 03:00	255.58	3.754	3.754	0.399	0.798	0.438	0.876	0	0	0	0				
22/05/2026 02:30	254.64	3.92	3.919	0.443	0.886	0.486	0.972	0	0	0	0				
22/05/2026 02:00	254.17	3.651	3.649	0.41	0.82	0.444	0.888	0	0	0	0				
22/05/2026 01:30	252.77	4.158	4.159	0.485	0.97	0.525	1.05	0	0	0	0				
22/05/2026 01:00	252.09	4.644	4.645	0.531	1.062	0.573	1.146	0	0	0	0				
22/05/2026 00:30	256.77	4.128	4.128	0.456	0.912	0.502	1.004	0	0	0	0				
22/05/2026 00:00	256.25	1.211	1.211	0.133	0.266	0.139	0.278	0	0	0	0				
21/05/2026 23:30	253.01	1.234	1.234	0.136	0.272	0.14	0.28	0	0	0	0				
21/05/2026 23:00	250.4	1.136	1.135	0.121	0.242	0.126	0.252	0	0	0	0				
21/05/2026 22:30	249.29	7.389	7.391	0.865	1.73	0.917	1.834	0	0	0	0				
21/05/2026 22:00	253.42	3.422	3.424	0.384	0.768	0.409	0.818	0	0	0	0				
21/05/2026 21:30	255.28	1.098	1.097	0.131	0.262	0.136	0.272	0	0	0	0				
21/05/2026 21:00	255.42	1.127	1.125	0.143	0.286	0.148	0.296	0	0	0	0				
21/05/2026 20:30	254.07	0.693	0.694	0.087	0.174	0.091	0.182	0	0	0	0				
21/05/2026 20:00	253.11	0.882	0.881	0.09	0.18	0.111	0.222	0	0	0	0				
21/05/2026 19:30	252.94	0.796	0.793	0.089	0.178	0.099	0.198	0	0	0	0				
21/05/2026 19:00	253.31	0.677	0.676	0.074	0.148	0.08	0.16	0	0	0	0				
21/05/2026 18:30	253.5	0.854	0.852	0.088	0.176	0.095	0.19	0	0	0	0				
21/05/2026 18:00	249.97	3.741	3.742	0.434	0.868	0.455	0.91	0	0	0	0				
21/05/2026 17:30	248.68	7.609	7.612	0.887	1.774	0.927	1.854	0	0	0	0				
21/05/2026 17:00	243.26	4.377	4.378	0.511	1.022	0.53	1.06	0	0	0	0				
21/05/2026 16:30	242.07	1.021	1.02	0.107	0.214	0.115	0.23	0	0	0	0				
21/05/2026 16:00	239.94	1.039	1.037	0.105	0.21	0.113	0.226	0	0	0	0				
21/05/2026 15:30	240.25	0.976	0.974	0.099	0.198	0.106	0.212	0	0	0	0				
21/05/2026 15:00	243.96	0.939	0.937	0.071	0.142	0.074	0.148	0	0	0	0				
21/05/2026 14:30	0	0	0	0	0	0	0	0	0	0	0				
21/05/2026 14:00	0	0	0	0	0	0	0	0	0	0	0				
21/05/2026 13:30	248.81	1.241	1.239	0.071	0.142	0.075	0.15	0	0	0	0				
21/05/2026 13:00	245.72	1.004	1.004	0.091	0.182	0.096	0.192	0	0	0	0				
21/05/2026 12:30	244.36	0.949	0.948	0.081	0.162	0.087	0.174	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial Number	M22515215561	Manufacturer Name	HPL Electric & Power Ltd.	Firmware Version	1078.04
Internal CT Ratio	NA	Meter Type	6(1P Direct Connected Watthour Smart Meter)	Meter Year of Manufacture	2025
Internal PT Ratio	NA	Download time(RTC)	26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)		

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
21/05/2026 12:00	243.6	0.95	0.949	0.091	0.182	0.096	0.192	0	0	0	0				
21/05/2026 11:30	242.1	1.1	1.099	0.111	0.222	0.117	0.234	0	0	0	0				
21/05/2026 11:00	240.08	7.367	7.351	0.91	1.82	0.912	1.824	0	0	0	0				
21/05/2026 10:30	241.08	1.071	1.069	0.114	0.228	0.12	0.24	0	0	0	0				
21/05/2026 10:00	241.27	0.984	0.983	0.1	0.2	0.109	0.218	0	0	0	0				
21/05/2026 09:30	245.03	1.206	1.205	0.136	0.272	0.142	0.284	0	0	0	0				
21/05/2026 09:00	249.8	1.205	1.205	0.135	0.27	0.14	0.28	0	0	0	0				
21/05/2026 08:30	247.13	4.708	4.701	0.57	1.14	0.574	1.148	0	0	0	0				
21/05/2026 08:00	250.47	5.323	5.32	0.62	1.24	0.641	1.282	0	0	0	0				
21/05/2026 07:30	251.6	5.575	5.576	0.63	1.26	0.68	1.36	0	0	0	0				
21/05/2026 07:00	251.51	9.134	9.125	1.151	2.302	1.175	2.35	0	0	0	0				
21/05/2026 06:30	254.27	3.399	3.399	0.378	0.756	0.409	0.818	0	0	0	0				
21/05/2026 06:00	254.52	2.803	2.803	0.33	0.66	0.36	0.72	0	0	0	0				
21/05/2026 05:30	256.36	3.577	3.578	0.398	0.796	0.439	0.878	0	0	0	0				
21/05/2026 05:00	256.99	3.111	3.111	0.361	0.722	0.398	0.796	0	0	0	0				
21/05/2026 04:30	257.19	3.559	3.56	0.418	0.836	0.464	0.928	0	0	0	0				
21/05/2026 04:00	257.58	3.395	3.396	0.391	0.782	0.434	0.868	0	0	0	0				
21/05/2026 03:30	257.16	3.999	3.999	0.441	0.882	0.489	0.978	0	0	0	0				
21/05/2026 03:00	256.36	3.982	3.982	0.443	0.886	0.488	0.976	0	0	0	0				
21/05/2026 02:30	254.61	4.637	4.639	0.555	1.11	0.603	1.206	0	0	0	0				
21/05/2026 02:00	251.83	2.567	2.567	0.316	0.632	0.339	0.678	0	0	0	0				
21/05/2026 01:30	251.31	1.086	1.084	0.126	0.252	0.128	0.256	0	0	0	0				
21/05/2026 01:00	249.92	1.046	1.045	0.122	0.244	0.127	0.254	0	0	0	0				
21/05/2026 00:30	248.55	1.184	1.183	0.139	0.278	0.142	0.284	0	0	0	0				
21/05/2026 00:00	248.15	1.25	1.248	0.147	0.294	0.15	0.3	0	0	0	0				
20/05/2026 23:30	247.01	2.314	2.313	0.266	0.532	0.275	0.55	0	0	0	0				
20/05/2026 23:00	244.3	3.473	3.476	0.38	0.76	0.397	0.794	0	0	0	0				
20/05/2026 22:30	245.89	5.997	5.999	0.696	1.392	0.727	1.454	0	0	0	0				
20/05/2026 22:00	249.07	1.118	1.116	0.125	0.25	0.129	0.258	0	0	0	0				
20/05/2026 21:30	249.86	1.073	1.072	0.118	0.236	0.122	0.244	0	0	0	0				
20/05/2026 21:00	248.64	1.213	1.211	0.136	0.272	0.139	0.278	0	0	0	0				
20/05/2026 20:30	246.9	1.086	1.084	0.119	0.238	0.124	0.248	0	0	0	0				
20/05/2026 20:00	243.61	1.101	1.101	0.116	0.232	0.12	0.24	0	0	0	0				
20/05/2026 19:30	244.06	1.2	1.199	0.135	0.27	0.138	0.276	0	0	0	0				
20/05/2026 19:00	245.9	0.362	0.361	0.04	0.08	0.042	0.084	0	0	0	0				
20/05/2026 18:30	253.07	0	0	0	0	0	0	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial NumberM22515215561Manufacturer NameHPL Electric & Power Ltd.Firmware Version1078.04

Internal CT RatioNAMeter Type6(1P Direct Connected Watthour Smart Meter)Meter Year of Manufacture2025

Internal PT RatioNADownload time(RTC)26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
20/05/2026 18:00	253.38	0	0	0	0	0	0	0	0	0	0				
20/05/2026 17:30	253.13	0	0	0	0	0	0	0	0	0	0				
20/05/2026 17:00	248.84	0	0	0	0	0	0	0	0	0	0				
20/05/2026 16:30	247.85	0	0	0	0	0	0	0	0	0	0				
20/05/2026 16:00	246.15	0	0	0	0	0	0	0	0	0	0				
20/05/2026 15:30	244.74	0	0	0	0	0	0	0	0	0	0				
20/05/2026 15:00	243.52	0	0	0	0	0	0	0	0	0	0				
20/05/2026 14:30	246.38	0	0	0	0	0	0	0	0	0	0				
20/05/2026 14:00	252.96	0	0	0	0	0	0	0	0	0	0				
20/05/2026 13:30	254.36	0	0	0	0	0	0	0	0	0	0				
20/05/2026 13:00	248.6	0	0	0	0	0	0	0	0	0	0				
20/05/2026 12:30	248.55	0	0	0	0	0	0	0	0	0	0				
20/05/2026 12:00	244.47	0	0	0	0	0	0	0	0	0	0				
20/05/2026 11:30	245.34	0	0	0	0	0	0	0	0	0	0				
20/05/2026 11:00	243.27	0.444	0.443	0.045	0.09	0.046	0.092	0	0	0	0				
20/05/2026 10:30	238.14	1.434	1.433	0.151	0.302	0.155	0.31	0	0	0	0				
20/05/2026 10:00	238.88	1.096	1.095	0.112	0.224	0.116	0.232	0	0	0	0				
20/05/2026 09:30	240.88	0.371	0.371	0.037	0.074	0.039	0.078	0	0	0	0				
20/05/2026 09:00	242.98	10.095	10.082	1.228	2.456	1.243	2.486	0	0	0	0				
20/05/2026 08:30	247.03	3.814	3.814	0.367	0.734	0.387	0.774	0	0	0	0				
20/05/2026 08:00	248.18	3.541	3.542	0.378	0.756	0.419	0.838	0	0	0	0				
20/05/2026 07:30	251.95	2.985	2.986	0.335	0.67	0.367	0.734	0	0	0	0				
20/05/2026 07:00	253.86	3.023	3.022	0.339	0.678	0.381	0.762	0	0	0	0				
20/05/2026 06:30	254.53	7.429	7.422	0.914	1.828	0.938	1.876	0	0	0	0				
20/05/2026 06:00	256.07	3.57	3.57	0.386	0.772	0.43	0.86	0	0	0	0				
20/05/2026 05:30	257.05	2.945	2.945	0.34	0.68	0.387	0.774	0	0	0	0				
20/05/2026 05:00	257.21	3.456	3.455	0.401	0.802	0.446	0.892	0	0	0	0				
20/05/2026 04:30	257.04	3.772	3.772	0.409	0.818	0.464	0.928	0	0	0	0				
20/05/2026 04:00	257.08	3.296	3.295	0.358	0.716	0.398	0.796	0	0	0	0				
20/05/2026 03:30	256.26	3.713	3.715	0.412	0.824	0.463	0.926	0	0	0	0				
20/05/2026 03:00	255.12	3.62	3.62	0.419	0.838	0.466	0.932	0	0	0	0				
20/05/2026 02:30	254.05	3.487	3.488	0.404	0.808	0.445	0.89	0	0	0	0				
20/05/2026 02:00	253.78	4.194	4.194	0.457	0.914	0.508	1.016	0	0	0	0				
20/05/2026 01:30	253.12	3.948	3.951	0.445	0.89	0.487	0.974	0	0	0	0				
20/05/2026 01:00	257.62	4.016	4.016	0.439	0.878	0.499	0.998	0	0	0	0				
20/05/2026 00:30	256.09	3.967	3.968	0.438	0.876	0.49	0.98	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial NumberM22515215561Manufacturer NameHPL Electric & Power Ltd.Firmware Version1078.04

Internal CT RatioNAMeter Type6(1P Direct Connected Watthour Smart Meter)Meter Year of Manufacture2025

Internal PT RatioNADownload time(RTC)26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
20/05/2026 00:00	253.94	10.012	10.018	1.174	2.348	1.253	2.506	0	0	0	0				
19/05/2026 23:30	251.74	9.943	9.933	1.241	2.482	1.256	2.512	0	0	0	0				
19/05/2026 23:00	251.32	1.454	1.452	0.163	0.326	0.173	0.346	0	0	0	0				
19/05/2026 22:30	250.43	7.416	7.42	0.871	1.742	0.921	1.842	0	0	0	0				
19/05/2026 22:00	253.05	9.159	9.162	1.056	2.112	1.143	2.286	0	0	0	0				
19/05/2026 21:30	253.52	1.642	1.642	0.171	0.342	0.18	0.36	0	0	0	0				
19/05/2026 21:00	254.36	1.257	1.254	0.144	0.288	0.152	0.304	0	0	0	0				
19/05/2026 20:30	253.2	1.428	1.428	0.168	0.336	0.177	0.354	0	0	0	0				
19/05/2026 20:00	250.76	1.078	1.076	0.123	0.246	0.127	0.254	0	0	0	0				
19/05/2026 19:30	250.36	1.076	1.075	0.122	0.244	0.123	0.246	0	0	0	0				
19/05/2026 19:00	251.75	1.149	1.149	0.13	0.26	0.134	0.268	0	0	0	0				
19/05/2026 18:30	254.29	0.993	0.992	0.116	0.232	0.116	0.232	0	0	0	0				
19/05/2026 18:00	254.78	1.11	1.11	0.131	0.262	0.134	0.268	0	0	0	0				
19/05/2026 17:30	252.81	1.056	1.054	0.121	0.242	0.125	0.25	0	0	0	0				
19/05/2026 17:00	246.27	0.38	0.378	0.045	0.09	0.045	0.09	0	0	0	0				
19/05/2026 16:30	243.38	0.568	0.566	0.062	0.124	0.068	0.136	0	0	0	0				
19/05/2026 16:00	242.67	0.402	0.399	0.046	0.092	0.046	0.092	0	0	0	0				
19/05/2026 15:30	244.08	0.668	0.667	0.071	0.142	0.078	0.156	0	0	0	0				
19/05/2026 15:00	239.93	0.314	0.313	0.031	0.062	0.031	0.062	0	0	0	0				
19/05/2026 14:30	240.55	0.359	0.358	0.029	0.058	0.038	0.076	0	0	0	0				
19/05/2026 14:00	244.16	0.178	0.176	0.015	0.03	0.016	0.032	0	0	0	0				
19/05/2026 13:30	247.64	0.445	0.443	0.04	0.08	0.049	0.098	0	0	0	0				
19/05/2026 13:00	242.23	0.59	0.589	0.049	0.098	0.049	0.098	0	0	0	0				
19/05/2026 12:30	238.91	1.084	1.082	0.116	0.232	0.119	0.238	0	0	0	0				
19/05/2026 12:00	237.49	0.996	0.996	0.104	0.208	0.104	0.208	0	0	0	0				
19/05/2026 11:30	238.1	1.233	1.232	0.131	0.262	0.136	0.272	0	0	0	0				
19/05/2026 11:00	236.77	1.145	1.143	0.121	0.242	0.122	0.244	0	0	0	0				
19/05/2026 10:30	237.76	7.074	7.079	0.842	1.684	0.844	1.688	0	0	0	0				
19/05/2026 10:00	238.03	8.802	8.803	1.05	2.1	1.051	2.102	0	0	0	0				
19/05/2026 09:30	241.01	6.892	6.886	0.748	1.496	0.761	1.522	0	0	0	0				
19/05/2026 09:00	246.59	3.786	3.787	0.439	0.878	0.456	0.912	0	0	0	0				
19/05/2026 08:30	246.35	9.507	9.495	1.137	2.274	1.147	2.294	0	0	0	0				
19/05/2026 08:00	248.19	3.507	3.508	0.387	0.774	0.409	0.818	0	0	0	0				
19/05/2026 07:30	249.69	3.441	3.441	0.393	0.786	0.416	0.832	0	0	0	0				
19/05/2026 07:00	251.65	2.854	2.855	0.333	0.666	0.357	0.714	0	0	0	0				
19/05/2026 06:30	252.56	7.414	7.407	0.915	1.83	0.931	1.862	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial Number	M22515215561	Manufacturer Name	HPL Electric & Power Ltd.	Firmware Version	1078.04
Internal CT Ratio	NA	Meter Type	6(1P Direct Connected Watthour Smart Meter)	Meter Year of Manufacture	2025
Internal PT Ratio	NA	Download time(RTC)	26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)		

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
19/05/2026 06:00	253.29	3.206	3.207	0.36	0.72	0.388	0.776	0	0	0	0				
19/05/2026 05:30	255.16	3.403	3.404	0.386	0.772	0.424	0.848	0	0	0	0				
19/05/2026 05:00	255.08	3.359	3.358	0.37	0.74	0.404	0.808	0	0	0	0				
19/05/2026 04:30	255.38	3.45	3.45	0.406	0.812	0.438	0.876	0	0	0	0				
19/05/2026 04:00	254.31	3.622	3.624	0.422	0.844	0.461	0.922	0	0	0	0				
19/05/2026 03:30	253.7	3.669	3.671	0.416	0.832	0.454	0.908	0	0	0	0				
19/05/2026 03:00	252.54	3.622	3.622	0.41	0.82	0.435	0.87	0	0	0	0				
19/05/2026 02:30	253.13	3.768	3.768	0.408	0.816	0.436	0.872	0	0	0	0				
19/05/2026 02:00	252.81	4.553	4.555	0.499	0.998	0.54	1.08	0	0	0	0				
19/05/2026 01:30	250.29	7.943	7.949	0.914	1.828	0.97	1.94	0	0	0	0				
19/05/2026 01:00	248.99	7.734	7.738	0.916	1.832	0.966	1.932	0	0	0	0				
19/05/2026 00:30	251.96	1.554	1.554	0.18	0.36	0.185	0.37	0	0	0	0				
19/05/2026 00:00	250.17	1.066	1.064	0.109	0.218	0.114	0.228	0	0	0	0				
18/05/2026 23:30	248.2	1.2	1.2	0.128	0.256	0.132	0.264	0	0	0	0				
18/05/2026 23:00	246.85	1.232	1.232	0.131	0.262	0.134	0.268	0	0	0	0				
18/05/2026 22:30	246.89	1.354	1.354	0.148	0.296	0.154	0.308	0	0	0	0				
18/05/2026 22:00	250.9	1.422	1.422	0.169	0.338	0.178	0.356	0	0	0	0				
18/05/2026 21:30	250.53	1.267	1.266	0.157	0.314	0.159	0.318	0	0	0	0				
18/05/2026 21:00	250.22	0.756	0.754	0.093	0.186	0.096	0.192	0	0	0	0				
18/05/2026 20:30	247.79	1.969	1.969	0.228	0.456	0.241	0.482	0	0	0	0				
18/05/2026 20:00	244.41	8.267	8.272	0.976	1.952	1.015	2.03	0	0	0	0				
18/05/2026 19:30	247.58	1.069	1.067	0.119	0.238	0.121	0.242	0	0	0	0				
18/05/2026 19:00	249.79	1.166	1.165	0.133	0.266	0.136	0.272	0	0	0	0				
18/05/2026 18:30	256.49	1.409	1.408	0.165	0.33	0.171	0.342	0	0	0	0				
18/05/2026 18:00	250.69	1.089	1.087	0.127	0.254	0.131	0.262	0	0	0	0				
18/05/2026 17:30	249.87	0.695	0.697	0.084	0.168	0.085	0.17	0	0	0	0				
18/05/2026 17:00	245.9	0.794	0.791	0.089	0.178	0.096	0.192	0	0	0	0				
18/05/2026 16:30	245.42	0.916	0.914	0.108	0.216	0.112	0.224	0	0	0	0				
18/05/2026 16:00	243.37	0.78	0.779	0.091	0.182	0.092	0.184	0	0	0	0				
18/05/2026 15:30	242.94	0.956	0.952	0.101	0.202	0.105	0.21	0	0	0	0				
18/05/2026 15:00	244.57	0.945	0.942	0.099	0.198	0.103	0.206	0	0	0	0				
18/05/2026 14:30	249.45	0.907	0.906	0.096	0.192	0.1	0.2	0	0	0	0				
18/05/2026 14:00	254.3	0.539	0.54	0.054	0.108	0.058	0.116	0	0	0	0				
18/05/2026 13:30	256.52	4.861	4.849	0.629	1.258	0.634	1.268	0	0	0	0				
18/05/2026 13:00	253.92	0.806	0.803	0.08	0.16	0.089	0.178	0	0	0	0				
18/05/2026 12:30	250.24	1.018	1.018	0.107	0.214	0.112	0.224	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial NumberM22515215561Manufacturer NameHPL Electric & Power Ltd.Firmware Version1078.04

Internal CT RatioNAMeter Type6(1P Direct Connected Watthour Smart Meter)Meter Year of Manufacture2025

Internal PT RatioNADownload time(RTC)26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
18/05/2026 12:00	247.22	0.724	0.721	0.061	0.122	0.065	0.13	0	0	0	0				
18/05/2026 11:30	247.16	0.441	0.438	0.043	0.086	0.051	0.102	0	0	0	0				
18/05/2026 11:00	242.98	0.51	0.507	0.052	0.104	0.06	0.12	0	0	0	0				
18/05/2026 10:30	239.42	0.488	0.487	0.049	0.098	0.057	0.114	0	0	0	0				
18/05/2026 10:00	240.57	0.731	0.731	0.082	0.164	0.087	0.174	0	0	0	0				
18/05/2026 09:30	240.8	1.769	1.769	0.19	0.38	0.2	0.4	0	0	0	0				
18/05/2026 09:00	245.61	2.765	2.766	0.27	0.54	0.275	0.55	0	0	0	0				
18/05/2026 08:30	245.62	9.255	9.244	1.13	2.26	1.131	2.262	0	0	0	0				
18/05/2026 08:00	249.34	4.592	4.593	0.516	1.032	0.539	1.078	0	0	0	0				
18/05/2026 07:30	249.61	4.297	4.3	0.496	0.992	0.525	1.05	0	0	0	0				
18/05/2026 07:00	252.18	4.355	4.356	0.514	1.028	0.55	1.1	0	0	0	0				
18/05/2026 06:30	252.04	6.585	6.58	0.795	1.59	0.828	1.656	0	0	0	0				
18/05/2026 06:00	252.44	6.443	6.439	0.777	1.554	0.808	1.616	0	0	0	0				
18/05/2026 05:30	254.75	4.063	4.063	0.484	0.968	0.523	1.046	0	0	0	0				
18/05/2026 05:00	255.44	4.213	4.215	0.499	0.998	0.546	1.092	0	0	0	0				
18/05/2026 04:30	255.33	4.189	4.189	0.499	0.998	0.545	1.09	0	0	0	0				
18/05/2026 04:00	256.95	4.492	4.494	0.508	1.016	0.558	1.116	0	0	0	0				
18/05/2026 03:30	256	4.871	4.873	0.565	1.13	0.616	1.232	0	0	0	0				
18/05/2026 03:00	255.6	4.279	4.279	0.499	0.998	0.546	1.092	0	0	0	0				
18/05/2026 02:30	254.82	4.963	4.965	0.579	1.158	0.633	1.266	0	0	0	0				
18/05/2026 02:00	254.33	4.704	4.706	0.55	1.1	0.597	1.194	0	0	0	0				
18/05/2026 01:30	253.42	5.015	5.016	0.546	1.092	0.586	1.172	0	0	0	0				
18/05/2026 01:00	250.43	5.151	5.153	0.569	1.138	0.608	1.216	0	0	0	0				
18/05/2026 00:30	245.35	4.938	4.939	0.558	1.116	0.586	1.172	0	0	0	0				
18/05/2026 00:00	243.78	8.489	8.494	0.993	1.986	1.03	2.06	0	0	0	0				
17/05/2026 23:30	242.55	8.77	8.772	1.018	2.036	1.047	2.094	0	0	0	0				
17/05/2026 23:00	242.81	7.022	7.024	0.825	1.65	0.85	1.7	0	0	0	0				
17/05/2026 22:30	248.17	1.244	1.242	0.14	0.28	0.144	0.288	0	0	0	0				
17/05/2026 22:00	252.68	1.284	1.283	0.145	0.29	0.149	0.298	0	0	0	0				
17/05/2026 21:30	251.75	7.488	7.491	0.897	1.794	0.95	1.9	0	0	0	0				
17/05/2026 21:00	250.57	7.855	7.86	0.92	1.84	0.97	1.94	0	0	0	0				
17/05/2026 20:30	249.36	1.187	1.186	0.133	0.266	0.137	0.274	0	0	0	0				
17/05/2026 20:00	248.84	1.359	1.358	0.152	0.304	0.158	0.316	0	0	0	0				
17/05/2026 19:30	250.53	1.147	1.147	0.132	0.264	0.136	0.272	0	0	0	0				
17/05/2026 19:00	252.22	1.075	1.073	0.125	0.25	0.128	0.256	0	0	0	0				
17/05/2026 18:30	254.7	1.16	1.159	0.131	0.262	0.135	0.27	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial Number	M22515215561	Manufacturer Name	HPL Electric & Power Ltd.	Firmware Version	1078.04
Internal CT Ratio	NA	Meter Type	6(1P Direct Connected Watthour Smart Meter)	Meter Year of Manufacture	2025
Internal PT Ratio	NA	Download time(RTC)	26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)		

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
17/05/2026 18:00	251.66	1.059	1.058	0.12	0.24	0.122	0.244	0	0	0	0				
17/05/2026 17:30	251.25	1.482	1.481	0.174	0.348	0.18	0.36	0	0	0	0				
17/05/2026 17:00	248.6	1.609	1.609	0.188	0.376	0.195	0.39	0	0	0	0				
17/05/2026 16:30	246.92	1.229	1.228	0.136	0.272	0.139	0.278	0	0	0	0				
17/05/2026 16:00	245.26	1.107	1.105	0.119	0.238	0.124	0.248	0	0	0	0				
17/05/2026 15:30	245.77	1.046	1.044	0.113	0.226	0.118	0.236	0	0	0	0				
17/05/2026 15:00	244.4	1.033	1.033	0.113	0.226	0.117	0.234	0	0	0	0				
17/05/2026 14:30	247.26	1.607	1.607	0.181	0.362	0.186	0.372	0	0	0	0				
17/05/2026 14:00	249.21	1.539	1.537	0.174	0.348	0.188	0.376	0	0	0	0				
17/05/2026 13:30	250.05	1.279	1.278	0.152	0.304	0.16	0.32	0	0	0	0				
17/05/2026 13:00	246.46	4.865	4.857	0.583	1.166	0.585	1.17	0	0	0	0				
17/05/2026 12:30	246.47	2.535	2.53	0.285	0.57	0.289	0.578	0	0	0	0				
17/05/2026 12:00	243.19	6.663	6.656	0.802	1.604	0.814	1.628	0	0	0	0				
17/05/2026 11:30	243.56	2.938	2.937	0.321	0.642	0.334	0.668	0	0	0	0				
17/05/2026 11:00	243.56	1.342	1.34	0.129	0.258	0.135	0.27	0	0	0	0				
17/05/2026 10:30	243.92	4.499	4.491	0.529	1.058	0.532	1.064	0	0	0	0				
17/05/2026 10:00	246.54	0.538	0.538	0.059	0.118	0.065	0.13	0	0	0	0				
17/05/2026 09:30	249.32	0.771	0.77	0.09	0.18	0.096	0.192	0	0	0	0				
17/05/2026 09:00	251.71	2.842	2.843	0.333	0.666	0.359	0.718	0	0	0	0				
17/05/2026 08:30	250.98	4.101	4.101	0.453	0.906	0.483	0.966	0	0	0	0				
17/05/2026 08:00	253.65	3.035	3.036	0.347	0.694	0.376	0.752	0	0	0	0				
17/05/2026 07:30	252.89	3.503	3.502	0.365	0.73	0.397	0.794	0	0	0	0				
17/05/2026 07:00	253.82	6.156	6.157	0.714	1.428	0.781	1.562	0	0	0	0				
17/05/2026 06:30	254.52	4.933	4.934	0.547	1.094	0.594	1.188	0	0	0	0				
17/05/2026 06:00	253.25	10.404	10.394	1.254	2.508	1.279	2.558	0	0	0	0				
17/05/2026 05:30	254.59	5.324	5.326	0.652	1.304	0.717	1.434	0	0	0	0				
17/05/2026 05:00	254.95	5.131	5.133	0.587	1.174	0.645	1.29	0	0	0	0				
17/05/2026 04:30	254.74	5.632	5.635	0.667	1.334	0.731	1.462	0	0	0	0				
17/05/2026 04:00	253.96	5.85	5.852	0.663	1.326	0.724	1.448	0	0	0	0				
17/05/2026 03:30	254.29	5.96	5.963	0.673	1.346	0.734	1.468	0	0	0	0				
17/05/2026 03:00	254.14	6.315	6.318	0.739	1.478	0.806	1.612	0	0	0	0				
17/05/2026 02:30	257.81	5.979	5.981	0.678	1.356	0.752	1.504	0	0	0	0				
17/05/2026 02:00	257.51	6.728	6.73	0.766	1.532	0.85	1.7	0	0	0	0				
17/05/2026 01:30	256.75	7.477	7.481	0.852	1.704	0.942	1.884	0	0	0	0				
17/05/2026 01:00	254.33	8.8	8.804	1.011	2.022	1.108	2.216	0	0	0	0				
17/05/2026 00:30	251.21	8.385	8.389	0.964	1.928	1.045	2.09	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial Number	M22515215561	Manufacturer Name	HPL Electric & Power Ltd.	Firmware Version	1078.04
Internal CT Ratio	NA	Meter Type	6(1P Direct Connected Watthour Smart Meter)	Meter Year of Manufacture	2025
Internal PT Ratio	NA	Download time(RTC)	26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)		

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
17/05/2026 00:00	251.55	1.508	1.509	0.182	0.364	0.191	0.382	0	0	0	0				
16/05/2026 23:30	249.38	1.313	1.313	0.155	0.31	0.16	0.32	0	0	0	0				
16/05/2026 23:00	246.85	1.605	1.606	0.191	0.382	0.193	0.386	0	0	0	0				
16/05/2026 22:30	245.96	7.718	7.723	0.896	1.792	0.939	1.878	0	0	0	0				
16/05/2026 22:00	250.55	5.768	5.771	0.672	1.344	0.713	1.426	0	0	0	0				
16/05/2026 21:30	252.61	1.132	1.131	0.131	0.262	0.135	0.27	0	0	0	0				
16/05/2026 21:00	253.07	1.181	1.179	0.135	0.27	0.14	0.28	0	0	0	0				
16/05/2026 20:30	251.66	1.374	1.373	0.154	0.308	0.16	0.32	0	0	0	0				
16/05/2026 20:00	250.19	1.271	1.27	0.139	0.278	0.144	0.288	0	0	0	0				
16/05/2026 19:30	252.55	1.305	1.304	0.139	0.278	0.142	0.284	0	0	0	0				
16/05/2026 19:00	253.87	1.211	1.21	0.144	0.288	0.148	0.296	0	0	0	0				
16/05/2026 18:30	255.58	1.146	1.143	0.133	0.266	0.136	0.272	0	0	0	0				
16/05/2026 18:00	250.93	1.095	1.095	0.127	0.254	0.13	0.26	0	0	0	0				
16/05/2026 17:30	250.32	1.111	1.109	0.128	0.256	0.13	0.26	0	0	0	0				
16/05/2026 17:00	245.33	1.172	1.169	0.131	0.262	0.134	0.268	0	0	0	0				
16/05/2026 16:30	244.35	1.137	1.136	0.128	0.256	0.131	0.262	0	0	0	0				
16/05/2026 16:00	243.38	1.1	1.099	0.125	0.25	0.128	0.256	0	0	0	0				
16/05/2026 15:30	240.64	0.768	0.765	0.088	0.176	0.092	0.184	0	0	0	0				
16/05/2026 15:00	238.28	0.797	0.794	0.089	0.178	0.093	0.186	0	0	0	0				
16/05/2026 14:30	241.3	1.013	1.013	0.112	0.224	0.115	0.23	0	0	0	0				
16/05/2026 14:00	245.07	1.134	1.133	0.125	0.25	0.129	0.258	0	0	0	0				
16/05/2026 13:30	246.39	1.151	1.148	0.127	0.254	0.133	0.266	0	0	0	0				
16/05/2026 13:00	241.85	1.91	1.907	0.218	0.436	0.225	0.45	0	0	0	0				
16/05/2026 12:30	239.61	7.73	7.723	0.951	1.902	0.951	1.902	0	0	0	0				
16/05/2026 12:00	239.54	2.468	2.464	0.267	0.534	0.27	0.54	0	0	0	0				
16/05/2026 11:30	237.73	5.768	5.768	0.664	1.328	0.682	1.364	0	0	0	0				
16/05/2026 11:00	238.95	2.085	2.083	0.204	0.408	0.208	0.416	0	0	0	0				
16/05/2026 10:30	241.37	0.955	0.952	0.098	0.196	0.103	0.206	0	0	0	0				
16/05/2026 10:00	243.41	3.23	3.223	0.388	0.776	0.391	0.782	0	0	0	0				
16/05/2026 09:30	246.91	5.436	5.433	0.659	1.318	0.677	1.354	0	0	0	0				
16/05/2026 09:00	248.38	5.975	5.977	0.709	1.418	0.748	1.496	0	0	0	0				
16/05/2026 08:30	248.99	11.22	11.227	1.302	2.604	1.354	2.708	0	0	0	0				
16/05/2026 08:00	250.44	13.711	13.702	1.662	3.324	1.706	3.412	0	0	0	0				
16/05/2026 07:30	252.57	4.829	4.831	0.525	1.05	0.581	1.162	0	0	0	0				
16/05/2026 07:00	259.92	4.29	4.29	0.46	0.92	0.52	1.04	0	0	0	0				
16/05/2026 06:30	260.02	9.521	9.515	1.186	2.372	1.232	2.464	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial NumberM22515215561Manufacturer NameHPL Electric & Power Ltd.Firmware Version1078.04

Internal CT RatioNAMeter Type6(1P Direct Connected Watthour Smart Meter)Meter Year of Manufacture2025

Internal PT RatioNADownload time(RTC)26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.255 5 (kVAh-E)	Demand(kVA-E)				
16/05/2026 06:00	260.59	4.277	4.277	0.49	0.98	0.556	1.112	0	0	0	0				
16/05/2026 05:30	261.42	4.13	4.129	0.474	0.948	0.541	1.082	0	0	0	0				
16/05/2026 05:00	260.92	4.752	4.753	0.522	1.044	0.591	1.182	0	0	0	0				
16/05/2026 04:30	261.23	4.287	4.29	0.494	0.988	0.56	1.12	0	0	0	0				
16/05/2026 04:00	261.45	4.883	4.884	0.561	1.122	0.642	1.284	0	0	0	0				
16/05/2026 03:30	260.95	4.716	4.717	0.572	1.144	0.654	1.308	0	0	0	0				
16/05/2026 03:00	260.03	5.075	5.075	0.586	1.172	0.669	1.338	0	0	0	0				
16/05/2026 02:30	259.09	5.218	5.221	0.585	1.17	0.66	1.32	0	0	0	0				
16/05/2026 02:00	258.55	5.226	5.226	0.585	1.17	0.657	1.314	0	0	0	0				
16/05/2026 01:30	256.66	5.649	5.65	0.638	1.276	0.711	1.422	0	0	0	0				
16/05/2026 01:00	255.17	5.256	5.258	0.612	1.224	0.68	1.36	0	0	0	0				
16/05/2026 00:30	253.51	6.761	6.764	0.762	1.524	0.845	1.69	0	0	0	0				
16/05/2026 00:00	254.16	7.823	7.826	0.886	1.772	0.98	1.96	0	0	0	0				
15/05/2026 23:30	252.8	4.936	4.937	0.565	1.13	0.614	1.228	0	0	0	0				
15/05/2026 23:00	250.73	4.477	4.479	0.516	1.032	0.554	1.108	0	0	0	0				
15/05/2026 22:30	251.35	1.188	1.186	0.136	0.272	0.138	0.276	0	0	0	0				
15/05/2026 22:00	255.32	2.971	2.97	0.33	0.66	0.349	0.698	0	0	0	0				
15/05/2026 21:30	256.64	3.959	3.96	0.457	0.914	0.491	0.982	0	0	0	0				
15/05/2026 21:00	257.38	1.266	1.266	0.148	0.296	0.154	0.308	0	0	0	0				
15/05/2026 20:30	254.82	1.228	1.227	0.143	0.286	0.147	0.294	0	0	0	0				
15/05/2026 20:00	251.04	1.177	1.176	0.134	0.268	0.139	0.278	0	0	0	0				
15/05/2026 19:30	251.24	1.071	1.069	0.121	0.242	0.126	0.252	0	0	0	0				
15/05/2026 19:00	253.77	1.046	1.046	0.124	0.248	0.127	0.254	0	0	0	0				
15/05/2026 18:30	258.63	1.177	1.176	0.138	0.276	0.143	0.286	0	0	0	0				
15/05/2026 18:00	255.34	1.111	1.109	0.129	0.258	0.133	0.266	0	0	0	0				
15/05/2026 17:30	252.74	1.041	1.04	0.12	0.24	0.122	0.244	0	0	0	0				
15/05/2026 17:00	249.03	1.2	1.199	0.136	0.272	0.14	0.28	0	0	0	0				
15/05/2026 16:30	248.14	1.25	1.248	0.141	0.282	0.145	0.29	0	0	0	0				
15/05/2026 16:00	242.36	1.241	1.239	0.134	0.268	0.138	0.276	0	0	0	0				
15/05/2026 15:30	242.72	1.17	1.169	0.125	0.25	0.127	0.254	0	0	0	0				
15/05/2026 15:00	242.15	1.174	1.173	0.125	0.25	0.128	0.256	0	0	0	0				
15/05/2026 14:30	244.94	1.071	1.069	0.112	0.224	0.125	0.25	0	0	0	0				
15/05/2026 14:00	248.42	0.615	0.613	0.06	0.12	0.075	0.15	0	0	0	0				
15/05/2026 13:30	251.67	0.416	0.412	0.038	0.076	0.046	0.092	0	0	0	0				
15/05/2026 13:00	246.52	0.287	0.286	0.025	0.05	0.025	0.05	0	0	0	0				
15/05/2026 12:30	243.1	0.365	0.364	0.033	0.066	0.041	0.082	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial Number	M22515215561	Manufacturer Name	HPL Electric & Power Ltd.	Firmware Version	1078.04
Internal CT Ratio	NA	Meter Type	6(1P Direct Connected Watthour Smart Meter)	Meter Year of Manufacture	2025
Internal PT Ratio	NA	Download time(RTC)	26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)		

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
15/05/2026 12:00	241.28	0.424	0.422	0.038	0.076	0.043	0.086	0	0	0	0				
15/05/2026 11:30	240.85	0.491	0.49	0.055	0.11	0.056	0.112	0	0	0	0				
15/05/2026 11:00	241.06	0.656	0.655	0.066	0.132	0.071	0.142	0	0	0	0				
15/05/2026 10:30	241.35	0.97	0.968	0.078	0.156	0.081	0.162	0	0	0	0				
15/05/2026 10:00	242.96	0.504	0.491	0.052	0.104	0.052	0.104	0	0	0	0				
15/05/2026 09:30	243.58	0.488	0.475	0.047	0.094	0.053	0.106	0	0	0	0				
15/05/2026 09:00	248.46	1.091	1.091	0.132	0.264	0.136	0.272	0	0	0	0				
15/05/2026 08:30	249.55	1.336	1.334	0.15	0.3	0.152	0.304	0	0	0	0				
15/05/2026 08:00	252.72	1.101	1.1	0.129	0.258	0.131	0.262	0	0	0	0				
15/05/2026 07:30	251.38	0.645	0.644	0.066	0.132	0.073	0.146	0	0	0	0				
15/05/2026 07:00	252.66	4.941	4.944	0.625	1.25	0.631	1.262	0	0	0	0				
15/05/2026 06:30	251.69	9.633	9.63	1.119	2.238	1.145	2.29	0	0	0	0				
15/05/2026 06:00	252.51	8.448	8.444	1.061	2.122	1.077	2.154	0	0	0	0				
15/05/2026 05:30	254.86	4.473	4.474	0.496	0.992	0.54	1.08	0	0	0	0				
15/05/2026 05:00	254.99	4.04	4.042	0.48	0.96	0.52	1.04	0	0	0	0				
15/05/2026 04:30	256.13	4.277	4.28	0.5	1	0.548	1.096	0	0	0	0				
15/05/2026 04:00	257.07	4.132	4.133	0.485	0.97	0.53	1.06	0	0	0	0				
15/05/2026 03:30	255.19	4.258	4.26	0.495	0.99	0.543	1.086	0	0	0	0				
15/05/2026 03:00	255.32	4.691	4.693	0.526	1.052	0.569	1.138	0	0	0	0				
15/05/2026 02:30	255.48	5.201	5.204	0.59	1.18	0.648	1.296	0	0	0	0				
15/05/2026 02:00	260.05	4.907	4.908	0.562	1.124	0.621	1.242	0	0	0	0				
15/05/2026 01:30	258.37	6.17	6.172	0.733	1.466	0.808	1.616	0	0	0	0				
15/05/2026 01:00	256.16	6.377	6.381	0.755	1.51	0.815	1.63	0	0	0	0				
15/05/2026 00:30	255.59	0.413	0.413	0.044	0.088	0.051	0.102	0	0	0	0				
15/05/2026 00:00	256.2	0.133	0.132	0.015	0.03	0.015	0.03	0	0	0	0				
14/05/2026 23:30	252.71	0.352	0.35	0.034	0.068	0.044	0.088	0	0	0	0				
14/05/2026 23:00	251.16	0.149	0.148	0.016	0.032	0.016	0.032	0	0	0	0				
14/05/2026 22:30	251.28	3.54	3.541	0.418	0.836	0.446	0.892	0	0	0	0				
14/05/2026 22:00	254.68	4.17	4.171	0.488	0.976	0.514	1.028	0	0	0	0				
14/05/2026 21:30	255.11	1.039	1.039	0.104	0.208	0.11	0.22	0	0	0	0				
14/05/2026 21:00	255.5	1.863	1.863	0.23	0.46	0.233	0.466	0	0	0	0				
14/05/2026 20:30	254.68	0.874	0.871	0.093	0.186	0.1	0.2	0	0	0	0				
14/05/2026 20:00	251.01	0.98	0.979	0.11	0.22	0.114	0.228	0	0	0	0				
14/05/2026 19:30	252.15	0.789	0.788	0.084	0.168	0.091	0.182	0	0	0	0				
14/05/2026 19:00	252.45	1.042	1.04	0.114	0.228	0.12	0.24	0	0	0	0				
14/05/2026 18:30	254.13	0.996	0.995	0.107	0.214	0.112	0.224	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial Number	M22515215561	Manufacturer Name	HPL Electric & Power Ltd.	Firmware Version	1078.04
Internal CT Ratio	NA	Meter Type	6(1P Direct Connected Watthour Smart Meter)	Meter Year of Manufacture	2025
Internal PT Ratio	NA	Download time(RTC)	26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)		

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.255 5 (kVAh-E)	Demand(kVA-E)				
14/05/2026 18:00	251.29	1.079	1.08	0.121	0.242	0.125	0.25	0	0	0	0				
14/05/2026 17:30	249.71	0.882	0.881	0.095	0.19	0.1	0.2	0	0	0	0				
14/05/2026 17:00	247.76	0.879	0.879	0.095	0.19	0.1	0.2	0	0	0	0				
14/05/2026 16:30	245.6	0.795	0.794	0.09	0.18	0.095	0.19	0	0	0	0				
14/05/2026 16:00	239.76	0.716	0.715	0.079	0.158	0.083	0.166	0	0	0	0				
14/05/2026 15:30	238.25	0.522	0.519	0.051	0.102	0.061	0.122	0	0	0	0				
14/05/2026 15:00	241.16	0.192	0.189	0.017	0.034	0.017	0.034	0	0	0	0				
14/05/2026 14:30	245.14	0.537	0.534	0.059	0.118	0.059	0.118	0	0	0	0				
14/05/2026 14:00	249.22	1.522	1.521	0.173	0.346	0.181	0.362	0	0	0	0				
14/05/2026 13:30	251.9	0.551	0.549	0.057	0.114	0.06	0.12	0	0	0	0				
14/05/2026 13:00	249.99	0.516	0.513	0.055	0.11	0.061	0.122	0	0	0	0				
14/05/2026 12:30	248.98	0.476	0.475	0.051	0.102	0.058	0.116	0	0	0	0				
14/05/2026 12:00	247.51	0.528	0.526	0.057	0.114	0.064	0.128	0	0	0	0				
14/05/2026 11:30	248.28	0.777	0.776	0.085	0.17	0.096	0.192	0	0	0	0				
14/05/2026 11:00	245.84	6.328	6.323	0.772	1.544	0.774	1.548	0	0	0	0				
14/05/2026 10:30	245.54	1.823	1.821	0.183	0.366	0.19	0.38	0	0	0	0				
14/05/2026 10:00	246.73	1.026	1.023	0.145	0.29	0.15	0.3	0	0	0	0				
14/05/2026 09:30	247.37	3.628	3.629	0.449	0.898	0.453	0.906	0	0	0	0				
14/05/2026 09:00	246.45	10.548	10.542	1.328	2.656	1.341	2.682	0	0	0	0				
14/05/2026 08:30	246.34	5.596	5.593	0.626	1.252	0.634	1.268	0	0	0	0				
14/05/2026 08:00	250.09	5.133	5.13	0.629	1.258	0.644	1.288	0	0	0	0				
14/05/2026 07:30	253.99	1.962	1.961	0.232	0.464	0.249	0.498	0	0	0	0				
14/05/2026 07:00	255.21	2.442	2.443	0.258	0.516	0.276	0.552	0	0	0	0				
14/05/2026 06:30	254.52	7.988	7.985	1.019	2.038	1.042	2.084	0	0	0	0				
14/05/2026 06:00	256.52	2.61	2.611	0.293	0.586	0.332	0.664	0	0	0	0				
14/05/2026 05:30	257.47	2.318	2.317	0.251	0.502	0.275	0.55	0	0	0	0				
14/05/2026 05:00	258.33	2.637	2.637	0.304	0.608	0.339	0.678	0	0	0	0				
14/05/2026 04:30	258.87	3.158	3.156	0.348	0.696	0.41	0.82	0	0	0	0				
14/05/2026 04:00	258.75	2.632	2.633	0.293	0.586	0.326	0.652	0	0	0	0				
14/05/2026 03:30	257.97	2.07	2.069	0.229	0.458	0.251	0.502	0	0	0	0				
14/05/2026 03:00	257.64	1.451	1.45	0.161	0.322	0.188	0.376	0	0	0	0				
14/05/2026 02:30	255.91	1.718	1.716	0.171	0.342	0.199	0.398	0	0	0	0				
14/05/2026 02:00	253.51	6.3	6.303	0.714	1.428	0.78	1.56	0	0	0	0				
14/05/2026 01:30	252.4	7.094	7.097	0.801	1.602	0.873	1.746	0	0	0	0				
14/05/2026 01:00	251.34	8.967	8.971	1.016	2.032	1.112	2.224	0	0	0	0				
14/05/2026 00:30	255.61	8.793	8.797	1.005	2.01	1.11	2.22	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial NumberM22515215561Manufacturer NameHPL Electric & Power Ltd.Firmware Version1078.04

Internal CT RatioNAMeter Type6(1P Direct Connected Watthour Smart Meter)Meter Year of Manufacture2025

Internal PT RatioNADownload time(RTC)26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.255 5 (kVAh-E)	Demand(kVA-E)				
14/05/2026 00:00	252.3	8.671	8.675	1.007	2.014	1.084	2.168	0	0	0	0				
13/05/2026 23:30	249.46	8.636	8.64	0.995	1.99	1.062	2.124	0	0	0	0				
13/05/2026 23:00	249.41	5.897	5.899	0.657	1.314	0.696	1.392	0	0	0	0				
13/05/2026 22:30	249.2	8.726	8.73	1.023	2.046	1.076	2.152	0	0	0	0				
13/05/2026 22:00	254.08	2.428	2.428	0.281	0.562	0.295	0.59	0	0	0	0				
13/05/2026 21:30	254.11	1.255	1.254	0.145	0.29	0.151	0.302	0	0	0	0				
13/05/2026 21:00	255.97	1.524	1.522	0.177	0.354	0.186	0.372	0	0	0	0				
13/05/2026 20:30	256.78	2.094	2.094	0.239	0.478	0.253	0.506	0	0	0	0				
13/05/2026 20:00	259.04	1.041	1.04	0.123	0.246	0.125	0.25	0	0	0	0				
13/05/2026 19:30	257.86	1.279	1.278	0.155	0.31	0.163	0.326	0	0	0	0				
13/05/2026 19:00	258.25	0.771	0.772	0.098	0.196	0.098	0.196	0	0	0	0				
13/05/2026 18:30	256.57	0.861	0.859	0.104	0.208	0.106	0.212	0	0	0	0				
13/05/2026 18:00	253.58	1.3	1.299	0.149	0.298	0.156	0.312	0	0	0	0				
13/05/2026 17:30	253.44	1.007	1.006	0.116	0.232	0.118	0.236	0	0	0	0				
13/05/2026 17:00	249.91	0.751	0.749	0.079	0.158	0.08	0.16	0	0	0	0				
13/05/2026 16:30	248.17	0.893	0.89	0.093	0.186	0.098	0.196	0	0	0	0				
13/05/2026 16:00	245.27	0.991	0.99	0.104	0.208	0.109	0.218	0	0	0	0				
13/05/2026 15:30	242.64	0.831	0.829	0.083	0.166	0.084	0.168	0	0	0	0				
13/05/2026 15:00	242.7	0.814	0.813	0.082	0.164	0.085	0.17	0	0	0	0				
13/05/2026 14:30	247.5	1.064	1.062	0.113	0.226	0.122	0.244	0	0	0	0				
13/05/2026 14:00	249.54	0.749	0.749	0.079	0.158	0.08	0.16	0	0	0	0				
13/05/2026 13:30	251.84	0.427	0.426	0.041	0.082	0.042	0.084	0	0	0	0				
13/05/2026 13:00	246.78	1.54	1.54	0.17	0.34	0.192	0.384	0	0	0	0				
13/05/2026 12:30	244	1.332	1.331	0.159	0.318	0.161	0.322	0	0	0	0				
13/05/2026 12:00	241.47	1.239	1.239	0.147	0.294	0.15	0.3	0	0	0	0				
13/05/2026 11:30	240.83	1.578	1.577	0.177	0.354	0.191	0.382	0	0	0	0				
13/05/2026 11:00	238.89	1.118	1.117	0.12	0.24	0.128	0.256	0	0	0	0				
13/05/2026 10:30	237.9	0.638	0.636	0.069	0.138	0.074	0.148	0	0	0	0				
13/05/2026 10:00	239.36	2.268	2.264	0.231	0.462	0.24	0.48	0	0	0	0				
13/05/2026 09:30	240.27	2.897	2.897	0.309	0.618	0.32	0.64	0	0	0	0				
13/05/2026 09:00	245.52	4.641	4.634	0.537	1.074	0.539	1.078	0	0	0	0				
13/05/2026 08:30	244.49	6.592	6.591	0.752	1.504	0.781	1.562	0	0	0	0				
13/05/2026 08:00	246.1	4.875	4.875	0.553	1.106	0.599	1.198	0	0	0	0				
13/05/2026 07:30	249.62	4.916	4.918	0.544	1.088	0.584	1.168	0	0	0	0				
13/05/2026 07:00	251.68	4.817	4.818	0.556	1.112	0.594	1.188	0	0	0	0				
13/05/2026 06:30	252.35	6.432	6.433	0.71	1.42	0.757	1.514	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial NumberM22515215561Manufacturer NameHPL Electric & Power Ltd.Firmware Version1078.04

Internal CT RatioNAMeter Type6(1P Direct Connected Watthour Smart Meter)Meter Year of Manufacture2025

Internal PT RatioNADownload time(RTC)26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.255 5 (kVAh-E)	Demand(kVA-E)				
13/05/2026 06:00	251.4	9.571	9.568	1.172	2.344	1.193	2.386	0	0	0	0				
13/05/2026 05:30	253.21	5.055	5.056	0.589	1.178	0.632	1.264	0	0	0	0				
13/05/2026 05:00	253.9	5.41	5.411	0.622	1.244	0.681	1.362	0	0	0	0				
13/05/2026 04:30	253.97	4.88	4.881	0.568	1.136	0.611	1.222	0	0	0	0				
13/05/2026 04:00	254.95	4.962	4.964	0.573	1.146	0.617	1.234	0	0	0	0				
13/05/2026 03:30	254.77	5.572	5.574	0.649	1.298	0.709	1.418	0	0	0	0				
13/05/2026 03:00	254.44	5.408	5.411	0.66	1.32	0.714	1.428	0	0	0	0				
13/05/2026 02:30	253.16	5.483	5.484	0.638	1.276	0.682	1.364	0	0	0	0				
13/05/2026 02:00	251.75	6.15	6.152	0.705	1.41	0.757	1.514	0	0	0	0				
13/05/2026 01:30	250.78	6.88	6.883	0.792	1.584	0.848	1.696	0	0	0	0				
13/05/2026 01:00	249.8	8.155	8.159	0.953	1.906	1.007	2.014	0	0	0	0				
13/05/2026 00:30	249.62	6.238	6.24	0.725	1.45	0.763	1.526	0	0	0	0				
13/05/2026 00:00	259.44	1.187	1.186	0.135	0.27	0.148	0.296	0	0	0	0				
12/05/2026 23:30	257.14	0.935	0.933	0.108	0.216	0.108	0.216	0	0	0	0				
12/05/2026 23:00	255.98	1.197	1.195	0.136	0.272	0.139	0.278	0	0	0	0				
12/05/2026 22:30	252.75	1.752	1.752	0.203	0.406	0.216	0.432	0	0	0	0				
12/05/2026 22:00	256.92	1.482	1.482	0.181	0.362	0.184	0.368	0	0	0	0				
12/05/2026 21:30	256.38	1.587	1.585	0.188	0.376	0.198	0.396	0	0	0	0				
12/05/2026 21:00	257.26	1.849	1.849	0.213	0.426	0.236	0.472	0	0	0	0				
12/05/2026 20:30	256.27	2.018	2.018	0.248	0.496	0.257	0.514	0	0	0	0				
12/05/2026 20:00	252.2	1.27	1.267	0.149	0.298	0.156	0.312	0	0	0	0				
12/05/2026 19:30	250.39	3.337	3.337	0.377	0.754	0.397	0.794	0	0	0	0				
12/05/2026 19:00	251.6	5.181	5.182	0.598	1.196	0.632	1.264	0	0	0	0				
12/05/2026 18:30	253.14	5.534	5.535	0.652	1.304	0.697	1.394	0	0	0	0				
12/05/2026 18:00	250.74	5.941	5.943	0.713	1.426	0.766	1.532	0	0	0	0				
12/05/2026 17:30	248.33	5.375	5.376	0.637	1.274	0.665	1.33	0	0	0	0				
12/05/2026 17:00	243.43	5.905	5.908	0.674	1.348	0.695	1.39	0	0	0	0				
12/05/2026 16:30	240.8	7.733	7.737	0.878	1.756	0.907	1.814	0	0	0	0				
12/05/2026 16:00	239.66	8.73	8.733	1.016	2.032	1.041	2.082	0	0	0	0				
12/05/2026 15:30	241.61	8.638	8.642	1.013	2.026	1.039	2.078	0	0	0	0				
12/05/2026 15:00	241.06	8.997	9.002	1.046	2.092	1.077	2.154	0	0	0	0				
12/05/2026 14:30	239.99	2.052	2.051	0.217	0.434	0.235	0.47	0	0	0	0				
12/05/2026 14:00	245.79	1.284	1.281	0.141	0.282	0.143	0.286	0	0	0	0				
12/05/2026 13:30	248.12	1.292	1.291	0.144	0.288	0.148	0.296	0	0	0	0				
12/05/2026 13:00	243.57	3.846	3.841	0.48	0.96	0.483	0.966	0	0	0	0				
12/05/2026 12:30	242.57	1.215	1.211	0.128	0.256	0.131	0.262	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial Number	M22515215561	Manufacturer Name	HPL Electric & Power Ltd.	Firmware Version	1078.04
Internal CT Ratio	NA	Meter Type	6(1P Direct Connected Watthour Smart Meter)	Meter Year of Manufacture	2025
Internal PT Ratio	NA	Download time(RTC)	26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)		

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
12/05/2026 12:00	240.92	1.285	1.283	0.131	0.262	0.137	0.274	0	0	0	0				
12/05/2026 11:30	240.3	1.072	1.072	0.111	0.222	0.111	0.222	0	0	0	0				
12/05/2026 11:00	239.39	4.019	4.013	0.461	0.922	0.462	0.924	0	0	0	0				
12/05/2026 10:30	239.86	3.417	3.415	0.393	0.786	0.395	0.79	0	0	0	0				
12/05/2026 10:00	243.27	0.788	0.787	0.077	0.154	0.083	0.166	0	0	0	0				
12/05/2026 09:30	241.24	4.785	4.779	0.588	1.176	0.59	1.18	0	0	0	0				
12/05/2026 09:00	247.92	6.799	6.802	0.788	1.576	0.799	1.598	0	0	0	0				
12/05/2026 08:30	245.18	13.425	13.427	1.64	3.28	1.654	3.308	0	0	0	0				
12/05/2026 08:00	248.31	7.87	7.869	0.931	1.862	0.958	1.916	0	0	0	0				
12/05/2026 07:30	248.31	5.382	5.384	0.618	1.236	0.667	1.334	0	0	0	0				
12/05/2026 07:00	251.02	5.895	5.898	0.683	1.366	0.746	1.492	0	0	0	0				
12/05/2026 06:30	252.03	9.296	9.293	1.165	2.33	1.188	2.376	0	0	0	0				
12/05/2026 06:00	252.51	4.663	4.664	0.553	1.106	0.593	1.186	0	0	0	0				
12/05/2026 05:30	253.88	5.628	5.629	0.649	1.298	0.719	1.438	0	0	0	0				
12/05/2026 05:00	254.17	5.896	5.898	0.633	1.266	0.689	1.378	0	0	0	0				
12/05/2026 04:30	254.69	5.109	5.11	0.597	1.194	0.647	1.294	0	0	0	0				
12/05/2026 04:00	256.19	6.004	6.006	0.694	1.388	0.772	1.544	0	0	0	0				
12/05/2026 03:30	254.88	6.924	6.927	0.788	1.576	0.869	1.738	0	0	0	0				
12/05/2026 03:00	253.08	7.198	7.201	0.831	1.662	0.898	1.796	0	0	0	0				
12/05/2026 02:30	251.52	8.183	8.186	0.941	1.882	1.016	2.032	0	0	0	0				
12/05/2026 02:00	252.29	2.926	2.926	0.317	0.634	0.346	0.692	0	0	0	0				
12/05/2026 01:30	251.91	1.212	1.212	0.144	0.288	0.147	0.294	0	0	0	0				
12/05/2026 01:00	250.14	1.086	1.085	0.129	0.258	0.13	0.26	0	0	0	0				
12/05/2026 00:30	250.61	1.308	1.306	0.149	0.298	0.158	0.316	0	0	0	0				
12/05/2026 00:00	255.56	1.245	1.245	0.154	0.308	0.156	0.312	0	0	0	0				
11/05/2026 23:30	255.83	1.193	1.193	0.147	0.294	0.149	0.298	0	0	0	0				
11/05/2026 23:00	255.7	0.977	0.976	0.113	0.226	0.118	0.236	0	0	0	0				
11/05/2026 22:30	252.92	0.78	0.778	0.088	0.176	0.094	0.188	0	0	0	0				
11/05/2026 22:00	255.33	0.74	0.737	0.086	0.172	0.092	0.184	0	0	0	0				
11/05/2026 21:30	253.08	1.14	1.138	0.133	0.266	0.137	0.274	0	0	0	0				
11/05/2026 21:00	252.76	0.889	0.887	0.099	0.198	0.105	0.21	0	0	0	0				
11/05/2026 20:30	251.56	0.531	0.532	0.062	0.124	0.065	0.13	0	0	0	0				
11/05/2026 20:00	247.07	0.99	0.989	0.11	0.22	0.122	0.244	0	0	0	0				
11/05/2026 19:30	246.33	1.423	1.422	0.162	0.324	0.167	0.334	0	0	0	0				
11/05/2026 19:00	249.31	0.825	0.823	0.091	0.182	0.091	0.182	0	0	0	0				
11/05/2026 18:30	253.52	6.205	6.206	0.72	1.44	0.786	1.572	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial Number M22515215561 Manufacturer Name HPL Electric & Power Ltd. Firmware Version 1078.04
Internal CT Ratio NA Meter Type 6(1P Direct Connected Watthour Smart Meter) Meter Year of Manufacture 2025
Internal PT Ratio NA Download time(RTC) 26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
11/05/2026 18:00	251.5	8.494	8.497	0.978	1.956	1.049	2.098	0	0	0	0				
11/05/2026 17:30	250.53	8.245	8.249	0.956	1.912	1.015	2.03	0	0	0	0				
11/05/2026 17:00	244.42	8.18	8.184	0.937	1.874	0.981	1.962	0	0	0	0				
11/05/2026 16:30	244.28	7.716	7.718	0.892	1.784	0.926	1.852	0	0	0	0				
11/05/2026 16:00	245.01	0.209	0.208	0.009	0.018	0.009	0.018	0	0	0	0				
11/05/2026 15:30	244.06	0.39	0.388	0.026	0.052	0.036	0.072	0	0	0	0				
11/05/2026 15:00	240.96	0.327	0.326	0.021	0.042	0.026	0.052	0	0	0	0				
11/05/2026 14:30	246.73	0.207	0.206	0.009	0.018	0.01	0.02	0	0	0	0				
11/05/2026 14:00	252.28	0.437	0.435	0.03	0.06	0.043	0.086	0	0	0	0				
11/05/2026 13:30	253.77	0.287	0.284	0.018	0.036	0.022	0.044	0	0	0	0				
11/05/2026 13:00	249.12	0.202	0.202	0.008	0.016	0.01	0.02	0	0	0	0				
11/05/2026 12:30	247.43	0.776	0.775	0.077	0.154	0.086	0.172	0	0	0	0				
11/05/2026 12:00	245.02	0.701	0.7	0.077	0.154	0.077	0.154	0	0	0	0				
11/05/2026 11:30	243.74	0.946	0.946	0.094	0.188	0.096	0.192	0	0	0	0				
11/05/2026 11:00	241.16	1.218	1.218	0.126	0.252	0.129	0.258	0	0	0	0				
11/05/2026 10:30	241.02	0.981	0.981	0.089	0.178	0.095	0.19	0	0	0	0				
11/05/2026 10:00	239.93	0.875	0.874	0.086	0.172	0.09	0.18	0	0	0	0				
11/05/2026 09:30	240.14	8.177	8.168	0.998	1.996	0.998	1.996	0	0	0	0				
11/05/2026 09:00	246.4	1.357	1.355	0.155	0.31	0.159	0.318	0	0	0	0				
11/05/2026 08:30	248.42	2.831	2.83	0.342	0.684	0.357	0.714	0	0	0	0				
11/05/2026 08:00	250.31	5.504	5.505	0.634	1.268	0.68	1.36	0	0	0	0				
11/05/2026 07:30	250.84	5.075	5.077	0.579	1.158	0.618	1.236	0	0	0	0				
11/05/2026 07:00	252.38	6.004	6.004	0.684	1.368	0.725	1.45	0	0	0	0				
11/05/2026 06:30	253.15	8.831	8.83	1.067	2.134	1.103	2.206	0	0	0	0				
11/05/2026 06:00	253.51	8.784	8.785	1.11	2.22	1.147	2.294	0	0	0	0				
11/05/2026 05:30	257.02	5.071	5.074	0.591	1.182	0.647	1.294	0	0	0	0				
11/05/2026 05:00	256.53	5.845	5.847	0.666	1.332	0.74	1.48	0	0	0	0				
11/05/2026 04:30	257.28	5.126	5.126	0.602	1.204	0.663	1.326	0	0	0	0				
11/05/2026 04:00	257.46	5.844	5.846	0.665	1.33	0.735	1.47	0	0	0	0				
11/05/2026 03:30	256.61	6.029	6.031	0.681	1.362	0.753	1.506	0	0	0	0				
11/05/2026 03:00	255.82	5.935	5.938	0.675	1.35	0.742	1.484	0	0	0	0				
11/05/2026 02:30	254.93	6.504	6.507	0.747	1.494	0.812	1.624	0	0	0	0				
11/05/2026 02:00	253.26	7.249	7.252	0.834	1.668	0.904	1.808	0	0	0	0				
11/05/2026 01:30	252.85	8.893	8.898	1.027	2.054	1.115	2.23	0	0	0	0				
11/05/2026 01:00	252.24	2.075	2.074	0.235	0.47	0.243	0.486	0	0	0	0				
11/05/2026 00:30	251.25	1.714	1.712	0.202	0.404	0.205	0.41	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial Number	M22515215561	Manufacturer Name	HPL Electric & Power Ltd.	Firmware Version	1078.04
Internal CT Ratio	NA	Meter Type	6(1P Direct Connected Watthour Smart Meter)	Meter Year of Manufacture	2025
Internal PT Ratio	NA	Download time(RTC)	26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)		

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
11/05/2026 00:00	250.95	1.837	1.836	0.212	0.424	0.225	0.45	0	0	0	0				
10/05/2026 23:30	249.11	1.341	1.34	0.161	0.322	0.165	0.33	0	0	0	0				
10/05/2026 23:00	249.14	1.363	1.362	0.165	0.33	0.168	0.336	0	0	0	0				
10/05/2026 22:30	248.87	1.668	1.669	0.196	0.392	0.208	0.416	0	0	0	0				
10/05/2026 22:00	252.33	1.414	1.413	0.173	0.346	0.176	0.352	0	0	0	0				
10/05/2026 21:30	252.81	1.786	1.787	0.21	0.42	0.213	0.426	0	0	0	0				
10/05/2026 21:00	251.67	2.287	2.287	0.271	0.542	0.28	0.56	0	0	0	0				
10/05/2026 20:30	251.27	1.149	1.147	0.133	0.266	0.135	0.27	0	0	0	0				
10/05/2026 20:00	249.85	6.656	6.66	0.755	1.51	0.795	1.59	0	0	0	0				
10/05/2026 19:30	250.44	7.066	7.068	0.812	1.624	0.869	1.738	0	0	0	0				
10/05/2026 19:00	251.33	8.166	8.17	0.958	1.916	1.014	2.028	0	0	0	0				
10/05/2026 18:30	254.57	8.583	8.587	1.013	2.026	1.08	2.16	0	0	0	0				
10/05/2026 18:00	253.21	2.069	2.069	0.237	0.474	0.251	0.502	0	0	0	0				
10/05/2026 17:30	252.65	5.631	5.633	0.674	1.348	0.707	1.414	0	0	0	0				
10/05/2026 17:00	248.25	5.823	5.826	0.701	1.402	0.726	1.452	0	0	0	0				
10/05/2026 16:30	247.8	0.983	0.982	0.108	0.216	0.113	0.226	0	0	0	0				
10/05/2026 16:00	247.1	0.763	0.762	0.07	0.14	0.076	0.152	0	0	0	0				
10/05/2026 15:30	247.84	0.737	0.735	0.074	0.148	0.081	0.162	0	0	0	0				
10/05/2026 15:00	247.69	0.984	0.982	0.11	0.22	0.115	0.23	0	0	0	0				
10/05/2026 14:30	249.6	0.95	0.951	0.092	0.184	0.098	0.196	0	0	0	0				
10/05/2026 14:00	253.01	0.84	0.838	0.074	0.148	0.081	0.162	0	0	0	0				
10/05/2026 13:30	252.18	1.077	1.076	0.113	0.226	0.118	0.236	0	0	0	0				
10/05/2026 13:00	250.11	0.894	0.893	0.086	0.172	0.092	0.184	0	0	0	0				
10/05/2026 12:30	248.54	0.96	0.96	0.091	0.182	0.096	0.192	0	0	0	0				
10/05/2026 12:00	247.41	1.205	1.205	0.123	0.246	0.127	0.254	0	0	0	0				
10/05/2026 11:30	247.37	0.882	0.881	0.078	0.156	0.084	0.168	0	0	0	0				
10/05/2026 11:00	246.48	0.823	0.823	0.075	0.15	0.081	0.162	0	0	0	0				
10/05/2026 10:30	247.19	0.992	0.991	0.1	0.2	0.105	0.21	0	0	0	0				
10/05/2026 10:00	247.09	0.744	0.743	0.065	0.13	0.067	0.134	0	0	0	0				
10/05/2026 09:30	249.79	2.401	2.4	0.267	0.534	0.282	0.564	0	0	0	0				
10/05/2026 09:00	250.32	10.622	10.616	1.333	2.666	1.349	2.698	0	0	0	0				
10/05/2026 08:30	252.95	5.812	5.812	0.737	1.474	0.74	1.48	0	0	0	0				
10/05/2026 08:00	255.7	5.696	5.69	0.715	1.43	0.717	1.434	0	0	0	0				
10/05/2026 07:30	257.19	0.853	0.851	0.098	0.196	0.105	0.21	0	0	0	0				
10/05/2026 07:00	257.08	5.847	5.844	0.735	1.47	0.769	1.538	0	0	0	0				
10/05/2026 06:30	255.79	5.443	5.438	0.692	1.384	0.693	1.386	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial NumberM22515215561Manufacturer NameHPL Electric & Power Ltd.Firmware Version1078.04

Internal CT RatioNAMeter Type6(1P Direct Connected Watthour Smart Meter)Meter Year of Manufacture2025

Internal PT RatioNADownload time(RTC)26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
10/05/2026 06:00	255.68	4.373	4.373	0.552	1.104	0.553	1.106	0	0	0	0				
10/05/2026 05:30	257.05	1.522	1.522	0.181	0.362	0.193	0.386	0	0	0	0				
10/05/2026 05:00	257.41	1.296	1.295	0.161	0.322	0.165	0.33	0	0	0	0				
10/05/2026 04:30	257.33	1.143	1.142	0.15	0.3	0.151	0.302	0	0	0	0				
10/05/2026 04:00	257.5	1.439	1.438	0.178	0.356	0.19	0.38	0	0	0	0				
10/05/2026 03:30	256.57	1.29	1.287	0.164	0.328	0.17	0.34	0	0	0	0				
10/05/2026 03:00	256.41	1.151	1.151	0.15	0.3	0.151	0.302	0	0	0	0				
10/05/2026 02:30	255.85	1.433	1.432	0.175	0.35	0.187	0.374	0	0	0	0				
10/05/2026 02:00	254.96	1.34	1.339	0.168	0.336	0.174	0.348	0	0	0	0				
10/05/2026 01:30	254.64	1.612	1.611	0.183	0.366	0.19	0.38	0	0	0	0				
10/05/2026 01:00	251.52	8.196	8.202	0.937	1.874	1.018	2.036	0	0	0	0				
10/05/2026 00:30	249.33	1.838	1.837	0.188	0.376	0.202	0.404	0	0	0	0				
10/05/2026 00:00	250.66	1.161	1.16	0.138	0.276	0.138	0.276	0	0	0	0				
09/05/2026 23:30	247.76	1.551	1.551	0.182	0.364	0.189	0.378	0	0	0	0				
09/05/2026 23:00	247.98	1.487	1.486	0.176	0.352	0.18	0.36	0	0	0	0				
09/05/2026 22:30	248.76	1.364	1.363	0.165	0.33	0.165	0.33	0	0	0	0				
09/05/2026 22:00	252.92	1.766	1.766	0.209	0.418	0.221	0.442	0	0	0	0				
09/05/2026 21:30	253.19	2.097	2.097	0.25	0.5	0.257	0.514	0	0	0	0				
09/05/2026 21:00	257.81	1.269	1.267	0.174	0.348	0.179	0.358	0	0	0	0				
09/05/2026 20:30	257.54	1.209	1.206	0.148	0.296	0.154	0.308	0	0	0	0				
09/05/2026 20:00	254.75	1.07	1.068	0.133	0.266	0.138	0.276	0	0	0	0				
09/05/2026 19:30	255.49	0.769	0.766	0.094	0.188	0.099	0.198	0	0	0	0				
09/05/2026 19:00	258.24	0.948	0.947	0.113	0.226	0.12	0.24	0	0	0	0				
09/05/2026 18:30	258.34	4.341	4.341	0.489	0.978	0.54	1.08	0	0	0	0				
09/05/2026 18:00	253.96	5.304	5.305	0.588	1.176	0.646	1.292	0	0	0	0				
09/05/2026 17:30	253.52	5.443	5.443	0.602	1.204	0.667	1.334	0	0	0	0				
09/05/2026 17:00	248.91	4.97	4.972	0.561	1.122	0.598	1.196	0	0	0	0				
09/05/2026 16:30	247.1	5.236	5.238	0.587	1.174	0.631	1.262	0	0	0	0				
09/05/2026 16:00	245.34	5.905	5.906	0.663	1.326	0.698	1.396	0	0	0	0				
09/05/2026 15:30	246.81	8.189	8.193	0.943	1.886	0.995	1.99	0	0	0	0				
09/05/2026 15:00	245.29	5.991	5.993	0.685	1.37	0.721	1.442	0	0	0	0				
09/05/2026 14:30	248.26	1.232	1.231	0.126	0.252	0.138	0.276	0	0	0	0				
09/05/2026 14:00	252.11	1.254	1.254	0.132	0.264	0.143	0.286	0	0	0	0				
09/05/2026 13:30	254.77	1.292	1.29	0.136	0.272	0.149	0.298	0	0	0	0				
09/05/2026 13:00	249.46	0.65	0.647	0.065	0.13	0.071	0.142	0	0	0	0				
09/05/2026 12:30	247.2	0.482	0.48	0.043	0.086	0.051	0.102	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial Number	M22515215561	Manufacturer Name	HPL Electric & Power Ltd.	Firmware Version	1078.04
Internal CT Ratio	NA	Meter Type	6(1P Direct Connected Watthour Smart Meter)	Meter Year of Manufacture	2025
Internal PT Ratio	NA	Download time(RTC)	26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)		

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
09/05/2026 12:00	244.02	0.82	0.817	0.074	0.148	0.095	0.19	0	0	0	0				
09/05/2026 11:30	244.65	0.76	0.76	0.074	0.148	0.087	0.174	0	0	0	0				
09/05/2026 11:00	245.8	2.53	2.533	0.278	0.556	0.289	0.578	0	0	0	0				
09/05/2026 10:30	249.21	4.538	4.539	0.5	1	0.541	1.082	0	0	0	0				
09/05/2026 10:00	251.65	0.652	0.652	0.069	0.138	0.076	0.152	0	0	0	0				
09/05/2026 09:30	249.95	0.828	0.826	0.093	0.186	0.099	0.198	0	0	0	0				
09/05/2026 09:00	248.19	1.504	1.503	0.193	0.386	0.202	0.404	0	0	0	0				
09/05/2026 08:30	248.58	3.047	3.044	0.36	0.72	0.363	0.726	0	0	0	0				
09/05/2026 08:00	251.89	5.144	5.142	0.662	1.324	0.679	1.358	0	0	0	0				
09/05/2026 07:30	252.98	3.752	3.754	0.463	0.926	0.507	1.014	0	0	0	0				
09/05/2026 07:00	254.06	2.706	2.706	0.322	0.644	0.35	0.7	0	0	0	0				
09/05/2026 06:30	253.34	4.407	4.406	0.509	1.018	0.539	1.078	0	0	0	0				
09/05/2026 06:00	252.67	8.007	8.005	1.006	2.012	1.028	2.056	0	0	0	0				
09/05/2026 05:30	255.05	4.887	4.889	0.571	1.142	0.632	1.264	0	0	0	0				
09/05/2026 05:00	255.56	4.625	4.627	0.569	1.138	0.622	1.244	0	0	0	0				
09/05/2026 04:30	254.93	4.873	4.874	0.566	1.132	0.619	1.238	0	0	0	0				
09/05/2026 04:00	254.96	5.528	5.529	0.595	1.19	0.652	1.304	0	0	0	0				
09/05/2026 03:30	253.32	4.933	4.935	0.583	1.166	0.629	1.258	0	0	0	0				
09/05/2026 03:00	253.21	5.802	5.805	0.655	1.31	0.717	1.434	0	0	0	0				
09/05/2026 02:30	252.63	5.387	5.389	0.617	1.234	0.665	1.33	0	0	0	0				
09/05/2026 02:00	252.66	5.681	5.684	0.657	1.314	0.715	1.43	0	0	0	0				
09/05/2026 01:30	251.38	6.666	6.668	0.78	1.56	0.836	1.672	0	0	0	0				
09/05/2026 01:00	249.37	7.535	7.539	0.87	1.74	0.927	1.854	0	0	0	0				
09/05/2026 00:30	251.75	4.822	4.825	0.568	1.136	0.603	1.206	0	0	0	0				
09/05/2026 00:00	253.15	1.65	1.65	0.206	0.412	0.208	0.416	0	0	0	0				
08/05/2026 23:30	250.48	2.18	2.18	0.254	0.508	0.268	0.536	0	0	0	0				
08/05/2026 23:00	248.86	1.144	1.143	0.124	0.248	0.13	0.26	0	0	0	0				
08/05/2026 22:30	249.05	0.678	0.678	0.073	0.146	0.079	0.158	0	0	0	0				
08/05/2026 22:00	254.4	2.161	2.161	0.253	0.506	0.271	0.542	0	0	0	0				
08/05/2026 21:30	254.06	8.572	8.576	1.007	2.014	1.073	2.146	0	0	0	0				
08/05/2026 21:00	255	1.457	1.456	0.157	0.314	0.162	0.324	0	0	0	0				
08/05/2026 20:30	253.83	1.272	1.272	0.143	0.286	0.147	0.294	0	0	0	0				
08/05/2026 20:00	249.78	1.413	1.411	0.157	0.314	0.16	0.32	0	0	0	0				
08/05/2026 19:30	251.1	1.15	1.149	0.118	0.236	0.123	0.246	0	0	0	0				
08/05/2026 19:00	253.15	0.917	0.916	0.09	0.18	0.095	0.19	0	0	0	0				
08/05/2026 18:30	254.23	1.034	1.034	0.103	0.206	0.114	0.228	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial NumberM22515215561Manufacturer NameHPL Electric & Power Ltd.Firmware Version1078.04

Internal CT RatioNA Meter Type6(1P Direct Connected Watthour Smart Meter)Meter Year of Manufacture2025

Internal PT RatioNADownload time(RTC)26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.255 5 (kVAh-E)	Demand(kVA-E)				
08/05/2026 18:00	249.26	0.991	0.991	0.095	0.19	0.107	0.214	0	0	0	0				
08/05/2026 17:30	247.67	1.062	1.06	0.108	0.216	0.113	0.226	0	0	0	0				
08/05/2026 17:00	243.82	0.765	0.761	0.061	0.122	0.068	0.136	0	0	0	0				
08/05/2026 16:30	244.62	1.006	1.005	0.096	0.192	0.101	0.202	0	0	0	0				
08/05/2026 16:00	242.71	1.122	1.121	0.115	0.23	0.118	0.236	0	0	0	0				
08/05/2026 15:30	241.84	1.239	1.238	0.134	0.268	0.135	0.27	0	0	0	0				
08/05/2026 15:00	241.31	1.207	1.206	0.123	0.246	0.127	0.254	0	0	0	0				
08/05/2026 14:30	245.79	0.869	0.867	0.087	0.174	0.092	0.184	0	0	0	0				
08/05/2026 14:00	249.68	1.041	1.039	0.108	0.216	0.112	0.224	0	0	0	0				
08/05/2026 13:30	252.58	1.144	1.142	0.127	0.254	0.133	0.266	0	0	0	0				
08/05/2026 13:00	248.11	3.169	3.17	0.389	0.778	0.399	0.798	0	0	0	0				
08/05/2026 12:30	247.49	0.898	0.897	0.097	0.194	0.104	0.208	0	0	0	0				
08/05/2026 12:00	245.4	0.886	0.885	0.09	0.18	0.103	0.206	0	0	0	0				
08/05/2026 11:30	242.88	2.885	2.882	0.352	0.704	0.358	0.716	0	0	0	0				
08/05/2026 11:00	243.04	1.149	1.148	0.112	0.224	0.116	0.232	0	0	0	0				
08/05/2026 10:30	239.01	4.054	4.057	0.442	0.884	0.445	0.89	0	0	0	0				
08/05/2026 10:00	238.58	7.699	7.694	0.912	1.824	0.913	1.826	0	0	0	0				
08/05/2026 09:30	242.29	1.102	1.101	0.11	0.22	0.114	0.228	0	0	0	0				
08/05/2026 09:00	246.74	1.563	1.562	0.177	0.354	0.183	0.366	0	0	0	0				
08/05/2026 08:30	247.2	1.167	1.166	0.128	0.256	0.135	0.27	0	0	0	0				
08/05/2026 08:00	249.47	1.052	1.051	0.105	0.21	0.124	0.248	0	0	0	0				
08/05/2026 07:30	249.59	1.814	1.812	0.195	0.39	0.209	0.418	0	0	0	0				
08/05/2026 07:00	249.85	4.984	4.986	0.555	1.11	0.599	1.198	0	0	0	0				
08/05/2026 06:30	250.45	7.912	7.912	0.959	1.918	0.981	1.962	0	0	0	0				
08/05/2026 06:00	251.82	5.295	5.298	0.597	1.194	0.652	1.304	0	0	0	0				
08/05/2026 05:30	252.74	4.757	4.759	0.53	1.06	0.58	1.16	0	0	0	0				
08/05/2026 05:00	253.2	5.213	5.213	0.606	1.212	0.665	1.33	0	0	0	0				
08/05/2026 04:30	253.42	5.472	5.473	0.617	1.234	0.677	1.354	0	0	0	0				
08/05/2026 04:00	254.01	5.772	5.775	0.615	1.23	0.676	1.352	0	0	0	0				
08/05/2026 03:30	253.12	5.445	5.448	0.615	1.23	0.675	1.35	0	0	0	0				
08/05/2026 03:00	252.5	6.148	6.151	0.695	1.39	0.759	1.518	0	0	0	0				
08/05/2026 02:30	250.86	5.653	5.656	0.644	1.288	0.698	1.396	0	0	0	0				
08/05/2026 02:00	249.63	6.362	6.365	0.739	1.478	0.798	1.596	0	0	0	0				
08/05/2026 01:30	249.1	8.092	8.095	0.929	1.858	0.997	1.994	0	0	0	0				
08/05/2026 01:00	247.4	6.711	6.714	0.786	1.572	0.835	1.67	0	0	0	0				
08/05/2026 00:30	247.54	1.087	1.086	0.128	0.256	0.128	0.256	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial Number M22515215561 Manufacturer Name HPL Electric & Power Ltd. Firmware Version 1078.04
Internal CT Ratio NA Meter Type 6(1P Direct Connected Watthour Smart Meter) Meter Year of Manufacture 2025
Internal PT Ratio NA Download time(RTC) 26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
08/05/2026 00:00	246.12	1.295	1.294	0.15	0.3	0.155	0.31	0	0	0	0				
07/05/2026 23:30	243.89	0.819	0.819	0.101	0.202	0.102	0.204	0	0	0	0				
07/05/2026 23:00	243.73	0.68	0.679	0.081	0.162	0.086	0.172	0	0	0	0				
07/05/2026 22:30	246.86	0.699	0.697	0.079	0.158	0.084	0.168	0	0	0	0				
07/05/2026 22:00	250.59	0.999	0.997	0.114	0.228	0.119	0.238	0	0	0	0				
07/05/2026 21:30	251.77	0.965	0.964	0.102	0.204	0.107	0.214	0	0	0	0				
07/05/2026 21:00	252.51	1.07	1.071	0.116	0.232	0.121	0.242	0	0	0	0				
07/05/2026 20:30	252.81	0.857	0.855	0.093	0.186	0.098	0.196	0	0	0	0				
07/05/2026 20:00	249.21	0.969	0.968	0.109	0.218	0.114	0.228	0	0	0	0				
07/05/2026 19:30	249.88	0.875	0.874	0.093	0.186	0.098	0.196	0	0	0	0				
07/05/2026 19:00	253.23	0.83	0.829	0.09	0.18	0.096	0.192	0	0	0	0				
07/05/2026 18:30	254.55	0.735	0.733	0.074	0.148	0.081	0.162	0	0	0	0				
07/05/2026 18:00	251.75	0.839	0.838	0.091	0.182	0.096	0.192	0	0	0	0				
07/05/2026 17:30	252.27	0.395	0.393	0.04	0.08	0.043	0.086	0	0	0	0				
07/05/2026 17:00	249.42	0.322	0.321	0.026	0.052	0.036	0.072	0	0	0	0				
07/05/2026 16:30	250.09	0.118	0.115	0.01	0.02	0.01	0.02	0	0	0	0				
07/05/2026 16:00	246.17	0.305	0.303	0.027	0.054	0.036	0.072	0	0	0	0				
07/05/2026 15:30	247.42	0.108	0.108	0.009	0.018	0.009	0.018	0	0	0	0				
07/05/2026 15:00	246.98	0.301	0.301	0.027	0.054	0.037	0.074	0	0	0	0				
07/05/2026 14:30	249.7	0.684	0.683	0.087	0.174	0.089	0.178	0	0	0	0				
07/05/2026 14:00	250.27	0.584	0.582	0.07	0.14	0.076	0.152	0	0	0	0				
07/05/2026 13:30	251.67	2.247	2.246	0.246	0.492	0.261	0.522	0	0	0	0				
07/05/2026 13:00	249.39	3.313	3.312	0.274	0.548	0.291	0.582	0	0	0	0				
07/05/2026 12:30	246.88	5.111	5.105	0.599	1.198	0.599	1.198	0	0	0	0				
07/05/2026 12:00	245.15	4.248	4.244	0.532	1.064	0.533	1.066	0	0	0	0				
07/05/2026 11:30	244.8	0.795	0.793	0.08	0.16	0.085	0.17	0	0	0	0				
07/05/2026 11:00	244.22	1.107	1.106	0.131	0.262	0.138	0.276	0	0	0	0				
07/05/2026 10:30	243.15	0.663	0.661	0.054	0.108	0.054	0.108	0	0	0	0				
07/05/2026 10:00	242.18	5.031	5.027	0.617	1.234	0.618	1.236	0	0	0	0				
07/05/2026 09:30	243.45	2.201	2.2	0.246	0.492	0.246	0.492	0	0	0	0				
07/05/2026 09:00	249.44	2.553	2.554	0.277	0.554	0.298	0.596	0	0	0	0				
07/05/2026 08:30	250.11	3.763	3.764	0.4	0.8	0.425	0.85	0	0	0	0				
07/05/2026 08:00	249.96	3.132	3.134	0.344	0.688	0.379	0.758	0	0	0	0				
07/05/2026 07:30	251.57	3.684	3.684	0.267	0.534	0.29	0.58	0	0	0	0				
07/05/2026 07:00	253.19	8.354	8.353	0.953	1.906	0.98	1.96	0	0	0	0				
07/05/2026 06:30	0	0	0	0	0	0	0	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial Number	M22515215561	Manufacturer Name	HPL Electric & Power Ltd.	Firmware Version	1078.04
Internal CT Ratio	NA	Meter Type	6(1P Direct Connected Watthour Smart Meter)	Meter Year of Manufacture	2025
Internal PT Ratio	NA	Download time(RTC)	26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)		

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
07/05/2026 06:00	0	0	0	0	0	0	0	0	0	0	0				
07/05/2026 05:30	257.39	1.806	1.808	0.061	0.122	0.064	0.128	0	0	0	0				
07/05/2026 05:00	256.61	3.131	3.131	0.34	0.68	0.371	0.742	0	0	0	0				
07/05/2026 04:30	256.96	3.327	3.327	0.385	0.77	0.43	0.86	0	0	0	0				
07/05/2026 04:00	256.5	3.361	3.362	0.383	0.766	0.42	0.84	0	0	0	0				
07/05/2026 03:30	256.36	4.044	4.046	0.43	0.86	0.479	0.958	0	0	0	0				
07/05/2026 03:00	255.49	3.345	3.346	0.383	0.766	0.418	0.836	0	0	0	0				
07/05/2026 02:30	255.02	3.314	3.314	0.381	0.762	0.42	0.84	0	0	0	0				
07/05/2026 02:00	254.13	3.133	3.134	0.363	0.726	0.394	0.788	0	0	0	0				
07/05/2026 01:30	252.99	3.88	3.881	0.425	0.85	0.462	0.924	0	0	0	0				
07/05/2026 01:00	251.47	2.83	2.831	0.324	0.648	0.349	0.698	0	0	0	0				
07/05/2026 00:30	249.4	8.146	8.15	0.945	1.89	1.004	2.008	0	0	0	0				
07/05/2026 00:00	248.13	3.888	3.889	0.443	0.886	0.473	0.946	0	0	0	0				
06/05/2026 23:30	246.79	0.815	0.812	0.091	0.182	0.096	0.192	0	0	0	0				
06/05/2026 23:00	246.99	0.629	0.627	0.07	0.14	0.076	0.152	0	0	0	0				
06/05/2026 22:30	247.37	0.639	0.638	0.077	0.154	0.081	0.162	0	0	0	0				
06/05/2026 22:00	250.91	1.968	1.969	0.193	0.386	0.198	0.396	0	0	0	0				
06/05/2026 21:30	251.06	0.905	0.905	0.102	0.204	0.107	0.214	0	0	0	0				
06/05/2026 21:00	249.83	1.13	1.128	0.131	0.262	0.136	0.272	0	0	0	0				
06/05/2026 20:30	247.67	0.868	0.867	0.098	0.196	0.103	0.206	0	0	0	0				
06/05/2026 20:00	243.82	0.905	0.903	0.099	0.198	0.103	0.206	0	0	0	0				
06/05/2026 19:30	243.39	1.054	1.052	0.118	0.236	0.123	0.246	0	0	0	0				
06/05/2026 19:00	244.94	0.833	0.833	0.092	0.184	0.096	0.192	0	0	0	0				
06/05/2026 18:30	246.47	7.015	7.017	0.838	1.676	0.879	1.758	0	0	0	0				
06/05/2026 18:00	242.02	7.899	7.902	0.91	1.82	0.944	1.888	0	0	0	0				
06/05/2026 17:30	243.55	7.742	7.747	0.893	1.786	0.932	1.864	0	0	0	0				
06/05/2026 17:00	238.55	7.649	7.652	0.871	1.742	0.899	1.798	0	0	0	0				
06/05/2026 16:30	237.53	7.764	7.768	0.884	1.768	0.913	1.826	0	0	0	0				
06/05/2026 16:00	236.54	6.388	6.39	0.73	1.46	0.746	1.492	0	0	0	0				
06/05/2026 15:30	236.98	1.197	1.197	0.137	0.274	0.142	0.284	0	0	0	0				
06/05/2026 15:00	235.21	0.71	0.708	0.081	0.162	0.084	0.168	0	0	0	0				
06/05/2026 14:30	240.58	0.451	0.449	0.045	0.09	0.052	0.104	0	0	0	0				
06/05/2026 14:00	246.16	0.59	0.59	0.043	0.086	0.043	0.086	0	0	0	0				
06/05/2026 13:30	248.49	0.708	0.706	0.057	0.114	0.062	0.124	0	0	0	0				
06/05/2026 13:00	241.44	0.711	0.709	0.057	0.114	0.059	0.118	0	0	0	0				
06/05/2026 12:30	239.84	0.92	0.917	0.077	0.154	0.079	0.158	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial Number	M22515215561	Manufacturer Name	HPL Electric & Power Ltd.	Firmware Version	1078.04
Internal CT Ratio	NA	Meter Type	6(1P Direct Connected Watthour Smart Meter)	Meter Year of Manufacture	2025
Internal PT Ratio	NA	Download time(RTC)	26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)		

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
06/05/2026 12:00	238.75	0.924	0.924	0.092	0.184	0.096	0.192	0	0	0	0				
06/05/2026 11:30	237.55	0.86	0.857	0.079	0.158	0.085	0.17	0	0	0	0				
06/05/2026 11:00	237.21	1.041	1.041	0.097	0.194	0.101	0.202	0	0	0	0				
06/05/2026 10:30	238.76	1.019	1.017	0.095	0.19	0.1	0.2	0	0	0	0				
06/05/2026 10:00	239.49	6.99	6.986	0.863	1.726	0.864	1.728	0	0	0	0				
06/05/2026 09:30	242.33	0.943	0.942	0.089	0.178	0.094	0.188	0	0	0	0				
06/05/2026 09:00	246.96	2.501	2.498	0.268	0.536	0.272	0.544	0	0	0	0				
06/05/2026 08:30	245.08	5.83	5.828	0.683	1.366	0.69	1.38	0	0	0	0				
06/05/2026 08:00	246.67	3.027	3.026	0.309	0.618	0.322	0.644	0	0	0	0				
06/05/2026 07:30	250.07	3.301	3.302	0.38	0.76	0.408	0.816	0	0	0	0				
06/05/2026 07:00	252.73	2.542	2.541	0.305	0.61	0.33	0.66	0	0	0	0				
06/05/2026 06:30	252.99	6.409	6.408	0.763	1.526	0.785	1.57	0	0	0	0				
06/05/2026 06:00	254.34	3.274	3.275	0.374	0.748	0.408	0.816	0	0	0	0				
06/05/2026 05:30	255.97	2.795	2.796	0.322	0.644	0.357	0.714	0	0	0	0				
06/05/2026 05:00	256.46	2.897	2.899	0.331	0.662	0.365	0.73	0	0	0	0				
06/05/2026 04:30	257.66	3.256	3.257	0.376	0.752	0.42	0.84	0	0	0	0				
06/05/2026 04:00	257.09	3.286	3.286	0.387	0.774	0.427	0.854	0	0	0	0				
06/05/2026 03:30	256.68	3.222	3.221	0.373	0.746	0.415	0.83	0	0	0	0				
06/05/2026 03:00	255.69	3.299	3.299	0.362	0.724	0.398	0.796	0	0	0	0				
06/05/2026 02:30	254.06	3.692	3.693	0.4	0.8	0.437	0.874	0	0	0	0				
06/05/2026 02:00	252.73	3.914	3.914	0.448	0.896	0.489	0.978	0	0	0	0				
06/05/2026 01:30	251.45	3.379	3.38	0.409	0.818	0.436	0.872	0	0	0	0				
06/05/2026 01:00	251.69	4.244	4.245	0.544	1.088	0.585	1.17	0	0	0	0				
06/05/2026 00:30	249.96	4.941	4.942	0.565	1.13	0.599	1.198	0	0	0	0				
06/05/2026 00:00	247.8	4.636	4.638	0.54	1.08	0.568	1.136	0	0	0	0				
05/05/2026 23:30	248.03	0.898	0.897	0.1	0.2	0.103	0.206	0	0	0	0				
05/05/2026 23:00	245.49	0.798	0.797	0.091	0.182	0.095	0.19	0	0	0	0				
05/05/2026 22:30	244.2	0.938	0.937	0.109	0.218	0.111	0.222	0	0	0	0				
05/05/2026 22:00	248.67	1.044	1.044	0.112	0.224	0.118	0.236	0	0	0	0				
05/05/2026 21:30	248.12	1.103	1.102	0.125	0.25	0.129	0.258	0	0	0	0				
05/05/2026 21:00	248.13	0.699	0.699	0.079	0.158	0.083	0.166	0	0	0	0				
05/05/2026 20:30	247.91	0.981	0.98	0.106	0.212	0.114	0.228	0	0	0	0				
05/05/2026 20:00	244.75	0.923	0.922	0.098	0.196	0.102	0.204	0	0	0	0				
05/05/2026 19:30	242.71	1.016	1.015	0.106	0.212	0.111	0.222	0	0	0	0				
05/05/2026 19:00	243.75	0.794	0.793	0.072	0.144	0.075	0.15	0	0	0	0				
05/05/2026 18:30	246.07	0.928	0.927	0.096	0.192	0.102	0.204	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial Number M22515215561 Manufacturer Name HPL Electric & Power Ltd. Firmware Version 1078.04
Internal CT Ratio NA Meter Type 6(1P Direct Connected Watthour Smart Meter) Meter Year of Manufacture 2025
Internal PT Ratio NA Download time(RTC) 26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
05/05/2026 18:00	241.03	5.815	5.817	0.675	1.35	0.696	1.392	0	0	0	0				
05/05/2026 17:30	240.91	8.136	8.141	0.93	1.86	0.959	1.918	0	0	0	0				
05/05/2026 17:00	241.77	1.116	1.113	0.089	0.178	0.095	0.19	0	0	0	0				
05/05/2026 16:30	240.42	0.816	0.815	0.078	0.156	0.085	0.17	0	0	0	0				
05/05/2026 16:00	239.89	0.811	0.809	0.085	0.17	0.092	0.184	0	0	0	0				
05/05/2026 15:30	239.3	1.244	1.243	0.141	0.282	0.145	0.29	0	0	0	0				
05/05/2026 15:00	238.65	1.002	1.002	0.115	0.23	0.115	0.23	0	0	0	0				
05/05/2026 14:30	241.62	0.829	0.826	0.091	0.182	0.095	0.19	0	0	0	0				
05/05/2026 14:00	244.51	0.587	0.586	0.061	0.122	0.065	0.13	0	0	0	0				
05/05/2026 13:30	248.88	0.751	0.748	0.083	0.166	0.089	0.178	0	0	0	0				
05/05/2026 13:00	244.09	4.826	4.827	0.577	1.154	0.599	1.198	0	0	0	0				
05/05/2026 12:30	242.48	2.832	2.832	0.319	0.638	0.323	0.646	0	0	0	0				
05/05/2026 12:00	240.1	8.412	8.406	1.01	2.02	1.01	2.02	0	0	0	0				
05/05/2026 11:30	240.63	1.06	1.058	0.092	0.184	0.098	0.196	0	0	0	0				
05/05/2026 11:00	240.55	0.79	0.79	0.095	0.19	0.096	0.192	0	0	0	0				
05/05/2026 10:30	238.26	5.122	5.122	0.601	1.202	0.621	1.242	0	0	0	0				
05/05/2026 10:00	239.85	5.086	5.08	0.606	1.212	0.607	1.214	0	0	0	0				
05/05/2026 09:30	242.26	2.984	2.98	0.359	0.718	0.368	0.736	0	0	0	0				
05/05/2026 09:00	242.12	4.156	4.156	0.491	0.982	0.512	1.024	0	0	0	0				
05/05/2026 08:30	242.15	2.449	2.448	0.272	0.544	0.284	0.568	0	0	0	0				
05/05/2026 08:00	243.57	4.411	4.41	0.479	0.958	0.506	1.012	0	0	0	0				
05/05/2026 07:30	245.12	4.37	4.37	0.467	0.934	0.495	0.99	0	0	0	0				
05/05/2026 07:00	246.78	3.939	3.94	0.452	0.904	0.479	0.958	0	0	0	0				
05/05/2026 06:30	246.72	7.416	7.414	0.917	1.834	0.933	1.866	0	0	0	0				
05/05/2026 06:00	248.31	3.329	3.33	0.392	0.784	0.417	0.834	0	0	0	0				
05/05/2026 05:30	248.78	3.88	3.88	0.432	0.864	0.464	0.928	0	0	0	0				
05/05/2026 05:00	250.13	3.376	3.376	0.4	0.8	0.428	0.856	0	0	0	0				
05/05/2026 04:30	250.51	3.9	3.901	0.435	0.87	0.469	0.938	0	0	0	0				
05/05/2026 04:00	250.29	3.807	3.808	0.448	0.896	0.482	0.964	0	0	0	0				
05/05/2026 03:30	250.99	3.969	3.971	0.466	0.932	0.503	1.006	0	0	0	0				
05/05/2026 03:00	250.02	3.805	3.806	0.463	0.926	0.496	0.992	0	0	0	0				
05/05/2026 02:30	249.24	4.356	4.356	0.503	1.006	0.538	1.076	0	0	0	0				
05/05/2026 02:00	248.47	4.105	4.106	0.466	0.932	0.495	0.99	0	0	0	0				
05/05/2026 01:30	247.88	4.574	4.575	0.543	1.086	0.578	1.156	0	0	0	0				
05/05/2026 01:00	246.28	5.831	5.832	0.67	1.34	0.71	1.42	0	0	0	0				
05/05/2026 00:30	246.83	4.142	4.141	0.463	0.926	0.486	0.972	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial Number	M22515215561	Manufacturer Name	HPL Electric & Power Ltd.	Firmware Version	1078.04
Internal CT Ratio	NA	Meter Type	6(1P Direct Connected Watthour Smart Meter)	Meter Year of Manufacture	2025
Internal PT Ratio	NA	Download time(RTC)	26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)		

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
05/05/2026 00:00	251.24	1.142	1.141	0.119	0.238	0.126	0.252	0	0	0	0				
04/05/2026 23:30	249.28	1.19	1.189	0.13	0.26	0.137	0.274	0	0	0	0				
04/05/2026 23:00	247.62	0.753	0.753	0.078	0.156	0.089	0.178	0	0	0	0				
04/05/2026 22:30	247.74	0.916	0.915	0.103	0.206	0.11	0.22	0	0	0	0				
04/05/2026 22:00	251.78	0.817	0.814	0.089	0.178	0.099	0.198	0	0	0	0				
04/05/2026 21:30	252.16	0.741	0.739	0.082	0.164	0.089	0.178	0	0	0	0				
04/05/2026 21:00	255.4	0.535	0.533	0.059	0.118	0.06	0.12	0	0	0	0				
04/05/2026 20:30	254.61	0.927	0.926	0.105	0.21	0.112	0.224	0	0	0	0				
04/05/2026 20:00	250.25	1.083	1.08	0.111	0.222	0.122	0.244	0	0	0	0				
04/05/2026 19:30	247.71	1.05	1.048	0.113	0.226	0.118	0.236	0	0	0	0				
04/05/2026 19:00	250.96	0.835	0.835	0.089	0.178	0.099	0.198	0	0	0	0				
04/05/2026 18:30	254.48	0.614	0.613	0.065	0.13	0.073	0.146	0	0	0	0				
04/05/2026 18:00	252.19	0.415	0.413	0.038	0.076	0.046	0.092	0	0	0	0				
04/05/2026 17:30	251.33	0.575	0.574	0.06	0.12	0.067	0.134	0	0	0	0				
04/05/2026 17:00	247.65	0.502	0.501	0.057	0.114	0.057	0.114	0	0	0	0				
04/05/2026 16:30	247.04	0.589	0.588	0.07	0.14	0.075	0.15	0	0	0	0				
04/05/2026 16:00	245.22	0.526	0.525	0.062	0.124	0.064	0.128	0	0	0	0				
04/05/2026 15:30	247.45	0.879	0.877	0.097	0.194	0.101	0.202	0	0	0	0				
04/05/2026 15:00	247.13	0.738	0.736	0.082	0.164	0.082	0.164	0	0	0	0				
04/05/2026 14:30	248.69	0.963	0.963	0.065	0.13	0.073	0.146	0	0	0	0				
04/05/2026 14:00	251.66	0.63	0.629	0.071	0.142	0.071	0.142	0	0	0	0				
04/05/2026 13:30	252.94	1.596	1.596	0.198	0.396	0.209	0.418	0	0	0	0				
04/05/2026 13:00	249.77	1.176	1.175	0.133	0.266	0.134	0.268	0	0	0	0				
04/05/2026 12:30	247.89	0.929	0.928	0.105	0.21	0.11	0.22	0	0	0	0				
04/05/2026 12:00	246.24	2.202	2.199	0.263	0.526	0.263	0.526	0	0	0	0				
04/05/2026 11:30	244.92	0.907	0.906	0.097	0.194	0.102	0.204	0	0	0	0				
04/05/2026 11:00	244.01	0.849	0.847	0.083	0.166	0.084	0.168	0	0	0	0				
04/05/2026 10:30	240.21	1.895	1.895	0.192	0.384	0.196	0.392	0	0	0	0				
04/05/2026 10:00	240.01	5.422	5.421	0.614	1.228	0.614	1.228	0	0	0	0				
04/05/2026 09:30	238.99	2.077	2.075	0.217	0.434	0.219	0.438	0	0	0	0				
04/05/2026 09:00	240.9	0.981	0.979	0.095	0.19	0.103	0.206	0	0	0	0				
04/05/2026 08:30	241.93	5.346	5.346	0.647	1.294	0.649	1.298	0	0	0	0				
04/05/2026 08:00	243.19	3.38	3.381	0.372	0.744	0.399	0.798	0	0	0	0				
04/05/2026 07:30	244.74	3.791	3.79	0.392	0.784	0.424	0.848	0	0	0	0				
04/05/2026 07:00	245.95	9.301	9.3	1.078	2.156	1.1	2.2	0	0	0	0				
04/05/2026 06:30	248.01	8.821	8.819	1.082	2.164	1.097	2.194	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial Number	M22515215561	Manufacturer Name	HPL Electric & Power Ltd.	Firmware Version	1078.04
Internal CT Ratio	NA	Meter Type	6(1P Direct Connected Watthour Smart Meter)	Meter Year of Manufacture	2025
Internal PT Ratio	NA	Download time(RTC)	26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)		

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
04/05/2026 06:00	249.55	2.729	2.73	0.304	0.608	0.325	0.65	0	0	0	0				
04/05/2026 05:30	250.83	3.327	3.326	0.38	0.76	0.411	0.822	0	0	0	0				
04/05/2026 05:00	251.22	3.122	3.125	0.377	0.754	0.406	0.812	0	0	0	0				
04/05/2026 04:30	251.38	3.461	3.461	0.38	0.76	0.411	0.822	0	0	0	0				
04/05/2026 04:00	250.02	3.733	3.732	0.393	0.786	0.42	0.84	0	0	0	0				
04/05/2026 03:30	249.5	3.626	3.626	0.425	0.85	0.456	0.912	0	0	0	0				
04/05/2026 03:00	248.52	3.533	3.532	0.411	0.822	0.437	0.874	0	0	0	0				
04/05/2026 02:30	247.82	4.144	4.146	0.45	0.9	0.478	0.956	0	0	0	0				
04/05/2026 02:00	248.23	4.158	4.16	0.482	0.964	0.513	1.026	0	0	0	0				
04/05/2026 01:30	247.2	6.212	6.216	0.714	1.428	0.754	1.508	0	0	0	0				
04/05/2026 01:00	246.46	1.282	1.283	0.132	0.264	0.142	0.284	0	0	0	0				
04/05/2026 00:30	245.69	0.109	0.109	0.01	0.02	0.01	0.02	0	0	0	0				
04/05/2026 00:00	245.2	0.291	0.29	0.026	0.052	0.035	0.07	0	0	0	0				
03/05/2026 23:30	242.89	0.108	0.108	0.009	0.018	0.01	0.02	0	0	0	0				
03/05/2026 23:00	241.58	0.289	0.288	0.026	0.052	0.034	0.068	0	0	0	0				
03/05/2026 22:30	242.07	0.113	0.114	0.01	0.02	0.01	0.02	0	0	0	0				
03/05/2026 22:00	245.37	0.29	0.29	0.026	0.052	0.035	0.07	0	0	0	0				
03/05/2026 21:30	245.52	0.137	0.134	0.01	0.02	0.011	0.022	0	0	0	0				
03/05/2026 21:00	244.46	0.367	0.366	0.027	0.054	0.035	0.07	0	0	0	0				
03/05/2026 20:30	244.51	0.203	0.201	0.009	0.018	0.01	0.02	0	0	0	0				
03/05/2026 20:00	242.88	0.352	0.35	0.024	0.048	0.031	0.062	0	0	0	0				
03/05/2026 19:30	243.46	0.234	0.231	0.013	0.026	0.015	0.03	0	0	0	0				
03/05/2026 19:00	245.02	0.295	0.292	0.018	0.036	0.023	0.046	0	0	0	0				
03/05/2026 18:30	248.63	0.274	0.27	0.017	0.034	0.021	0.042	0	0	0	0				
03/05/2026 18:00	248.42	0.221	0.216	0.012	0.024	0.014	0.028	0	0	0	0				
03/05/2026 17:30	247.37	0.344	0.34	0.023	0.046	0.031	0.062	0	0	0	0				
03/05/2026 17:00	245.03	0.188	0.183	0.008	0.016	0.009	0.018	0	0	0	0				
03/05/2026 16:30	243.77	0.36	0.358	0.026	0.052	0.035	0.07	0	0	0	0				
03/05/2026 16:00	242.19	0.189	0.185	0.009	0.018	0.009	0.018	0	0	0	0				
03/05/2026 15:30	244.69	0.379	0.376	0.027	0.054	0.036	0.072	0	0	0	0				
03/05/2026 15:00	244.25	0.189	0.187	0.008	0.016	0.009	0.018	0	0	0	0				
03/05/2026 14:30	243.56	0.36	0.361	0.027	0.054	0.035	0.07	0	0	0	0				
03/05/2026 14:00	244.56	0.19	0.189	0.009	0.018	0.01	0.02	0	0	0	0				
03/05/2026 13:30	244.85	0.909	0.908	0.092	0.184	0.096	0.192	0	0	0	0				
03/05/2026 13:00	243.4	0.717	0.716	0.072	0.144	0.073	0.146	0	0	0	0				
03/05/2026 12:30	242.49	0.529	0.527	0.057	0.114	0.064	0.128	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial NumberM22515215561Manufacturer NameHPL Electric & Power Ltd.Firmware Version1078.04

Internal CT RatioNAMeter Type6(1P Direct Connected Watthour Smart Meter)Meter Year of Manufacture2025

Internal PT RatioNADownload time(RTC)26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
03/05/2026 12:00	240.59	0.647	0.645	0.066	0.132	0.071	0.142	0	0	0	0				
03/05/2026 11:30	240.51	1.045	1.044	0.109	0.218	0.119	0.238	0	0	0	0				
03/05/2026 11:00	238.67	0.839	0.837	0.085	0.17	0.089	0.178	0	0	0	0				
03/05/2026 10:30	239.52	0.897	0.896	0.082	0.164	0.088	0.176	0	0	0	0				
03/05/2026 10:00	239.74	0.511	0.51	0.05	0.1	0.053	0.106	0	0	0	0				
03/05/2026 09:30	240.91	0.782	0.781	0.091	0.182	0.099	0.198	0	0	0	0				
03/05/2026 09:00	245.26	6.501	6.496	0.808	1.616	0.809	1.618	0	0	0	0				
03/05/2026 08:30	249.08	1.964	1.962	0.24	0.48	0.243	0.486	0	0	0	0				
03/05/2026 08:00	250.21	0.731	0.729	0.084	0.168	0.089	0.178	0	0	0	0				
03/05/2026 07:30	247.7	5.441	5.435	0.705	1.41	0.708	1.416	0	0	0	0				
03/05/2026 07:00	249.23	5.337	5.337	0.645	1.29	0.688	1.376	0	0	0	0				
03/05/2026 06:30	249.27	10.339	10.337	1.29	2.58	1.316	2.632	0	0	0	0				
03/05/2026 06:00	250.71	5.821	5.821	0.681	1.362	0.711	1.422	0	0	0	0				
03/05/2026 05:30	251.43	4.061	4.062	0.46	0.92	0.494	0.988	0	0	0	0				
03/05/2026 05:00	251.81	4.384	4.385	0.508	1.016	0.549	1.098	0	0	0	0				
03/05/2026 04:30	252.45	4.04	4.041	0.458	0.916	0.492	0.984	0	0	0	0				
03/05/2026 04:00	250.99	4.727	4.729	0.528	1.056	0.573	1.146	0	0	0	0				
03/05/2026 03:30	250.35	4.407	4.408	0.503	1.006	0.537	1.074	0	0	0	0				
03/05/2026 03:00	250.01	4.452	4.453	0.505	1.01	0.537	1.074	0	0	0	0				
03/05/2026 02:30	248.09	4.524	4.525	0.515	1.03	0.543	1.086	0	0	0	0				
03/05/2026 02:00	247.27	5.08	5.082	0.596	1.192	0.626	1.252	0	0	0	0				
03/05/2026 01:30	246.59	5.287	5.289	0.601	1.202	0.629	1.258	0	0	0	0				
03/05/2026 01:00	246.09	4.357	4.358	0.496	0.992	0.518	1.036	0	0	0	0				
03/05/2026 00:30	248.23	0.272	0.269	0.022	0.044	0.023	0.046	0	0	0	0				
03/05/2026 00:00	251.22	0.244	0.242	0.02	0.04	0.02	0.04	0	0	0	0				
02/05/2026 23:30	249.37	0.244	0.242	0.021	0.042	0.021	0.042	0	0	0	0				
02/05/2026 23:00	248.28	0.243	0.242	0.02	0.04	0.021	0.042	0	0	0	0				
02/05/2026 22:30	247.8	0.392	0.39	0.039	0.078	0.04	0.08	0	0	0	0				
02/05/2026 22:00	250.87	1.138	1.138	0.14	0.28	0.14	0.28	0	0	0	0				
02/05/2026 21:30	251	2.09	2.089	0.243	0.486	0.253	0.506	0	0	0	0				
02/05/2026 21:00	254.64	0.997	0.995	0.116	0.232	0.122	0.244	0	0	0	0				
02/05/2026 20:30	253.98	1.095	1.093	0.123	0.246	0.131	0.262	0	0	0	0				
02/05/2026 20:00	249.58	5.121	5.124	0.606	1.212	0.647	1.294	0	0	0	0				
02/05/2026 19:30	250.42	1.769	1.768	0.197	0.394	0.211	0.422	0	0	0	0				
02/05/2026 19:00	253.53	3.564	3.565	0.374	0.748	0.416	0.832	0	0	0	0				
02/05/2026 18:30	255.37	4.289	4.289	0.481	0.962	0.535	1.07	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial NumberM22515215561Manufacturer NameHPL Electric & Power Ltd.Firmware Version1078.04

Internal CT RatioNA Meter Type6(1P Direct Connected Watthour Smart Meter)Meter Year of Manufacture2025

Internal PT RatioNADownload time(RTC)26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
02/05/2026 18:00	253.46	4.025	4.027	0.439	0.878	0.488	0.976	0	0	0	0				
02/05/2026 17:30	251.97	2.968	2.967	0.329	0.658	0.371	0.742	0	0	0	0				
02/05/2026 17:00	248.06	8.642	8.647	0.992	1.984	1.06	2.12	0	0	0	0				
02/05/2026 16:30	248.45	3.476	3.477	0.412	0.824	0.433	0.866	0	0	0	0				
02/05/2026 16:00	248.97	1.214	1.213	0.142	0.284	0.147	0.294	0	0	0	0				
02/05/2026 15:30	248.67	1.033	1.032	0.122	0.244	0.123	0.246	0	0	0	0				
02/05/2026 15:00	246.75	1.052	1.051	0.117	0.234	0.123	0.246	0	0	0	0				
02/05/2026 14:30	248.43	0.658	0.656	0.061	0.122	0.069	0.138	0	0	0	0				
02/05/2026 14:00	252.42	0.785	0.784	0.085	0.17	0.091	0.182	0	0	0	0				
02/05/2026 13:30	253.66	0.431	0.428	0.032	0.064	0.033	0.066	0	0	0	0				
02/05/2026 13:00	248.03	0.713	0.71	0.068	0.136	0.076	0.152	0	0	0	0				
02/05/2026 12:30	246.29	0.512	0.51	0.04	0.08	0.041	0.082	0	0	0	0				
02/05/2026 12:00	243.75	0.815	0.813	0.077	0.154	0.085	0.17	0	0	0	0				
02/05/2026 11:30	244.41	0.704	0.702	0.074	0.148	0.078	0.156	0	0	0	0				
02/05/2026 11:00	242.93	0.955	0.954	0.106	0.212	0.111	0.222	0	0	0	0				
02/05/2026 10:30	235.79	0.638	0.636	0.064	0.128	0.07	0.14	0	0	0	0				
02/05/2026 10:00	238.91	0.66	0.658	0.077	0.154	0.082	0.164	0	0	0	0				
02/05/2026 09:30	241.14	0.598	0.596	0.065	0.13	0.069	0.138	0	0	0	0				
02/05/2026 09:00	245.06	1.099	1.099	0.116	0.232	0.128	0.256	0	0	0	0				
02/05/2026 08:30	242.68	4.684	4.683	0.549	1.098	0.55	1.1	0	0	0	0				
02/05/2026 08:00	244.94	6.047	6.046	0.688	1.376	0.701	1.402	0	0	0	0				
02/05/2026 07:30	247.09	0.361	0.359	0.031	0.062	0.031	0.062	0	0	0	0				
02/05/2026 07:00	247.85	2.392	2.391	0.233	0.466	0.247	0.494	0	0	0	0				
02/05/2026 06:30	248.61	11.815	11.815	1.479	2.958	1.495	2.99	0	0	0	0				
02/05/2026 06:00	248.72	5.005	5.006	0.582	1.164	0.623	1.246	0	0	0	0				
02/05/2026 05:30	250.85	4.808	4.808	0.557	1.114	0.597	1.194	0	0	0	0				
02/05/2026 05:00	250.75	5.278	5.28	0.612	1.224	0.664	1.328	0	0	0	0				
02/05/2026 04:30	251.11	5.067	5.068	0.566	1.132	0.612	1.224	0	0	0	0				
02/05/2026 04:00	251.46	5.436	5.438	0.615	1.23	0.67	1.34	0	0	0	0				
02/05/2026 03:30	250.37	5.304	5.305	0.615	1.23	0.663	1.326	0	0	0	0				
02/05/2026 03:00	249.44	6.053	6.055	0.701	1.402	0.755	1.51	0	0	0	0				
02/05/2026 02:30	248.97	6.707	6.711	0.763	1.526	0.822	1.644	0	0	0	0				
02/05/2026 02:00	248.5	7.761	7.765	0.886	1.772	0.948	1.896	0	0	0	0				
02/05/2026 01:30	248.81	6.404	6.407	0.731	1.462	0.783	1.566	0	0	0	0				
02/05/2026 01:00	248.55	1.259	1.258	0.141	0.282	0.144	0.288	0	0	0	0				
02/05/2026 00:30	247.37	2.05	2.049	0.214	0.428	0.218	0.436	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial Number M22515215561 Manufacturer Name HPL Electric & Power Ltd. Firmware Version 1078.04
Internal CT Ratio NA Meter Type 6(1P Direct Connected Watthour Smart Meter) Meter Year of Manufacture 2025
Internal PT Ratio NA Download time(RTC) 26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.255 5 (kVAh-E)	Demand(kVA-E)				
02/05/2026 00:00	246.41	9.151	9.151	1.128	2.256	1.129	2.258	0	0	0	0				
01/05/2026 23:30	246.49	2.948	2.946	0.343	0.686	0.346	0.692	0	0	0	0				
01/05/2026 23:00	244.58	1.411	1.41	0.19	0.38	0.193	0.386	0	0	0	0				
01/05/2026 22:30	243.7	1.309	1.307	0.16	0.32	0.163	0.326	0	0	0	0				
01/05/2026 22:00	246.96	1.013	1.01	0.124	0.248	0.127	0.254	0	0	0	0				
01/05/2026 21:30	246.94	1.044	1.04	0.129	0.258	0.132	0.264	0	0	0	0				
01/05/2026 21:00	247.12	1.015	1.012	0.125	0.25	0.128	0.256	0	0	0	0				
01/05/2026 20:30	246.18	0.944	0.942	0.117	0.234	0.12	0.24	0	0	0	0				
01/05/2026 20:00	244.35	0.978	0.976	0.119	0.238	0.122	0.244	0	0	0	0				
01/05/2026 19:30	244.75	1.212	1.211	0.139	0.278	0.143	0.286	0	0	0	0				
01/05/2026 19:00	248.29	1.006	1.004	0.117	0.234	0.12	0.24	0	0	0	0				
01/05/2026 18:30	251.15	0.914	0.913	0.105	0.21	0.109	0.218	0	0	0	0				
01/05/2026 18:00	246.53	1.048	1.046	0.12	0.24	0.125	0.25	0	0	0	0				
01/05/2026 17:30	246.84	2.092	2.091	0.248	0.496	0.258	0.516	0	0	0	0				
01/05/2026 17:00	244.64	4.917	4.92	0.557	1.114	0.587	1.174	0	0	0	0				
01/05/2026 16:30	244.08	4.637	4.637	0.555	1.11	0.576	1.152	0	0	0	0				
01/05/2026 16:00	242.5	5.543	5.544	0.644	1.288	0.67	1.34	0	0	0	0				
01/05/2026 15:30	242.3	6.219	6.222	0.716	1.432	0.736	1.472	0	0	0	0				
01/05/2026 15:00	243.2	3.986	3.986	0.444	0.888	0.463	0.926	0	0	0	0				
01/05/2026 14:30	245.88	0.902	0.9	0.089	0.178	0.093	0.186	0	0	0	0				
01/05/2026 14:00	248.24	1.224	1.224	0.128	0.256	0.139	0.278	0	0	0	0				
01/05/2026 13:30	246.2	1.073	1.071	0.109	0.218	0.115	0.23	0	0	0	0				
01/05/2026 13:00	242.72	1.158	1.159	0.112	0.224	0.114	0.228	0	0	0	0				
01/05/2026 12:30	242.6	1.269	1.268	0.119	0.238	0.123	0.246	0	0	0	0				
01/05/2026 12:00	240.56	3.936	3.933	0.462	0.924	0.464	0.928	0	0	0	0				
01/05/2026 11:30	239.38	6.498	6.499	0.807	1.614	0.815	1.63	0	0	0	0				
01/05/2026 11:00	241.56	3.414	3.413	0.399	0.798	0.419	0.838	0	0	0	0				
01/05/2026 10:30	241.97	3.308	3.308	0.389	0.778	0.401	0.802	0	0	0	0				
01/05/2026 10:00	242.82	4.065	4.068	0.447	0.894	0.466	0.932	0	0	0	0				
01/05/2026 09:30	243.62	3.83	3.83	0.432	0.864	0.448	0.896	0	0	0	0				
01/05/2026 09:00	247.22	4.132	4.134	0.481	0.962	0.505	1.01	0	0	0	0				
01/05/2026 08:30	248.56	3.998	3.998	0.449	0.898	0.469	0.938	0	0	0	0				
01/05/2026 08:00	250.93	6.023	6.022	0.72	1.44	0.752	1.504	0	0	0	0				
01/05/2026 07:30	252.58	5.273	5.273	0.614	1.228	0.653	1.306	0	0	0	0				
01/05/2026 07:00	258.18	3.77	3.771	0.402	0.804	0.448	0.896	0	0	0	0				
01/05/2026 06:30	256.51	7.046	7.047	0.87	1.74	0.907	1.814	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial Number M22515215561 Manufacturer Name HPL Electric & Power Ltd. Firmware Version 1078.04
Internal CT Ratio NA Meter Type 6(1P Direct Connected Watthour Smart Meter) Meter Year of Manufacture 2025
Internal PT Ratio NA Download time(RTC) 26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.255 5 (kVAh-E)	Demand(kVA-E)				
01/05/2026 06:00	255.95	3.937	3.94	0.459	0.918	0.5	1	0	0	0	0				
01/05/2026 05:30	256.4	3.951	3.952	0.454	0.908	0.502	1.004	0	0	0	0				
01/05/2026 05:00	257.33	4.112	4.114	0.482	0.964	0.531	1.062	0	0	0	0				
01/05/2026 04:30	257.19	4.461	4.463	0.522	1.044	0.578	1.156	0	0	0	0				
01/05/2026 04:00	256.47	4.533	4.533	0.508	1.016	0.557	1.114	0	0	0	0				
01/05/2026 03:30	255.08	4.353	4.354	0.515	1.03	0.563	1.126	0	0	0	0				
01/05/2026 03:00	254.4	4.59	4.591	0.535	1.07	0.582	1.164	0	0	0	0				
01/05/2026 02:30	253.93	4.467	4.469	0.522	1.044	0.564	1.128	0	0	0	0				
01/05/2026 02:00	253.1	6.22	6.223	0.727	1.454	0.79	1.58	0	0	0	0				
01/05/2026 01:30	253.79	1.099	1.097	0.135	0.27	0.136	0.272	0	0	0	0				
01/05/2026 01:00	252.72	1.105	1.105	0.13	0.26	0.135	0.27	0	0	0	0				
01/05/2026 00:30	251.58	1.085	1.083	0.127	0.254	0.13	0.26	0	0	0	0				
01/05/2026 00:00	253.58	1.077	1.077	0.126	0.252	0.129	0.258	0	0	0	0				
30/04/2026 23:30	254.68	0.932	0.928	0.113	0.226	0.119	0.238	0	0	0	0				
30/04/2026 23:00	254.19	0.828	0.826	0.104	0.208	0.105	0.21	0	0	0	0				
30/04/2026 22:30	253.69	1.283	1.281	0.157	0.314	0.161	0.322	0	0	0	0				
30/04/2026 22:00	256.8	0.915	0.915	0.111	0.222	0.111	0.222	0	0	0	0				
30/04/2026 21:30	257.47	1.163	1.163	0.14	0.28	0.146	0.292	0	0	0	0				
30/04/2026 21:00	258.24	1.008	1.009	0.115	0.23	0.116	0.232	0	0	0	0				
30/04/2026 20:30	255.16	2.452	2.452	0.294	0.588	0.309	0.618	0	0	0	0				
30/04/2026 20:00	251.03	5.931	5.933	0.66	1.32	0.695	1.39	0	0	0	0				
30/04/2026 19:30	250.45	5.974	5.977	0.705	1.41	0.741	1.482	0	0	0	0				
30/04/2026 19:00	252.28	6.807	6.811	0.794	1.588	0.844	1.688	0	0	0	0				
30/04/2026 18:30	254.98	5.551	5.554	0.636	1.272	0.675	1.35	0	0	0	0				
30/04/2026 18:00	253.36	1.073	1.072	0.115	0.23	0.123	0.246	0	0	0	0				
30/04/2026 17:30	253.48	0.654	0.652	0.063	0.126	0.068	0.136	0	0	0	0				
30/04/2026 17:00	248.42	0.764	0.762	0.072	0.144	0.08	0.16	0	0	0	0				
30/04/2026 16:30	248.03	0.952	0.951	0.095	0.19	0.099	0.198	0	0	0	0				
30/04/2026 16:00	243.42	0.823	0.822	0.08	0.16	0.081	0.162	0	0	0	0				
30/04/2026 15:30	245.73	1.034	1.031	0.104	0.208	0.109	0.218	0	0	0	0				
30/04/2026 15:00	248.08	0.247	0.245	0.013	0.026	0.015	0.03	0	0	0	0				
30/04/2026 14:30	251.68	0.419	0.417	0.031	0.062	0.043	0.086	0	0	0	0				
30/04/2026 14:00	255.2	0.76	0.759	0.087	0.174	0.094	0.188	0	0	0	0				
30/04/2026 13:30	256.23	0.896	0.895	0.109	0.218	0.109	0.218	0	0	0	0				
30/04/2026 13:00	252.42	1.172	1.171	0.139	0.278	0.145	0.29	0	0	0	0				
30/04/2026 12:30	251.59	0.756	0.755	0.095	0.19	0.095	0.19	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial NumberM22515215561Manufacturer NameHPL Electric & Power Ltd.Firmware Version1078.04

Internal CT RatioNAMeter Type6(1P Direct Connected Watthour Smart Meter)Meter Year of Manufacture2025

Internal PT RatioNADownload time(RTC)26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
30/04/2026 12:00	249.83	0.615	0.613	0.074	0.148	0.08	0.16	0	0	0	0				
30/04/2026 11:30	247.37	5.292	5.294	0.61	1.22	0.642	1.284	0	0	0	0				
30/04/2026 11:00	245.9	5.202	5.204	0.629	1.258	0.64	1.28	0	0	0	0				
30/04/2026 10:30	241.81	5.04	5.037	0.6	1.2	0.602	1.204	0	0	0	0				
30/04/2026 10:00	242.91	0.379	0.375	0.044	0.088	0.045	0.09	0	0	0	0				
30/04/2026 09:30	243.41	0.643	0.64	0.077	0.154	0.084	0.168	0	0	0	0				
30/04/2026 09:00	246.56	1.771	1.77	0.196	0.392	0.209	0.418	0	0	0	0				
30/04/2026 08:30	247.62	2.387	2.387	0.286	0.572	0.297	0.594	0	0	0	0				
30/04/2026 08:00	251.85	2.158	2.157	0.225	0.45	0.248	0.496	0	0	0	0				
30/04/2026 07:30	251.23	2.245	2.245	0.251	0.502	0.267	0.534	0	0	0	0				
30/04/2026 07:00	249.17	5.591	5.591	0.698	1.396	0.704	1.408	0	0	0	0				
30/04/2026 06:30	250.64	5.157	5.156	0.623	1.246	0.635	1.27	0	0	0	0				
30/04/2026 06:00	252.82	6.641	6.642	0.839	1.678	0.851	1.702	0	0	0	0				
30/04/2026 05:30	255.44	2.641	2.64	0.32	0.64	0.342	0.684	0	0	0	0				
30/04/2026 05:00	257.33	2.466	2.464	0.302	0.604	0.321	0.642	0	0	0	0				
30/04/2026 04:30	257.73	2.672	2.671	0.324	0.648	0.35	0.7	0	0	0	0				
30/04/2026 04:00	256.91	2.788	2.787	0.335	0.67	0.36	0.72	0	0	0	0				
30/04/2026 03:30	255.89	3.348	3.349	0.373	0.746	0.4	0.8	0	0	0	0				
30/04/2026 03:00	255.11	2.702	2.704	0.32	0.64	0.343	0.686	0	0	0	0				
30/04/2026 02:30	253.64	2.476	2.475	0.298	0.596	0.313	0.626	0	0	0	0				
30/04/2026 02:00	252.76	3.521	3.521	0.416	0.832	0.444	0.888	0	0	0	0				
30/04/2026 01:30	251.39	3.705	3.706	0.415	0.83	0.434	0.868	0	0	0	0				
30/04/2026 01:00	249.31	2.768	2.769	0.312	0.624	0.324	0.648	0	0	0	0				
30/04/2026 00:30	255.53	1.672	1.67	0.198	0.396	0.202	0.404	0	0	0	0				
30/04/2026 00:00	256.38	1.684	1.684	0.199	0.398	0.203	0.406	0	0	0	0				
29/04/2026 23:30	254.35	1.08	1.078	0.118	0.236	0.122	0.244	0	0	0	0				
29/04/2026 23:00	253.8	1.143	1.143	0.125	0.25	0.129	0.258	0	0	0	0				
29/04/2026 22:30	254.32	1.132	1.131	0.123	0.246	0.128	0.256	0	0	0	0				
29/04/2026 22:00	257.54	1.047	1.044	0.114	0.228	0.118	0.236	0	0	0	0				
29/04/2026 21:30	258.35	1.215	1.213	0.138	0.276	0.144	0.288	0	0	0	0				
29/04/2026 21:00	257.99	1.003	1.002	0.114	0.228	0.118	0.236	0	0	0	0				
29/04/2026 20:30	257.34	3.522	3.523	0.423	0.846	0.449	0.898	0	0	0	0				
29/04/2026 20:00	252.31	4.375	4.377	0.5	1	0.529	1.058	0	0	0	0				
29/04/2026 19:30	250.98	1.115	1.114	0.118	0.236	0.123	0.246	0	0	0	0				
29/04/2026 19:00	253.05	1.073	1.072	0.106	0.212	0.112	0.224	0	0	0	0				
29/04/2026 18:30	254.64	0.983	0.981	0.111	0.222	0.121	0.242	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial NumberM22515215561Manufacturer NameHPL Electric & Power Ltd.Firmware Version1078.04

Internal CT RatioNAMeter Type6(1P Direct Connected Watthour Smart Meter)Meter Year of Manufacture2025

Internal PT RatioNADownload time(RTC)26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.255 5 (kVAh-E)	Demand(kVA-E)				
29/04/2026 18:00	249.93	0.935	0.933	0.109	0.218	0.115	0.23	0	0	0	0				
29/04/2026 17:30	249.42	7.27	7.274	0.862	1.724	0.898	1.796	0	0	0	0				
29/04/2026 17:00	244.71	7.462	7.465	0.65	1.3	0.683	1.366	0	0	0	0				
29/04/2026 16:30	243.92	7.992	7.997	0.487	0.974	0.504	1.008	0	0	0	0				
29/04/2026 16:00	238.43	8.526	8.53	0.986	1.972	1.007	2.014	0	0	0	0				
29/04/2026 15:30	238.36	4.822	4.825	0.543	1.086	0.556	1.112	0	0	0	0				
29/04/2026 15:00	243.26	0.766	0.765	0.077	0.154	0.084	0.168	0	0	0	0				
29/04/2026 14:30	247.37	0.614	0.612	0.057	0.114	0.07	0.14	0	0	0	0				
29/04/2026 14:00	250.49	0.304	0.304	0.024	0.048	0.035	0.07	0	0	0	0				
29/04/2026 13:30	253.1	0.164	0.165	0.013	0.026	0.015	0.03	0	0	0	0				
29/04/2026 13:00	247.7	0.285	0.285	0.024	0.048	0.034	0.068	0	0	0	0				
29/04/2026 12:30	244.49	0.581	0.58	0.041	0.082	0.05	0.1	0	0	0	0				
29/04/2026 12:00	241.89	0.848	0.846	0.044	0.088	0.047	0.094	0	0	0	0				
29/04/2026 11:30	241.69	0.45	0.447	0.051	0.102	0.056	0.112	0	0	0	0				
29/04/2026 11:00	240.73	0.733	0.731	0.097	0.194	0.103	0.206	0	0	0	0				
29/04/2026 10:30	238.83	7.758	7.757	0.934	1.868	0.935	1.87	0	0	0	0				
29/04/2026 10:00	239.84	3.743	3.744	0.415	0.83	0.424	0.848	0	0	0	0				
29/04/2026 09:30	241.78	3.278	3.279	0.358	0.716	0.38	0.76	0	0	0	0				
29/04/2026 09:00	243.69	8.778	8.777	1.055	2.11	1.066	2.132	0	0	0	0				
29/04/2026 08:30	243.89	4.842	4.841	0.531	1.062	0.549	1.098	0	0	0	0				
29/04/2026 08:00	245.28	3.362	3.363	0.349	0.698	0.373	0.746	0	0	0	0				
29/04/2026 07:30	247.17	3.082	3.082	0.335	0.67	0.358	0.716	0	0	0	0				
29/04/2026 07:00	245.53	7.122	7.122	0.861	1.722	0.87	1.74	0	0	0	0				
29/04/2026 06:30	246.82	5.207	5.208	0.625	1.25	0.64	1.28	0	0	0	0				
29/04/2026 06:00	248.34	8.285	8.285	0.989	1.978	1.003	2.006	0	0	0	0				
29/04/2026 05:30	251.04	3.167	3.166	0.361	0.722	0.382	0.764	0	0	0	0				
29/04/2026 05:00	252.17	2.356	2.356	0.252	0.504	0.268	0.536	0	0	0	0				
29/04/2026 04:30	251.46	5.454	5.456	0.622	1.244	0.664	1.328	0	0	0	0				
29/04/2026 04:00	251.65	5.699	5.702	0.672	1.344	0.719	1.438	0	0	0	0				
29/04/2026 03:30	250.89	5.612	5.615	0.645	1.29	0.685	1.37	0	0	0	0				
29/04/2026 03:00	250.94	6.837	6.84	0.786	1.572	0.836	1.672	0	0	0	0				
29/04/2026 02:30	250.12	6.198	6.2	0.71	1.42	0.755	1.51	0	0	0	0				
29/04/2026 02:00	249.41	5.405	5.408	0.618	1.236	0.655	1.31	0	0	0	0				
29/04/2026 01:30	248.3	6.749	6.752	0.779	1.558	0.821	1.642	0	0	0	0				
29/04/2026 01:00	246.44	7.558	7.563	0.88	1.76	0.916	1.832	0	0	0	0				
29/04/2026 00:30	249.28	4.637	4.639	0.532	1.064	0.554	1.108	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial Number M22515215561 Manufacturer Name HPL Electric & Power Ltd. Firmware Version 1078.04
Internal CT Ratio NA Meter Type 6(1P Direct Connected Watthour Smart Meter) Meter Year of Manufacture 2025
Internal PT Ratio NA Download time(RTC) 26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.255 5 (kVAh-E)	Demand(kVA-E)				
29/04/2026 00:00	247.28	1.379	1.378	0.165	0.33	0.167	0.334	0	0	0	0				
28/04/2026 23:30	243.75	1.318	1.317	0.149	0.298	0.154	0.308	0	0	0	0				
28/04/2026 23:00	243.7	1.592	1.591	0.188	0.376	0.192	0.384	0	0	0	0				
28/04/2026 22:30	244.13	2.73	2.73	0.31	0.62	0.319	0.638	0	0	0	0				
28/04/2026 22:00	248.41	1.327	1.327	0.14	0.28	0.145	0.29	0	0	0	0				
28/04/2026 21:30	250.63	1.084	1.082	0.129	0.258	0.132	0.264	0	0	0	0				
28/04/2026 21:00	255.42	1.247	1.245	0.153	0.306	0.156	0.312	0	0	0	0				
28/04/2026 20:30	255.15	1.502	1.501	0.175	0.35	0.178	0.356	0	0	0	0				
28/04/2026 20:00	252.13	1.438	1.438	0.173	0.346	0.177	0.354	0	0	0	0				
28/04/2026 19:30	251.56	1.387	1.387	0.167	0.334	0.17	0.34	0	0	0	0				
28/04/2026 19:00	251.73	1.101	1.1	0.132	0.264	0.135	0.27	0	0	0	0				
28/04/2026 18:30	251.03	5.212	5.214	0.614	1.228	0.638	1.276	0	0	0	0				
28/04/2026 18:00	246.54	2.911	2.911	0.334	0.668	0.346	0.692	0	0	0	0				
28/04/2026 17:30	245.9	0.85	0.848	0.091	0.182	0.095	0.19	0	0	0	0				
28/04/2026 17:00	240.08	0.913	0.912	0.088	0.176	0.092	0.184	0	0	0	0				
28/04/2026 16:30	237.17	0.911	0.91	0.087	0.174	0.091	0.182	0	0	0	0				
28/04/2026 16:00	234.09	0.92	0.919	0.086	0.172	0.089	0.178	0	0	0	0				
28/04/2026 15:30	234.44	1.019	1.018	0.097	0.194	0.1	0.2	0	0	0	0				
28/04/2026 15:00	237.51	0.995	0.994	0.096	0.192	0.099	0.198	0	0	0	0				
28/04/2026 14:30	243	0.397	0.394	0.025	0.05	0.034	0.068	0	0	0	0				
28/04/2026 14:00	246.65	0.357	0.356	0.024	0.048	0.034	0.068	0	0	0	0				
28/04/2026 13:30	249.28	0.432	0.432	0.037	0.074	0.047	0.094	0	0	0	0				
28/04/2026 13:00	244.02	1.043	1.04	0.107	0.214	0.11	0.22	0	0	0	0				
28/04/2026 12:30	243.6	1.453	1.454	0.16	0.32	0.164	0.328	0	0	0	0				
28/04/2026 12:00	242.49	1.709	1.709	0.186	0.372	0.189	0.378	0	0	0	0				
28/04/2026 11:30	241.21	1.026	1.024	0.118	0.236	0.119	0.238	0	0	0	0				
28/04/2026 11:00	240.73	1.156	1.155	0.116	0.232	0.122	0.244	0	0	0	0				
28/04/2026 10:30	241.42	1.09	1.09	0.11	0.22	0.112	0.224	0	0	0	0				
28/04/2026 10:00	240.88	1.066	1.066	0.108	0.216	0.112	0.224	0	0	0	0				
28/04/2026 09:30	243	4.626	4.624	0.583	1.166	0.585	1.17	0	0	0	0				
28/04/2026 09:00	244.99	0.959	0.956	0.102	0.204	0.103	0.206	0	0	0	0				
28/04/2026 08:30	243.66	6.229	6.23	0.708	1.416	0.753	1.506	0	0	0	0				
28/04/2026 08:00	245.9	7.431	7.436	0.85	1.7	0.901	1.802	0	0	0	0				
28/04/2026 07:30	246.49	10.892	10.895	1.293	2.586	1.341	2.682	0	0	0	0				
28/04/2026 07:00	246.65	7.675	7.679	0.875	1.75	0.935	1.87	0	0	0	0				
28/04/2026 06:30	246.86	8.676	8.678	1.067	2.134	1.102	2.204	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial Number M22515215561 Manufacturer Name HPL Electric & Power Ltd. Firmware Version 1078.04
Internal CT Ratio NA Meter Type 6(1P Direct Connected Watthour Smart Meter) Meter Year of Manufacture 2025
Internal PT Ratio NA Download time(RTC) 26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
28/04/2026 06:00	249.26	5.763	5.765	0.665	1.33	0.715	1.43	0	0	0	0				
28/04/2026 05:30	251.54	5.197	5.198	0.612	1.224	0.657	1.314	0	0	0	0				
28/04/2026 05:00	252.59	6.193	6.196	0.708	1.416	0.773	1.546	0	0	0	0				
28/04/2026 04:30	252.45	6.555	6.559	0.746	1.492	0.815	1.63	0	0	0	0				
28/04/2026 04:00	253.73	7.947	7.951	0.911	1.822	0.997	1.994	0	0	0	0				
28/04/2026 03:30	257.14	8.515	8.519	0.971	1.942	1.085	2.17	0	0	0	0				
28/04/2026 03:00	257.24	1.792	1.789	0.19	0.38	0.209	0.418	0	0	0	0				
28/04/2026 02:30	256.75	0.738	0.736	0.084	0.168	0.097	0.194	0	0	0	0				
28/04/2026 02:00	256.46	0.945	0.944	0.106	0.212	0.113	0.226	0	0	0	0				
28/04/2026 01:30	255.55	0.897	0.897	0.101	0.202	0.105	0.21	0	0	0	0				
28/04/2026 01:00	254.41	1.12	1.12	0.123	0.246	0.134	0.268	0	0	0	0				
28/04/2026 00:30	253.54	1.246	1.245	0.148	0.296	0.153	0.306	0	0	0	0				
28/04/2026 00:00	251.18	1.457	1.455	0.176	0.352	0.178	0.356	0	0	0	0				
27/04/2026 23:30	249.32	1.154	1.153	0.127	0.254	0.131	0.262	0	0	0	0				
27/04/2026 23:00	248.61	0.849	0.846	0.097	0.194	0.1	0.2	0	0	0	0				
27/04/2026 22:30	249.52	0.85	0.849	0.097	0.194	0.099	0.198	0	0	0	0				
27/04/2026 22:00	255.11	1.178	1.177	0.133	0.266	0.138	0.276	0	0	0	0				
27/04/2026 21:30	257.62	1.361	1.362	0.153	0.306	0.16	0.32	0	0	0	0				
27/04/2026 21:00	256.38	1.277	1.276	0.145	0.29	0.15	0.3	0	0	0	0				
27/04/2026 20:30	255.4	0.995	0.995	0.108	0.216	0.108	0.216	0	0	0	0				
27/04/2026 20:00	252.53	1.116	1.115	0.117	0.234	0.119	0.238	0	0	0	0				
27/04/2026 19:30	251.86	0.988	0.986	0.106	0.212	0.106	0.212	0	0	0	0				
27/04/2026 19:00	254.25	1.102	1.1	0.12	0.24	0.123	0.246	0	0	0	0				
27/04/2026 18:30	255.77	1.104	1.103	0.119	0.238	0.122	0.244	0	0	0	0				
27/04/2026 18:00	252.91	1.219	1.218	0.135	0.27	0.137	0.274	0	0	0	0				
27/04/2026 17:30	248.67	8.1	8.103	0.951	1.902	0.987	1.974	0	0	0	0				
27/04/2026 17:00	243.67	2.181	2.18	0.234	0.468	0.24	0.48	0	0	0	0				
27/04/2026 16:30	242.87	0.766	0.764	0.074	0.148	0.074	0.148	0	0	0	0				
27/04/2026 16:00	239.72	0.77	0.77	0.072	0.144	0.073	0.146	0	0	0	0				
27/04/2026 15:30	239.68	1.143	1.144	0.113	0.226	0.123	0.246	0	0	0	0				
27/04/2026 15:00	238.94	0.831	0.831	0.082	0.164	0.084	0.168	0	0	0	0				
27/04/2026 14:30	242.33	0.146	0.144	0.01	0.02	0.011	0.022	0	0	0	0				
27/04/2026 14:00	248.05	1.535	1.535	0.173	0.346	0.182	0.364	0	0	0	0				
27/04/2026 13:30	249.32	5.558	5.56	0.652	1.304	0.7	1.4	0	0	0	0				
27/04/2026 13:00	244.83	0.674	0.673	0.078	0.156	0.082	0.164	0	0	0	0				
27/04/2026 12:30	241.68	7.311	7.311	0.864	1.728	0.878	1.756	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial NumberM22515215561Manufacturer NameHPL Electric & Power Ltd.Firmware Version1078.04

Internal CT RatioNAMeter Type6(1P Direct Connected Watthour Smart Meter)Meter Year of Manufacture2025

Internal PT RatioNADownload time(RTC)26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
27/04/2026 12:00	239.1	4.505	4.504	0.524	1.048	0.528	1.056	0	0	0	0				
27/04/2026 11:30	238.49	1.314	1.312	0.143	0.286	0.149	0.298	0	0	0	0				
27/04/2026 11:00	237.18	1.158	1.157	0.127	0.254	0.132	0.264	0	0	0	0				
27/04/2026 10:30	237.27	1.792	1.791	0.205	0.41	0.207	0.414	0	0	0	0				
27/04/2026 10:00	237.65	3.53	3.532	0.395	0.79	0.403	0.806	0	0	0	0				
27/04/2026 09:30	240.27	4.254	4.254	0.462	0.924	0.481	0.962	0	0	0	0				
27/04/2026 09:00	244.11	4.365	4.366	0.493	0.986	0.513	1.026	0	0	0	0				
27/04/2026 08:30	242.34	6.514	6.515	0.768	1.536	0.779	1.558	0	0	0	0				
27/04/2026 08:00	244.08	4.658	4.66	0.545	1.09	0.566	1.132	0	0	0	0				
27/04/2026 07:30	246.71	5.464	5.467	0.605	1.21	0.644	1.288	0	0	0	0				
27/04/2026 07:00	247.71	4.589	4.59	0.534	1.068	0.56	1.12	0	0	0	0				
27/04/2026 06:30	245.34	6.676	6.676	0.752	1.504	0.776	1.552	0	0	0	0				
27/04/2026 06:00	247.89	10.398	10.399	1.236	2.472	1.274	2.548	0	0	0	0				
27/04/2026 05:30	250.51	7.153	7.157	0.838	1.676	0.904	1.808	0	0	0	0				
27/04/2026 05:00	251.9	7.777	7.782	0.895	1.79	0.961	1.922	0	0	0	0				
27/04/2026 04:30	253.04	7.827	7.831	0.9	1.8	0.973	1.946	0	0	0	0				
27/04/2026 04:00	252.65	8.886	8.892	1.017	2.034	1.107	2.214	0	0	0	0				
27/04/2026 03:30	252.3	8.865	8.869	1.02	2.04	1.103	2.206	0	0	0	0				
27/04/2026 03:00	251.59	8.681	8.685	1.006	2.012	1.075	2.15	0	0	0	0				
27/04/2026 02:30	251.62	5.91	5.913	0.704	1.408	0.747	1.494	0	0	0	0				
27/04/2026 02:00	251.53	1.248	1.247	0.14	0.28	0.155	0.31	0	0	0	0				
27/04/2026 01:30	250.32	1.067	1.064	0.122	0.244	0.127	0.254	0	0	0	0				
27/04/2026 01:00	247.93	0.851	0.848	0.1	0.2	0.101	0.202	0	0	0	0				
27/04/2026 00:30	246.79	0.883	0.881	0.104	0.208	0.105	0.21	0	0	0	0				
27/04/2026 00:00	244.75	1.426	1.424	0.154	0.308	0.172	0.344	0	0	0	0				
26/04/2026 23:30	242.69	1.514	1.514	0.17	0.34	0.179	0.358	0	0	0	0				
26/04/2026 23:00	242.32	1.482	1.481	0.171	0.342	0.173	0.346	0	0	0	0				
26/04/2026 22:30	244.29	1.173	1.172	0.127	0.254	0.13	0.26	0	0	0	0				
26/04/2026 22:00	247.19	1.713	1.713	0.186	0.372	0.196	0.392	0	0	0	0				
26/04/2026 21:30	245.92	8.402	8.406	0.984	1.968	1.001	2.002	0	0	0	0				
26/04/2026 21:00	243.36	11.158	11.163	1.344	2.688	1.365	2.73	0	0	0	0				
26/04/2026 20:30	245.17	0.933	0.931	0.112	0.224	0.117	0.234	0	0	0	0				
26/04/2026 20:00	244.57	0.729	0.729	0.082	0.164	0.092	0.184	0	0	0	0				
26/04/2026 19:30	241.93	0.477	0.475	0.06	0.12	0.06	0.12	0	0	0	0				
26/04/2026 19:00	243.57	0.522	0.519	0.059	0.118	0.064	0.128	0	0	0	0				
26/04/2026 18:30	247.36	0.824	0.824	0.097	0.194	0.104	0.208	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial Number M22515215561 Manufacturer Name HPL Electric & Power Ltd. Firmware Version 1078.04
Internal CT Ratio NA Meter Type 6(1P Direct Connected Watthour Smart Meter) Meter Year of Manufacture 2025
Internal PT Ratio NA Download time(RTC) 26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
26/04/2026 18:00	246.74	0.744	0.742	0.071	0.142	0.078	0.156	0	0	0	0				
26/04/2026 17:30	245.8	8.223	8.229	0.967	1.934	0.999	1.998	0	0	0	0				
26/04/2026 17:00	239.96	8.261	8.265	0.957	1.914	0.98	1.96	0	0	0	0				
26/04/2026 16:30	238.92	8.725	8.729	1.004	2.008	1.033	2.066	0	0	0	0				
26/04/2026 16:00	235.66	8.302	8.305	0.954	1.908	0.967	1.934	0	0	0	0				
26/04/2026 15:30	236.99	3.663	3.664	0.421	0.842	0.433	0.866	0	0	0	0				
26/04/2026 15:00	238.85	0.367	0.366	0.036	0.072	0.044	0.088	0	0	0	0				
26/04/2026 14:30	242.64	0.713	0.711	0.082	0.164	0.089	0.178	0	0	0	0				
26/04/2026 14:00	245.19	0.384	0.384	0.039	0.078	0.048	0.096	0	0	0	0				
26/04/2026 13:30	246.28	0.365	0.364	0.039	0.078	0.047	0.094	0	0	0	0				
26/04/2026 13:00	244.19	0.534	0.533	0.059	0.118	0.066	0.132	0	0	0	0				
26/04/2026 12:30	242.7	0.961	0.959	0.103	0.206	0.108	0.216	0	0	0	0				
26/04/2026 12:00	241.15	0.828	0.827	0.072	0.144	0.078	0.156	0	0	0	0				
26/04/2026 11:30	239.8	0.786	0.785	0.066	0.132	0.072	0.144	0	0	0	0				
26/04/2026 11:00	240.67	2.543	2.542	0.293	0.586	0.305	0.61	0	0	0	0				
26/04/2026 10:30	240.99	1.171	1.171	0.125	0.25	0.13	0.26	0	0	0	0				
26/04/2026 10:00	241.5	1.198	1.197	0.127	0.254	0.129	0.258	0	0	0	0				
26/04/2026 09:30	242.27	3.433	3.434	0.382	0.764	0.383	0.766	0	0	0	0				
26/04/2026 09:00	245.17	6.468	6.468	0.743	1.486	0.745	1.49	0	0	0	0				
26/04/2026 08:30	245.04	7.793	7.792	0.987	1.974	0.988	1.976	0	0	0	0				
26/04/2026 08:00	249.9	3.355	3.353	0.409	0.818	0.411	0.822	0	0	0	0				
26/04/2026 07:30	248.09	10.776	10.776	1.32	2.64	1.333	2.666	0	0	0	0				
26/04/2026 07:00	249.99	8.166	8.17	0.926	1.852	0.972	1.944	0	0	0	0				
26/04/2026 06:30	249.52	9.132	9.136	1.086	2.172	1.128	2.256	0	0	0	0				
26/04/2026 06:00	249.03	11.323	11.325	1.375	2.75	1.394	2.788	0	0	0	0				
26/04/2026 05:30	250.64	5.207	5.208	0.605	1.21	0.644	1.288	0	0	0	0				
26/04/2026 05:00	251.46	5.422	5.425	0.616	1.232	0.663	1.326	0	0	0	0				
26/04/2026 04:30	251.7	6.113	6.117	0.677	1.354	0.732	1.464	0	0	0	0				
26/04/2026 04:00	250.92	5.635	5.638	0.643	1.286	0.683	1.366	0	0	0	0				
26/04/2026 03:30	250.4	5.62	5.623	0.641	1.282	0.681	1.362	0	0	0	0				
26/04/2026 03:00	249.09	5.78	5.782	0.662	1.324	0.707	1.414	0	0	0	0				
26/04/2026 02:30	248.97	5.849	5.851	0.668	1.336	0.714	1.428	0	0	0	0				
26/04/2026 02:00	247.97	5.499	5.501	0.634	1.268	0.666	1.332	0	0	0	0				
26/04/2026 01:30	247.49	6.259	6.261	0.72	1.44	0.758	1.516	0	0	0	0				
26/04/2026 01:00	246.82	6.654	6.659	0.75	1.5	0.794	1.588	0	0	0	0				
26/04/2026 00:30	246.3	7.381	7.384	0.853	1.706	0.897	1.794	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial Number	M22515215561	Manufacturer Name	HPL Electric & Power Ltd.	Firmware Version	1078.04
Internal CT Ratio	NA	Meter Type	6(1P Direct Connected Watthour Smart Meter)	Meter Year of Manufacture	2025
Internal PT Ratio	NA	Download time(RTC)	26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)		

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
26/04/2026 00:00	245.12	8.631	8.636	1.009	2.018	1.047	2.094	0	0	0	0				
25/04/2026 23:30	243.73	8.764	8.76	1.022	2.044	1.058	2.116	0	0	0	0				
25/04/2026 23:00	242.76	3.953	3.954	0.456	0.912	0.477	0.954	0	0	0	0				
25/04/2026 22:30	242.8	2.84	2.839	0.319	0.638	0.331	0.662	0	0	0	0				
25/04/2026 22:00	245.05	6.268	6.271	0.743	1.486	0.772	1.544	0	0	0	0				
25/04/2026 21:30	245.36	1.172	1.17	0.136	0.272	0.139	0.278	0	0	0	0				
25/04/2026 21:00	244.86	1.386	1.387	0.159	0.318	0.166	0.332	0	0	0	0				
25/04/2026 20:30	250.54	0.922	0.919	0.111	0.222	0.111	0.222	0	0	0	0				
25/04/2026 20:00	254.45	1.165	1.164	0.13	0.26	0.131	0.262	0	0	0	0				
25/04/2026 19:30	252.82	1.161	1.16	0.139	0.278	0.143	0.286	0	0	0	0				
25/04/2026 19:00	254.24	1.16	1.159	0.137	0.274	0.145	0.29	0	0	0	0				
25/04/2026 18:30	255.61	0.813	0.81	0.082	0.164	0.087	0.174	0	0	0	0				
25/04/2026 18:00	249.67	0.932	0.931	0.088	0.176	0.1	0.2	0	0	0	0				
25/04/2026 17:30	249.45	1.043	1.042	0.107	0.214	0.114	0.228	0	0	0	0				
25/04/2026 17:00	244.37	1.132	1.13	0.118	0.236	0.124	0.248	0	0	0	0				
25/04/2026 16:30	242.04	0.949	0.947	0.087	0.174	0.098	0.196	0	0	0	0				
25/04/2026 16:00	237.26	0.99	0.988	0.088	0.176	0.098	0.196	0	0	0	0				
25/04/2026 15:30	239.31	1.068	1.068	0.106	0.212	0.112	0.224	0	0	0	0				
25/04/2026 15:00	239.67	1.078	1.077	0.105	0.21	0.109	0.218	0	0	0	0				
25/04/2026 14:30	243.82	0.512	0.511	0.047	0.094	0.053	0.106	0	0	0	0				
25/04/2026 14:00	245.88	0.612	0.61	0.065	0.13	0.067	0.134	0	0	0	0				
25/04/2026 13:30	249.67	0.935	0.935	0.094	0.188	0.113	0.226	0	0	0	0				
25/04/2026 13:00	246.22	0.949	0.949	0.105	0.21	0.116	0.232	0	0	0	0				
25/04/2026 12:30	244.05	0.268	0.265	0.021	0.042	0.022	0.044	0	0	0	0				
25/04/2026 12:00	241.87	0.406	0.405	0.04	0.08	0.041	0.082	0	0	0	0				
25/04/2026 11:30	240.33	0.93	0.929	0.099	0.198	0.107	0.214	0	0	0	0				
25/04/2026 11:00	237.32	0.985	0.986	0.093	0.186	0.099	0.198	0	0	0	0				
25/04/2026 10:30	235.81	0.89	0.89	0.079	0.158	0.085	0.17	0	0	0	0				
25/04/2026 10:00	240.78	0.835	0.834	0.079	0.158	0.085	0.17	0	0	0	0				
25/04/2026 09:30	243.39	1.107	1.107	0.125	0.25	0.128	0.256	0	0	0	0				
25/04/2026 09:00	247.19	2.575	2.575	0.267	0.534	0.275	0.55	0	0	0	0				
25/04/2026 08:30	242.78	7.235	7.237	0.842	1.684	0.855	1.71	0	0	0	0				
25/04/2026 08:00	246.81	6.972	6.973	0.786	1.572	0.816	1.632	0	0	0	0				
25/04/2026 07:30	247.78	4.576	4.577	0.508	1.016	0.551	1.102	0	0	0	0				
25/04/2026 07:00	248.51	8.824	8.824	1.085	2.17	1.096	2.192	0	0	0	0				
25/04/2026 06:30	249.45	4.846	4.846	0.566	1.132	0.586	1.172	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial NumberM22515215561Manufacturer NameHPL Electric & Power Ltd.Firmware Version1078.04

Internal CT RatioNA Meter Type6(1P Direct Connected Watthour Smart Meter)Meter Year of Manufacture2025

Internal PT RatioNADownload time(RTC)26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
25/04/2026 06:00	250.81	8.421	8.423	1.059	2.118	1.08	2.16	0	0	0	0				
25/04/2026 05:30	253.08	3.651	3.653	0.414	0.828	0.446	0.892	0	0	0	0				
25/04/2026 05:00	253.8	4.007	4.01	0.458	0.916	0.495	0.99	0	0	0	0				
25/04/2026 04:30	253.84	3.569	3.571	0.406	0.812	0.439	0.878	0	0	0	0				
25/04/2026 04:00	253.63	4.472	4.474	0.526	1.052	0.575	1.15	0	0	0	0				
25/04/2026 03:30	252.7	4.06	4.06	0.45	0.9	0.482	0.964	0	0	0	0				
25/04/2026 03:00	251	4.198	4.199	0.459	0.918	0.489	0.978	0	0	0	0				
25/04/2026 02:30	250.02	4.301	4.303	0.486	0.972	0.518	1.036	0	0	0	0				
25/04/2026 02:00	249.45	4.542	4.543	0.511	1.022	0.548	1.096	0	0	0	0				
25/04/2026 01:30	248.9	4.11	4.111	0.487	0.974	0.515	1.03	0	0	0	0				
25/04/2026 01:00	248.62	4.601	4.603	0.532	1.064	0.562	1.124	0	0	0	0				
25/04/2026 00:30	246.55	8.217	8.223	0.956	1.912	1.003	2.006	0	0	0	0				
25/04/2026 00:00	246.52	1.817	1.817	0.208	0.416	0.219	0.438	0	0	0	0				
24/04/2026 23:30	246.88	0.921	0.921	0.094	0.188	0.099	0.198	0	0	0	0				
24/04/2026 23:00	246.19	1.017	1.016	0.103	0.206	0.107	0.214	0	0	0	0				
24/04/2026 22:30	246.86	1.285	1.284	0.138	0.276	0.143	0.286	0	0	0	0				
24/04/2026 22:00	249.32	1.04	1.037	0.113	0.226	0.118	0.236	0	0	0	0				
24/04/2026 21:30	255.84	0.896	0.894	0.099	0.198	0.104	0.208	0	0	0	0				
24/04/2026 21:00	256.73	1.077	1.077	0.123	0.246	0.129	0.258	0	0	0	0				
24/04/2026 20:30	254.61	1.255	1.254	0.145	0.29	0.149	0.298	0	0	0	0				
24/04/2026 20:00	251.74	1.369	1.368	0.155	0.31	0.16	0.32	0	0	0	0				
24/04/2026 19:30	249.45	2.135	2.135	0.221	0.442	0.228	0.456	0	0	0	0				
24/04/2026 19:00	252.3	1.221	1.221	0.134	0.268	0.141	0.282	0	0	0	0				
24/04/2026 18:30	255.3	0.909	0.908	0.101	0.202	0.107	0.214	0	0	0	0				
24/04/2026 18:00	254.08	1.025	1.024	0.115	0.23	0.12	0.24	0	0	0	0				
24/04/2026 17:30	255.15	0.956	0.955	0.104	0.208	0.109	0.218	0	0	0	0				
24/04/2026 17:00	250.36	0.929	0.929	0.099	0.198	0.104	0.208	0	0	0	0				
24/04/2026 16:30	245.64	1.187	1.186	0.132	0.264	0.135	0.27	0	0	0	0				
24/04/2026 16:00	241	1.051	1.05	0.11	0.22	0.115	0.23	0	0	0	0				
24/04/2026 15:30	239.42	0.888	0.887	0.083	0.166	0.088	0.176	0	0	0	0				
24/04/2026 15:00	235.93	0.504	0.503	0.04	0.08	0.044	0.088	0	0	0	0				
24/04/2026 14:30	241.18	0.67	0.667	0.055	0.11	0.079	0.158	0	0	0	0				
24/04/2026 14:00	244.8	0.163	0.162	0.01	0.02	0.011	0.022	0	0	0	0				
24/04/2026 13:30	247.25	0.142	0.142	0.008	0.016	0.008	0.016	0	0	0	0				
24/04/2026 13:00	242.88	0.347	0.346	0.029	0.058	0.031	0.062	0	0	0	0				
24/04/2026 12:30	239.92	0.908	0.905	0.094	0.188	0.097	0.194	0	0	0	0				

BLOCK LOAD PROFILE (1.0.99.1.0.255)

Meter Serial Number	M22515215561	Manufacturer Name	HPL Electric & Power Ltd.	Firmware Version	1078.04
Internal CT Ratio	NA	Meter Type	6(1P Direct Connected Watthour Smart Meter)	Meter Year of Manufacture	2025
Internal PT Ratio	NA	Download time(RTC)	26/06/2026 12:02:20 (DD/MM/YYYY HH:MM)		

0.0.1.0.0.255 (RTC)	1.0.12.27.0.255 (Avg. Voltage)	1.0.11.27.0.255 (Avg. Metering Current)	1.0.91.29.0.255 Avg. Neut I	1.0.1.29.0.255 (kWh-I)	Demand(kW-I)	1.0.9.29.0.255 (kVAh-I)	Demand(kVA-I)	1.0.2.29.0.255 (kWh-E)	Demand(kW-E)	1.0.10.29.0.25 5 (kVAh-E)	Demand(kVA- E)				
24/04/2026 12:00	239.76	0.174	0.173	0.014	0.028	0.015	0.03	0	0	0	0				
24/04/2026 11:30	237.65	0.166	0.163	0.012	0.024	0.012	0.024	0	0	0	0				
24/04/2026 11:00	238.94	0.678	0.678	0.057	0.114	0.069	0.138	0	0	0	0				
24/04/2026 10:30	240.59	0.954	0.952	0.079	0.158	0.1	0.2	0	0	0	0				
24/04/2026 10:00	242.12	0.66	0.659	0.062	0.124	0.079	0.158	0	0	0	0				
24/04/2026 09:30	244.45	0.529	0.527	0.054	0.108	0.054	0.108	0	0	0	0				
24/04/2026 09:00	249.72	0.513	0.511	0.056	0.112	0.058	0.116	0	0	0	0				
24/04/2026 08:30	247.97	1.671	1.67	0.195	0.39	0.198	0.396	0	0	0	0				
24/04/2026 08:00	249.61	3.534	3.532	0.44	0.88	0.441	0.882	0	0	0	0				
24/04/2026 07:30	252.08	0.471	0.47	0.05	0.1	0.05	0.1	0	0	0	0				
24/04/2026 07:00	252.87	3.358	3.356	0.419	0.838	0.424	0.848	0	0	0	0				
24/04/2026 06:30	253.08	6.666	6.667	0.777	1.554	0.81	1.62	0	0	0	0				
24/04/2026 06:00	255.13	8.565	8.567	1.081	2.162	1.104	2.208	0	0	0	0				
24/04/2026 05:30	257.33	3.678	3.68	0.448	0.896	0.486	0.972	0	0	0	0				
24/04/2026 05:00	259.57	4.137	4.138	0.483	0.966	0.538	1.076	0	0	0	0				
24/04/2026 04:30	259.66	3.969	3.97	0.471	0.942	0.519	1.038	0	0	0	0				
24/04/2026 04:00	259.4	4.525	4.528	0.518	1.036	0.567	1.134	0	0	0	0				
24/04/2026 03:30	259.02	3.995	3.995	0.482	0.964	0.526	1.052	0	0	0	0				
24/04/2026 03:00	258	4.901	4.903	0.581	1.162	0.646	1.292	0	0	0	0				
24/04/2026 02:30	256.73	4.219	4.221	0.498	0.996	0.539	1.078	0	0	0	0				
24/04/2026 02:00	256.2	4.689	4.69	0.533	1.066	0.576	1.152	0	0	0	0				
24/04/2026 01:30	255.04	4.742	4.745	0.54	1.08	0.585	1.17	0	0	0	0				
24/04/2026 01:00	253.07	4.979	4.982	0.572	1.144	0.62	1.24	0	0	0	0				
24/04/2026 00:30	252.08	5.122	5.125	0.624	1.248	0.664	1.328	0	0	0	0				