VECM Stage S1 — Shaikh Window (lnY, lnK)
Self-Discovery Results Report

Output root

`output/Self_Discovery_Process/VECM_stage/S1_lnY_lnK/shaikh_window`

1 Cross-branch scoreboard

Table 1: Cross-branch scoreboard (Shaikh window, S1 lnY–lnK).

branch	feasibility_share	best_cell_id	best_BIC	theta_best	theta_bandwidth_dBIC2	alpha_y_med_dBIC2	alpha_k_med_dBIC2	stability_margin_best
SR_const__LR_none	1.000	p01_K_only_const_none	-535.6	0.860	0.000	0.108	0.123	0.082
SR_const__LR_trend	1.000	p01_K_only_const_trend	-531.6	0.750	0.000	0.115	0.139	0.076
SR_none__LR_both	1.000	p01_K_only_none_both	-534.7	0.863	0.000	0.117	0.087	0.015
SR_none__LR_const	1.000	p01_K_only_none_const	-538.7	0.907	0.000	0.112	0.083	0.019
SR_none__LR_none	1.000	p01_K_only_none_none	-542.6	0.883	0.000	0.129	0.097	0.020
SR_none__LR_trend	1.000	p01_K_only_none_trend	-538.7	0.872	0.000	0.115	0.086	0.016

2 Branch: SR_const__LR_none

2.1 Summary

Table 2: Branch summary: $\mathrm{SR}_{const_{LR_{none}}}$

run_id	det_tag	include	LRinclude	P_MIN	P_MAX	T_window	T_eff_common	feasibility_share	best_cell_id	best_BIC	theta_best	theta_bandwidth_dBIC2	alpha_y_med_dBIC2	alpha_k_med_dBIC2	stability_margin_best
4	SR_const__LR_none	const	none	1	7	65	57	1.000	p01_K_only_const_none	-535.6	0.860	0.000	0.108	0.123	0.082

2.2 Top cells (N=10)

Table 3: Top cells (N=10) by BIC: $\mathrm{SR}_{const_{LR_{none}}}$

p	q_tag	qY	qK	BIC	AIC	HQ	theta_hat	alpha_y	alpha_k	share_Y	stability_margin	unit_root_mismatch	unstable_count
1	K_only	0	1	-535.6	-556.0	-548.1	0.860	0.108	0.123	0.000	0.082	0	0
1	sym	1	1	-528.2	-552.7	-543.2	0.860	0.107	0.131	0.147	0.100	0	0
1	Y_short	1	1	-528.2	-552.7	-543.2	0.860	0.107	0.131	0.147	0.100	0	0
1	K_short	1	1	-528.2	-552.7	-543.2	0.860	0.107	0.131	0.147	0.100	0	0
2	K_only	0	2	-526.2	-550.7	-541.2	1.174	0.052	0.029	0.000	0.022	0	0
1	Y_only	1	0	-525.5	-545.9	-538.0	0.860	0.074	0.146	1.000	0.056	0	0
2	K_short	2	1	-521.1	-549.7	-538.6	1.174	0.050	0.025	0.404	0.013	0	0
2	Y_short	1	2	-518.6	-547.2	-536.1	1.174	0.053	0.027	0.082	0.021	0	0
2	Y_only	2	0	-516.6	-541.1	-531.6	1.174	0.041	0.028	1.000	0.010	0	0
2	sym	2	2	-516.4	-549.1	-536.4	1.174	0.055	0.024	0.335	0.015	0	0

2.3 Rank-penalty IC family (η) — best cell per η

Table 4: Eta sensitivity (best cell per eta): $\mathrm{SR}_{const_{LR_{none}}}$

eta	cell_id	IC_eta	theta_hat	stability_margin	unit_root_mismatch	unstable_count
1.0	p01_K_only_const_none	-535.6	0.860	0.082	0	0
1.5	p01_K_only_const_none	-529.6	0.860	0.082	0	0
2.0	p01_K_only_const_none	-523.5	0.860	0.082	0	0
3.0	p01_K_only_const_none	-511.4	0.860	0.082	0	0
4.0	p01_K_only_const_none	-499.2	0.860	0.082	0	0
6.0	p01_K_only_const_none	-475.0	0.860	0.082	0	0
8.0	p01_K_only_const_none	-450.7	0.860	0.082	0	0

ΔBIC surface

Likelihood–complexity frontier

$\hat{\theta}$ surface

Stability margin surface

Embedding (PCA)

ECT overlay (representatives)


ΔBIC surface (r=1) | SR_const__LR_none
Y_short
Y_only
sym
K_short
K_only
q profile
1
2
3
4
5
6
7
p
ΔBIC
100
75
50
25
0


Likelihood–complexity frontier | SR_const__LR_none
-530
-540
-550
-560
-570
-580
-2 logLik
10
20
30
k_total
stability_margin
0.3
0.2
0.1


θ̂ surface (β normalized on lnY) | SR_const__LR_none
Y_short
Y_only
sym
K_short
K_only
q profile
1
2
3
4
5
6
7
p
θ̂
1.1
1.0
0.9
0.8
0.7
0.6


Stability margin surface | SR_const__LR_none
Y_short
Y_only
sym
K_short
K_only
q profile
1
2
3
4
5
6
7
p
margin
0.3
0.2
0.1


PCA embedding | SR_const__LR_none
PC2
PC1
2
1
0
-1
-2
-3
-2
-1
0
1
2
3
dBIC_band
min
>6


ECT overlay (representatives) | SR_const__LR_none
ECT
1.5
1.2
0.9
0.6
1960
1980
2000
series
p=1
p=5
p=6

3 Branch: SR_const__LR_trend

3.1 Summary

Table 5: Branch summary: $\mathrm{SR}_{const_{LR_{trend}}}$

run_id	det_tag	include	LRinclude	P_MIN	P_MAX	T_window	T_eff_common	feasibility_share	best_cell_id	best_BIC	theta_best	theta_bandwidth_dBIC2	alpha_y_med_dBIC2	alpha_k_med_dBIC2	stability_margin_best
4	SR_const__LR_trend	const	trend	1	7	65	57	1.000	p01_K_only_const_trend	-531.6	0.750	0.000	0.115	0.139	0.076

3.2 Top cells (N=10)

Table 6: Top cells (N=10) by BIC: $\mathrm{SR}_{const_{LR_{trend}}}$

p	q_tag	qY	qK	BIC	AIC	HQ	theta_hat	alpha_y	alpha_k	share_Y	stability_margin	unit_root_mismatch	unstable_count
1	K_only	0	1	-531.6	-554.1	-545.4	0.750	0.115	0.139	0.000	0.076	0	0
1	sym	1	1	-524.4	-550.9	-540.6	0.750	0.114	0.149	0.164	0.098	0	0
1	Y_short	1	1	-524.4	-550.9	-540.6	0.750	0.114	0.149	0.164	0.098	0	0
1	K_short	1	1	-524.4	-550.9	-540.6	0.750	0.114	0.149	0.164	0.098	0	0
2	K_only	0	2	-522.3	-548.9	-538.6	2.746	0.023	0.012	0.000	0.038	0	0
1	Y_only	1	0	-522.2	-544.7	-536.0	0.750	0.074	0.166	1.000	0.054	0	0
2	K_short	2	1	-517.5	-548.1	-536.2	2.746	0.022	0.011	0.434	0.032	0	0
2	Y_short	1	2	-514.8	-545.5	-533.6	2.746	0.023	0.012	0.093	0.038	0	0
3	K_only	0	3	-514.6	-545.3	-533.4	0.533	-0.053	0.139	0.000	0.204	0	0
2	Y_only	2	0	-512.9	-539.5	-529.2	2.746	0.019	0.012	1.000	0.030	0	0

3.3 Rank-penalty IC family (η) — best cell per η

Table 7: Eta sensitivity (best cell per eta): $\mathrm{SR}_{const_{LR_{trend}}}$

eta	cell_id	IC_eta	theta_hat	stability_margin	unit_root_mismatch	unstable_count
1.0	p01_K_only_const_trend	-531.6	0.750	0.076	0	0
1.5	p01_K_only_const_trend	-523.5	0.750	0.076	0	0
2.0	p01_K_only_const_trend	-515.4	0.750	0.076	0	0
3.0	p01_K_only_const_trend	-499.3	0.750	0.076	0	0
4.0	p01_K_only_const_trend	-483.1	0.750	0.076	0	0
6.0	p01_K_only_const_trend	-450.8	0.750	0.076	0	0
8.0	p01_K_only_const_trend	-418.4	0.750	0.076	0	0

ΔBIC surface

Likelihood–complexity frontier

$\hat{\theta}$ surface

Stability margin surface

Embedding (PCA)

ECT overlay (representatives)


ΔBIC surface (r=1) | SR_const__LR_trend
Y_short
Y_only
sym
K_short
K_only
q profile
1
2
3
4
5
6
7
p
ΔBIC
100
75
50
25
0


Likelihood–complexity frontier | SR_const__LR_trend
-530
-540
-550
-560
-570
-580
-2 logLik
10
20
30
k_total
stability_margin
0.2
0.1


θ̂ surface (β normalized on lnY) | SR_const__LR_trend
Y_short
Y_only
sym
K_short
K_only
q profile
1
2
3
4
5
6
7
p
θ̂
2.5
2.0
1.5
1.0


Stability margin surface | SR_const__LR_trend
Y_short
Y_only
sym
K_short
K_only
q profile
1
2
3
4
5
6
7
p
margin
0.2
0.1


PCA embedding | SR_const__LR_trend
PC2
PC1
1
0
-1
-2
-3
-2
0
2
dBIC_band
min
>6


ECT overlay (representatives) | SR_const__LR_trend
ECT
3.0
2.5
2.0
1.5
1960
1980
2000
series
p=1
p=3
p=6

4 Branch: SR_none__LR_both

4.1 Summary

Table 8: Branch summary: $\mathrm{SR}_n one_{LR_b oth}$

run_id	det_tag	include	LRinclude	P_MIN	P_MAX	T_window	T_eff_common	feasibility_share	best_cell_id	best_BIC	theta_best	theta_bandwidth_dBIC2	alpha_y_med_dBIC2	alpha_k_med_dBIC2	stability_margin_best
1	SR_none__LR_both	none	both	1	7	65	57	1.000	p01_K_only_none_both	-534.7	0.863	0.000	0.117	0.087	0.015

4.2 Top cells (N=10)

Table 9: Top cells (N=10) by BIC: $\mathrm{SR}_n one_{LR_b oth}$

p	q_tag	qY	qK	BIC	AIC	HQ	theta_hat	alpha_y	alpha_k	share_Y	stability_margin	unit_root_mismatch	unstable_count
1	K_only	0	1	-534.7	-555.1	-547.1	0.863	0.117	0.087	0.000	0.015	0	0
1	sym	1	1	-526.8	-551.3	-541.7	0.863	0.117	0.088	0.088	0.015	0	0
1	Y_short	1	1	-526.8	-551.3	-541.7	0.863	0.117	0.088	0.088	0.015	0	0
1	K_short	1	1	-526.8	-551.3	-541.7	0.863	0.117	0.088	0.088	0.015	0	0
2	K_only	0	2	-526.3	-550.9	-541.3	2.454	0.026	0.013	0.000	0.034	0	0
1	Y_only	1	0	-524.3	-544.8	-536.8	0.863	0.082	0.103	1.000	0.014	0	0
2	K_short	2	1	-521.4	-550.0	-538.9	2.454	0.024	0.013	0.427	0.033	0	0
2	Y_short	1	2	-518.8	-547.4	-536.3	2.454	0.027	0.013	0.091	0.034	0	0
3	K_only	0	3	-517.8	-546.4	-535.3	0.890	0.063	0.032	0.000	0.004	0	0
2	sym	2	2	-516.6	-549.3	-536.6	2.454	0.027	0.012	0.343	0.034	0	0

4.3 Rank-penalty IC family (η) — best cell per η

Table 10: Eta sensitivity (best cell per eta): $\mathrm{SR}_n one_{LR_b oth}$

eta	cell_id	IC_eta	theta_hat	stability_margin	unit_root_mismatch	unstable_count
1.0	p01_K_only_none_both	-534.7	0.863	0.015	0	0
1.5	p01_K_only_none_both	-524.5	0.863	0.015	0	0
2.0	p01_K_only_none_both	-514.4	0.863	0.015	0	0
3.0	p01_K_only_none_both	-494.2	0.863	0.015	0	0
4.0	p01_K_only_none_both	-474.0	0.863	0.015	0	0
6.0	p01_K_only_none_both	-433.6	0.863	0.015	0	0
8.0	p01_K_only_none_both	-393.1	0.863	0.015	0	0

ΔBIC surface

Likelihood–complexity frontier

$\hat{\theta}$ surface

Stability margin surface

Embedding (PCA)

ECT overlay (representatives)


ΔBIC surface (r=1) | SR_none__LR_both
Y_short
Y_only
sym
K_short
K_only
q profile
1
2
3
4
5
6
7
p
ΔBIC
100
75
50
25
0


Likelihood–complexity frontier | SR_none__LR_both
-540
-560
-580
-2 logLik
10
20
30
k_total
stability_margin
0.075
0.050
0.025
0.000


θ̂ surface (β normalized on lnY) | SR_none__LR_both
Y_short
Y_only
sym
K_short
K_only
q profile
1
2
3
4
5
6
7
p
θ̂
2.0
1.5
1.0


Stability margin surface | SR_none__LR_both
Y_short
Y_only
sym
K_short
K_only
q profile
1
2
3
4
5
6
7
p
margin
0.075
0.050
0.025
0.000


PCA embedding | SR_none__LR_both
PC2
PC1
2
1
0
-1
-2
-2
0
2
dBIC_band
min
>6


ECT overlay (representatives) | SR_none__LR_both
ECT
0.50
0.25
0.00
-0.25
1960
1980
2000
series
p=1
p=6

5 Branch: SR_none__LR_const

5.1 Summary

Table 11: Branch summary: $\mathrm{SR}_n one_{LR_const}$

run_id	det_tag	include	LRinclude	P_MIN	P_MAX	T_window	T_eff_common	feasibility_share	best_cell_id	best_BIC	theta_best	theta_bandwidth_dBIC2	alpha_y_med_dBIC2	alpha_k_med_dBIC2	stability_margin_best
4	SR_none__LR_const	none	const	1	7	65	57	1.000	p01_K_only_none_const	-538.7	0.907	0.000	0.112	0.083	0.019

5.2 Top cells (N=10)

Table 12: Top cells (N=10) by BIC: $\mathrm{SR}_n one_{LR_const}$

p	q_tag	qY	qK	BIC	AIC	HQ	theta_hat	alpha_y	alpha_k	share_Y	stability_margin	unit_root_mismatch	unstable_count
1	K_only	0	1	-538.7	-557.1	-549.9	0.907	0.112	0.083	0.000	0.019	0	0
1	sym	1	1	-530.8	-553.3	-544.5	0.907	0.112	0.084	0.083	0.019	0	0
1	Y_short	1	1	-530.8	-553.3	-544.5	0.907	0.112	0.084	0.083	0.019	0	0
1	K_short	1	1	-530.8	-553.3	-544.5	0.907	0.112	0.084	0.083	0.019	0	0
2	K_only	0	2	-530.1	-552.6	-543.9	1.154	0.056	0.029	0.000	0.016	0	0
1	Y_only	1	0	-528.2	-546.6	-539.5	0.907	0.079	0.099	1.000	0.017	0	0
2	K_short	2	1	-525.1	-551.7	-541.3	1.154	0.050	0.027	0.399	0.016	0	0
2	Y_short	1	2	-522.6	-549.1	-538.8	1.154	0.057	0.028	0.083	0.016	0	0
3	K_only	0	3	-521.6	-548.2	-537.9	1.216	0.042	0.021	0.000	0.013	0	0
2	sym	2	2	-520.4	-551.1	-539.2	1.154	0.058	0.026	0.334	0.016	0	0

5.3 Rank-penalty IC family (η) — best cell per η

Table 13: Eta sensitivity (best cell per eta): $\mathrm{SR}_n one_{LR_const}$

eta	cell_id	IC_eta	theta_hat	stability_margin	unit_root_mismatch	unstable_count
1.0	p01_K_only_none_const	-538.7	0.907	0.019	0	0
1.5	p01_K_only_none_const	-530.6	0.907	0.019	0	0
2.0	p01_K_only_none_const	-522.5	0.907	0.019	0	0
3.0	p01_K_only_none_const	-506.4	0.907	0.019	0	0
4.0	p01_K_only_none_const	-490.2	0.907	0.019	0	0
6.0	p01_K_only_none_const	-457.8	0.907	0.019	0	0
8.0	p01_K_only_none_const	-425.5	0.907	0.019	0	0

ΔBIC surface

Likelihood–complexity frontier

$\hat{\theta}$ surface

Stability margin surface

Embedding (PCA)

ECT overlay (representatives)


ΔBIC surface (r=1) | SR_none__LR_const
Y_short
Y_only
sym
K_short
K_only
q profile
1
2
3
4
5
6
7
p
ΔBIC
100
75
50
25
0


Likelihood–complexity frontier | SR_none__LR_const
-540
-560
-580
-2 logLik
10
15
20
25
30
35
k_total
stability_margin
0.06
0.04
0.02


θ̂ surface (β normalized on lnY) | SR_none__LR_const
Y_short
Y_only
sym
K_short
K_only
q profile
1
2
3
4
5
6
7
p
θ̂
3.5
3.0
2.5
2.0
1.5
1.0


Stability margin surface | SR_none__LR_const
Y_short
Y_only
sym
K_short
K_only
q profile
1
2
3
4
5
6
7
p
margin
0.06
0.04
0.02


PCA embedding | SR_none__LR_const
PC2
PC1
1
0
-1
-2
-3
-5.0
-2.5
0.0
2.5
dBIC_band
min
>6


ECT overlay (representatives) | SR_none__LR_const
ECT
0.50
0.25
0.00
-0.25
1960
1980
2000
series
p=1
p=6

6 Branch: SR_none__LR_none

6.1 Summary

Table 14: Branch summary: $\mathrm{SR}_n one_{LR_n one}$

run_id	det_tag	include	LRinclude	P_MIN	P_MAX	T_window	T_eff_common	feasibility_share	best_cell_id	best_BIC	theta_best	theta_bandwidth_dBIC2	alpha_y_med_dBIC2	alpha_k_med_dBIC2	stability_margin_best
5	SR_none__LR_none	none	none	1	7	65	57	1.000	p01_K_only_none_none	-542.6	0.883	0.000	0.129	0.097	0.020

6.2 Top cells (N=10)

Table 15: Top cells (N=10) by BIC: $\mathrm{SR}_n one_{LR_n one}$

p	q_tag	qY	qK	BIC	AIC	HQ	theta_hat	alpha_y	alpha_k	share_Y	stability_margin	unit_root_mismatch	unstable_count
1	K_only	0	1	-542.6	-558.9	-552.5	0.883	0.129	0.097	0.000	0.020	0	0
1	sym	1	1	-534.7	-555.2	-547.2	0.883	0.130	0.099	0.110	0.020	0	0
1	Y_short	1	1	-534.7	-555.2	-547.2	0.883	0.130	0.099	0.110	0.020	0	0
1	K_short	1	1	-534.7	-555.2	-547.2	0.883	0.130	0.099	0.110	0.020	0	0
1	Y_only	1	0	-532.7	-549.0	-542.6	0.883	0.092	0.116	1.000	0.018	0	0
2	K_only	0	2	-532.3	-552.7	-544.8	0.884	0.155	0.093	0.000	0.020	0	0
2	K_short	2	1	-528.2	-552.7	-543.1	0.884	0.154	0.091	0.375	0.017	0	0
3	K_only	0	3	-526.2	-550.7	-541.2	0.882	0.135	0.082	0.000	0.014	0	0
2	Y_only	2	0	-525.4	-545.9	-537.9	0.884	0.118	0.105	1.000	0.015	0	0
2	Y_short	1	2	-524.4	-549.0	-539.4	0.884	0.161	0.093	0.110	0.020	0	0

6.3 Rank-penalty IC family (η) — best cell per η

Table 16: Eta sensitivity (best cell per eta): $\mathrm{SR}_n one_{LR_n one}$

eta	cell_id	IC_eta	theta_hat	stability_margin	unit_root_mismatch	unstable_count
1.0	p01_K_only_none_none	-542.6	0.883	0.020	0	0
1.5	p01_K_only_none_none	-536.5	0.883	0.020	0	0
2.0	p01_K_only_none_none	-530.4	0.883	0.020	0	0
3.0	p01_K_only_none_none	-518.3	0.883	0.020	0	0
4.0	p01_K_only_none_none	-506.2	0.883	0.020	0	0
6.0	p01_K_only_none_none	-481.9	0.883	0.020	0	0
8.0	p01_K_only_none_none	-457.7	0.883	0.020	0	0

ΔBIC surface

Likelihood–complexity frontier

$\hat{\theta}$ surface

Stability margin surface

Embedding (PCA)

ECT overlay (representatives)


ΔBIC surface (r=1) | SR_none__LR_none
Y_short
Y_only
sym
K_short
K_only
q profile
1
2
3
4
5
6
7
p
ΔBIC
100
75
50
25
0


Likelihood–complexity frontier | SR_none__LR_none
-540
-550
-560
-570
-580
-2 logLik
10
15
20
25
30
35
k_total
stability_margin
0.024
0.021
0.018
0.015


θ̂ surface (β normalized on lnY) | SR_none__LR_none
Y_short
Y_only
sym
K_short
K_only
q profile
1
2
3
4
5
6
7
p
θ̂
0.888
0.886
0.884
0.882


Stability margin surface | SR_none__LR_none
Y_short
Y_only
sym
K_short
K_only
q profile
1
2
3
4
5
6
7
p
margin
0.024
0.021
0.018
0.015


PCA embedding | SR_none__LR_none
PC2
PC1
2
1
0
-1
-2
-3
-2
0
2
4
dBIC_band
min
>6


ECT overlay (representatives) | SR_none__LR_none
ECT
0.6
0.5
0.4
0.3
0.2
1960
1980
2000
series
p=1
p=4
p=6

7 Branch: SR_none__LR_trend

7.1 Summary

Table 17: Branch summary: $\mathrm{SR}_n one_{LR_t rend}$

run_id	det_tag	include	LRinclude	P_MIN	P_MAX	T_window	T_eff_common	feasibility_share	best_cell_id	best_BIC	theta_best	theta_bandwidth_dBIC2	alpha_y_med_dBIC2	alpha_k_med_dBIC2	stability_margin_best
4	SR_none__LR_trend	none	trend	1	7	65	57	1.000	p01_K_only_none_trend	-538.7	0.872	0.000	0.115	0.086	0.016

7.2 Top cells (N=10)

Table 18: Top cells (N=10) by BIC: $\mathrm{SR}_n one_{LR_t rend}$

p	q_tag	qY	qK	BIC	AIC	HQ	theta_hat	alpha_y	alpha_k	share_Y	stability_margin	unit_root_mismatch	unstable_count
1	K_only	0	1	-538.7	-557.1	-549.9	0.872	0.115	0.086	0.000	0.016	0	0
1	sym	1	1	-530.8	-553.3	-544.5	0.872	0.116	0.087	0.087	0.016	0	0
1	Y_short	1	1	-530.8	-553.3	-544.5	0.872	0.116	0.087	0.087	0.016	0	0
1	K_short	1	1	-530.8	-553.3	-544.5	0.872	0.116	0.087	0.087	0.016	0	0
2	K_only	0	2	-529.6	-552.1	-543.3	0.818	0.092	0.049	0.000	0.004	0	0
1	Y_only	1	0	-528.3	-546.7	-539.6	0.872	0.081	0.102	1.000	0.014	0	0
2	K_short	2	1	-524.7	-551.3	-541.0	0.818	0.085	0.047	0.368	0.003	0	0
3	K_only	0	3	-522.0	-548.6	-538.2	0.800	0.076	0.040	0.000	0.654	1	0
2	Y_short	1	2	-522.0	-548.5	-538.2	0.818	0.095	0.048	0.089	0.004	0	0
2	Y_only	2	0	-520.4	-542.8	-534.1	0.818	0.063	0.054	1.000	0.003	0	0

7.3 Rank-penalty IC family (η) — best cell per η

Table 19: Eta sensitivity (best cell per eta): $\mathrm{SR}_n one_{LR_t rend}$

eta	cell_id	IC_eta	theta_hat	stability_margin	unit_root_mismatch	unstable_count
1.0	p01_K_only_none_trend	-538.7	0.872	0.016	0	0
1.5	p01_K_only_none_trend	-530.6	0.872	0.016	0	0
2.0	p01_K_only_none_trend	-522.5	0.872	0.016	0	0
3.0	p01_K_only_none_trend	-506.4	0.872	0.016	0	0
4.0	p01_K_only_none_trend	-490.2	0.872	0.016	0	0
6.0	p01_K_only_none_trend	-457.8	0.872	0.016	0	0
8.0	p01_K_only_none_trend	-425.5	0.872	0.016	0	0

ΔBIC surface

Likelihood–complexity frontier

$\hat{\theta}$ surface

Stability margin surface

Embedding (PCA)

ECT overlay (representatives)


ΔBIC surface (r=1) | SR_none__LR_trend
Y_short
Y_only
sym
K_short
K_only
q profile
1
2
3
4
5
6
7
p
ΔBIC
100
75
50
25
0


Likelihood–complexity frontier | SR_none__LR_trend
-520
-540
-560
-580
-2 logLik
10
15
20
25
30
35
k_total
stability_margin
0.6
0.4
0.2
0.0


θ̂ surface (β normalized on lnY) | SR_none__LR_trend
Y_short
Y_only
sym
K_short
K_only
q profile
1
2
3
4
5
6
7
p
θ̂
1.0
0.9
0.8


Stability margin surface | SR_none__LR_trend
Y_short
Y_only
sym
K_short
K_only
q profile
1
2
3
4
5
6
7
p
margin
0.6
0.4
0.2
0.0


PCA embedding | SR_none__LR_trend
PC2
PC1
1
0
-1
-2
-3
-2
0
2
dBIC_band
min
>6


ECT overlay (representatives) | SR_none__LR_trend
ECT
1.2
0.8
0.4
0.0
1960
1980
2000
series
p=1
p=3
p=7