

Dmitry Polishuk

Software Engineer

28 years old

email: dmitry.polishuk@gmail.com github: https://github.com/dpolishuk/

skype: dmitry.polishuk phone: +79263930323

Summary:

8 years of expertise in software development (using C/C++, Java, Android, Perl, Win32 API, and Linux)

3 years of expertise in Android development

3 years of expertise in development related to broadband wireless communications (WiMax, WiFi)

Wide range of expertise in software and hardware systems, networks and electronics

- o C/C++
- o Java
- Android development
- o Linux/UNIX, including standard Unix tools
- Windows architecture and internal components
- LAMP (Linux/Apache/MySQL/Perl or Python)

Education:

MS Computer Security. Voronezh State Technical University, Voronezh, Russia

Working Experience:

NeoSphere, Undev

2012 - Present

Lead Android Developer

Interactive TV Android client Multimedia framework for Android P2P share/broadcast multimedia solution DigitalOctober Android client ChessTV Android client

Gipis 2011 – 2012

Android Developer

Gipis mobile client for Android

DataArt Solutions, Inc., http://www.dataart.com

2008 - 2011

Software Developer

B2B trading Android client, Calls Analyzer Android client,

Intelligent Performance Tuning Engine,

FOREX trading robot

Kodofon (Department of Voronezh Research Institude of Radio Communications), http://www.kodofon.ru/
Software Developer, Radio Engineer 2005 – 2008

Previously Completed Projects:

2013 to present, Secure P2P share/broadcast multimedia engine

Currently, I'm working on this system. It's not a bittorrent or i2p, although it has some similarities. The main goal of this app is to help to the user to manage its own multimedia data everywhere. Nowadays, we all have a lot of different gadgets (smartphone, tablet and NAS) and the main aim is

to provide the ability to share all these things with each other where ever you are.

Platform: any embedded platform (include Android)

Tools: Eclipse, C++11, boost, Android NDK, JSDK 1.6, cmake, Google Protobuf

2013 ChessTV for Android (Google Play Link)

Client for the new chess TV in Russia with chatting, match discussions, archives of the previous programs & matches and social features. This app is based on my multimedia framework for Android. All broadcasting based on http live streaming with a lot of different kind of customizations. And I adapted FFmpeg HLS implementation for this stream.

Platform: Android

Tools: Eclipse, Intellij Idea, Android SDK, Android NDK, Android Compatibility Library, JSDK 1.6, Gradle

2012, VLC plugin for Interactive TV

I was developing this plugin in debugging purposes only. Although, we already have desktop clients (based on gstreamer) for our Interactive TV platform, I was needed to verify the quality of displaying data on different devices (cubieboard, cubox, allwinner sticks & element14 freescale i.MX6, rockchip sticks)

Platform: Linux

Tools: C/C++, Eclipse, cmake, Sublime Text2

2012, Fixing Samsung HDMI driver for SoC Exynos

The main goal is to adapt Odroid BSP to provide 50Hz refresh rate & full HDMI-CEC features. I achieved this goal to redesign HDMI linux kernel driver and patch whole Android video output stack.

Platform: Linux Kernel

Tools: C, Eclipse, Sublime Text2

2012 to present, Interactive TV for Android

I'm a team leader of this project. For now, in my team I have two developers. At the beginning this app was developed by me from the ground. The whole UI part is in the cloud and delivers by h264/AAC to the clients and the core feature of this client is to be very responsive on user's touch. Another target of this app is to be adjustable for TV screens and support different TV refresh rates (50Hz & 60Hz). And the third thing which we supported on the client side is adaptive bitrate to be ready for the real world issues (it works for Android devices 2.3 & higher).

This app uses the whole capacity of the Android multimedia subsystem (OpenMAX, OpenSLES).

Platform: Android

Tools: Eclipse, Intellij Idea, Android SDK, Android NDK, Android Compatibility Library, JSDK 1.6,

Gradle, Google Protobuf

2013 DigitalOctober for Android (Google Play Link)

It's Android native client for $\underline{\text{http://digitaloctober.ru}}$. This app was developed for smartphones and

tablets with a good looking UI.

Platform: Android

Tools: Eclipse, Intellij Idea, Android SDK, Android Compatibility Library, JSDK 1.6, Gradle

2012 Gipis for Android

Mobile app for tracking and planning sport activities, synchronization all data with server and analyzing achievements. The main goal is to give to the user possibility to control the weight and

body parameters.

Platform: Android

Tools: Intellij Idea, Android SDK, Android Compatibility Library, JSDK 1.6, Maven

2012 Backend for Qlue.net

It's social feed aggregator. The user could add all social accounts (facebook, vk.com, twitter,

digg.com, yammer) to qlue.net and track it's own feed in one place.

Platform: Java EE

Role: I was developing server side part, integration with mongodb and storing all multimedia data to the

gridfs. Also all social integration things were on me and worked perfectly.

Tools: Intellij Idea, JavaEE, Spirng, Spring Security, Scribe (oauth & oauth2 framework), JSDK 1.6, Maven

2011 B2B client

Client for managing orders of trading in the cloud. Google C2D messaging is used for notifications of new orders on the server. Voice recognition and full test search are used for searching and managing products in orders. And user has possibility to plot productivity charts of trading

activity

Platform: Android

Tools: Intellij Idea, Android SDK, Android Compatibility Library, JSDK 1.6

2010 Calls Analyzer

Programmed and created a pilot call analyzer on Google Android and Google AppEngine through Java. Fully implemented the calls logger and geo-analyzer that gives information on location of user and financial data.

Platform: Android

Tools: Intellij Idea, Android SDK, JSDK 1.6

2010 Music Player for Popular Clouds

Fully implemented playing and storing songs locally and encrypting them to prevent piracy.

Synchronization with last fm and possibility to manage playlists on the clouds.

Platform: Unix, Linux, MacOsX, Windows

Tools: C++, Qt, QtCreator

2009 FOREX trading robot

Robot as a plugin for Metatrader appliance which was based on candlesticks analysis

Platform: Metatrader

Tools: C

2009 to 2010, Single Sign-On Enterprise Solution

I was in the L3 team and was involved in continuous product enhancement (fixing critical bugs, implementing important features for separate customers). It's a collection of applications that extend security model and bring new user experience for Windows enterprise networks. It was a big enterprise project with international team (about 30 members only in L3 team from US, Russia, India,

Ukraine).

Platform: Windows

Tools: MSVC 2005, ATL, COM, WTL, boost, C++, JavaEE

2008 to 2012, Intelligent Performance Tuning Engine

As Software Developer, I developed the system to test a network and monitor the engine that allowed exposing existing capacity of users' networks, applications, and hardware components. The main problems that could be solved by this engine are the unwanted disconnects, slow

response times, and underutilized systems. The engine analyzes all aspects of users' environment, from edge to core, and then creates optimum configuration profiles for all of user systems. The developed engine supported a completely automated method of applying real-time optimization of

the SharePoint, Exchange and VMware implementations.

Platform: Linux

Role: Implementation of the server core (network metrics analyzer and special patch for kernel that allows

to collect data from MAC layer) in C/C++

Design and implementation of server API and reports in Perl

Tools: Perl5, C/C++, boost, HTML/CSS, JavaScript, SOAP, Shell, Vim, Apache2 (mod perl2/CGI), VMware

vSphere SDK

2005 - 2008 Link Level Simulator

Customer: Samsung

Description: Development of the physical layer of 802.16d and 802.11g standards. The project was aimed at the

development of a simulator that would emulate all the physical features in 802.16d/e and 802.11g,

such as the following: convolutional turbo coder, OFDMA, permutation schemas.

Platform: Windows

Tools: Visual Studio C++ 2003, Win32 API, boost

Position: Software Developer

Role: Development of the optimization features for Link Level Simulator

2006 - 2008 System Level Simulator

Customer: Samsung

Description: That simulator allowed a user to emulate MAC and PHY levels for broadband wireless protocols

(such as 802.16 d/e and 802.11g/n standards), to change channel model and number of antennas for base and mobile stations. The tool had the GUI to change the simulator settings and observing the

simulation process.

Platform: Windows

Tools: Visual Studio C++ 2003, Win32 API, ATL, boost

Position: Software Developer

Role: Design and implementation of the user interface, radio engineering, development and optimization

of the core. After implementation, I supported System Level Simulator for 3 years (optimization,

debugging, implementation of new features)

2005 - 2008 SCM for WiMAX System Simulator

Customer: Samsung

Description: Spatial Channel Model (3G channel) implementation for WiMax Simulators. The simulator allowed

testing SISO and MIMO systems and comparing results in the GUI.

Platform: Windows

Tools: Visual Studio C++ 2003, wxWidgets

Position: Software Developer

Role: Design and implementation of the user interface, radio engineering, development and optimization

of the core

2005 VolP Chat Based on ACM Windows Subsystem

Customer: SkyLink

Description: Development of a messenger with VoIP function. The main goal was to allow a user to change

codec and traffic settings.

Platform: Windows

Tools: Visual Studio C++ 2005, ACM, Qt

Position: Software Developer

Role: User interface development, implementation of the VoIP functionality.

2008 Handled MP Software Development for NVIDIA CUDA

Customer: Samsung

Description: Convolutional coder and Viterbi decoder for working on GPU. That module was developed for

simulations (SLS, LLS and others) in which it was used to accelerate imitation processes. Also it

was used in some other products for encoding/decoding large amounts of data.

Platform: Linux

Tools: C, Vim, NVIDIA CUDA **Position:** Software Developer

Role: Implementation of convolutional coder and Viterbi decoder parts for NVIDIA GPU

Programming Languages:

C, C++, Java, Perl, Python, Shell, Assembler (x86)

Databases:

MySQL, PostgreSQL

Platforms and APIs:

Boost, Linux, SunOS, Solaris, LAMP, STL, Boost, ATL, COM, WDM, Windows API, VMware vSphere, MATLAB, NVIDIA CUDA, Qt, wxWidgets, Android, Django, Mojolicious, WWW::Mechanize

Network Protocols:

AODV, HTTP, DHCP, SNMP TCP, UDP, RTP ARP, ICMP, IGMP Ethernet, 802.11 WiFi, 802.16 WiMax OFDM/A

Development Environment:

Microsoft Visual Studio 6.0, 2003, 2005, 2008, 2010 Vim, Eclipse, NetBeans, Intellij Idea, PyCharm, Komodo

Version Control Systems:

Subversion, CVS, git, Mercurial, Surround SCM