




Solution Reporting

Contents

Overview of Solution Reporting	4
Schedule a Report in Solution Reporting	7
View and manage Solution Reporting report results	11
Standard Reports in Solution Reporting	13
Generate a Standard Report in Solution Reporting	15
Line Item Summary Report in Solution Reporting	18
Returns Export in Solution Reporting	21
Returns Export Location Report in Solution Reporting	23
Returns Export State Report in Solution Reporting	24
Returns Export Tax Type Report in Solution Reporting	26
Taxability Analysis Report	27
Taxability Matrix Imposition Report	29
Taxability Matrix Imposition Report contents - Solution Reporting	31
Taxability Matrix Report in Solution Reporting	34
Taxability Matrix Report contents in Solution Reporting	36
Transaction Recap Report	40
VAT Returns Export in Solution Reporting	42
Custom Reports in Solution Reporting	45
Create and run a custom report in Solution Reporting	47
Activity Log extract in Solution Reporting Custom Reports - VRA	52
Certificate Coverage Impositions extract in Solution Reporting Custom Reports - VRA	53
Certificate Coverage Jurisdictions extract in Solution Reporting Custom Reports - VRA	55
Certificate Reason Codes extract in Solution Reporting Custom Reports - VRA	56
Certificate Telecom Exemption Types extract in Solution Reporting Custom Reports - VRA	57
Certificate Validation Rules extract in Solution Reporting Custom Reports - VRA	58
Certificates extract in Solution Reporting Custom Reports - VRA	60
Certificates With Customer History extract in Solution Reporting Custom Reports - VRA	65
Commodity Codes extract in Solution Reporting Custom Reports - VRA	72
Country Names extract in Solution Reporting Custom Reports - VRA	73
Currency Units extract in Solution Reporting Custom Reports - VRA	74
Customer Contacts extract in Solution Reporting Custom Reports - VRA	74
Customer Registrations extract in Solution Reporting Custom Reports - VRA	75
Customers extract in Solution Reporting Custom Reports - VRA	77
Data Management Task Log extract in Solution Reporting Custom Reports - VRA	79
Data Update Impact (Tax Areas) extract in Solution Reporting Custom Reports - VRA	80
Data Update Impact (Tax Rules) extract in Solution Reporting Custom Reports - VRA	82
Exemption Reason Codes extract in O Series Custom Reports - VRA	84
Filing Categories extract in Solution Reporting Custom Reports - VRA	85

Flexible Fields extract in Solution Reporting Custom Reports - VRA	85
Impositions extract in Solution Reporting Custom Reports - VRA.	87
Jurisdictions extract in Solution Reporting Custom Reports - VRA	90
Partitions extract in Solution Reporting Custom Reports - VRA	90
Regions extract in Solution Reporting Custom Reports - VRA.	91
Registration Validation Rules extract in Solution Reporting Custom Reports - VRA.	92
Settings extract in Solution Reporting Custom Reports - VRA.	93
Situs Treatment Rules extract in Solution Reporting Custom Reports - VRA.	94
Tax Areas extract in Solution Reporting Custom Reports - VRA	95
Tax Assist Allocation Tables extract in Solution Reporting Custom Reports - VRA	97
Tax Assist Lookup Tables extract in Solution Reporting Custom Reports - VRA.	98
Tax Assist Rules extract in Solution Reporting Custom Reports - VRA	99
Tax Rules extract in Solution Reporting Custom Reports - VRA	101
Taxability Categories extract in Solution Reporting Custom Reports - VRA.	106
Taxability Drivers extract in Solution Reporting Custom Reports - VRA.	107
Taxability Mapping extract in Solution Reporting Custom Reports - VRA.	109
Taxpayer Contacts extract in Solution Reporting Custom Reports - VRA.	111
Taxpayer Locations extract in Solution Reporting Custom Reports - VRA.	112
Taxpayer Registration Impositions extract in Solution Reporting Custom Reports - VRA	114
Taxpayer Registration Jurisdictions extract in Solution Reporting Custom Reports - VRA	116
Taxpayer Registrations extract in Solution Reporting Custom Reports - VRA.	117
Taxpayers extract in Solution Reporting Custom Reports - VRA.	119
Transaction Detail extract in Solution Reporting Custom Reports - VRA	120
Transaction Summary extract in Solution Reporting Custom Reports - VRA.	139
Unit Conversion Rules extract in Solution Reporting Custom Reports - VRA	143
Unmapped Taxability Drivers extract in Solution Reporting Custom Reports - VRA	144
VAT Groups extract in Solution Reporting Custom Reports - VRA	145
Vendor Registrations extract in Solution Reporting Custom Reports - VRA.	147
Vendors extract in Solution Reporting Custom Reports - VRA.	149

Overview of Solution Reporting

Solution Reporting is Vertex Cloud's reporting solution that enables tax professionals and administrators to access Vertex reports from a single location. It helps you generate reports by using Vertex Cloud data across multiple products.

Note: As Vertex transitions to Solution Reporting, both existing reporting options within Vertex products and Solution Reporting will be available for a certain duration. During this time, Solution Reporting will serve as an additional option at the platform level, offering a modernized approach to reporting. Not all reports currently available in individual Vertex products will be immediately accessible via Solution Reporting. This phased approach ensures continuity while we work toward expanding the capabilities and coverage of the new reporting solution.

Solution Reporting makes it easier to access and analyze tax data by offering a streamlined reporting and scheduling experience for Standard and Custom report types.


The **Standard** report type includes:

- Prebuilt, Vertex-supplied reports, with predefined fields and calculations, to quickly generate consistent results for routine analysis, compliance, and reconciliation.
- Text file outputs that support sales and use tax and VAT return filing, including taxable, nontaxable, and exempt amounts, deductions, recoverable amounts, and currency details.


The **Custom** report type lets you design reports to fit your specific needs by selecting fields, applying filters, and choosing output formats such as Microsoft Excel, PDF, or CSV.

Together, these options give you both fast access to trusted data and the flexibility to explore tax, transaction, and system data in greater detail.

To access Solution Reporting, go to the Vertex Cloud portal and click the **Solution Reporting** tile.



Solution Reporting is organized into three main options on the navigation menu: **Results**, **Reports**, and **Schedules**. By default, the **Results** page displays. This is where you can track the status of reports you've run and download completed reports.



On the **Reports** page, you can build reports from the templates provided or rerun reports you've run previously.

Reports

Generate reports from your data to enable compliance tasks, audits, planning, and more based on standard and custom templates. If you are looking to interact with your reports via our APIs, [reference our documentation](#).

[+ Create Report](#)

Search by Report Name

Name	Description	Template	Category	Last Updated	Type	Actions
		Activity Log	System Reports	06/08/2026 03:12:14 PM	Custom	Actions
		Line Item Summary Report	Transaction	06/04/2026 05:00:55 PM	Standard	Actions
		Line Item Summary Report	Transaction	06/04/2026 04:59:26 PM	Standard	Actions
		Line Item Summary Report	Transaction	06/04/2026 04:37:29 PM	Standard	Actions
		Line Item Summary Report	Transaction	06/04/2026 11:37:18 AM	Standard	Actions

Showing 5 records. [1](#) Results per page 10

On the **Schedules** page, you can schedule reports to run automatically.

Schedules

Automate report generation with recurring schedules. Configure frequency, timing, recipients, and delivery preferences to ensure stakeholders receive timely data without manual intervention.

[+ Add Schedule](#)

Search by Schedule Name

Schedule Name	Category	Template	Frequency	Next Run	Actions
No data					

Showing 0 records. [1](#) Results per page 10

Related articles

[Standard Reports in Solution Reporting](#)

[Custom Reports in Solution Reporting](#)

Schedule a Report in Solution Reporting

The Report Scheduler feature in Solution Reporting enables you to schedule a report to run automatically at specified times and frequencies.

Note: Before you can schedule a report to run automatically, you must have previously created and named the report.

Procedure

1. Select **Schedules** and click **Add Schedule**.
2. From the **Template** dropdown menu, select the type of report that you want to schedule to run automatically.
3. The **Report Name** dropdown menu populates with reports of that type that you have already created and named. Select one from the list.

[Schedules](#) / Add Schedule

Add Schedule

Dictate when you want this report to run and what time frame of data should be included.

Template (Required)

Select a template ▼

Report Name (Required)

Select a report ▼

Frequency and Time

Define how often and when you want your report to run.

Frequency (Required)	Run Date (MM/dd/yyyy) (Required)	Start Time (Required)
Select frequency ▼	MM/dd/yyyy 	--:-- -- 

Schedule Name (Required)

Enter schedule name

Schedule Description

Enter description

Save **Cancel**

4. Select a **Frequency** of Once, Daily, Weekly, Monthly, Quarterly, or Annually. Additional date and time options display based on your selection.
5. Enter a **Schedule Name**.
6. Optionally, enter a **Schedule Description**.
7. Click **Save**.

The Schedules page displays the scheduled report in the table.

8. To work with scheduled reports, in the **Actions** column, select from the **Actions** dropdown menu:
 - **Edit:** Schedule details display in edit mode.

- **Delete:** Deletes the schedule. When a dialog box displays, click **Confirm** to confirm deletion.

View scheduled report output

When a scheduled report runs, you can see it on the **Results** page.

- Click **Refresh** to update the report status.
- Select from the **Actions** dropdown menu:
 - **Cancel:** While the report shows a **Status** of `Processing`, you can click **Cancel** from the **Actions** dropdown menu.
 - **Download:** The report downloads in the specified format.
 - **Delete:** The report output is deleted.
 - **View:** For PDF and HTML output only, opens completed report output in a new browser tab.

Field descriptions

This table explains the fields for the **Add Schedule** page.

Report Scheduler field	Report Scheduler field description
Template <i>(Required)</i>	Template indicates the type of report you are scheduling to run automatically, for example, the Line Item Summary Report, Activity Log, or Returns Export.
Report Name <i>(Required)</i>	Report Name is the name of the report that you are scheduling to run automatically. Once you have selected the Template to indicate the type of report, Report Name displays any reports of that type that you have previously created and named.
Frequency <i>(Required)</i>	Frequency is how often you would like the report to run: • Once • Daily • Weekly

	• Monthly • Quarterly • Annually Additional date and time options display based on your Frequency selection.
Run Date <i>(Required when Once Frequency is selected)</i>	Run Date is the date on which you want the report to run.
Start Time <i>(Required when Daily, Weekly, Monthly, Quarterly, or Annually Frequencies are selected)</i>	Start Time is the time when you would like the report to start running.
Start Date <i>(Required)</i>	Start Date is the date you want the schedule to take effect.
End Date	End Date is the date you want the schedule to end.
Day of Month <i>(Required)</i>	Day of Month indicates the day of the month you want the report to run (for Annual, Quarterly, and Monthly frequencies).
Month of Year <i>(Required)</i>	Month of Year indicates the month of the year you want the report to run (for Quarterly and Annual frequencies).
Schedule Name <i>(Required)</i>	Schedule Name is the user-defined name of the scheduled report.
Schedule Description	Schedule Description is for notes or explanations about the scheduled report.

Related articles

[Standard Reports in Solution Reporting](#)

[Generate a Standard Report in Solution Reporting](#)

View and manage Solution Reporting report results

When you run a custom or standard report in Solution Reporting, the report is listed on the **Results** page, where you can view, sort, download, and delete query results. The results are generated from both manual runs and scheduled executions.

Access report results

1. Select **Results** from the main menu.
2. Optionally, you can filter the results that display based on **Category**, **Template**, **Format**, or **Status**. You can also search for a particular report result in the **Search by Report Name** field.

Results

Access completed report executions, monitor run status, and download output files in your preferred format. Results are generated from both manual runs and scheduled executions.

[Refresh](#) Search by Report Name

Report Name	Category	Template	Format	Run Date	Status	Records	Actions
	System Reports	Activity Log	CSV	06/08/2026 03:12:14 PM	Completed	42	Actions
	Transaction	Line Item Summary Report	XLSX	06/08/2026 12:47:11 PM	Completed	0	Actions
	Transaction	Line Item Summary Report	XLSX	06/08/2026 12:46:54 PM	Completed	0	Actions
	Transaction	Line Item Summary Report	XLSX	06/04/2026 11:37:18 AM	Completed	0	Actions

Showing 4 records. [1](#) Results per page: 10

What you can do with the report results

- In the **Status** column, reports will display as Canceled, Completed, Processing, or Failed.
- Click **Refresh** to update the page.
- From the **Action** dropdown menu, select one of these actions:

Action for report results	Action description for report results
---------------------------	---------------------------------------

Download	Download the data in the specified format.
Delete	Delete the generated output.
View	Open report output in a new browser (for PDF and HTML reports only).
Cancel	Cancel a currently processing report.

Related articles

[Custom Reports - Solution Reporting](#)

[Standard Reports - Solution Reporting](#)

Standard Reports in Solution Reporting

Solution Reporting provides standard reports that help you review returns-oriented tax data and evaluate taxability outcomes across jurisdictions. Using Returns Exports and the Taxability Matrix Report, you can analyze summarized tax results that support returns preparation, reconciliation, and validation of tax determination logic.

These reports allow you to apply filters and generate output in multiple formats to examine how tax data is organized for reporting and compliance purposes.

Here are some ways these reports provide a snapshot of tax data:

- Report summarized tax amounts prepared for returns filing via Returns Export and VAT Returns Export.
- Report total taxes by state, location, and tax type using Returns Export State, Location, and Tax Type reports.
- Present jurisdiction-level tax results aligned to returns reporting structures.
- Display taxability outcomes by category and jurisdiction using the Taxability Matrix Report.

Together, these standard reports give you consistent visibility into returns-focused tax data and configured taxability results across your transaction tax environment.

Base Template (Required) Select a base template for this report which determines the fields and filters available. Search by Template Name Q					
Select	Template Name	Category	Description	Data Fields	Type
☐	Returns Export	Returns	This report provides Returns Export information	41 Fields	Standard
☐	VAT Returns Export	Returns	This report provides Vat Returns Export information	149 Fields	Standard
☐	Taxability Matrix Report	Taxability Manager	This report provides taxability information by location.	11 Fields	Standard
☐	Taxability Matrix Imposition Report	Taxability Manager	This report provides taxability imposition information by location.	4 Fields	Standard
☐	Returns Export State Report	Returns	This report provides Returns Export State information.	9 Fields	Standard
☐	Returns Export Location Report	Returns	This report provides Returns Export Location information.	10 Fields	Standard
☐	Transaction Recap Report	Transaction	This report provides summary recap information for transactions.	46 Fields	Standard
☐	Returns Export Tax Type Report	Returns	This report provides Returns Export Tax Type information.	9 Fields	Standard
☐	Taxability Analysis Report	Taxability Manager	This report provides taxability analysis information.	40 Fields	Standard
☐	Line Item Summary Report	Transaction	This report provides line item summary information for transactions.	63 Fields	Standard

An introduction to standard reports

This table gives an overview of each standard report available in Solution Reporting.

Standard report	What the standard report provides
Line Item Summary Report	Provides, in XLSX format, a summarized view of tax calculations at various jurisdictional levels (state, county, city) for each transaction line item. The report eliminates duplicated gross amounts and simplifies reconciling tax data across jurisdictions, making it easier to analyze, validate, and extract tax information.
Returns Export	Generates a text file that includes summarized tax data such as taxable, nontaxable, and exempt amounts by jurisdiction, location, and tax type that supports sales and use tax returns filing.
Returns Export Location Report	For the text file that is generated by a Returns Export activity, the Returns Export Location Report provides tax totals and a readable view of the data that is sorted by location.
Returns Export State Report	For the text file that is generated by a Returns Export activity, the Returns Export State Report provides tax totals and a readable view of the data that is sorted by state or province.
Returns Export Tax Type Report	For the text file that is generated by a Returns Export activity, the Returns Export Tax Type Report provides tax totals and a readable view of the data that is sorted by tax type.
Taxability Analysis Report	Provides information about both Vertex-defined and user-defined taxability categories. The data is organized by the imposition and transaction types for each selected jurisdiction. This report is useful for reviewing the tax rates for standard and conditional tax rules.
Taxability Matrix Report	Provides an overview of Vertex O Series taxability content, outlining how various goods and services are taxed across jurisdictions and helping users identify the appropriate tax conclusions for their business.
Transaction Recap Report	Provides a summary of a taxpayer's transaction totals for the highest jurisdiction level. Use this report for a quick overview of your tax liability for a specific period.
VAT Returns Export	The VAT Returns Export generates a text file that includes transaction details, deduction amounts, recoverable amounts, and currency information that support VAT returns filing.

Standard report creation

To [generate standard reports](#), go to the **Reports** page, click **Create Report**, and select your base template. Whether a report is standard or custom is indicated in the **Type** column.

View results

The **Results** page displays all the reports you've run, including their unique **Report Name**, **Category**, **Template**, **Format**, **Run Date**, **Status**, and the number of **Records** included.

Schedule reports

The **Schedules** page lets you run reports automatically on a schedule you create.

Related articles

[Custom Reports in Solution Reporting](#)

[Create a Standard Report in Solution Reporting](#)

Generate a Standard Report in Solution Reporting

On the **Reports** page, the **Create Report** workflow lets you run standard reports from templates and narrow your results with filters.

Procedure

1. From the **Reports** page, click **Create Report**.
2. On the **General** settings, enter a unique name for your report in the **Report Name** field and add a required **Description**.
3. Select a **Base Template** from the table. Standard reports display `Standard` in the **Type** column. You can filter this column to show only standard reports.

[Reports](#) / Create Report

Create Report

General Fields Filters Format Preview

General Information

Report Name (Required)

Report Description (Required)

Base Template (Required)
 Select a base template for this report which determines the fields and filters available.

Search by Template Name

Select	Template Name	Category	Description	Data Fields	Type
☐	Returns Export	Returns	This report provides Returns Export information	41 Fields	Standard
☐	VAT Returns Export	Returns	This report provides Vat Returns Export information	149 Fields	Standard
☐	Taxability Matrix Report	Taxability Manager	This report provides taxability information by location.	11 Fields	Standard
☐	Taxability Matrix Imposition Report	Taxability Manager	This report provides taxability imposition information by location.	4 Fields	Standard
☐	Returns Export State Report	Returns	This report provides Returns Export State information.	9 Fields	Standard

4. Click **Continue**.
5. On the **Fields** settings, a message displays stating that Field selection is not available for standard reports.
6. Click **Continue**.
7. On the **Filters** settings, the fields that display vary depending on the standard report you've selected. See the article for a specific standard report for more detail.
8. When you've finished entering information on the **Filters** settings, click **Continue**.
9. On the **Format** settings, choose a format from the **File Format** dropdown menu for standard reports that are offered in multiple file formats. For standard reports that are only offered in one file format, a message displays stating Format selection is not available for the selected template.
10. Click **Continue**.
11. On the **Preview** settings, a message displays stating that Preview data is not available for the selected template. Preview selection is not available for standard reports. Choose one of these options:
 - **Go Back** takes you back to the **Format** settings.
 - **Save Report & Run Now** saves the report and runs it immediately.

- **Save & Schedule** saves the report and takes you to the **Add Schedule** page to set up a schedule.
- **Save Report** saves the report without running it and takes you to the **Reports** page. Your report displays in the table and you can **Run**, **Edit**, **Schedule**, or **Delete** it from the **Actions** column.
- **Cancel** exits the workflow without saving your report and takes you to the **Reports** page.

[Reports](#) / Create Report

Create Report

General

Fields

Filters

Format

Preview

Preview

i Preview data is not available for the selected template used in this report.

Field descriptions

General settings

This table explains the fields on the General settings.

Create Report General setting	Create Report General setting description
Report Name (Required)	Report Name is the name for the report you are defining. This name: • Must be unique

	• Cannot exceed 60 characters • May cause issues if it contains these special characters: / ? * { } () [] These special characters may not be compatible with some operating systems, and they may pose security risks. You can still save a report that has a name containing one of these characters, but the name may cause errors in future releases.
Report Description (Required)	The Report Description contains additional information about the report you are defining.

Preview settings

From the Preview settings, you can run or save your report. This table describes the options.

Save and Run button	Save and Run button result
Save Report & Run Now	Save Report & Run Now saves your report and runs it as defined.
Save & Schedule	Save & Schedule saves your report and goes directly to the Schedules page to create a run schedule.
Save Report	Save Report saves your report without running it.
Cancel	Cancel removes all your selections and returns to the Reports page.

Related articles

[Standard Reports in Solution Reporting](#)

[Schedule a Standard Report in Solution Reporting](#)

Line Item Summary Report in Solution Reporting

This Vertex® O Series standard report provides, in XLSX format, a summarized view of tax calculations at various jurisdictional levels (state, county, city) for each transaction line item. The report eliminates duplicated gross amounts and simplifies reconciling tax data across jurisdictions, making it easier to analyze, validate, and extract tax information.

- This report is available in the Supplies business event. It is not available in the Procurement business event.
- The columns enable you to see grouped or ungrouped data with breakdowns of taxable, nontaxable, and exempt amounts.
- You can view how taxability differs by jurisdiction so you can understand and explain the logic behind reported amounts.
- You can group data by company-level taxpayer.
- While you cannot customize the columns, you can make changes to the report output as needed.

Similar reporting options

- For a summary of transactions that are not separated by line item, create a [Transaction Summary Report](#).
- For a transaction summary of the highest jurisdiction alone, create a [Transaction Recap Report](#).

Create a Line Item Summary Report

1. Follow the steps to [generate a standard report](#). Select **Line Item Summary Report** as your **Base Template**.
2. Enter the necessary information per the "Field descriptions" in this article.

Line Item Summary Report

POSTING DATE RANGE

Start (MM/dd/yyyy) (Required)

End (MM/dd/yyyy) (Required)

INVOICE DATE RANGE

Start (MM/dd/yyyy) (Required)

End (MM/dd/yyyy) (Required)

Taxpayers

Jurisdictions

☐ Group By Company level Taxpayers

Currency Type
☒ Transactional ☐ Filing

3. Continue through the steps to save or run your report.
4. [View results](#) on the **Results** page.

Field descriptions

This table explains the fields for the Line Item Summary Report.

Line Item Summary Report field	Line Item Summary Report field description
POSTING DATE RANGE (Required)	The POSTING DATE RANGE is the date or time period of the posted transactions that you want to include in the report.
INVOICE DATE RANGE (Required)	The INVOICE DATE RANGE is the date or time period of invoices that you want to include in the report. The invoice date is included on the invoice document and is used to determine which tax rules apply to a transaction.
Taxpayers	The selected Taxpayers are the taxpayers for which you want to view transaction data.
Jurisdictions	The selected Jurisdictions are the jurisdictions for which you want to review transaction data.

Group By Company level Taxpayers	Select Group By Company level Taxpayers to group line item data by taxpayers at the company level.
Currency Type	The Currency Type selection is the currency type that you would like to show on the report output: • Transactional currency returns the currency that is used in the original transaction. • Filing currency returns the currency that is used when filing a return.

Returns Export in Solution Reporting

In Standard Reports, you can generate a Returns Export text file. This file contains summarized tax data that you can import into a Vertex Returns product, which creates the tax returns for filing. The data includes taxable, nontaxable, and exempt amounts that are summarized by taxpayer, location, tax area, and transaction type for the U.S. and Canada.

Ways to filter the data that is exported

When setting up a Returns Export activity, you can designate the data to be included in the returns file.

Returns Export report field	Returns Export report field description
Posting Date	The Posting Date can include transactions that: • Posted in a certain date range or • Posted during the prior calendar month This is the timeframe for summarizing data for monthly returns reporting to state and local tax authorities.
Business Event	The Business Event indicates the Supplies and/or Procurement events.
Currency Type	The Currency Type determines whether the export uses transactional (pre-conversion) currency values or filing (post-conversion) currency values.
Location Code	The Location Code is the code for the location to be summarized
Taxpayers	Taxpayers indicates the designated taxpayers.

Jurisdictions	Jurisdictions indicates the designated U.S. states and/or Canada.
Transaction Types	Transaction Types indicates the types of transactions to be included in the export: asset movement, inventory removal, lease, rental, and/or sales transactions.

Currency conversion options

Currency values in Returns Export are determined by the **Currency Type** option:

- Select **Transactional** to export standard, pre-conversion currency values. This is the default option.
- Select **Filing** to export post-conversion currency values. Select this option if you have currency conversion configured and you want converted currency values in your export.

How returns file data is presented

Returns Export generates a text file – referred to as the returns file – with position-based values. The data is summarized by filing company, by transaction type, and by jurisdiction. Each type of data has a prescribed column position in the file, as described in the [Returns Export File Format](#) articles. Some of the data, such as transaction type, is represented by codes, such as 1 for sales tax, 2 for seller use tax, 3 for consumer use tax, and so forth.

This example shows a section of the returns data file with company code at position 181 and transaction type at position 226:

180	190	200	210	220	230	240
1000				1		
1000				1		
1000				3		

To get a readable view of the data in the returns file and to see the total tax amounts, run the **Returns Export State Report** in the Standard Reports feature on the Solution Reporting user interface. This report example shows a grand total tax for company 1000 in a selected state:

Grand total for Company: 1000					
	State	County	City	District	Total
Gross	900.00	500.00	400.00	400.00	
Exempt	0.00	0.00	0.00	0.00	
NonTaxable	0.00	0.00	0.00	0.00	
Taxable	900.00	500.00	400.00	400.00	
Tax	41.00	35.00	18.00	1.51	95.51

Reconciling a tax amount in the returns file

You can verify the tax in the returns file by running several reports on the Solution Reporting user interface and comparing the tax amounts from each report. These reports are:

- **Returns Export State Report** from Standard Reports
- **Transaction Summary** data extract from Custom Reports - VRA
- **Transaction Detail Report** data extract from Custom Reports - VRA

Related articles

[Returns Export Location Report in Solution Reporting](#)

[Returns Export State Report in Solution Reporting](#)

[Returns Export Tax Type Report in Solution Reporting](#)

Returns Export Location Report in Solution Reporting

This Solution Reporting standard report provides a more readable view of transaction data generated from a Returns Export activity. It organizes tax totals by the physical location of a taxpayer. These physical locations are where returns are filed for a taxpayer and are identified during taxpayer setup. This report can be useful for gathering and reviewing tax data that supports the completion of tax returns in the United States and Canada.

Create a Returns Export Location Report

1. Follow the steps to [generate a standard report](#). Select **Returns Export Location Report** as your **Base Template**.
2. On the **Filters** settings, enter the **Report Title**.
3. Click  next to the **File** field and select the file in one of these ways:

- Select the checkbox for the TXT file that was generated by the Returns Export in Solution Reporting. Click **Select**.
- Click **File Upload** to search for your own file. Click **Select**.

[Reports](#) / Create Report

Create Report

General Fields **Filters** Format Preview

Filters

Returns Export Location Report

Report Title

File (Required)

Go Back Continue Cancel

4. Continue through the steps to run or save your report.
5. [View results](#) on the **Results** page.

Related articles

[Standard Reports in Solution Reporting](#)

[Generate a Standard Report](#)

[Schedule a Standard Report](#)

[Returns Export State Report](#)

[Returns Export Tax Type Report](#)


Returns Export State Report in Solution Reporting

This Solution Reporting standard report provides a more readable view of transaction data generated from a Returns Export activity. It organizes tax totals by states and provinces where a taxpayer is registered to collect taxes. This report can be useful for gathering and reviewing

tax data for the completion of tax returns in the United States and Canada.

Create a Returns Export State Report

1. Follow the steps to [generate a standard report](#). Select **Returns Export State Report** as your **Base Template**.
2. On the **Filters** settings, enter the **Report Title**.



The screenshot shows the 'Create Report' interface with five tabs: General, Fields, Filters, Format, and Preview. The 'Filters' tab is active. Below the tabs, the title 'Returns Export State Report' is displayed. There is a text input field for 'Report Title'. Below that is a 'File (Required)' field with a search icon (magnifying glass) on the right. At the bottom, there are three buttons: 'Go Back', 'Continue', and 'Cancel'.

3. Click  next to the **File** field and select the export file in one of these ways:
 - Select the checkbox for the TXT file that was generated by the Returns Export in Solution Reporting. Click **Select**.
 - Click **File Upload** to search for your own file. Click **Select**.
4. Continue through the steps to save or run your report.
5. [View results](#) on the **Results** page.

Related articles

[Standard Reports in Solution Reporting](#)

[Generate a Standard Report](#)

[Schedule a Standard Report](#)

[Returns Export Location Report](#)

[Returns Export Tax Type Report](#)

Returns Export Tax Type Report in Solution Reporting

This Solution Reporting standard report provides a more readable view of transaction data generated from a Returns Export activity. It organizes tax totals by the type of tax that is imposed on transactions. Tax types are determined by various factors, such as situs, transaction types, and business perspective. This report can be useful for gathering and reviewing tax data for the completion of tax returns in the United States and Canada.

Create a Returns Export Tax Type Report

1. Follow the steps to [generate a standard report](#). Select **Returns Export Tax Type Report** as your **Base Template**.
2. On the **Filters** settings, enter the **Report Title**.

Create Report

General Fields **Filters** Format Preview

Filters

Returns Export Tax Type Report

Report Title

File (Required)

Go Back Continue Cancel

3. Click next to the **File** field and select the file in one of these ways:
 - Select the checkbox for the TXT file that was generated by the Returns Export

in Solution Reporting. Click **Select**.

- Click **File Upload** to search for your own file. Click **Select**.
4. Continue through the steps to save or run your report.
 5. [View results](#) on the **Results** page.

Related articles

[Standard Reports in Solution Reporting](#)

[Generate a Standard Report](#)

[Returns Export Location Report](#)

[Returns Export State Report](#)

Taxability Analysis Report

This Vertex® O Series standard report provides information about both Vertex-defined and user-defined taxability categories. The data is organized by the imposition and transaction types for each selected jurisdiction. This report is useful for reviewing the tax rates for standard and conditional tax rules.

Create a Taxability Analysis Report

1. Follow the steps to [generate a standard report](#). Select **Taxability Analysis Report** as your **Base Template**.
2. On the **Filters** settings, enter the necessary information per the "Field descriptions" in this article.

Create Report

General

Fields

Filters

Format

Preview

Filters

Taxability Analysis Report

Effective Date (MM/dd/yyyy) (Required)

06/11/2026

Jurisdictions (Required)

Taxability Categories (Required)

Transaction Type (Required)

PURCHASE

Imposition Types (Required)

General Sales and Use Tax

Go Back

Continue

Cancel

- Continue through the steps to save or run your report.
- [View results](#) on the **Results** page.

Field descriptions

This table explains the fields for the Taxability Analysis Report.

Taxability Analysis Report field	Taxability Analysis Report field description
Effective Date (Required)	The effective date for the taxability categories to be included in the report.
Jurisdictions (Required)	The jurisdictions for which you want to review Vertex-defined and user-defined taxability categories.
Taxability Categories (Required)	The taxability categories you want to include in the report.
Transaction Type	The transaction types associated with the taxability categories you want to view.

(Required)	- When the Supplies business event is active, the selections are: Sale, Rental, and Lease. - When the Procurement business event is active, the selections are Purchase, Lease, Rental, Asset/Goods Movement, and Inventory Removal.
Imposition Types (Required)	The imposition types associated with the taxability categories you want to view.

Related articles

[Standard Reports in Solution Reporting](#)

[Generate a Standard Report](#)

Taxability Matrix Imposition Report

This Vertex® O Series standard report presents the taxability of Vertex-defined taxability categories and imposition types in selected jurisdictions. It can help you to efficiently identify tax conclusions that are relevant to your business in a jurisdiction.

- **Taxability categories** define groups of goods or services that have identical taxability. They may have qualifying conditions that impact the tax conclusion.
- **Imposition types** define sets of related tax rates and rules. They represent a type of tax or fee - such as General Sales and Use Tax, Lodgings Tax, or Tire Recycling Fee – and are often jurisdiction-specific.

Based on extensive tax research, Vertex delivers and maintains tax rates and tax rules for taxability categories and imposition types.

How the taxability is presented

- The generated report displays in a multi-tab spreadsheet, with one tab per jurisdiction. Only the Vertex-defined imposition types applicable to the jurisdiction are included as columns on that tab.
- The cross-segment of imposition type columns and taxability category rows presents a taxability conclusion. Taxability is denoted using abbreviations - for example, T indicates taxable.
- Each taxability conclusion includes a comment with the Rule ID, start date, and end date for the tax rule that is referenced to assess taxability. You can hover on any cell

populated with a taxability conclusion to view the associated comment. You can configure the report criteria to include user-defined tax rules when assessing taxability.

- You can run this report on sales, lease, or rental transactions. Select the appropriate Transaction Type when you generate a report.

Category Name	Category Code	Category ID	Sales and Use Tax	Lodgings Tax
General	General	1	T*	
Services	Services	3	N*	
Accommodation Services	AccommServ	4301	N	
Lodging	Lodging	4304	N	T
Hotel Service Fees	Hotel Service Fees	15569	N	T
Administrative Charges	Admin Charges	13736	N	
Late Payment Charges	Late Payment Charges	16508	N	
Road Tolls	Road Tolls	13745	N	
Tax Payments	Tax Payments	16505	N	
Ticket and Fines	Ticket and Fines	13742	N	
Admissions/Dues	AdmissDues	876	N	
Admission to amusement, athletic, entertainment & recreation	AdmissAmuseAthlEnterRec	877	T	
Admission to amusement, athletic with food served	Admissionswithfoodserved	117077	T	
Admissions - Cultural Events	Admissions - Cultural Events	8480	N	
Dues and Membership Fees for Professional Bodies	Dues and Membership Fees for Professional Bodies	13217	N*	
Dues and Membership Fees to Health/Fitness Centers	DuesHealthClubs	878	N	
Initiation Fees to Health Clubs/Fitness Centers	InitiationFees	1412	N	
Personal Training/ Group Exercise Classes	PersonalTraining	1415	N	
Membership Fee/Rewards Program	Membership Fee/Rewards Program	7727	N	

What jurisdictions are supported

Depending on your Solution Reporting license, you can generate:

- State-, county-, city-, and district-level reports for the United States.
- Country-, province-, and city-level reports for Canada.
- Country-specific reports for many other countries that impose sales tax, Value Added Tax (VAT), or Goods and Services Tax (GST), including China, Mexico, and European Union member states. Reports are not available for Brazil, India, or Argentina.

A generated report includes only the imposition types that apply to the selected countries or states.

Considerations

- You cannot combine VAT jurisdictions and non-VAT jurisdictions in the same report.
- Jurisdictions that do not have an associated imposition cannot be selected.
- Tax holiday rules are excluded.

User-defined tax rules

Select the **Include User Defined Tax Rules** checkbox if you want the report to include user-defined

calculation rules that impact taxability conclusions. Once selected, the report includes user-defined calculation rules that you associate to Vertex-defined taxability categories and/or to Vertex-defined impositions.

- Calculation rules associated with user-defined taxability categories and/or with user-defined impositions are not included.
- The **Include User Defined Tax Rules** checkbox does not carry over if you save report criteria as a filter. For best results, select the checkbox when generating your report on the Report Output page, rather than on the Filters page.

Create a Taxability Matrix Imposition Report

1. Follow the steps to [generate a standard report](#). Select **Taxability Matrix Imposition Report** as your **Base Template**.
2. On the **Filters** settings, enter the parameters for the report.
 - Select the effective **Start Date** for which you want to see taxability.
 - Select the **Jurisdictions** (states, provinces, countries) for which you want to see taxability.
 - Select the **Transaction Type** (SALE, RENTAL, or LEASE) for which you want to see taxability. You can select only one Transaction Type per report.
3. Continue through the steps to save or run your report.
4. [View results](#) on the **Results** page.

Related articles

Standard Reports in Solution Reporting

Generate a Standard Report

[Taxability Matrix Imposition Report contents - Solution Reporting](#)

The Taxability Matrix Imposition Report in Vertex® O Series presents taxability for Vertex-defined taxability categories and imposition types based on the selection of jurisdictions. The matrix includes category names, codes, and IDs, as well as applicable impositions type and taxability conclusions per jurisdiction.

Comments in cells with taxability conclusions present tax rule IDs, start dates, end dates, and rate details for the tax rules used to assess taxability.

Legend for taxability conclusions

Each jurisdiction tab includes imposition type columns that show the tax conclusion for each Vertex-defined taxability category. If the **Include User Defined Tax Rules** checkbox is selected, taxability conclusions impacted by user-defined calculation rules have cells with a gold fill color. Here are the possible tax conclusions and the notation used on the reports:

Value	Tax conclusion
T	Taxable at a standard rate
E	Exempt
N	Nontaxable
D	Deferred taxability
*	A taxability conclusion where rules with a qualifying condition apply.
Blank	Indicates that the imposition type (column) is not assessed for the taxability category (row).

Comments on taxability conclusions

Taxability conclusions in the Impositions Type column include a comment with the Rule ID, tax rate, start date, and end date of the tax rule that is used to assess taxability. Hover on any report cell populated with a taxability conclusion to view the associated comment.

Category Code	Category ID	Sales and Use Tax	Tire Recycling Fee	Prepaid W E91
Baby	2318	T		
Baby Furniture and Other Accessories	119865	T		
Baby/Child Safety Items	119928	T		
Baby Thermometers and Aspirators	119904	T		
Car Seat	2342	T		
Car Seat Accessories	119736	T		
Mittens to prevent scratching	119901	T		
Bathing Grooming Supplies	119958	T		
Baby Bath Mitts	119913	T		
Baby Bath Towels and Wash Cloths	119979	T		
Baby Bathtubs and Bath Seats	119976	T		

Rule ID: 301032421
Start Date: 1/1/2001
End Date:
Tax: Single Rate 2.9%

Tax rate details

- Taxability conclusion comments for some impositions are labeled as Single Rate (uses the standard rate) or Defers to standard rule. For rate details about these impositions, use the rule ID to [search for the corresponding tax rule in Solution Reporting](#).
- Taxability conclusion comments for fees, tiered taxes, and quantity-based taxes do not include rate values. These tax-types have rate value of fee, tier, or quantity, respectively.

Columns on jurisdiction tabs

Jurisdiction tabs have different columns, depending on the imposition types in the jurisdiction. This table explains these columns:

Column	Description
Category Name	A Vertex-defined taxability category.
Category Code	A textual identifier for a taxability category.
Category ID	A numeric identifier for a taxability category.
Imposition Type	The type of tax or fee for which the report provides jurisdictional taxability. (Example: 911 Fee)

Tab names

- Tab names are limited to 31 characters.
- For lower-level (county, city, district) jurisdictions, tab names begin with a main division (upper-level) jurisdiction abbreviation to help differentiate between lower-level jurisdictions with the same name. For example, the tab for the city of Philadelphia, Pennsylvania is PA - Philadelphia.

Related articles

Standard Reports in Solution Reporting

Taxability Matrix Imposition Report in Solution Reporting

Taxability Matrix Report in Solution Reporting

This Solution Reporting standard report presents the taxability of taxability categories and commodity codes in selected jurisdictions. It can help you to efficiently identify tax conclusions that are relevant to your business.

- **Taxability categories** define groups of goods or services that have identical taxability. They may have qualifying conditions that impact the tax conclusion.
- **Commodity codes** belong to standard classification systems and they categorize products and services for various purposes. Vertex maintains commodity codes that correspond to Vertex-defined taxability categories.

Based on extensive tax research, Vertex delivers and maintains tax rates and tax rules for taxability categories and commodity codes. You can also create user-defined taxability categories and commodity codes when your particular tax situation requires them.

Note: This Solution Reporting report is based on your specialized tax configuration and may show different taxability than the standard Taxability Matrix that is available on Vertex Community.

How the taxability is presented

You can filter the report by jurisdiction and, optionally, by taxpayer. The generated report then displays in a multi-tab spreadsheet format, with the last columns showing the taxability for each selected jurisdiction. Taxability is denoted using abbreviations - for example, **T** indicates taxable. Different tabs enable you to see:

- Taxability by taxability category for selected jurisdictions. The list of taxability categories mimics the structure of the taxability category tree.

Vertex® Indirect Tax O Series® - Taxability Matrix - United States						
Taxpayer	Taxability Driver	Taxability Category	Taxability Category Code	Taxability Category ID	Parent Category ID	Source
		General	General	1	844	Vertex Defined T T
		+Alabama Simplified Seller Use Option	General	1	844	Vertex Defined T*
		Services	Services	3	1	Vertex Defined E E
		+Alabama Simplified Seller Use Option	Services	3	1	Vertex Defined E
		Accommodation Services	AccommServ	4301	3	Vertex Defined E E
		Lodging	Lodging	4304	4301	Vertex Defined E T
		Hotel Service Fees	Hotel Service Fees	15569	4304	Vertex Defined E T
		Administrative Charges	Admin Charges	13736	3	Vertex Defined E E
		Late Payment Charges	Late Payment Charges	16508	13736	Vertex Defined E E
		Road Tolls	Road Tolls	13745	13736	Vertex Defined E E

- Taxability by commodity code for selected jurisdictions. The tab provides the taxability category for each commodity code.

Vertex® Indirect Tax O Series® - Taxability Matrix - United States						
Commodity Code	Commodity Name	Taxability Category	Taxability Category Code	Taxability Category ID	Source	
10120000	Animal feed	Food for Farm and Livestock Animals	Food for Farm and Livestock Animals	7802	Vertex Defined	E E
10121500	Livestock feed	Food for Farm and Livestock Animals	Food for Farm and Livestock Animals	7802	Vertex Defined	E E
10121600	Bird and fowl food	Pet Food	Pet Food	2315	Vertex Defined	E T
10121700	Fish food	Pet Food	Pet Food	2315	Vertex Defined	E T

- Taxability for a taxpayer's taxability drivers, based on their mappings to taxability categories.

Vertex® Indirect Tax O Series® - Taxability Matrix - United States							
Taxpayer	Taxability Driver	Taxability Category	Taxability Category Code	Taxability Category ID	Parent Category ID	Source	
Taxpayer C	Tax Driver 200	Set-top boxes including digital TV	Set-top boxes including digital TV	119157	6821	Vertex Defined	T T
Taxpayer C	Tax Driver 210	Nonproduction Machinery and Equipment	Nonproduction Machinery and Equipment	114497	4946	Vertex Defined	T T

What jurisdictions are supported

Depending on your Solution Reporting license, you can generate:

- State-level reports for the United States.
- Province-level reports for Canada.
- Country-specific reports for many countries that impose sales tax, Value Added Tax (VAT), or Goods and Services Tax (GST), including China, Mexico, and European Union member states. Reports are not available for Brazil, India, or Argentina.

Considerations

- A generated report includes only the taxability categories that apply to the selected country, states, or provinces.
- You cannot combine VAT jurisdictions and non-VAT jurisdictions in the same report.
- You can include lease or rental taxes for the United States, Mexico, and Canada. Select the appropriate Transaction Type when you generate a report.

Create a Taxability Matrix Report

1. Follow the steps to [generate a standard report](#). Select **Taxability Matrix Report** as your **Base Template**.
2. On the **Filters** settings, enter the parameters for the report.
 - Select the effective **Start Date** for which you want to see taxability.
 - Select the **Taxpayers** for which you want to report the taxability of taxability drivers in the selected jurisdictions.
 - Select the **Jurisdictions** (states, provinces, countries) for which you want to see taxability.
 - Select the **Transaction Type** (SALE, RENTAL, or LEASE) for which you want to see taxability. You can select only one Transaction Type per report.

Create Report

General

Fields

Filters

Format

Preview

Filters

Taxability Matrix Report

Start Date (MM/dd/yyyy) (Required)

Taxpayers

Jurisdictions (Required)

Transaction Type (Required)

3. Continue through the steps to save or run your report.

4. [View results](#) on the **Results** page.

Related articles

[Standard Reports in Solution Reporting](#)

[Taxability Matrix Report contents](#)

[Taxability Matrix Report contents in Solution Reporting](#)

The [Taxability Matrix Report](#) in Solution Reporting is a spreadsheet that presents the taxability of taxability categories and commodity codes, based on the selection of jurisdictions and/or taxpayers. The matrix includes tabs for:

- Supplies and procurement taxability by taxability category
- Supplies and procurement taxability by commodity code

The matrix uses a special notation for taxability conclusions and uses text formatting to indicate the type of taxability category. Read on for explanations of these special notations, as well as the contents of each tab type.

Legend for taxability conclusions

For each selected jurisdiction, the Supplies, Procurement, and VAT tabs include a column that shows the tax conclusion for each taxability category. Here are the possible tax conclusions and the notation used on the reports:

Value	Tax conclusion	For VAT jurisdiction	For Non-VAT jurisdiction
T	Taxable at a standard rate	Y	Y
T*	Taxable at a non-standard rate	Y	Y
E	Exempt or nontaxable	Y	Y
D	Deferred taxability	Y	Y
L	Luxury rate	N/A	Y
M	Mixed	N/A	Y
O	Outside the scope	N/A	Y
R1 to R5	Reduced rate	N/A	Y
U	User-defined	Y	Y
Z	Zero rated	N/A	Y

Notation for taxability categories

Each taxability category has special formatting that indicates the type of category.

Special formatting	What it means
--------------------	---------------

Black text	A taxability category.
* with gray text	A taxability category for a conditional rule that applies to specific jurisdictions.
+ with gray text	A taxability category from the Qualifying Conditions branch of the taxability category tree. These categories represent separate attributes that entail a taxability difference from the standard taxability.
Border around cell	The taxability category has a conditional rule for the jurisdiction.
Blank cell	The taxability category does not have a conditional rule for the jurisdiction.

Columns on taxability tabs

The taxability tabs have different labels, depending on the jurisdictions and the perspective. The tab labels show:

- **Sales Tax** or **Consumer Use Tax** for U.S. jurisdictions
- **Supplies** or **Procurement** for other non-VAT jurisdictions
- **VAT** for VAT countries

This table explains the columns on these tabs:

Taxability Matrix taxability column	Taxability Matrix taxability column description
Taxpayer	The Taxpayer is a taxpayer in your configuration for which the Taxability Matrix was generated.
Taxability Driver	The Taxability Driver column displays any taxability drivers for the taxpayer that are mapped to the taxability category.
Taxability Category	The Taxability Category is the taxability category for which the report provides jurisdictional taxability.
Taxability Category Code	The Taxability Category Code is a textual identifier for a taxability category.
Taxability Category ID	The Taxability Category ID is a numeric identifier for a taxability category.

Parent Category ID	The Parent Category ID is the parent taxability category from which the reported taxability category inherits taxability. This relationship is also shown in the taxability category tree.
Source	The Source is either Vertex-defined or User-defined.
Jurisdiction abbreviation	For the jurisdiction, the Jurisdiction abbreviation is the taxability for the taxability category. Refer to "Legend for taxability conclusions" earlier in this article for the meaning of the values. Note: For Canada, the column for each province or territory also includes the applicable Goods and Services Tax (GST), Harmonized Sales Tax (HST), and/or Provincial Sales Tax (PST).

Columns on taxability by commodity code tabs

The taxability by commodity code tabs have different labels, depending on the jurisdictions and the perspective. The tab labels show:

- **Sales Tax by Commodity Code** or **Consumer Use Tax by Commodity Code** for U.S. jurisdictions
- **Supplies by Commodity Code** or **Procurement by Commodity Code** for other non-VAT jurisdictions
- **VAT by Commodity Code** for VAT countries

This table explains the columns on these tabs:

Taxability Matrix commodity code column	Taxability Matrix commodity code column description
Commodity Code	The Commodity Code is the United Nations Standard Product and Services Code (UNSPSC).
Commodity Name	The Commodity Name is the descriptive name of the UNSPSC commodity code.
Taxability Category	The Taxability Category is the taxability category that has the tax rates and rules for the UNSPSC commodity code.
Taxability Category Code	The Taxability Category Code is a textual identifier for a taxability category.
Taxability Category ID	The Taxability Category ID is a numeric identifier for a taxability category.

Source	The Source is either Vertex-defined or User-defined.
Jurisdiction abbreviation	The Jurisdiction abbreviation is the taxability for the taxability category in the jurisdiction. Refer to "Legend for taxability conclusions" earlier in this article for the meaning of the values.

Commodity Code tabs don't reflect inherited taxability

The Commodity Code tabs display taxability for each category based on the rules that apply to that category only. These tabs do not reflect inherited taxability, such as when a taxability driver is mapped to a qualifying condition from a parent taxability category.

For example: If a generally taxable taxability driver is mapped to a parent category with an exempt qualifying condition, the Taxability Matrix Report displays T for Taxable, because the taxability driver itself is not set to Exempt and the report does not display the inherited exemption.

Related articles

[Standard Reports in Solution Reporting](#)

[Taxability Matrix Report](#)

Transaction Recap Report

This Vertex® O Series standard report provides a summary of a taxpayer's transaction totals for the highest jurisdiction level. Use this report for a quick overview of your tax liability for a specific period.

Note: In the U.S. and Canada, the highest jurisdiction level is the state and province, respectively. In all other countries, the highest jurisdiction level is the country.

Create a Transaction Recap Report

1. Follow the steps to [generate a standard report](#). Select **Transaction Recap Report** as your **Base Template**.
2. On the **Filters** settings, enter the necessary information per the "Field descriptions" in this article.

Create Report

General

Fields

Filters

Format

Preview

Filters

Transaction Recap Report

POSTING DATE RANGE
Start (MM/dd/yyyy) (Required)
01/01/1900
End (MM/dd/yyyy) (Required)
12/31/9999

INVOICE DATE RANGE
Start (MM/dd/yyyy) (Required)
01/01/1900
End (MM/dd/yyyy) (Required)
12/31/9999

Taxpayers

Jurisdictions

Imposition Types
General Sales and Use Tax

☐ Group By Company Level Taxpayers

Currency Type
☒ Transactional ☐ Filing

Go Back Continue Cancel

- Continue through the steps to save or run your report.
- [View results](#) on the **Results** page.

Field descriptions

This table explains the fields for the Transaction Recap Report.

Transaction Recap Report field	Transaction Recap Report field description
POSTING DATE RANGE <i>(Required)</i>	The POSTING DATE RANGE is the date or time period of the posted transactions that you want to include in the report.
INVOICE DATE RANGE <i>(Required)</i>	The INVOICE DATE RANGE is the date or time period of invoices that you want to include in the report. The invoice date is included on the invoice document and is used to determine which tax rules apply to a transaction.
Taxpayers	The taxpayers for which you want to view transaction data.

Imposition Types	The imposition types associated with the transaction data you want to view.
Jurisdictions	The jurisdictions for which you want to review transaction data.
Group By Company level Taxpayers	Select Group By Company level Taxpayers to group transaction data by taxpayers at the company level.
Currency Type	The Currency Type is the currency in which you would like to report transaction data: • Transactional currency returns the currency that is used in the original transaction. • Filing currency returns the currency that is used when filing a return.

Related articles

[Standard Reports in Solution Reporting](#)

[Generate a Standard Report](#)

VAT Returns Export in Solution Reporting

In Standard Reports, you can generate a VAT Returns Export text file. This file includes transaction details, deduction amounts, recoverable amounts, and currency information that support VAT returns filing. The VAT Returns Export extracts the requested records to a returns file to be used by a Vertex Returns product.

Ways to filter the data that is exported

When setting up a VAT Returns Export activity, you can designate the data to be included in the returns file.

VAT Returns Export report field	VAT Returns Export report field description
Posting Date	The Posting Date can include transactions that: • Posted in a certain date range or • Posted during the prior calendar month

Business Event	The Business Event indicates the Supplies and/or Procurement events.
Taxpayers	Taxpayers indicates the designated taxpayers.
Jurisdictions	Jurisdictions indicates the designated U.S. states and/or Canada.
Transaction Types	Transaction Types indicates the types of transactions to be included in the export: asset movement, inventory removal, lease, rental, and/or sales transactions.

How returns file data is presented

VAT Returns Export generates a text file – referred to as the returns file – with fields that are positional. Each field has a prescribed position in the file, as described in [Layout of the VAT Returns Export file](#).

postingDate	taxDate	documentNumber	transSyncId	lineItemSyncId	lineItemNumber	companyCode
20191113	20191113	1005	1	1000	802760000	802760000 400 40
20191113	20191113	1006	1	1000	802760000	802760000 500 50

To get a readable view of the data in the returns file and to see the total tax amounts, run the Returns Export State Report in the Standard Reports feature on the Solution Reporting user interface. This report is available via **Solution Reporting > Standard Reports**.

Reconciling a tax amount in the returns file

You can verify the tax in the returns file by running several standard reports on the Solution Reporting user interface and comparing the tax amounts from each report. These reports are:

- **Returns Export State Report** from Standard Reports
- **Transaction Summary** from Custom Reports
- **Transaction Detail** from Custom Reports

Related articles

[Returns Export Location Report in Solution Reporting](#)

[Returns Export State Report in Solution Reporting](#)

[Returns Export Tax Type Report in Solution Reporting](#)

Custom Reports in Solution Reporting

Custom reports are a "build-it-yourself" reporting feature. Custom report templates provide data that ranges from taxability configuration information, transaction summaries and details, tax calculation result data, and system data.

Use this feature to define the rows and columns of the report and export data to an XML, Excel, PDF, CSV, or HTML file. You can import the exported data to your choice of external applications for further analysis and formatting.

Access custom reports

From the **Reports** page, click **Create Report** to get started.

Custom reports workflow

As you step through the **Create Report** workflow, you can customize your output by specifying:

1. **General** settings
 - Name your report.
 - Select a **Base Template** with a **Type** of *Custom*.
2. **Fields** settings. Select fields to include in the report output.
3. **Filters** settings. Set filters.
4. **Format** settings. Specify your format.
5. **Preview** settings
 - Preview your report before running it.
 - Display up to 10 rows.
 - Choose to run now, save for later, or schedule.

[Reports](#) / Create Report

Create Report

General

Fields

Filters

Format

Preview

General Information

Report Name (Required)

Report Description (Required)

Base Template (Required)
Select a base template for this report which determines the fields and filters available.

Search by Template Name

Select	Template Name	Category	Description	Data Fields	Type
☐	Activity Log	System Reports	A template for creating a report with activity log information	11 Fields	Custom
☐	Certificate Coverage Impositions	Taxability Reports	A template for creating a report with certificate imposition information	16 Fields	Custom
☐	Certificate Coverage Jurisdictions	Taxability Reports	A template for creating a report with certificate jurisdiction information	10 Fields	Custom
☐	Certificate Reason Codes	Taxability Reports	A template for creating a report with certificate reason code information	6 Fields	Custom

View results

The **Results** page displays all the reports you've run, including their unique **Report Name**, **Category**, **Template**, **Format**, **Run Date**, **Status**, and the number of **Records** included.

Results

Access completed report executions, monitor run status, and download output files in your preferred format. Results are generated from both manual runs and scheduled executions.

Search by Report Name

Report Name	Category	Template	Format	Run Date	Status	Records	Actions
	System Reports	Activity Log	CSV	06/10/2026 02:53:54 PM	Completed	42	Actions
	System Reports	Activity Log	CSV	06/10/2026 02:53:08 PM	Completed	42	Actions
	System Reports	Activity Log	CSV	06/10/2026 02:51:45 PM	Completed	42	Actions
	System Reports	Activity Log	CSV	06/08/2026 03:12:14 PM	Completed	42	Actions
	Transaction	Line Item Summary Report	XLSX	06/08/2026 12:47:11 PM	Completed	0	Actions
	Transaction	Line Item Summary Report	XLSX	06/08/2026 12:46:54 PM	Completed	0	Actions
	Transaction	Line Item Summary Report	XLSX	06/04/2026 11:37:18 AM	Completed	0	Actions

Showing 7 records. Results per page

On this page, you can:

- Monitor run status.
- Download report output files.

What you can do with Custom Reports

- Create custom reports based on Vertex-supplied templates.
- Define grouping or sort criteria for the report.
- Define a function, such as average, count, or max, for the field that you are selecting.
- Define operators, such as Equals, Does Not Equal, and Less Than, to help narrow the data.
- Build "AND" or "OR" statements in SQL without needing to know the exact SQL format.
- Save reports to use them again and to automate running them with Schedules.

Note: You can create custom reports based on Vertex-supplied templates only. You cannot create your own templates.

Related articles

[Standard Reports in Solution Reporting](#)

Create and run a custom report in Solution Reporting

Depending on your reporting needs, you can create custom reports that provide the data and level of detail you want to evaluate, based on a Vertex-defined template.

Note: You can create new custom reports based on Vertex-supplied templates only. You cannot create your own templates.

Procedure

1. From the **Reports** page, click **Create Report**.
2. On the **General** settings, enter a unique name for your report in the **Report Name** field and add a required **Description**.
3. Select a **Base Template** from the table. Custom reports display `Custom` in the **Type** column. You can filter this column to show only custom reports.
4. Click **Continue**.
5. On the **Fields** settings, click **Add Field** to add a particular field, or click **Add All Fields** to add all available fields for this report. You can also click **Remove All Fields** if you want to

start over.

- For fields you've added, you can change the **Field Order**, **Column Name**, **Sort Order**, **Function**, or **Alignment**.
- You can also insert rows above or below, or delete the row from the **Action** dropdown menu in the **Actions** column.

[Reports](#) / [Create Report](#)

Create Report

General **Fields** **Filters** **Format** **Preview**

Fields

Customize, reorder, and dictate the behavior of the data fields in your report.

[Add Field](#) [Add All Fields](#) [Remove All Fields](#)

Field Order	Field	Column Name	Sort Order	Function	Alignment	Actions
1 Move	Activity Log ID	Activity Log ID	Default	None	Left	Action
2 Move	Activity Type	Activity Type	Default	None	Left	Action
3 Move	Attribute Name	Attribute Name	Default	None	Left	Action
4 Move	Category	Category	Default	None	Left	Action
5 Move	Date	Date	Default	None	Left	Action
6 Move	Message	Message	Default	None	Left	Action
7 Move	New Value	New Value	Default	None	Left	Action
8 Move	Old Value	Old Value	Default	None	Left	Action
9 Move	Partition ID	Partition ID	Default	None	Left	Action
10 Move	Partition Name	Partition Name	Default	None	Left	Action
11 Move	User Name	User Name	Default	None	Left	Action

Showing 11 records.

[Go Back](#) [Continue](#) [Cancel](#)

6. Click **Continue**.
7. On the **Filters** settings, you can refine your data further. Click **Add Filter** to filter on a particular **Field**, **Operator**, and **Value**. You can also set up Boolean logic in the **Filter Logic** box to combine filters. For example, you may want to show results where filters (1 and 2) or (3 and 4) are true.

[Reports](#) / Create Report

Create Report

General Fields **Filters** Format Preview

Filters

Refine the data you want to include in the report with related field

Filter Conditions

Add Filter Remove All Filters

#	Field

Showing 0 records.

Filter Logic

Example: (1 or 2) and (3 or 4)

Go Back **Continue** Cancel

Add Filter X

Field (Required)
Date X v

Operator (Required)
Does Not Equal X v

Value (MM/dd/yyyy) (Required)
06/24/2026 X

Add **Cancel**

8. When you've applied the filters you want, click **Continue**.
9. On the **Format** settings, specify the report output format. Options vary depending on which custom report you select.
 - **File Format** options include CSV, Excel, HTML, and PDF.
 - **Field Delimiter** options include Comma, Pipe, Semicolon, and Tab.
 - **Text Qualifier** options include Double Quote, Single Quote, and None.
 - **Output Options** let you further customize the output, indicating if you'd like the results in a Zip Report, and whether you'd like to include Column Headers, Row Numbers, Totals, and Unique Rows.
 - **Record Limit** lets you limit the number of records in the report output. Options

range from 1000 to Unlimited.

10. Click **Continue**.

11. On the **Preview** settings, the report preview displays with up to 10 rows. Choose from one of the options at the bottom of the page:

- **Go Back** takes you back to the **Format** settings.
- **Save Report & Run Now** saves the report and runs it immediately.
- **Save & Schedule** saves the report and takes you to the **Add Schedule** page to set up a schedule.
- **Save Report** saves the report without running it and takes you to the **Reports** page. Your report displays in the table and you can **Run**, **Edit**, **Schedule**, or **Delete** it from the **Actions** column.
- **Cancel** exits the workflow without saving your report and takes you to the **Reports** page.

Field descriptions

General settings

This table explains the fields on the General settings.

Solution Reporting General field	Solution Reporting General field description
Report Name (Required)	Report Name is the name for the report you are defining. This name: • Must be unique • Cannot exceed 60 characters • May cause issues if it contains these special characters: <code> / ? * { } () []</code> These special characters may not be compatible with some operating systems, and they may pose security risks. You can still save a report that has a name containing one of these characters, but the name may cause errors in future releases.
Report Description (Required)	The Report Description contains additional information about the report you are defining.

Format settings

This table explains the fields on the Format settings.

Solution Reporting Format field	Solution Reporting Format field description
File Format	File Format is the format for your report output. Options include: • CSV • Excel • HTML • PDF
Field Delimiter	Field Delimiter is the delimiter for your report data. Options include: • Comma • Pipe • Semicolon • Tab
Text Qualifier	Text Qualifier is used to define where a text string begins and ends. Options include: • Double Quote • Single Quote • None
Record Limit	The Record Limit is used to set the maximum number of records a report includes. Options range from 1000 to Unlimited.

Preview settings

From the Preview settings, you can run or save your report. This table describes the options.

Save and Run button	Save and Run button result
Save Report & Run Now	Save Report & Run Now saves your report and runs it as defined.

Save & Schedule	Save & Schedule saves your report and goes directly to the Schedules page to create a run schedule.
Save Report	Save Report saves your report without running it.
Cancel	Cancel removes all your selections and returns to the Reports page.

Related articles

[Custom Reports - Solution Reporting](#)

[Standard Reports - Solution Reporting](#)

Activity Log extract in Solution Reporting Custom Reports - VRA

This Vertex® O Series extract provides information that may prove helpful if you need to diagnose data movement issues. You can analyze the data management activity tables to view the sequence and status of complete activities.

Here are descriptions of the fields that can be used in this extract:

Field	Description
Activity Log ID	A Vertex-defined numeric identifier for completed Solution Reporting activities.
Activity Type	The feature associated with a completed activity that is reported in the Activity Log data extract.
Attribute Name	Used with the New Value and Old Value fields to indicate a setting was changed (System > Administration > Settings). The field value that displays in the extract file is Setting Value .
Category	The classification of the completed system task (for example, Maintenance Activities).
Date	The date on which an activity was run.
Message	The error message that you see if the task did not complete successfully.

New Value	The new value for the entity after setting changes were made.
Old Value	The old value for the entity before setting changes were made.
Partition ID	The unique, system-generated identifier of the partition in which the reported activity took place.
Partition Name	The name of the partition in which the reported activity took place.
User Name	The name of the person who completed the Data Management activity.

Use the extract for detailed activity logging

A large set of entities is available for use with detailed activity logging. The list is available [here](#).

Note: The Activity Log data extract file does not include the JSON old and new data.

Certificate Coverage Impositions extract in Solution Reporting Custom Reports - VRA

This extract provides information about the [impositions](#) for which certificates in Vertex® O Series provide exemptions.

Include New Impositions check box

The **Include New Impositions** check box on the Jurisdictions tab of a certificate impacts the results of the Certificate Coverage Impositions extract:

- If this check box is selected for a jurisdiction, the extract includes any impositions within the jurisdiction that are not selected on the Jurisdictions tab of the certificate.
- If this check box is not selected for a jurisdiction, the extract includes any impositions within the jurisdiction that are selected on the Jurisdictions tab of the certificate.

Field descriptions

Here are descriptions of the fields that can be used in this extract:

Field	Description
Certificate ID	The Vertex-assigned unique identifier of the exemption certificate. This ID is recorded in the Tax Journal.
Certificate Number	The identifier of the certificate assigned by the tax jurisdiction.
Coverage Type	Indicates whether the jurisdiction or imposition is turned on or off.
Customer Code	The customer code associated with the certificate.
Customer Name	The name of the customer associated with the certificate.
End Date	The date when the record ceases to be effective in Solution Reporting.
Expiration Date	The date when the jurisdiction intends the certificate to expire, as printed on the certificate document.
Imposition Name	The imposition for which the certificate provides an exemption.
Include New Impositions	Indicates if the Include New Impositions check box is selected on the certificate's Jurisdictions tab. • Yes indicates the box is selected. • No indicates the box is not selected. Review “Include New Impositions check box” in this article to see how this check box impacts this extract.
Issue Date	The date when the jurisdiction issued the certificate, as printed on the certificate document.
Jurisdiction Name	The name of the jurisdiction that issued the certificate.
Jurisdiction Type	The type of jurisdiction, such as country, state, province, city, or county.
Jurisdiction Type Set	The classification of the jurisdiction within the jurisdiction hierarchy, such as main division, subdivision, countries, cities, or districts.
Partition ID	The unique, system-generated identifier of the partition where the certificate resides.

Review Date	The date selected for re-examining the validity of the certificate, or for negotiating with the responsible jurisdictions for renewal or extension of the certificate.
Start Date	The date when the record becomes effective in Solution Reporting.

Related articles

[Exemption certificates in Solution Reporting](#)

[A reference for certificate dates](#)

Certificate Coverage Jurisdictions extract in Solution Reporting Custom Reports - VRA

This extract provides information about the jurisdictions covered by certificates in your Vertex® O Series instance.

Here are descriptions of the fields that can be used in this extract:

Field	Description
Certificate Number	The identifier of the certificate assigned by the tax jurisdiction.
Coverage Type	Indicates whether the jurisdiction or imposition is turned on or off.
End Date	The date when the certificate record ceases to be effective in Solution Reporting.
Expiration Date	The date when the jurisdiction intends the certificate to expire, as printed on the certificate document.
Issue Date	The date when the jurisdiction issued the certificate, as printed on the certificate document.
Jurisdiction Name	The name of the jurisdiction to which the certificate applies.
Jurisdiction Type	The type of jurisdiction, such as country, state, province, city, or county.

Partition ID	The unique, system-generated identifier of the partition where the certificate resides.
Review Date	The date selected for re-examining the validity of the certificate, or for negotiating with the responsible jurisdictions for renewal or extension of the certificate.
Start Date	The date when the certificate record becomes effective in Solution Reporting.

Related articles

[Exemption certificates in Solution Reporting](#)

[A reference for certificate dates](#)

Certificate Reason Codes extract in Solution Reporting Custom Reports - VRA

This Vertex® O Series extract provides a list of jurisdiction-dependent, Vertex-defined certificate [reason codes](#).

Here are descriptions of the fields that can be used in this extract:

Field	Description
End Date	The date when the record ceases to be effective in Solution Reporting.
Jurisdiction Name	The name of the jurisdiction to which the reason code applies.
Jurisdiction Type	The type of jurisdiction, such as country, state, province, city, or county.
Reason Code ID	The identifier for the reason code that indicates why a transaction is nontaxable or exempt.
Reason Code Name	The user-defined code or Vertex-supplied name that indicates why a transaction is nontaxable or exempt.
Start Date	The date when the record becomes effective in Solution Reporting.

Related articles

[Exemption certificates in Solution Reporting](#)

[A reference for certificate dates](#)

Certificate Telecom Exemption Types extract in Solution Reporting Custom Reports - VRA

This Vertex® O Series extract identifies the Vertex-defined imposition types that are exempt for each telecom exemption type. You can use this extract to determine which jurisdictions are exempt for communications imposition types when applying an exemption certificate with a **Telecom Exemption Type** selected on the Certificates [Jurisdictions tab](#).

Here are descriptions of the fields that can be used in this extract:

Field	Description
All Cities	Indicates if all cities are exempt if a certificate with the associated telecom exemption type is applied: • Yes indicates all cities are exempt. • No indicates all cities are not exempt.
All Districts	Indicates if all districts are exempt if a certificate with the associated telecom exemption type is applied: • Yes indicates all districts are exempt. • No indicates all districts are not exempt.
All Main Divisions	Indicates if all main divisions (states, provinces, or territories) are exempt if a certificate with the associated telecom exemption type is applied. • Yes indicates all main divisions are exempt. • No indicates all main divisions are not exempt.
All Sub Divisions	Indicates if all sub divisions (counties or parishes) are exempt if a certificate with the associated telecom exemption type is applied. • Yes indicates all sub divisions are exempt. • No indicates all sub divisions are not exempt.
End Date	The date when the imposition type ceases to be effective in Solution Reporting.

Jurisdiction ID	The Vertex-assigned identifier for the jurisdiction.
Jurisdiction Name	The name of the jurisdiction associated with the exempt imposition.
Jurisdiction Type	The type of jurisdiction – such as country, state, province, city, or county – associated with the exempt imposition.
Exemption Type ID	The Vertex-assigned identifier for the exemption type.
Exemption Type	The Vertex-defined Telecom Exemption Type.
Imposition Type ID	The Vertex-assigned identifier for the imposition type.
Imposition Type	The Vertex-defined category into which impositions are grouped.
Start Date	The date when the imposition type becomes effective in Solution Reporting.

Certificate Validation Rules extract in Solution Reporting Custom Reports - VRA

This extract provides information about the validity of certificates in your Vertex® O Series instance.

Here are descriptions of the fields that can be used in this extract:

Field	Description
Certificate Number Validation Type	Indicates if certificate number validation is required by the jurisdiction for a certain reason type. The possible values are: • Optional • Prohibited • Required
Certificate	The circumstance that qualifies the buyer for tax exemption – for example, Direct Pay Permit, Non Profit

Reason Type	Organization, or Armed Forces. Reason types are jurisdiction-specific and vary based on a jurisdiction's allowance for certain exemptions. A reason type maps to a Reason Category, which is written to the Tax Journal, returned in the XML message, and included in Returns Export data for use on returns.
End Date	The date when the record ceases to be effective in Solution Reporting.
Expiration Type	The circumstance under which the certificate expires. Possible types are: • Date Required • No Rules • Tax Year Date • Year Cycle from Date • Years from Date of Issue
Expiration Years	The number of years for which the certificate can be issued, based on jurisdiction rules.
Format Mask	The format of the validation number, based on jurisdiction rules.
Jurisdiction Name	The name of the jurisdiction to which the validation pertains.
Jurisdiction Type	The type of jurisdiction, such as country, state, province, city, or county.
Note	Any information or comments that were entered for the entity.
Sample	The example that matches the Format Mask.
Start Date	The date when the record becomes effective in Solution Reporting.

Related articles

[Exemption certificates in Solution Reporting](#)

[Validate certificates](#)

[A reference for certificate dates](#)

Certificates extract in Solution Reporting Custom Reports - VRA

This extract provides information about the certificates that reside in your Vertex® O Series instance.

Here are descriptions of the fields that can be used in this extract:

Field	Description
All Cities	An indicator that the taxpayer is registered in all cities within the state or province.
All Districts	An indicator that the taxpayer is registered in all districts within the state or province.
All Main Divisions	An indicator that the taxpayer is registered in all states, provinces, and/or territories within the country.
All Sub Divisions	An indicator that the taxpayer is registered in all counties within the state or province.
Approval Status	The approval status of the certificate. Possible values are Approved, Denied, and Not Processed.
Blanket Certificate	Indicates if the certificate applies to all transactions.
Business Event Type	The activity that involves an exchange or movement of goods or services for which a tax evaluation is required. There are two types of business events: • Supplies business events are activities in which the taxpayer is a seller. • Procurement business events are activities in which the taxpayer is a buyer or an owner.
Category Code	The code for the taxability category that applies to a special condition certificate. These categories reside in the Qualifying Conditions > Certificate Conditions Drivers branch of the taxability category tree.
Category Name	The name of the taxability category that applies to a special condition certificate. These categories reside in the Qualifying Conditions > Certificate Conditions Drivers branch of the taxability category tree.

Certificate Class	The type of certificate. Possible values are: • Exemption Certificate • Direct Pay Permit • Net Exporter Certificate • Reverse Charge Certificate • Special Condition • Zero Rate Certificate
Certificate Detail ID	The Vertex-defined numeric identifier for the certificate detail.
Certificate ID	The Vertex-assigned unique identifier of the exemption certificate. This ID is recorded in the Tax Journal.
Certificate Number	The identifier of the certificate assigned by the tax jurisdiction.
Completed	Indicates if the certificate details are complete.
Contact City	The city of the contact's address.
Contact Country	The country of the contact's address.
Contact Department	The contact's department.
Contact Email Address	The contact's email address.
Contact Fax Number	The contact's fax number.
Contact First Name	The contact's first name.
Contact Last Name	The contact's last name.
Contact	The main division of the contact's address.

Main Division	
Contact Phone Number	The contact's phone number.
Contact Postal Code	The postal code of the contact's address.
Contact Street Address	The contact's street address.
Coverage End Date	The certificate effective end date for the Certificate Coverage Jurisdiction record. The coverage dates show when a certificate is active in a particular jurisdiction. They can differ from the certificate record start and end dates. For details, see A reference for certificate dates .
Coverage ID	The Vertex-defined numeric identifier for certificate coverage.
Coverage Start Date	The certificate effective start date for the Certificate Coverage Jurisdiction record. The coverage dates show when a certificate is active in a particular jurisdiction. They can differ from the certificate record start and end dates. For details, see A reference for certificate dates .
Create Date	The date or time period when the certificate was created in Solution Reporting.
Created Location	Indicates the certificate tool used to create the certificate – for example, Solution Reporting, Exemption Certificate Wizard (ECW), or Certificate Center (CC).
Customer Class Indicator	The customer class associated with the certificate.
Customer Code	The customer code associated with the certificate.
Customer Fields 1-3	The user-defined customer data that was set up in the Customers feature.
Customer Name	The name of the customer associated with the certificate.
ECW Certificate	The number that the Exemption Certificate Wizard (ECW) generates when a new certificate is created in or uploaded to ECW.

ID	
ECW Sync ID	The number that the Exemption Certificate Wizard (ECW) generates to synchronize certificate information between ECW and Solution Reporting.
ECW UUID	The universally unique identification (UUID) that the Exemption Certificate Wizard (ECW) generates and assigns to each customer-certificate instance.
End Date	The date on which the certificate ceases to be effective in Solution Reporting.
Exemption Type	The category of exemption that was selected in the Telecom Exemption Type field for the certificate when it was added to Solution Reporting.
Expiration Date	The date when the jurisdiction intends the certificate to expire, as printed on the certificate document.
Form Name	The name of the certificate form.
Form Number	The code used by Solution Reporting to identify the certificate form.
Hard Copy Location	The location of the physical copy of the certificate.
Hard Copy Received	Indicates if the physical copy of the certificate is on file.
Image File Name	The name of a certificate image file that was uploaded from local or network storage.
Industry Type	The category or classification for the industry to which the exemption pertains – for example, government, interest group, manufacturing, clothing, food and meals, newspapers and periodicals, and so on.
Invoice Number	The number of an invoice to which a certificate applies.
Issue Date	The date when the jurisdiction issued the certificate, as printed on the certificate document.
Jurisdiction Name	The name of the jurisdiction where the certificate exemption applies.
Jurisdiction Type	The type of jurisdiction, such as country, state, province, city, or county.

Last Update Date	The date or time period of the most recent update to the certificate.
Note	Any information or comments that were entered for the certificate.
Partition ID	The unique, system-generated identifier of the partition where the certificate resides.
Reason Code	The reason why the certificate applies an exemption. This user-defined code or Vertex-supplied text can be used for returns filing. For details, see Reason codes .
Replaced	Indicates if an expired certificate has a matching new certificate. This field indicates Yes if there is an active certificate with the same Customer (in Supplies business events), Taxpayer (in Procurement business events), Certificate Class Type, Certificate Scope, Invoice Number, Taxability Drivers, and Jurisdictions.
Review Date	The date selected for re-examining the validity of the certificate, or for negotiating with the responsible jurisdictions for renewal or extension of the certificate.
Single Use Certificate	Indicates if the certificate is intended for one specific use for one instance.
Start Date	The date when the certificate becomes effective in Solution Reporting.
Taxability Driver Code	The code of the taxability driver to which the limited special condition certificate applies.
Taxability Driver Name	The name of the taxability driver to which the limited special condition certificate applies.
Taxability Driver Type	The kind of taxability driver to which the limited special condition certificate applies, such as Cost Center or Usage Class.
Taxpayer Code	The code of the taxpayer associated with the certificate.
Taxpayer Name	The name of the taxpayer associated with the certificate.
Transaction Type	The type of transaction to which the certificate applies. Possible values are: • Asset/Goods Movement • Inventory Removal

	• Lease • Rental • Sale, including for Invoice Verification financial events. This is because Solution Reporting considers the transaction a sale from the buyer's perspective. This display doesn't impact calculation.
Transaction Type End Date	The date when the certificate no longer applies for the transaction type.
Transaction Type Start Date	The date when the certificate starts to apply for the transaction type.
Validation Date	The date when certificate data was validated.
Validation Status	Indicates whether the certificate data entered meets the criteria available from the tax jurisdiction. Possible values are: • Valid • Invalid • Not Validated • None

Related articles

[Exemption certificates in Solution Reporting](#)

[A reference for certificate dates](#)

Certificates With Customer History extract in Solution Reporting Custom Reports - VRA

This extract provides information about the certificates that are managed in Vertex® O Series. It enables you to filter the data to include only the certificate information that is associated with customer data for a specified time frame.

This extract is especially useful for certificates that were created with Vertex® Exemption Certificate Wizard (ECW) and for which you changed the temporary Customer Code to another Customer Code. In this case, you can filter the data extract to include certificate information only for the current Customer Code.

To report on a specific time frame

To report on certificates that are associated with customer data during a specified time frame, use the Customer Start Date field and/or the Customer End Date field on the Filters tab to specify the date range. Consider one of the following approaches:

- Filter by both dates to specify the time period for customer data and the associated certificates.
- Filter by only **Customer End Date** to report on certificates for the current customer data. Either select an end date of **12/31/9999** or select an operator of **Greater Than or Equal** and today's date.

Note: If you do not specify a Customer Start Date and/or a Customer End Date, the data extract includes certificate data for all customer records. This data includes certificates that are associated with obsolete Customer Codes.

Field descriptions

Here are descriptions of the fields that can be used in this extract:

Field	Description
All Cities	The taxpayer is registered in all cities within the state or province.
All Districts	The taxpayer is registered in all districts within the state or province.
All Main Divisions	The taxpayer is registered in all states, provinces, and/or territories within the country.
All Sub Divisions	The taxpayer is registered in all counties within the state or province.
Approval Status	The approval status of the certificate. Possible values are Approved, Denied, and Not Processed.
Blanket Certificate	Indicates if the certificate that applies to all transactions.
Business Event Type	The activity that involves an exchange or movement of goods or services for which a tax evaluation is required. There are two types of business events:

	• Supplies business events are activities in which the taxpayer is a seller. • Procurement business events are activities in which the taxpayer is a buyer or owner.
Category Code	The code for the taxability category that applies to a special condition certificate. These categories reside in the Qualifying Conditions > Certificate Conditions Drivers branch of the taxability category tree.
Category Name	The name for the taxability category that applies to a special condition certificate. These categories reside in the Qualifying Conditions > Certificate Conditions Drivers branch of the taxability category tree
Certificate Class	The type of certificate. Possible values are: • Exemption Certificate • Direct Pay Permit • Net Exporter Certificate • Reverse Charge Certificate • Special Condition • Zero Rate Certificate
Certificate Detail ID	The Vertex-defined numeric identifier for the certificate detail.
Certificate ID	The identifier of the exemption certificate. This ID is recorded in the Tax Journal.
Certificate Number	The identifier of the certificate assigned by the tax jurisdiction.
Completed	Indicates if the certificate details are complete.
Contact City	The city of the contact's address.
Contact Country	The country of the contact's address.
Contact Department	The contact's department.
Contact	The contact's email address.

Email Address	
Contact Fax Number	The contact's fax number.
Contact First Name	The contact's first name.
Contact Last Name	The contact's last name.
Contact Main Division	The main division of the contact's address.
Contact Phone Number	The contact's phone number.
Contact Postal Code	The postal code of the contact's address.
Contact Street Address	The contact's street address.
Coverage End Date	The certificate effective end date for the Certificate Coverage Jurisdiction record. The coverage dates show when a certificate is active in a particular jurisdiction. They can differ from the certificate record start and end dates. For details, see A reference for certificate dates .
Coverage ID	The Vertex-defined numeric identifier for certificate coverage.
Coverage Start Date	The certificate effective start date for the Certificate Coverage Jurisdiction record. The coverage dates show when a certificate is active in a particular jurisdiction. They can differ from the certificate record start and end dates. For details, see A reference for certificate dates .
Create Date	The date or time period when the certificate was created in Solution Reporting.
Created Location	Indicates the certificate tool used to create the certificate – for example, Solution Reporting, Exemption Certificate Wizard (ECW), or Certificate Center (CC).
Customer	The customer class associated with the certificate.

Class Indicator	
Customer Code	The customer code associated with the certificate.
Customer End Date	The date that enables you to filter the data extract to include only the certificate information that is associated with customer data for a specified time frame. To filter the data, use the Customer Start Date field and/or the Customer End Date field to define the time frame.
Customer Fields 1-3	The user-defined customer data that was set up in the Customers feature.
Customer Name	The name of the customer associated with the certificate.
Customer Start Date	The start date that enables you to filter the data extract to include only the certificate information that is associated with customer data for a specified time frame. To filter the data, use the Customer Start Date field and/or the Customer End Date field to define the time frame.
End Date	The end date on which the record ceases to be effective in Solution Reporting.
Exemption Type	The category of exemption that was selected in the Telecom Exemption Type field for the certificate when it was added to Solution Reporting.
Expiration Date	The date when the jurisdiction intends the certificate to expire, as printed on the certificate document.
Form Name	The name of the certificate form.
Form Number	The code used by Solution Reporting to identify the certificate form.
Hard Copy Location	The location of the physical copy of the certificate.
Hard Copy Received	Indicates if the physical copy of the certificate is on file.
Image File Name	The name of the certificate image file that was uploaded from local or network storage.

Industry Type	The category or classification for the industry to which the exemption pertains – for example, government, interest group, manufacturing, clothing, food and meals, newspapers and periodicals, and so on.
Invoice Number	The number of an invoice to which a certificate applies.
Issue Date	The date when the jurisdiction issued the certificate, as printed on the certificate document.
Jurisdiction Name	The name of the jurisdiction where the certificate exemption applies.
Jurisdiction Type	The type of jurisdiction, such as country, state, province, city, or county.
Last Update Date	The date or time period of the most recent update to the certificate.
Note	Any information or comments that were entered for the certificate.
Partition ID	The unique, system-generated identifier of the partition where the certificate resides.
Reason Code	The reason why the certificate applies an exemption. This user-defined code or Vertex-supplied text can be used for returns filing. For details, see Reason codes .
Replaced	Indicates if an expired certificate has a matching new certificate. This field indicates Yes if there is an active certificate with the same Customer (in Supplies business events), Taxpayer (in Procurement business events), Certificate Class Type, Certificate Scope, Invoice Number, Taxability Drivers, and Jurisdictions.
Review Date	The date selected for re-examining the validity of the certificate, or for negotiating with the responsible jurisdictions for renewal or extension of the certificate.
Single Use Certificate	Indicates if the certificate is intended for one specific use for one instance.
Start Date	The date when the certificate becomes effective in Solution Reporting.
Taxability Driver Code	The code of the taxability driver to which the limited special condition certificate applies.
Taxability Driver Name	The name of the taxability driver to which the limited special condition certificate applies.

Taxability Driver Type	The kind of taxability driver to which the limited special condition certificate applies, such as Cost Center or Usage Class.
Taxpayer Code	The code of the taxpayer associated with the certificate.
Taxpayer Name	The name of the taxpayer associated with the certificate.
Transaction Type	The type of transaction to which the certificate applies. Possible values are: • Asset/Goods Movement • Inventory Removal • Lease • Rental • Sales, including for Invoice Verification financial events. This is because Solution Reporting considers the transaction a sale from the buyer's perspective. This display doesn't impact calculation.
Transaction Type End Date	The date when the certificate no longer applies to the transaction type.
Transaction Type Start Date	The date when the certificate starts to apply to the transaction type.
Validation Date	The date when certificate data was validated.
Validation Status	Indicates whether the certificate data entered meets the criteria available from the tax jurisdiction. Possible values are: • Valid • Invalid • Not Validated • None

Related articles

[Exemption certificates in Solution Reporting](#)

[A reference for certificate dates](#)

Commodity Codes extract in Solution Reporting

Custom Reports - VRA

This extract enables you to create a report of [commodity codes](#) that are mapped to taxability categories in Vertex® O Series.

Here are descriptions of the fields that can be used in this extract:

Field	Description
Category Code	The code for a taxability category associated with a commodity code.
Category Name	The name of a taxability category associated with a commodity code.
Commodity Code	The commodity code number.
Commodity Code Name	The descriptive name of the commodity code.
Commodity Code Type	The type of commodity code that is used to classify goods and services. The types are: • UNSPSC codes • NBS codes for Brazilian taxation • NCM codes for Brazilian taxation • Service codes for Brazilian taxation • HSN codes • HSN+ codes
End Date	The date when the commodity code ceases to be effective in Solution Reporting.
Mapping ID	The Vertex-defined numeric identifier for the taxability category mapping.

Note	Any information or comments that were entered for the commodity code.
Partition ID	The unique, system-generated identifier of the partition where the commodity code applies.
Start Date	The date when the commodity code becomes effective in Solution Reporting.

Related articles

[Commodity codes in Solution Reporting](#)

Country Names extract in Solution Reporting Custom Reports - VRA

This Vertex® O Series extract provides a list of countries and the corresponding International Standards Organization (ISO) identifiers.

Here are descriptions of the fields that can be used in this extract:

Field	Description
Accepted Name	The Vertex identifier for a country, territory, or special area of geographic interest.
Country Code	The three-letter ISO identifier for a country, territory, or special area of geographic interest.
Country Name	The name of a country, territory, or special area of geographic interest.

Currency Units extract in Solution Reporting Custom Reports - VRA

This Vertex® O Series extract provides a list of currency units and the corresponding International Standards Organization (ISO) codes and digits of precision for each currency.

Here are descriptions of the fields that can be used in this extract:

Field	Description
Currency Name	The common name of the supported currency.
Digits of Precision	The currency precision, which indicates the number of digits to the right of the decimal. ISO standards specify that currency precision can range from zero to three digits to the right of the decimal.
ISO Alpha Code	The alphabetical ISO code for the listed currency.
ISO Numeric Code	The numeric ISO code for the listed currency.

Customer Contacts extract in Solution Reporting Custom Reports - VRA

This Vertex® O Series extract provides contact information for customers that are set up in My Enterprise.

Here are descriptions of the fields that can be used in this extract:

Field	Description
Contact City	The city of the contact's address.
Contact Country	The country of the contact's address.
Contact Department	The contact's department.

Contact Email Address	The contact's email address.
Contact Fax Number	The contact's fax number.
Contact First Name	The contact's first name.
Contact Last Name	The contact's last name.
Contact Main Division	The main division of the contact's address.
Contact Phone Extension	The contact's phone number extension.
Contact Phone Number	The contact's phone number.
Contact Postal Code	The postal code of the contact's address.
Contact Role Type	The contact's role type.
Contact Street Address	The contact's street address.
Customer Code	The code of the customer with which the contact is associated.
Customer ID	The Vertex-defined numeric identifier for the customer.
Customer Name	The name of the customer with which the contact is associated.
Partition ID	The unique, system-generated identifier of the partition where the customer and contact are created.

Customer Registrations extract in Solution Reporting Custom Reports - VRA

This extract provides information about customer registrations that are set up in your Vertex® O Series instance. You can also use this extract to view the results of VIES validation.

Here are descriptions of the fields that can be used in this extract:

Field	Description
Customer Code	The code of the registered customer.
Customer ID	The Vertex-defined numeric identifier for the customer.
Customer Name	The name of the registered customer.
End Date	The date when the customer record ceases to be effective in Solution Reporting.
Format Validation Date	The date when the registration number format was validated.
Format Validation Status	The result of the registration number format validation. The possible statuses are: • Invalid • N/A • Valid
Jurisdiction Name	The name of the jurisdiction where the customer is registered.
Jurisdiction Type	The type of jurisdiction associated with the vendor registration – for example, country, state, province, city, or county.
Partition ID	The unique, system-generated identifier of the partition where the customer is set up.
Physical Presence Indicator	Indicates if the customer has a physical location in the registration jurisdiction.
Registration ID	A Vertex-assigned identifier for the customer registration.
Registration Number	The identifying number assigned by the jurisdiction's tax authority to the customer.
Registration Type	Indicates the type of registration ID or registration number. Possible types are: • Business Number • Federal Employer Identification Number (FEIN) • Social Security Number (SSN) • State Identification Number • Tax Identification Number (TIN)

	• VAT Registration • Union Scheme, Non-Union Scheme, or Import One Stop Shop
Start Date	The date when the customer registration becomes effective in Solution Reporting.
VIES Validation Date	The date of the VAT Information Exchange System (VIES) validation on the customer registration number.
VIES Validation Status	Indicates whether the customer registration number is valid, invalid, or N/A (not applicable), according to VIES validation.

Related articles

[Set up customer registrations](#)

Customers extract in Solution Reporting Custom Reports - VRA

This extract provides information about customers that are set up in your Vertex® O Series instance.

Here are descriptions of the fields that can be used in this extract:

Field	Description
Class Indicator	Indicates whether or not the customer is part of a customer class that shares identical taxability criteria.
Create Date	The date or time period when the customer record was created in Solution Reporting.
Custom Field 1-3	The user-defined customer data that was set up using the Custom Fields tab in the Customers feature.
Customer Code	The user-defined code for the customer.
Customer Detail ID	The Vertex-defined numeric identifier for a customer detail.

Customer ID	The Vertex-defined numeric identifier for the customer.
Customer Name	The user-defined name for the customer.
Discount Category	The default discount category that is applied to all transactions for the customer, unless the category is superseded by a discount category provided in a transaction request.
End Date	The date when the customer ceases to be effective in Solution Reporting.
Last Update Date	The date or time period of the most recent update to the customer record.
Non Commercial	Indicates that a customer is not a business for tax calculation purposes.
Note	Any information or comments that were entered for the customer.
Parent Customer Code	The identifier for the parent customer, an entity that has one or more child customers associated with it for the purpose of exemption certificate management.
Parent Customer ID	The Vertex-defined numeric identifier for the parent customer, an entity that has one or more child customers associated with it for the purpose of exemption certificate management.
Parent Customer Name	The name of the parent customer, the entity that has one or more child customers associated with it for the purpose of exemption certificate management.
Partition ID	The unique, system-generated identifier of the partition where the customer is set up.
Reason Code	The user-defined code or Vertex-supplied name that indicates why a customer is nontaxable or exempt. See Reason codes for details.
Start Date	The date when the customer becomes effective in Solution Reporting.
Taxability	Indicates the taxability of the customer: Taxable or Exempt.
Taxpayer Code	The code of the taxpayer that is associated with the customer.
Taxpayer Name	The name of the taxpayer that is associated with the customer.

Related articles

[Set up your customers](#)

Data Management Task Log extract in Solution Reporting Custom Reports - VRA

This Vertex® O Series extract provides information - such as date, time, and status - for activities that are run in Data Management.

Here are descriptions of the fields that can be used in this extract:

Field	Description
Activity Type	The Data Management feature associated with a completed activity that is reported in the Task Log.
End Time	The specific day and time when the system concluded running a given activity filter.
Filter Description	Notes or explanation that were entered for the activity filter.
Filter Name	The name entered for the activity filter. A filter is a template that enables you to schedule and repeat a Data Management activity as needed, using the same criteria.
Message	The error message that displays if the task did not complete successfully.
Partition ID	The unique, system-generated identifier of the partition where the Data Management activity was run.
Start Time	The specific day and time when the system began running a given filter.
Status	The message that indicates the status of the activity. For example, <code>Completed successfully</code> indicates the filter has run with no errors. If you see the message <code>Completed with failure</code>: 1. Select System > Data Management > Task Log. 2. Select the Activity Type and click Search to find your task. 3. In the Details column, click View. 4. Next to Additional Information, click Results to see the list of failed records.

Task Log ID	The Vertex-defined numeric identifier for a list of jobs that have been executed and their status.
User Name	The user name of the Solution Reporting user who completed the Data Management activity.

Related articles

[Use the Task Log to monitor Data Management activities](#)

Data Update Impact (Tax Areas) extract in Solution Reporting Custom Reports - VRA

This extract enables you to review how the applied monthly data update impacts the Tax Area IDs (TAID) used in your Vertex® O Series implementation.

The data update contains the most recent jurisdictional information, including tax area changes. Based on your taxability setup, this extract identifies how those changes uniquely affect your implementation.

Be aware that...

- For best results, [perform a data update](#) before running the Data Update Impact (Tax Areas) extract.
- Data Update Impact (Tax Areas) does not report on Tax Rule changes and ECM changes.

Extract results

The report displays only the changes that affect your setup in Solution Reporting. For example, if you have a specific Tax Area ID set up for a business location and there is a change to that TAID in the latest data update, the report shows this change. If the data update changes did not affect your configuration, the report does not show anything.

Field descriptions

Here are descriptions of the fields that can be used in this extract:

Field	Description
-------	-------------

Affected City Name	The name of the city that is associated with a Tax Area ID change in a data update. Possible changes include Added, Deactivated, or Boundary Affected.
Affected Country Name	The name of the country that is associated with a Tax Area ID change in a data update. Possible changes include Added, Deactivated, or Boundary Affected.
Affected District Name	The name of the district that is associated with a Tax Area ID change in a data update. Possible changes include Added, Deactivated, or Boundary Affected.
Affected Main Division Name	The name of the main division that is associated with a Tax Area ID change in a data update. Possible changes include Added, Deactivated, or Boundary Affected.
Affected Sub Division Name	The name of the sub division that is associated with a Tax Area ID change in a data update. Possible changes include Added, Deactivated, or Boundary Affected.
Affected Tax Area ID	The Tax Area ID that is changed in a data update. Possible changes include Added, Deactivated, or Boundary Affected.
Change Type	The type of Tax Area ID change – for example, Added, Deactivated, or Boundary Affected
City Name	The name of the city associated with a Tax Area ID.
Country Name	The name of a country, territory, or special area of geographic interest associated with a Tax Area ID.
Data Update Number	The monthly data update number in which the Tax Area ID change applies. For example, 121 or 121.1.
District Name	The name of the district associated with the Tax Area ID. A district is a region designated for a specific purpose such as a rapid transit authority, school district, or development zone.
End Date	The date when the Tax Area ID ceases to be effective in Solution Reporting.
Main Division Name	The name of the state, province, or territory associated with a Tax Area ID.
Start Date	The date when the Tax Area ID becomes effective in Solution Reporting.
Sub Division Name	The name of the county or parish associated with a Tax Area ID.

Tax Area ID	An identifier that precisely identifies the combination of overlapping tax jurisdictions for a given location.
-------------	--

Related articles

[What is a Tax Area ID?](#)

Data Update Impact (Tax Rules) extract in Solution Reporting Custom Reports - VRA

This extract enables you to review how the applied monthly data update impacts the tax rules used in your Vertex® O Series implementation.

The data update contains the most recent jurisdictional information, including changes to tax rates, tax rules, taxability categories, and certificate forms. This extract identifies how those changes uniquely affect your implementation by identifying specific tax rules that changed.

Be aware that...

- For best results, [perform a data update](#) before running the Data Update Impact (Tax Rules) extract.
- Data Update Impact (Tax Rules) does not report on Tax Area changes and ECM changes.
- If there is more than one taxability category for a tax rule, each taxability category makes up its own row in the report. Report rows for the same tax rule are grouped together and have the same data, other than the **Category Name** and **Details** fields.

Extract results

The report results you receive include:

- Changes affecting your particular configuration. The report displays only those changes that affect your setup in Solution Reporting. For example, if you have a taxability driver mapped to a taxability category (or any of its child taxability categories) that is associated with a changed tax rule, the report identifies that tax rule. If the data update changes did not impact your configuration, the report does not show anything.
- Changes related to those regions for which you are licensed. If you are licensed in North America only, you see tax rule changes for Pennsylvania, but not for France. If you conduct business in only part of a region, you can add a filter to further filter the results. For example, if you do business in Pennsylvania and New York, you can add a filter on Main Division Name to include only these states.

- Changes to automatic rules and conditional rules. The extract identifies changes to both automatic rules and conditional rules for taxability categories to which your taxability drivers are mapped.
- Changes related to derived taxability categories. [Derived categories](#) do not require you to map to them directly. However, extract results show changes affecting these categories.

Here are descriptions of the fields that can be used in this extract:

Field	Description
Category Name	The name of the taxability category that is associated with the tax rule.
Change Type	The type of tax rule change – for example, <code>Added Rule</code> or <code>Expired Rule</code> .
Country Name	The name of the country, territory, or special area of geographic interest that is associated with the tax rule.
Data Update Number	The monthly data update number in which the tax rule change applies. For example, 121 or 121.1.
Details	Text details that further describe the tax rules.
End Date	The date when the tax rule ceases to be effective in Solution Reporting.
Imposition Name	The name of the imposition that is associated with the tax rule.
Jurisdiction Name	The name of the jurisdiction that is associated with the tax rule.
Jurisdiction Type	The type of jurisdiction – such as country, state, province, city, or county – that is associated with the tax rule.
Main Division Name	The name of the state, province, or territory that is associated with the tax rule.
Rate	The tax rate that applies to the tax rule.
Region Name	The name of the licensing region associated with the tax rule.

Sales Tax Holiday	Indicates whether the tax rule is for a sales tax holiday, which is the period of time during the calendar year when no sales tax applies.
Start Date	The date when the tax rule becomes effective in Solution Reporting.
Tax Rule ID	The Vertex-defined numeric identifier for the tax rule.
Tax Rule Type	The type of tax rule – for example, Basis, Calculation, Credit, or Max Tax.

Exemption Reason Codes extract in O Series Custom Reports - VRA

This Vertex® O Series extract provides information about exemption and deduction reason codes. [Reason codes](#) indicate why a transaction or line item is nontaxable or exempt for returns filing purposes. You can use this report to see the reason codes for exemptions that apply in a certain jurisdiction.

Here are descriptions of the fields that can be used in this extract:

Field	Description
End Date	The date when the reason code ceases to be effective in Solution Reporting.
Jurisdiction Name	The name of the jurisdiction associated with the reason code.
Jurisdiction Type	The type of jurisdiction – such as country, state, province, city, or county – associated with the reason code.
Reason Code ID	The Vertex-assigned identifier for the reason code.
Reason Code Name	The name of the reason code.
Start Date	The date when the reason code becomes effective in Solution Reporting.

Filing Categories extract in Solution Reporting Custom Reports - VRA

This extract provides information about filing categories for a specified jurisdiction. Filing categories are specific revenue types or sources that, per the jurisdiction, may need to be listed individually on the tax return.

In O Series, filing categories are associated with tax rules and can be appended to XML response messages via a post-calculation Tax Assist rule.

Here are descriptions of the fields that can be used in this extract:

Field	Description
End Date	The date when the filing category ceases to be effective in Solution Reporting.
Filing Category Code	The code for the specific filing tax category that is used for filing returns in the specified jurisdiction. Note: Filing category codes are numeric and jurisdiction-specific. For example, 9 may indicate Food in one jurisdiction but Farm Equipment in another jurisdiction. A filing category code can be set to only one of the values that Vertex defines for the jurisdiction.
Filing Category ID	The Vertex-defined identifier for the filing category.
Filing Category Name	The name of the filing tax category that is used for filing returns in the specified jurisdiction.
Jurisdiction Name	The name of the jurisdiction associated with the filing category code.
Start Date	The date when the filing category becomes effective in Solution Reporting.

Flexible Fields extract in Solution Reporting Custom Reports - VRA

This extract provides information about the flexible fields that are set up in your O Series instance. **Flexible fields** are user-defined fields that are used to:

- Pass data from your host system to Solution Reporting for use in tax calculations.

- Pass information from Solution Reporting back to your financial application.

Here are descriptions of the fields that can be used in this extract:

Field	Description
Business Event Type	The activity that involves an exchange or movement of goods or services for which a tax evaluation is required. There are two types of business events: • Supplies business events are activities in which the taxpayer is a seller. • Procurement business events are activities in which the taxpayer is a buyer or owner.
Create Date	The date or time period when the flexible field was created in Solution Reporting.
Data Type	Identifies whether the flexible field is string, Boolean, numeric, or array.
Description	The notes or explanation entered for the flexible field.
End Date	The date or time period when the flexible field ceases to be effective in Solution Reporting.
Flexible Field Number	The number of a flexible field. There are 100 code flexible fields, 10 date flexible fields, and 50 numeric flexible fields.
Last Update Date	The date or time period of the most recent update to the flexible field.
Long Name	The flexible field name that displays on reports. Note: After editing and saving a flexible field and associating it with a Tax Assist rule, Vertex recommends that you do not change either the short name or the long name. Changing a flexible field name causes the associated Tax Assist rules to be invalid.
Output Indicator	Indicates whether or not a flexible field is an output field.
Partition ID	The unique, system-generated identifier of the partition where the flexible field is set up.
Sequence Number	The number that prioritizes flexible fields. Note: When multiple flexible fields meet the conditions of the same calculation, the one with the lowest sequence number is used in the calculation.

Short Name	The flexible field name that displays on various selection lists in other Solution Reporting features, such as the Type dropdown list in the Taxability Drivers feature. Note: After editing and saving a flexible field and associating it with a Tax Assist rule, Vertex recommends that you do not change either the short name or the long name. Changing a flexible field name causes the associated Tax Assist rules to be invalid.
Start Date	The date when the flexible field becomes effective in Solution Reporting.
Taxability Category	The taxability category to which a numeric or date flexible field is mapped.

Impositions extract in Solution Reporting Custom Reports - VRA

This extract provides information about Vertex-defined and user-defined **impositions** that are set up in your O Series instance.

Here are descriptions of the fields that can be used in this extract:

Field	Description
Additional Config Allow Credits	Indicates if the calculation of credits (negative tax amounts) is allowed for the imposition.
Additional Config Partition ID	The identifier for the partition where the imposition is set up.
Additional Config Use Proration Pct	Indicates if calculation of prorated amounts is allowed for the imposition.
Description	Any notes or explanation entered for the imposition.
End Date	The date when the imposition ceases to be effective in Solution Reporting.
Franchise Area ID	The unique identifier for a franchise area. This field is available only for Solution Reporting for Communications impositions that are configured to define a franchise area.
Franchise Jurisdiction Level	The jurisdiction level selected for a franchise area. Possible values include: Country

	• State • Province • Territory • Trade Block • County • Parish • Borough • City • APO (Army Post Office) • FPO (Fleet Post Office) • Township • Transit District • Special Purposes District • Local Improvement District • District This field is available only for Solution Reporting for Communications impositions that are configured to define a franchise area.
Franchise Jurisdiction Level Name	The name of the Franchise Jurisdiction Level.
Imposition Detail ID	The numeric identifier for an imposition detail.
Imposition ID	The numeric identifier for an imposition.
Imposition Name	The name of the imposition.
Imposition Type	The tax type to which the imposition applies – for example, Goods and Services Tax, Value Added Tax, or Telecommunications Relay Service Surcharge.
Jurisdiction ID	The Vertex-specific number that identifies the jurisdiction. For user-defined impositions that are configured with multiple jurisdictions, the extract results for this field have a value of -1.
Jurisdiction Name	The name of the jurisdiction associated with the imposition. For user-defined impositions that are configured with multiple jurisdictions, this field is blank in the extract results.

Jurisdiction Type	The type of jurisdiction – such as country, state, province, city, or county – associated with the imposition. For user-defined impositions that are configured with multiple jurisdictions, this field is blank in the extract results.
Partition ID	The unique, system-generated identifier of the partition where the imposition is set up.
Start Date	The date when the imposition becomes effective in Solution Reporting.
Tax Collected From	Indicates whether the tax obligation for the imposition falls on the buyer or the seller.
Tax Type	Indicates if the imposition applies to Value Added Tax (VAT).

Best practice: Set up filters

Queries for data extracts are limited to 10,000 records per extract. Because this same limitation doesn't apply to the number of displayed records, running an extract on a large number of records for a small number of fields can limit the results that display in your extract. There are more than 10,000 impositions in Solution Reporting, so this limitation is especially relevant when running an Impositions extract.

If you run an extract for all impositions with a small number of fields, you may see few results in your extract, which displays results only from the first 10,000 impositions that are queried. Vertex recommends selecting filters for your Impositions extract to narrow the number of impositions queried while running the extract. This filter criteria narrows the scope of the extract so that you see more results that are relevant to your selected fields.

Multi-jurisdiction imposition

In extract results for user-defined impositions configured with multiple jurisdictions:

- The Jurisdiction ID value is -1.
- The Jurisdiction Name and Jurisdiction Type fields are blank.

For details on the jurisdictions assigned to multi-jurisdiction, user-defined impositions, see the Tax Imposition Coverage and Tax Imposition Coverage Jurisdictions extracts.

Related articles

Tax Imposition Coverage

Tax Imposition Coverage Jurisdictions

Jurisdictions extract in Solution Reporting Custom Reports - VRA

This Vertex® O Series extract provides information about jurisdictions supported in the Geographic Information System (GIS).

Here are descriptions of the fields that can be used in this extract:

Field	Description
End Date	The date when the jurisdiction supported in the GIS ceases to be effective in Solution Reporting.
Jurisdiction ID	The Vertex-specific number that identifies the jurisdiction supported in the GIS.
Jurisdiction Name	The name of the jurisdiction supported in the GIS.
Jurisdiction Type	The type of jurisdiction – such as country, state, province, city, or county – supported in the GIS.
Parent Jurisdiction ID	The Vertex-specific number that identifies the parent jurisdiction for the child jurisdiction that is supported in the GIS.
Parent Jurisdiction Name	The name of the parent jurisdiction for the child jurisdiction that is supported in the GIS.
Parent Jurisdiction Type	The type of jurisdiction that is the parent to the child jurisdiction that is supported in the GIS.
Start Date	The date when the jurisdiction supported in the GIS becomes effective in Solution Reporting.

Partitions extract in Solution Reporting Custom Reports - VRA

This extract provides information about the [partitions](#) in your O Series instance.

A partition represents a logical separation of data that is isolated from other logical data sets. Each logical data set can be associated with a single entity or with multiple entities in a single system. Multiple taxpayers can use the same partition.

Here are descriptions of the fields that can be used in this extract:

Field	Description
Description	Any notes or explanation entered for the partition.
Display Name	The name that displays in the partition field in the upper right corner of the page.
Partition ID	The unique, system-generated identifier of the partition.
Partition Name	The name of the partition in a Solution Reporting instance.
Production	Indicates if the partition is in your Solution Reporting production instance.
UUID	The universally unique identifier for the partition.

Regions extract in Solution Reporting Custom Reports - VRA

This Vertex® O Series extract provides information about regions supported in the Geographic Information System (GIS).

Here are descriptions of the fields that can be used in this extract:

Field	Description
City	The city that is supported in the GIS.
City Jurisdiction ID	The Vertex-specific number that identifies the city supported in the GIS.
Country	The country that is supported in the GIS.
Country Jurisdiction ID	The Vertex-specific number that identifies the country supported in the GIS.
End Date	The date when the location record ceases to be effective in Solution Reporting.

Main Division	The state, province, or territory-level jurisdiction that is supported in the GIS.
Main Division Jurisdiction ID	The Vertex-specific number that identifies the main division jurisdiction.
Postal Code	The five-digit or nine-digit numeric code, established by the United States Postal Service, that identifies areas within the United States and its territories for mail-routing purposes.
Start Date	The date when the location record becomes effective in Solution Reporting.
Sub Division	The county or parish that is supported in the GIS.
Sub Division Jurisdiction ID	The Vertex-specific number that identifies the county or parish.
Tax Area ID	An identifier that precisely identifies the combination of overlapping tax jurisdictions for a given location.
Zip 4 End	The lowest ZIP + 4 Code in the range.
Zip 4 End Date	The end date for the ZIP + 4 Code range.
Zip 4 Start	The highest ZIP + 4 Code in the range.
Zip 4 Start Date	The effective date for the ZIP + 4 Code range.

Registration Validation Rules extract in Solution Reporting Custom Reports - VRA

This extract provides a list of value added tax (VAT) registration ID records entered in your O Series instance.

Here are descriptions of the fields that can be used in this extract:

Field	Description
End Date	The date when the VAT registration ID record ceases to be effective in Solution Reporting.
Format	The format of the registration ID, based on jurisdiction rules.

Jurisdiction Name	The name of the jurisdiction that issued the VAT registration ID.
Jurisdiction Type	The type of jurisdiction, such as country, state, province, city, or county.
Sample	An example registration ID that matches the Format Mask .
Start Date	The date when the VAT registration ID record becomes effective in Solution Reporting.

Related articles

[Set up customer registrations](#)

Settings extract in Solution Reporting Custom Reports - VRA

This extract lists the configuration settings overrides for your O Series instance.

Here are descriptions of the fields that can be used in this extract:

Field	Description
Category	Indicates the type of configuration parameter – for example, Address Cleansing or Calculation.
Default Value	The default value that Vertex assigns to the configuration setting. If your administrator overrides this default in your Solution Reporting instance or partition, the Value field displays the override value.
Description	Information that is used internally by Vertex.
Name	The name of the configuration setting.
Partition Name	The partition in which the configuration setting is overridden.
Suffix	Information that is used internally by Vertex.
Value	The value that is assigned to the configuration setting for the specified partition. This value overwrites the Solution Reporting default for the setting, which is provided in the Default Value field.

Situs Treatment Rules extract in Solution Reporting Custom Reports - VRA

This Vertex® O Series extract provides information about user-defined situs treatment rules.

Here are descriptions of the fields that can be used in this extract:

Field	Description
Address Type 1-2	For a given jurisdiction, the address type to which a situs treatment rule applies. Address types can be: • Administrative Origin • Administrative Destination • Physical Origin • Destination For situs treatment rules, up to two jurisdictions can be assigned, each with a different address type.
Category ID	A Vertex-defined identifier for the taxability category associated with the situs treatment rule.
Category Name	The name of the taxability category.
Create Date	The date a taxpayer was created in Solution Reporting.
End Date	The date on which the tax rule ceases to be effective in Solution Reporting.
Jurisdiction Name 1-2	The name of the jurisdiction where the situs treatment rule applies for a given address type. For situs treatment rules, up to two jurisdictions can be assigned, each with a different address type.
Last Update Date	The date or time period of the most recent update to the situs rule.
Note	Any information or comments entered for a situs rule.
Partition ID	The unique, system-generated identifier of the partition where the situs rule is set up.
Situs Treatment	The name of the situs treatment selected when defining a situs rule.

Name	Examples of situs treatments are: • Administrative Destination • Service Where Performed
Situs Treatment Rule ID	Identifies a situs treatment rule.
Start Date	The date on which the tax rule becomes effective in Solution Reporting.
Transaction Event	The transaction event to which a situs rule applies. Possible values are: • Asset Movement • Inventory Removal • Lease Invoice • Lease Purchase • Purchase • Rental Invoice • Rental Purchase • Sale Invoice

Related articles

[Situs rules](#)

Tax Areas extract in Solution Reporting Custom Reports - VRA

This Vertex® O Series extract provides information on the tax areas that the Geographic Information System (GIS) supports. You can use it to generate a list of Tax Area IDs.

Here are descriptions of the fields that can be used in this extract:

Field	Description
City Jurisdiction ID	A Vertex-defined identifier for the city that is in the tax area.

City Name	The name of the city that is in the tax area.
City Type	Specifies whether the post office is an APO (Army Post Office), FPO (Fleet Post Office), or city post office.
Country Code 2	A two-letter International Standards Organization (ISO) identifier that represents countries, dependent territories, and special areas of geographic interest.
Country Code 3	A three-letter International Standards Organization (ISO) identifier that represents countries, dependent territories, and special areas of geographic interest.
Country Jurisdiction ID	A Vertex-defined identifier of the country that is associated with the Tax Area ID.
Country Name	The country that is associated with the Tax Area ID.
District Jurisdiction ID	A Vertex-defined identifier for the district that is in the tax area.
District Name	The name of the district that is in the tax area.
District Type	Identifies the type of district, such as rapid transit authority, school district, development zone, and so forth.
End Date	The date on which a Tax Area ID expires in Solution Reporting.
Main Division Jurisdiction ID	A Vertex-defined identifier for the jurisdiction that is the main division for the Tax Area ID.
Main Division Name	The name of the main division jurisdiction that is associated with the Tax Area ID.
Main Division Type	Specifies whether the main division is a state, province, or territory.
Start Date	The date on which a Tax Area ID becomes active in Solution Reporting.
Sub Division Jurisdiction ID	A Vertex-defined identifier for the jurisdiction that is a subdivision of the main division associated with the Tax Area ID. Subdivisions are counties or parishes in the main division jurisdiction.
Sub Division Name	The name of the county or parish.
Sub Division	Indicates whether the sub division is a county or parish.

Type	
Tax Area ID (TAID)	Identifies the combination of overlapping tax jurisdictions for a location.

Tax Assist Allocation Tables extract in Solution Reporting Custom Reports - VRA

This Vertex® O Series extract provides detailed information on Tax Assist Allocation Tables created in Tax Assist.

Here are descriptions of the fields that can be used in this extract:

Field	Description
Business Event Type	An activity that involves an exchange or movement of goods or services for which a tax evaluation is required. There are two types of business events: - Supplies business events are activities in which the taxpayer is a seller. - Procurement business events are activities in which the taxpayer is a buyer or owner.
Column Name	The name of the column in an allocation table.
Column Value	The row value for the column in an allocation table
Create Date	The date when the allocation table was created in Solution Reporting.
Data Type	Indicates whether the data is string, Boolean, numeric, or array.
Description	Notes or explanation entered for the allocation table.
End Date	The date when the allocation table ceases to be effective in Solution Reporting.
Last Update Date	The date of the most recent update to the allocation table.
Partition ID	The unique, system-generated identifier of the partition where the allocation table is set up.
Record Code	A user-defined identifier for a specific allocation table record.

Record End Date	The date when the allocation table record is set to expire in Solution Reporting.
Record ID	A Vertex-defined identifier for an allocation table record.
Record Start Date	The date when the allocation table record becomes effective in Solution Reporting.
Start Date	The date when the allocation table becomes effective in Solution Reporting.
Table ID	A Vertex-defined identifier for an allocation table.
Table Name	The name of the allocation table.

Tax Assist Lookup Tables extract in Solution Reporting Custom Reports - VRA

This Vertex® O Series extract provides detailed information about lookup tables created in Tax Assist.

Here are descriptions of the fields that can be used in this extract:

Field	Description
Business Event Type	An activity that involves an exchange or movement of goods or services for which a tax evaluation is required. There are two types of business events: • Supplies business events are activities in which the taxpayer is a seller. • Procurement business events are activities in which the taxpayer is a buyer or owner.
Create Date	The date when a taxpayer was created in Solution Reporting.
Data Type	Indicates whether the data is string, Boolean, numeric, or array.
Description	Notes or explanation entered for the lookup table.
End Date	The date when the lookup table ceases to be effective in Solution Reporting.
Last Update Date	The date of the most recent update to the lookup table.

Lookup Table ID	A Vertex-defined identifier for the lookup table.
Parameter 1	The value in the first column of the lookup table.
Parameter 2	The value in the second column of the lookup table.
Parameter 3	The value in the third column of the lookup table.
Parameter 4	The value in the fourth column of the lookup table.
Parameter 5	The value in the fifth column of the lookup table.
Partition ID	The unique, system-generated identifier of the partition where the lookup table is set up.
Record End Date	The date when the lookup table record is set to expire in Solution Reporting.
Record Start Date	The date when the lookup table record becomes effective in Solution Reporting.
Return Value	The value that is returned from the lookup table when a corresponding key value is found. This value is referred to as the Result Name in the Lookup Table user interface.
Start Date	The date when the record becomes effective in Solution Reporting.
Table Name	The name of the lookup table.

Related articles

[About lookup tables in Tax Assist](#)

Tax Assist Rules extract in Solution Reporting Custom Reports - VRA

This Vertex® O Series extract provides information about Tax Assist rules in your partition.

Here are descriptions of the fields that can be used in this extract:

Field	Description
Business Event Type	An activity that involves an exchange or movement of goods or services for which a tax evaluation is required. There are two types of business events: • Supplies business events are activities in which the taxpayer is a seller. • Procurement business events are activities in which the taxpayer is a buyer or owner.
Conclusion	The data change to be performed when the condition of the Tax Assist rule is met. Note: A condition is the IF part of a Tax Assist rule that needs to be met in order for the conclusion to be carried out. A condition specifies if a data change should be carried out for all line items or for only line items that meet certain criteria.
Condition	The condition under which the data change specified in the conclusion of the Tax Assist rule should be performed. Note: A condition is the IF part of a Tax Assist rule that needs to be met in order for the conclusion to be carried out. A condition specifies if a data change should be carried out for all line items or for only line items that meet certain criteria.
Create Date	The date when the Tax Assist rule was created in Solution Reporting.
Description	Notes or explanation entered for the Tax Assist rule.
End Date	The date when the Tax Assist rule ceases to be effective in Solution Reporting.
Last Update Date	The date of the most recent update to the Tax Assist rule.
Partition ID	The unique, system-generated identifier of the partition where the Tax Assist rule is set up.
Phase	Indicates whether the listed Tax Assist rule is a pre-calculation rule or a post-calculation rule. The two possible values are <code>Pre</code> and <code>Post</code> .
Precedence	The order in which Tax Assist rules are executed.
Rule ID	The Vertex-defined identifier for the Tax Assist rule.

Rule Name	The name of the Tax Assist rule.
Start Date	The date when the Tax Assist rule becomes effective in Solution Reporting.

Related articles

[Customize tax processing with Tax Assist](#)

Tax Rules extract in Solution Reporting Custom Reports - VRA

This Vertex® O Series extract provides detailed information about user-defined tax rules. It reports on user-defined rules only and cannot be used to report on Vertex-supplied rules.

Here are descriptions of the fields that can be used in this extract:

Field	Description
Accumulate as Imposition Name	The name of the imposition associated with an accumulation rule .
Accumulate as Imposition Type	The type of imposition associated with an accumulation rule.
Accumulate as Jurisdiction Name	The name of the jurisdiction associated with an accumulation rule.
Accumulate as Jurisdiction Type	The type of jurisdiction associated with an accumulation rule. The jurisdiction types are: • Country • State • Province • City • County
Accumulation Period Type	The time period associated with an accumulation rule – for example, annual, monthly, quarterly, or semi-annual.

Accumulation Type	The type of accumulation – either amount-based or line-based.
Applies to Single Jurisdiction	Indicates that a given tax rule is used for a single jurisdiction.
Apportionment Type	The method used to apportion the ancillary charge - for example, Taxable Amount, Weight, Quantity, Volume. For details on apportionment methods, see these articles: • Basic apportionment options • Derived rate apportionment options • Trigger apportionment options
Calculation Scope	Indicates the scope at which the tax rule is levied: • Invoice - applies to an entire invoice • Invoice Accumulation - applies to an invoice with accumulated taxes • Life Of Contract - applies to a customer with a stipulated time frame • Life Of Contract - Multi-Component - applies to a single transaction for a customer with a stipulated time frame • Line-Item Level - applies to transaction line items • Multi-Component - applies to a single transaction
Category Code	The code for the taxability category that is a qualifying condition for the tax rule.
Category Name	The name of the taxability category that is a qualifying condition for the tax rule.
Conditional Jurisdiction Location Role Type	Indicates whether the conditional jurisdiction for the tax rule is the destination, physical origin, administrative origin, or administrative destination.
Conditional Jurisdiction Name	The name of the conditional jurisdiction associated with the tax rule. A conditional jurisdiction is an additional jurisdiction assigned to a tax rule that further qualifies it.
Conditional Jurisdiction Type	The type of conditional jurisdiction that is selected - for example, city, country, county, district.
Create Date	The date when the tax rule was created in Solution Reporting.
Customer Code	The user-defined identifier of the customer that is a qualifying condition for the tax rule.

Customer Name	The name of the customer that is a qualifying condition for the tax rule.
Description	Notes or an explanation entered for a user-defined tax rule.
End Date	The date when the tax rule ceases to be effective in Solution Reporting.
Filing Category	The name of the filing tax category that is used for filing returns for a specified jurisdiction. This name denotes specific revenue types or sources that, per the jurisdiction, may need to be listed individually on the tax return.
Imposition Name	The imposition to which the tax rule applies.
Imposition Type	The imposition type that is imposed for the transaction - for example, General Sales and Use Tax, Value Added Tax, or Telecommunications Relay Service Surcharge.
Includes All Taxability Categories	Indicates if the post calculation evaluation rule evaluates all line items on the invoice, regardless of the associated taxability categories.
Invoice Text	Indicates the invoice text message that is associated with an invoice text rule.
Invoice Text Code	The identifier of the invoice text associated with the invoice text rule.
Invoice Text Type	The type of invoice text associated with the invoice text rule.
Is Automatic	Indicates whether the tax rule is automatic or requires mapping.
Is Standard	Indicates that the tax rule is a standard, Vertex-supplied tax rule.
Jurisdiction Name	The name of the jurisdiction associated with the tax rule. For user-defined rules that are configured with multiple jurisdictions, this field is blank in the extract results.
Jurisdiction Type	The type of jurisdiction associated with the tax rule – for example, country, state, province, city, or county. For user-defined rules that are configured with multiple jurisdictions, this field is blank in the extract results.
Last Update Date	The date of the most recent update to the tax rule.
Note	Information or comments entered for the tax rule.

Partition ID	The unique, system-generated identifier of the partition where the user-defined tax rule is set up.
Rate	The tax rate applied by the tax rule.
Rate Classification	The classification of applicable tax rates for VAT returns filing purposes. Possible classifications are: • Exempt • Luxury Rate • Mixed • Nontaxable • Outside the Scope • Reduced Rate 1-5 • Standard Rate • User Defined • Zero Rate
Reason Category	The user-defined code or Vertex-supplied name that indicates why the tax rule is nontaxable or exempt for returns filing purposes. See Reason codes for details.
Recoverable Percent	The percentage of input tax that is recoverable, displayed as a decimal. For example, 1 equals 100%, .5 equals 50%, and 0 equals 0%.
Sales Tax Holiday	Indicates if the tax rule is for a sales tax holiday.
Start Date	The date when a tax rule becomes effective in Solution Reporting.
Tax Result Type	The taxability specified by the tax rule. Possible values are: • Taxable • Nontaxable • Exempt • No Tax • Deferred • DPP (Direct Pay Permit) Applied • Taxable but Delegate Calculation • Do Not Tax Note: Taxable but Delegate Calculation and Do Not Tax Tax Result Types are available for Monthly Data Update (MDU) 252 and later.

Tax Rule ID	The Vertex identifier for the user-defined tax rule.
Tax Rule Type	The type of tax rule - for example, calculation rule, basis rule, credit rule, and so forth. See Overview of Solution Reporting tax rules for descriptions of each rule type.
Tax Structure Type	The calculation method used by the tax rule - for example, single rate, tiered, bracket, flat tax, or quantity-based. See Calculation methods for Solution Reporting tax rules for details.
Tax to be Collected From	Indicates whether the buyer or seller is responsible for the taxes from a transaction.
Tax Type	The type of tax, determined during tax calculation based on situs, transaction type, and business perspective.
Taxability Driver Code	The user-defined identifier of the taxability driver that is a qualifying condition for the tax rule.
Taxability Driver Name	The name of the taxability driver that is a qualifying condition for the tax rule.
Taxability Driver Type	The kind of taxability driver that is a qualifying condition for the tax rule. Examples are product, purchase, usage class, and cost center.
Taxpayer Code	The code of the taxpayer that is a qualifying condition for the tax rule.
Taxpayer Name	The name of the taxpayer that is a qualifying condition for the tax rule.
Transaction Type	The type of transaction to which the tax rule applies. Possible types are: • Asset/Goods Movement • Inventory Removal • Lease • Rental • Sales, including for Invoice Verification financial events. This is because Solution Reporting considers the transaction a sale from the buyer's perspective. This display doesn't impact calculation.
Vendor Code	The user-defined identifier of the vendor that is a qualifying condition for the tax rule.
Vendor Name	The name of the vendor that is a qualifying condition for the tax rule.

Multi-jurisdiction rules

In extract results for user-defined rules configured with multiple jurisdictions, the Jurisdiction Name and Jurisdiction Type fields are blank. For details on the jurisdictions assigned to multi-jurisdiction, user-defined rules, see the Tax Rule Coverage and Tax Rule Coverage Jurisdictions extracts.

Related articles

[Overview of Solution Reporting tax rules](#)

Taxability Categories extract in Solution Reporting Custom Reports - VRA

This Vertex® O Series extract provides information about both Vertex-supplied and user-defined taxability categories.

Here are descriptions of the fields that can be used in this extract:

Field	Description
Category Code	The user-defined code for a taxability category.
Category ID	The Vertex-defined identifier for a taxability category.
Category Name	The name of the taxability category.
Create Date	The date when the taxability category was created in Solution Reporting.
Data Type	Indicates whether the taxability category data is string, Boolean, numeric, or array.
Description	Notes or an explanation entered for a user-defined taxability category.
End Date	The date when a taxability category ceases to be effective in Solution Reporting.
Last Update Date	The date of the most recent update to the taxability category.
Parent Category Code	Identifies a parent category. A parent category is a category that has one or more child categories associated with it.

Parent Category Name	The name of the parent category. A parent category is a category that has one or more child categories associated with it.
Partition ID	The unique, system-generated identifier of the partition where the user-defined taxability category is set up.
Start Date	The date when a taxability category becomes effective in Solution Reporting.

Related articles

[Taxability categories are the key to Solution Reporting rates and rules](#)

Taxability Drivers extract in Solution Reporting Custom Reports - VRA

This extract provides detailed information about taxability drivers that are set up in your O Series instance.

Here are descriptions of the fields that can be used in this extract:

Field	Description
Business Event Type	An activity that involves an exchange or movement of goods or services for which a tax evaluation is required. There are two types of business events: - Supplies business events are activities in which the taxpayer is a seller. - Procurement business events are activities in which the taxpayer is a buyer or owner.
Create Date	The date when a taxability driver was created in Solution Reporting.
End Date	The date when the taxability driver ceases to be effective in Solution Reporting.
Exempt Indicator	Indicates if the taxability driver is exempt from taxation.
Last Update Date	The date of the most recent update to the taxability driver.
Note	Information or comments entered for the taxability driver.

Partition ID	The unique, system-generated identifier of the partition where the taxability driver is set up.
Reason Code	The user-defined code or Vertex-supplied name that indicates why the tax rule is nontaxable or exempt for returns filing purposes. See Reason codes for details.
Start Date	The date when a record becomes effective in Solution Reporting.
Taxability Driver Code	The user-defined identifier of a taxability driver.
Taxability Driver Detail ID	A Vertex-defined identifier for a taxability driver detail.
Taxability Driver ID	A Vertex-defined identifier for a taxability driver.
Taxability Driver Name	The name of the taxability driver.
Taxability Driver Type	The kind of taxability driver: • Product • Purchase • Usage class • Cost center • Buyer Condition • Buyer CNAE • Seller Condition • Seller CNAE • Nature of Fiscal Operation
Taxpayer Code	The code of the taxpayer that is associated with the taxability driver.
Taxpayer Name	The name of the taxpayer that is associated with the taxability driver.

Related articles

[Set up your taxability drivers](#)

Taxability Mapping extract in Solution Reporting Custom Reports - VRA

This Vertex® O Series extract lists taxability drivers and the taxability categories to which they are mapped.

Here are descriptions of the fields that can be used in this extract:

Field	Description
Archived Indicator for Tax Rule	A <i>Yes/No</i> value indicating if a Vertex tax rule with conditional rules is archived from the application of a Monthly Data Update. This field does not indicate if a user-defined tax rule is end dated. It only identifies Vertex tax rules that are archived. Archived tax rules are not used by the Calculation Engine. An active taxability mapping to an archived rule is ignored, and the automatic rule for the mapped taxability category is applied.
Business Event Type	An activity that involves an exchange or movement of goods or services for which a tax evaluation is required. There are two types of business events: - Supplies business events are activities in which the taxpayer is a seller. - Procurement business events are activities in which the taxpayer is a buyer or owner.
Category Code	The code for a user-defined taxability category.
Category Name	The name of the taxability category associated with the taxability mapping.
Create Date	The date when the taxability mapping was created in Solution Reporting.
Customer Code	The code of the customer that is mapped.
Customer Name	The name of the customer that is mapped.
End Date	The date when the taxability mapping ceases to be effective in Solution Reporting.
Imposition Type	The tax type imposed for the taxability category – for example, Goods and Services Tax, Value Added Tax, or Tax Telecommunications Relay Service Surcharge.
Jurisdiction Name	The name of the jurisdiction that is associated with the taxability mapping.

Jurisdiction Type	The type of jurisdiction that is associated with the taxability mapping.
Last Update Date	The date of the most recent update to the taxability mapping.
Mapping ID	A Vertex-defined identifier for the taxability mapping.
Note	Information or comments entered for the taxability mapping.
Partition ID	The unique, system-generated identifier of the partition where the taxability mapping is set up.
Start Date	The date when the taxability mapping becomes effective in Solution Reporting.
Tax Result Type	The taxability specified by the taxability category. Possible values are: • Taxable • Nontaxable • Exempt • No Tax • Deferred • DPP (Direct Pay Permit) Applied
Tax Rule Condition	The names of the conditional rules that are mapped to the taxability category.
Tax Rule Description	Notes or an explanation entered to describe the tax rule.
Tax Rule End Date	The date when the tax rule ceases to be effective in Solution Reporting.
Tax Rule ID	The ID of the tax rule that is associated with the taxability category.
Tax Rule is Automatic	Indicates whether the tax rule is automatic or requires mapping.
Tax Rule Start Date	The date when the tax rule becomes effective in Solution Reporting.
Taxability Driver Code	The user-defined identifier of the taxability driver that is mapped.

Taxability Driver Detail ID	A Vertex-defined identifier for a taxability driver detail.
Taxability Driver ID	A Vertex-defined identifier for the taxability driver that is mapped.
Taxability Driver Name	The name of the taxability driver that is mapped.
Taxability Driver Taxpayer Code	The user-defined identifier of the taxpayer that is associated with the mapped taxability driver.
Taxability Driver Taxpayer Name	The name of the taxpayer that is associated with the mapped taxability driver.
Taxability Driver Type	The kind of taxability driver that is mapped, such as product, purchase, usage class, or cost center.
Taxpayer Code	The code of the taxpayer that is mapped.
Taxpayer Name	The name of the taxpayer that is mapped.
Vendor Code	The code of the vendor that is mapped.
Vendor Name	The name of the vendor that is mapped.

Taxpayer Contacts extract in Solution Reporting Custom Reports - VRA

This Vertex® O Series extract provides information about taxpayer contacts that are set up in My Enterprise.

Here are descriptions of the fields that can be used in this extract:

Field	Description
Contact City	The city of the taxpayer contact's address.
Contact Country	The country of the taxpayer contact's address.

Contact Department	The department of the taxpayer contact.
Contact Email Address	The email address of the taxpayer contact.
Contact Fax Number	The fax number of the taxpayer contact.
Contact First Name	The first name of the taxpayer contact.
Contact Last Name	The last name of the taxpayer contact.
Contact Main Division	The main division of the taxpayer contact.
Contact Phone Extension	The phone number extension of the taxpayer contact.
Contact Phone Number	The phone number of the taxpayer contact.
Contact Postal Code	The postal code of the taxpayer contact's address.
Contact Street Address	The street address of the taxpayer contact.
Partition ID	The unique, system-generated identifier of the partition where the taxpayer contact is set up.
Taxpayer Code	The code of the taxpayer with which the contact is associated.
Taxpayer ID	A Vertex-defined identifier for the taxpayer with which the contact is associated.
Taxpayer Name	The name of the taxpayer with which the contact is associated.

Related articles

[Enter taxpayer contact information](#)

Taxpayer Locations extract in Solution Reporting Custom Reports - VRA

This Vertex® O Series extract provides detailed information about taxpayers' locations that are identified in My Enterprise.

Here are descriptions of the fields that can be used in this extract:

Field	Description
City	The city where the business is physically located.
End Date	The date when the location record ceases to be effective in Solution Reporting.
Location Code	A user-defined code for the physical location of the taxpayer.
Location Name	A user-defined name for the physical location of the taxpayer.
Main Division	The state, province, or territory-level jurisdiction for the taxpayer's location.
Partition ID	The unique, system-generated identifier of the partition where the taxpayer location is set up.
Postal Code	A five-digit or nine-digit numeric code for the taxpayer location. This code identifies U.S. jurisdictions and territories for mail-routing purposes.
Registration Number	The identifying number that is provided by the jurisdiction's tax authority for the physical location of the taxpayer.
Start Date	The date when the location record becomes effective in Solution Reporting.
Street Address	The street address of the taxpayer's location.
Sub Division	The county or parish of the taxpayer's physical location.
Tax Area ID (TAID)	Identifies the combination of overlapping tax jurisdictions for a taxpayer's location.
Taxpayer Code	The code of the taxpayer associated with the location.
Taxpayer ID	A Vertex-defined identifier for the taxpayer associated with the location.
Taxpayer Name	The name of the taxpayer associated with the location.

Related articles

[Enter taxpayer locations](#)

Taxpayer Registration Impositions extract in Solution Reporting Custom Reports - VRA

This Vertex® O Series extract provides information about taxpayer registrations, by imposition, as set up in My Enterprise.

Include New Impositions check box

The **Include New Impositions** check box on the Registrations tab of a taxpayer impacts the results of the Taxpayer Registration Impositions extract:

- If this check box is selected for a jurisdiction, the extract includes any impositions within the jurisdiction that are not selected on the Registrations tab of the taxpayer.
- If this check box is not selected for a jurisdiction, the extract includes any impositions within the jurisdiction that are selected on the Registrations tab of the taxpayer.

Field descriptions

Here are descriptions of the fields that can be used in this extract:

Field	Description
End Date	The date when the taxpayer registration ceases to be effective in Solution Reporting.
Imposition Name	The imposition for which the taxpayer is registered.
Imposition Type	The tax type for the imposition – for example, Goods and Services Tax, Value Added Tax, or Telecommunications Relay Service Surcharge.
Include New Impositions	Indicates if the Include New Impositions check box is selected on the taxpayer's Registrations tab. • Yes indicates the box is selected. • No indicates the box is not selected. Review “Include New Impositions check box” in this article to see how this check box impacts this

	extract.
Jurisdiction Name	The name of the jurisdiction where the taxpayer is registered for the imposition.
Jurisdiction Type	The type of jurisdiction where the taxpayer is registered for the imposition – for example, country, state, province, city, or county.
Jurisdiction Type Set	The classification of the jurisdiction within the jurisdiction hierarchy, such as main division, subdivision, countries, cities, or districts.
Partition ID	The unique, system-generated identifier of the partition where the taxpayer registration is set up.
Registered Indicator	Indicates if the taxpayer is registered in the jurisdiction to collect the imposition tax.
Registration Number	The identifying number that is provided by the jurisdiction's tax authority for the physical location of a taxpayer.
Reverse Charge Indicator	Indicates if a reverse charge applies for the taxpayer registration. A regular reverse charge shifts the liability from the supplier to the buyer to account for VAT on particular transactions. Under the reverse charge, the VAT-registered buyer accounts for both Output VAT and Input VAT on the supply.
Start Date	The date when the taxpayer registration becomes effective in Solution Reporting.
Taxpayer Code	The code of the registered taxpayer.
Taxpayer ID	A Vertex-defined identifier for the registered taxpayer.
Taxpayer Name	The name of the registered taxpayer.

Related articles

[Set up taxpayer registrations](#)

Taxpayer Registration Jurisdictions extract in Solution Reporting Custom Reports - VRA

This Vertex® O Series extract provides information about taxpayer registrations, by jurisdiction, as set up in My Enterprise.

Here are descriptions of the fields that can be used in this extract:

Field	Description
Coverage Type	Indicates if the jurisdiction is turned on or off.
End Date	The date when the taxpayer registration ceases to be effective in Solution Reporting.
Jurisdiction Name	The name of the jurisdiction associated with the taxpayer registration.
Jurisdiction Type	The type of jurisdiction associated with the taxpayer registration – for example, country, state, province, city, or county.
Parent Jurisdiction Name	The name of the parent jurisdiction for the child registration jurisdiction.
Parent Jurisdiction Type	The type of jurisdiction that is the parent to the child registration jurisdiction.
Partition ID	The unique, system-generated identifier of the partition where the taxpayer registration is set up.
Physical Presence Indicator	Indicates if the taxpayer has a physical location in the registered jurisdiction. Note: If the Physical Presence indicator is selected, the Calculation Engine validates the jurisdiction to determine if there is an impact on situs. If there is no situs impact, the Calculation Engine uses Locations to determine impact on situs.
Start Date	The date when a taxpayer registration becomes effective in Solution Reporting.
Taxpayer Code	The code of the registered taxpayer.
Taxpayer	A Vertex-defined identifier for the registered taxpayer.

ID	
Taxpayer Name	The name of the registered taxpayer.

Related articles

[Set up taxpayer registrations](#)

Taxpayer Registrations extract in Solution Reporting Custom Reports - VRA

This extract provides information about Vertex® O Series taxpayer registrations.

Here are descriptions of the fields that can be used in this extract:

Field	Description
All Cities	Indicates that the taxpayer is registered in all cities within the state or province.
All Districts	Indicates that the taxpayer is registered in all districts within the state or province.
All Main Divisions	Indicates that the taxpayer is registered in all states, provinces, and/or territories within the country.
All Sub Divisions	Indicates that the taxpayer is registered in all counties or parishes within a state or province.
End Date	The date when the taxpayer registration ceases to be effective in Solution Reporting.
Format Validation Date	The date when the registration number format was validated.
Format Validation Status	The validation status for the taxpayer registration number format. The statuses are as follows: - Valid - Invalid

	N/A (Not applicable)
Jurisdiction Name	The name of the jurisdiction associated with the taxpayer registration.
Jurisdiction Type	The type of jurisdiction associated with the taxpayer registration – for example, country, state, province, city, or county.
Partition ID	The unique, system-generated identifier of the partition where the taxpayer registration is set up.
Physical Presence Indicator	Indicates if the taxpayer has a physical location in the registered jurisdiction. Note: If the Physical Presence indicator is selected, the Calculation Engine validates the jurisdiction to determine if there is an impact on situs. If there is no situs impact, the Calculation Engine uses Locations to determine impact on situs.
Registration ID	The identifying number that is provided by the jurisdiction's tax authority for the physical location of a taxpayer.
Registration Number	For taxpayers that have European Union (EU) One Stop Shop (OSS) registrations, the identifying number for the taxpayer's Union, Non-Union, or Import scheme registration.
Registration Type	Indicates the type of registration ID or registration number. Possible types are: - Business Number - Federal Employer Identification Number (FEIN) - Social Security Number (SSN) - State Identification Number - Tax Identification Number (TIN) - VAT Registration - Union Scheme, Non-Union Scheme, or Import One Stop Shop
Start Date	The date when the taxpayer registration becomes effective in Solution Reporting.
Taxpayer Code	The code of the registered taxpayer.
Taxpayer ID	A Vertex-defined identifier for the registered taxpayer.
Taxpayer Name	The name of the registered taxpayer.

Taxpayers extract in Solution Reporting Custom Reports - VRA

This extract provides information about taxpayers that are set up in your Vertex® O Series instance.

Here are descriptions of the fields that can be used in this extract:

Field	Description
Adopt Parent Setup	Indicates that the current taxpayer inherits the tax entities and tax exceptions of its parent taxpayer.
Create Date	The date or time period when the taxpayer was created in Solution Reporting.
Discount Category	The default discount category that is applied to all transactions for the taxpayer, unless the category is superseded by a discount category provided in a transaction request. The discount categories are automatically mapped to taxability categories of the same name. These taxability categories specify the Vertex-defined basis rule and calculation rule to use for that discount category for a particular jurisdiction.
End Date	The date when the taxpayer ceases to be effective in Solution Reporting.
Filing Entity	Indicates if the taxpayer is responsible for collecting and remitting taxes. Depending on how your company is structured, the filing entity could be the parent company, a subsidiary, or a department within a company. You may have filing entities at different levels.
Last Update Date	The date when the most recent update was applied to the taxpayer record.
Note	Information or comments entered for the taxpayer.
Parent Taxpayer Code	The code of the parent taxpayer, if any. A parent taxpayer is an entity that has one or more child taxpayers associated with it. It is used to define your organization's hierarchy of companies, divisions, or departments.
Parent Taxpayer Name	The name of the parent taxpayer, if any. A parent taxpayer is an entity that has one or more child taxpayers associated with it. It is used to define your organization's hierarchy of companies, divisions, or departments.
Partition ID	The unique, system-generated identifier of the partition where the taxpayer is set up.

Shipping Terms	The point in taxpayer transactions where the title transfer of goods takes place. Shipping terms are critical in value added tax (VAT) transactions to determine place of supply and the taxing jurisdiction. This term is synonymous with Delivery Terms.
Start Date	The date when the taxpayer becomes effective in Solution Reporting.
Taxability - Procurement	Indicates if the taxpayer's procurement transactions are generally taxable, exempt, or non-taxable.
Taxability - Supplies	Indicates if the taxpayer's supply transactions are generally taxable, exempt, or non-taxable.
Taxpayer Code	The code of the registered taxpayer.
Taxpayer ID	A Vertex-defined identifier for the registered taxpayer.
Taxpayer Name	The name of the registered taxpayer.
Taxpayer Type	Indicates if the taxpayer is a corporation or other entity.

Related articles

[Set up your organization's taxpayers](#)

Transaction Detail extract in Solution Reporting Custom Reports - VRA

This Vertex® O Series report provides information for each line item in a transaction. It's useful if you need to analyze how a specific transaction was taxed. Reports that are based on this template return one row per tax detail, whether or not any tax fields are selected.

Guidelines

Review some guidelines for generating this extract:

- Because generating a broadly defined report may result in slower performance, Vertex recommends that you select appropriate filter criteria. Solution Reporting displays a warning message if you do not specify any filter criteria.

- Because this extract typically includes many columns, use a file format other than PDF to generate the output.

Be aware that...

- All amounts except the tax amount are repeated for each tax in a line item. If you sum these fields, an exaggerated result is returned if the line item has more than one tax.
- For bracket taxes, this report displays a tax detail for the whole dollar amount and a separate tax detail for the fractional amount. To summarize the details, you can group report results by Line Item ID and Line Item Tax Detail ID.

Report fields

Here are descriptions of the fields that can be used in this extract:

Field	Description
Accumulation Customer Number	The customer number that was passed in the Accumulate by Customer transaction. Note: For Solution Reporting to report data in this field, the Enabling Accumulation setting must be set to True. The Enabling Accumulation setting is located in System > Administration > Settings and is set by the Master Administrator.
Accumulation Invoice Number	The invoice number that was passed in the Accumulate by Invoice transaction. Note: For Solution Reporting to report data in this field, the Enabling Accumulation setting must be set to True. The Enabling Accumulation setting is located in System > Administration > Settings and is set by the Master Administrator.
Accumulation Location	The location that was passed in the Accumulate by Location transaction. Note: For Solution Reporting to report data in this field, the Enabling Accumulation setting must be set to True. The Enabling Accumulation setting is located in System > Administration > Settings and is set by the Master Administrator.
Admin Destination External Jurisdiction Code	The external jurisdiction code for the administrative destination location. This code is defined by a government and must be used when filing taxes electronically in that country. Note: This field currently supports only Brazil Institute of Geography and Statistics (Instituto Brasileiro de Geografia e Estatística, or IBGE) codes.
Admin Destination Information	The city, country, main division, postal code, street address, subdivision, and Tax Area ID for the Administrative Destination. Administrative Destination can be the jurisdiction of the buyer's: • Bill-to location for tangible personal property transactions

	• Location where a service is received or performed • Benefit-received location Note: For service transactions in the U.S. and Canada, the Administrative Destination is the benefit-received location and the Destination is the service-performed location.
Admin Destination Location Code	The location code used for tax return filing in the administrative destination jurisdiction, if it requires taxes to be filed for individual locations.
Admin Origin External Jurisdiction Code	The external jurisdiction code for the administrative origin location. This code is defined by a government and must be used when filing taxes electronically in that country. Note: This field currently supports only Brazil Institute of Geography and Statistics (Instituto Brasileiro de Geografia e Estatística, or IBGE) codes.
Admin Origin Information	The city, country, main division, postal code, street address, subdivision, and Tax Area ID for the Administrative Origin. Administrative Origin can be the jurisdiction that is the seller's: • Order-acceptance address • Bill-from address • Place of business address • Place of principal negotiation address
Admin Origin Location Code	The location code used for tax return filing in the administrative origin jurisdiction, if it requires taxes to be filed for individual locations.
Amount Billed to Date	The amount billed to a lessee over the life of a lease term. This amount is used for proper tax calculation in jurisdictions that impose limits on the maximum tax charged to a Lessee over the life of a lease.
Apportionment Type	The metric on which an ancillary charge is applied to the line item. For details, see Apportion ancillary charges .
Assisted State	Indicates if a Tax Assist rule applied to the line item before or after tax calculation. The possible values are: • Pre-Calculation Assisted, if a pre-calculation Tax Assist rule applied • Post-Calculation Assisted, if a post-calculation Tax Assist rule applied • Pre- and Post-Calculation Assisted, if both types of rules applied • If no Tax Assist rules applied, this field is blank.
Basis	The identifier for the basis apportionment rule that is applied to the line item. A basis apportionment rule

Apportionment Rule ID	is used in situations where a transaction taxable basis must be apportioned among several jurisdictions.
Basis Rule ID	The identifier for the basis rule used in the calculation of the line item. A basis rule is used to reduce the taxable amount of a transaction prior to tax calculation.
Basis Type	The type of basis used in the calculation of the line item. For details, see Specify basis conditions for a basis rule .
Billing Type	The identifier used in your financial system to indicate the type of billing document, such as a credit memo, debit memo, invoice, or cancellation document. For example, CR can indicate Credit Memo. It is provided for Intrastat reporting purposes.
Blocking Recoverable Percent	The percentage of input tax that is recoverable for the line item. This percentage comes from one of the following sources (listed in order of precedence): 1. A Tax Assist rule 2. A calculation that is based on a passed-in recoverable percent override 3. A user-defined recoverability rule 4. A Vertex-defined rule that is associated with a taxability category to which the taxability driver is mapped
Buyer Input Tax Amount	The amount of input tax to be distributed. Negative numbers are permitted so that corrections can be processed.
Certificate Number	The jurisdiction-assigned identifier for the exemption certificate associated with the line item.
Certificate Type	The type of exemption certificate associated with the line item.
Chain Transaction Phase	Identifies a stage within a series of inter-European Union (EU) transactions in which multiple invoices are raised with only a single movement of goods. Valid values for this field are Manufacturer, Intermediary, and Final.
Charged Tax Amount	The amount of tax usually charged for an invoice verification or an accrual.
Charged Tax Under Threshold Indicator	Indicates if the amount of tax charged is below the threshold.
Commodity Code	The commodity code that the Calculation Engine used to determine tax on the line item. This commodity code can differ from the commodity code that the user's host system passed to Solution Reporting in the transaction XML request message. You can review that code in the Passed In Commodity Code field on this extract.

Commodity Code Name	The descriptive name of the commodity code that the Calculation Engine used to determine tax on the line item.
Commodity Code Type	The type of commodity code that the Calculation Engine used to determine tax on the line item. The commodity code types are: • UNSPSC codes • NBS codes for Brazilian taxation • NCM codes for Brazilian taxation • Service codes for Brazilian taxation • HSN codes • HSN+ codes
Company Code Currency Code	The code that identifies the default currency of the filing entity or taxpayer.
Company Code Currency Taxable Amount	The taxable amount for the line item as provided by the ERP. This amount is shown in the default currency of the filing entity or taxpayer. The amount is not used in any Solution Reporting calculations but is passed to the Tax Journal and the Reporting database for reporting purposes.
Company Code Currency Tax Amount	The amount of tax that was calculated by the ERP for the line item. This amount is shown in the default currency of the filing entity or taxpayer. The amount is not used in any Solution Reporting calculations but is passed to the Tax Journal and the Reporting database for reporting purposes.
Cost	The actual basis cost to the purchaser for the materials of the asset. For manufacturers, this is the cost of the actual materials purchased for resale from outside suppliers. For wholesalers and retailers, this is the material cost of the property itself.
Cost Center Code	The identifier for the cost center that is associated with the line item.
Cost Center Name	The name of the cost center that is associated with the line item.
Country of Origin	The three-digit International Standards Organization (ISO) country code for the country of origin.
Currency Code	The International Standards Organization (ISO) code for the currency used with the line item.
Customer Business	Indicates whether the participant is a business or an individual.

Indicator	
Customer Class Code	The user-defined identifier for a group of customers with identical taxability. The customer that is associated with the line item belongs to this customer class.
Customer Class Name	The user-defined name for a group of customers with identical taxability. The customer that is associated with the line item belongs to this customer class.
Customer Code	The user-defined identifier for the customer that is associated with the line item.
Customer Name	The user-defined name of the customer that is associated with the line item.
Customer Physical Presence Indicator	Indicates whether or not the customer has a physical presence in the country where it is registered.
Customer Registration Country Code	The three-letter International Standards Organization (ISO) identifier for the country where the customer is registered.
Customer Registration Number	The registration number of the customer that is associated with the line item.
Customer Validation Date	The date the customer's registration number was validated in the Value Added Tax (VAT) Information Exchange System (VIES) registration.
Customer Validation Status	The status of the Value Added Tax (VAT) Information Exchange System (VIES) validation of the customer's registration number.
Department Code	The user-defined identifier for the taxpayer department that is associated with the line item.
Department Name	The user-defined name of the taxpayer department that is associated with the line item.
Destination External Jurisdiction Code	The external jurisdiction code for the destination location. This code is defined by a government and must be used when filing taxes electronically in that country. Note: This field currently supports only Brazil Institute of Geography and Statistics (Instituto Brasileiro de Geografia e Estatística, or IBGE) codes.
Destination Information	The city, country, main division, postal code, street address, subdivision, and Tax Area ID that identify where the shipment was delivered or the service was performed.

Destination Location Code	The location code used for tax return filing in the destination jurisdiction, if it requires taxes to be filed for individual locations.
Discount Information	Information for any discount that is applied to the line item: • Discount Amount - The price reduction amount. • Discount Category - The default type of discount that is applied to the line item. • Discount Code - The identifier for the price reduction. • Discount Percent - The price reduction expressed as a percentage.
Document Number	The identifier that references the financial event in the host application. This is generally the invoice number.
Document Sequence ID	The sequence number of the invoice. The sequence is required for countries that mandate invoices to follow a specific sequence number, depending on the registration type.
Document Type	The identifier used in your financial system to indicate the type of business transaction. For example, RE can indicate a Return. It is provided for Intrastat reporting purposes.
Exempt Amount	The line item amount that is not subject to tax due to an exempt status.
Exempt Units	The unit of measure in a Vertex Communications transaction line item that is not subject to tax due to an exempt status. Available units are Line (LIN) and Channel (CHN).
Export ID	The Vertex-defined numeric identifier for the Tax Journal Export activity that transferred this transaction to the Reporting database.
Export Procedure	The export or import procedure that applied to the line item. Examples include: • Goods shipped temporarily for further manufacturing by a subcontractor • Goods shipped to their final destination by a subcontractor after processing
Extended Price	The price of the line item.
Fair Market Value	The basis price at which the asset could be sold to the public. This is also known as the selling price or the value of the product for sale. In Vertex Leasing, use this field for leasing transactions when a tax is based on the sum of the lease or rental payments. The value is calculated via a basis rule that uses the Upfront on Rentals qualifying condition category.
Filing Category	The name of the filing tax category for the line-item tax results.

Filing Category Code	The code of the filing tax category to use for the line-item tax results when filing returns in the specified jurisdiction. This code denotes specific revenue types or sources that, per the jurisdiction, may need to be listed individually on the tax return. This field is included in the VAT Returns Export file.
Filing Currency Code	The code for the currency used when filing a tax return in the jurisdiction where tax is due. This field is included in the VAT Returns Export file. It is not included in the Returns Export file.
Filing Currency Conversion Rate	The rate (multiplier) used for converting the transaction currency amount to the filing currency amount.
Filing Exempt Amount	The exempt amount to use when filing a tax return. This amount is in the filing currency and is calculated by multiplying the exempt amount by the filing currency conversion rate. This field is included in the VAT Returns Export file. It is not included in the Returns Export file.
Filing Gross Amount	The gross amount to use when filing a tax return. This amount is in the filing currency and is calculated by multiplying the gross amount by the filing currency conversion rate. This field is included in the VAT Returns Export file. It is not included in the Returns Export file.
Filing Non-Recoverable Amount	The amount of input VAT that the buyer cannot recover. This amount is in the filing currency and is calculated by multiplying the non-recoverable amount by the filing currency conversion rate. This field is included in the VAT Returns Export file.
Filing Non-Taxable Amount	The non-taxable amount to use when filing a tax return. This amount is in the filing currency and is calculated by multiplying the non-taxable amount by the filing currency conversion rate. This field is included in the VAT Returns Export file. It is not included in the Returns Export file.
Filing Recoverable Amount	The recoverable amount to use when filing a tax return. This amount is in the filing currency and is calculated by multiplying the recoverable amount by the filing currency conversion rate. This field is included in the VAT Returns Export file.
Filing Tax Amount	The line-item tax amount to use when filing a tax return. This amount is in the filing currency and is calculated by multiplying the tax amount by the filing currency conversion rate. This field is included in the VAT Returns Export file. It is not included in the Returns Export file.
Filing Taxable Amount	The taxable amount to use when filing a tax return. This amount is in the filing currency and is calculated by multiplying the taxable amount by the filing currency conversion rate. This field is included in the VAT Returns Export file. It is not included in the Returns Export file.
Financial Event Type	The type of movement or exchange of goods and services that may be subject to taxation.
Flex Code 1-100	The code flexible field values that were used in the line-item tax calculation.
Flex Date 1-10	The date flexible field values that were used in the line-item tax calculation.

Flex Numeric Fields 1-50	The numeric flexible field values that were used in the line-item tax calculation.
Franchise Area ID	The unique identifier for a franchise area. This field is available at the transaction level and the line level.
Freight Amount	The freight charge associated with the line item.
GL Information	The Account Code and Account Name of the General Ledger (GL) in which the line item tax is posted.
Gross Amount	The total amount for the transaction line, not including taxes or fees.
Imposition Name	The name of the imposition that applies to the line item.
Imposition Type	The type of imposition that applies to the line item.
Included Tax Amount	The total amount of included taxes for a line-item tax.
Intrastat Commodity Code	The commodity code that applies to the line item. The Intrastat Commodity Code system is used in the European Union to classify goods and services.
Invoice Text Rule ID 1-4	Identifies the invoice text rule that is applied to a line-item entry. This data extract can report up to four invoice text rules per imposition.
Is Service	Indicates whether the product is being taxed as a service.
Jurisdiction Information	The ID, name, and type of jurisdiction that has situs: • Jurisdiction ID - Vertex-specific number that identifies a jurisdiction. • Jurisdiction Name - The name of the jurisdiction that has situs. • Jurisdiction Type - Jurisdiction level that imposes tax, such as country, state, province, city, or county.
Landed Cost	The costs associated with transporting goods. They are additional costs beyond the merchandise cost of inventory incurred in purchasing and receiving items – for example, freight, import duties, and customs charges. Landed cost is added to the extended amount for a line item but is not subject to any discounts or adjustments.
Line Item ID	A Vertex-defined ID used to identify the line item.

Line Item Number	An alphanumeric identifier that can be provided by your host system to reference the line item.
Line Item Synchronization ID	The identifier that further defines the line item and corresponds to the transaction stored in the host system. This ID is needed to perform synchronization services.
Line Item Tax Detail ID	The internal identifier for a line-item tax detail record.
Line Item Tax ID	The identifier for the tax rule that was used in tax calculation.
Location Code	The alphanumeric identifier used to file tax returns in jurisdictions where taxes must be filed for individual locations.
Material Code	A unique, user-defined code that identifies a type of material that is associated with the line item.
Material Name	The name of the material associated with the line item.
Material Origin Code	A code (0-8) that identifies where material goods for the line item originated. Each code corresponds to a Solution Reporting qualifying condition in the taxability category tree.
Material Origin Name	The name of the qualifying condition taxability category that identifies where material goods for the line item originated.
Max Tax Rule ID	The identifier for the max tax rule that was used in the line-item tax calculation.
Mode of Transport	The code that indicates the type of vehicle that transported the product across a border.
Multicomponent Indicator	Indicates whether or not the Calculation Engine calculated component-level max tax for the line item. When this field displays <code>True</code> , the Calculation Engine used amounts at the child level when calculating tax, but ignored amounts at the parent level. When this field displays <code>False</code> , the Calculation Engine used the parent-level amounts when calculating tax, but ignored child-level amounts.
Nature of Transaction	The code that indicates the type of transaction being declared for Intrastat purposes.
Negative Tax Indicator	Indicates whether the basis amount or the tax amount is negative.
Net Mass Kilograms	The mass of the line-item product in kilograms.

No Registration Indicator	Indicates that the taxpayer company is not registered in the tax jurisdiction.
Non-Recoverable Amount	The amount of VAT on earned and unearned discounts and adjustments that you cannot claim as a deduction against tax liability for the line item.
Non-Taxable Amount	The line item amount that is not subject to tax due to a nontaxable status.
Non-Taxable Units	The number of units in a Vertex Communications transaction line item that is not subject to tax due to a nontaxable status. Available units are Line (LIN) and Channel (CHN).
Order Type	The identifier used in your financial system to indicate the purpose of an order, which affects how the order is processed. It is provided for Intrastat reporting purposes.
Original Currency Code	An identifier for the currency in which the original transaction took place.
Output Notices	The two-digit code for the invoice text that provides additional information about the line item.
Parent Line Item Number	The number of the line item that is the parent to the specified line item.
Partial Exemption Recoverable Percent	The percentage of input tax that is recoverable for the transaction line item. This percentage comes from one of the following sources (listed in order of precedence): • A Tax Assist rule • A calculation that is based on a passed-in recoverable percent override • The Taxpayer registration setup for partial exemptions in a particular jurisdiction
Partition ID	The unique, system-generated identifier of the partition where the transaction taxpayer is set up.
Passed In Commodity Code	The commodity code that the user's host system passed to Solution Reporting in the transaction XML request message. This code can differ from the commodity code that the Calculation Engine used when calculating tax. If Vertex does not supply rates and rules for a commodity code that is passed in the transaction, Solution Reporting uses the commodity code from the next highest level in the commodity code tree for which rates and rules are supported. The Commodity Code field in this extract identifies the code that the Calculation Engine used to determine tax on a line item.
Payment Date	The latest date when invoice payment was made.

Physical Origin External Jurisdiction Code	The external jurisdiction code for the physical origin location. This code is defined by a government and must be used when filing taxes electronically in that country. Note: This field currently supports only Brazil Institute of Geography and Statistics (Instituto Brasileiro de Geografia e Estatística, or IBGE) codes.
Physical Origin Information	The city, country, main division, postal code, street address, subdivision, and Tax Area ID that identify the ship-from location or the service provider's place of business.
Physical Origin Location Code	The code that is used for tax return filing in the physical origin jurisdiction, if it requires taxes to be filed for individual retail locations.
Post Calc Evaluation Rule ID 1-4	The system-generated numeric identifier of the post calculation evaluation rule that the Calculation Engine used when calculating tax for the line item. Note: The field sequences (1-4) correspond to the sequence numbers specified for the Post Calculation Evaluation rules used in the tax calculation.
Posting Date	The date when the transaction was committed to the Tax Journal.
Product Class Code	The user-defined identifier for the category of products or services that is associated with the line item. A product class consists of products or services with identical taxability.
Product Class Name	The user-defined name of the category of products or services that is associated with the line item. A product class consists of products or services with identical taxability.
Product Code	The user-defined identifier for the product associated with the line item.
Product Name	The user-defined name of the product associated with the line item.
Project Number Code	The user-defined code that indicates the line item is billable to a specific project.
Project Number Name	The name of the project that is associated with the project number code.
Proration Percentage	The percentage that was either passed in to Solution Reporting with a transaction or entered in Transaction Tester for use in calculating a prorated tax amount or a flat-fee amount.
Quantity	The number of units included in the line item that is based on quantity, such as count of physical items, volume, or weight.
Rate Classification	The classification of the applicable tax rate for VAT returns filing purposes. For details, see Rate classification .
Reason Code	A code that indicates why a line item is exempt or nontaxable for returns filing purposes.

Recoverability Rule ID	The identifier for the recoverability rule that was used in the line-item tax calculation.
Recoverable Amount	The amount of input or import VAT that the buyer is able to recover on a line item.
Recoverable Amount Reported Indicator	Indicates whether or not unrecoverable VAT is reported.
Recoverable Percent	The percentage of input tax that is recoverable, displayed as a decimal. For example, 1 equals 100%, .5 equals 50%, and 0 equals 0%.
Returns Export Date	The date of the returns export activity.
Returns Field	The pipe-delimited list of name/value pairs used to pass information for VAT returns.
Reversal Indicator	Indicates whether a transaction was reversed in the Tax Journal without having any tax calculation performed.
Sender	Identifies the server that sent a transaction to Solution Reporting.
Shipping Terms	The identifier that determines the supplier or customer jurisdiction in which the title transfer of a supply takes place. It is also referred to as delivery terms. For details, see Shipping terms .
Simplification Type	Indicates a special action on the transaction being processed. • Triangulation indicates the European Union's 6th Directive triangulation simplification rules apply to the transaction. • Consignment and Call_Off indicate special handling of an Asset Movement transaction. Depending on the countries involved in the transaction, VAT is typically deferred in these transactions. • Registration Group indicates the transaction is between two members of a fiscal group, such as a VAT Group. This results in the transaction being outside the scope of VAT.
Situs Country Code 2	The two-letter identifier that refers to the country where tax is determined or applied.
Situs Country Code 3	The three-letter identifier that refers to the country where tax is determined or applied.
Situs Information	The city, country name, main division, subdivision, and/or Tax Area ID where the transaction tax is determined or applied.

Special Tax Basis	The passed-in value that is used for calculating VAT Withholding. When this value is provided, Solution Reporting calculates VAT Withholding based on the passed-in amount.
Statistical Value	The net domestic value (fair market value) of a product when it crosses a border. This value is also known as the customs value. This value is needed for each exported or imported item for Intrastat and Extrastat declarations in the European Union (EU).
Statistical Value Currency Code	The three-character ISO currency code selected for the statistical value entered for the line item.
Summary Invoice Text	The invoice text message for the line item.
Supplementary Unit	The second quantity when certain commodity codes require a unit other than kilograms. For example, a commodity code might require the number of pieces to be measured in liters or cubic meters.
Supplementary Unit Type	The alternative unit type for net mass by kilograms (for example, pieces, pairs, litres, and so on). This type is tied to the Supplementary Unit.
Tax Amount	The amount of tax that is owed on the line item.
Tax Apportionment Rule ID	The numeric identifier for the calculation rule that Solution Reporting used to apportion ancillary charges for the line item.
Tax Code	A Vertex-derived or user-defined code for the tax, to be returned to the host system after tax calculation. The Tax Code value is supplied by a post-calculation Tax Assist rule .
Tax Credit Rule ID	The numeric identifier for the credit rule that Solution Reporting used to credit the line item.
Tax Date	The date when the line item tax was calculated and the record produced, using the rates and rules that were valid on that date.
Tax Inclusion Rule ID	The numeric identifier for the inclusion rule that Solution Reporting used when calculating tax for the line item.
Tax Over Threshold Amount	The amount of tax over the threshold that is set up for vendors or suppliers in My Enterprise. This amount is used for invoice verification if a vendor is over-charging tax.
Tax Over Threshold Percent	The percentage of tax over the threshold that is set up for vendors or suppliers in My Enterprise. This percentage is used for invoice verification if a vendor is over-charging tax on your line items.

Tax Point Date	The date that determines when VAT liability arises. This date is also known as the time of supply. In most cases, VAT is determined by the rate that is in force when the tax point date occurs. This date can differ from the invoice date. Generally, here's how tax point date applies to goods and services: • For goods, this is the date when goods are moved from the supplier to the buyer. If goods are shipped, this is the date when the shipment begins. • For services, this is the date when the service is completed.
Tax Rate	The percentage rate, imposed by a taxing authority, used to calculate the tax. This rate can include state, county, city, and district taxes.
Tax Rate Adjustment Rule ID	The numeric identifier for the tax rule that Solution Reporting used to apply an adjustment to the line item.
Tax Result Type	The result of the determination of taxability including Taxable, Nontaxable, Deferred, DPP (Direct Pay Permit) Applied, No Tax, and Exempt.
Tax to be Collected From	Indicates on which party the line-item tax obligation falls. The options are: • Buyer (default) • Seller
Tax Type	The type of tax charged for the transaction. It is determined during tax calculation and is based on situs, transaction type, financial event, and party roles. Tax types vary for Supplies and Procurement events: • Supplies event tax types - Sales, Seller Use, and VAT • Procurement event tax types - Sales, Seller Use, Consumer Use, and VAT
Tax Under Threshold Amount	The amount of tax under the threshold that is set up for vendors or suppliers.
Tax Under Threshold Percent	The percentage of tax under the threshold that is set up for vendors or suppliers.
Taxability Rule ID	A numeric identifier for a tax rule used by Solution Reporting to calculate tax on the line item.
Taxable Amount	The line item amount that is subject to tax.
Taxable Units	The number of units in a Vertex Communications transaction line item that are subject to tax. Possible

	units are Line (LIN) and Channel (CHN).
Taxed Unit of Measure ISO Code	The International Organization for Standardization (ISO) code for the unit of measure that describes the quantity of the item being taxed. For example, the ISO code for kilogram is KG.
Taxpayer Information	The taxpayer associated with the transaction. The report includes Company Code, Company Name, and Registration Number. It also includes any Department Code/Name and Division Code/Name that are identified in Solution Reporting for that taxpayer.
Telecom Content	The transported services, such as data or voice, on the communications channel being taxed.
Telecom Direction	The travel direction, such as inbound or outbound, of the transported services on the communications channel being taxed.
Telecom Line Type	The type of communications channel being taxed, such as T1 or Centrex.
Telecom Status	The state, such as active or inactive, of the communications channel being taxed.
Title Transfer Type	The location where the title to goods actually changes hands from seller to buyer. This is a contractual term and is included on the contract between buyer and seller.
Transaction Forced Indicator	Indicates whether the Distribute Tax transaction was forced. A Distribute Tax transaction is considered forced when it is executed on an Input Total Tax amount when the transaction is actually nontaxable. The option to allow forced Distribute Tax transactions is set using the Force Distribute Tax on Failure settings under System > Administration > Settings.
Transaction ID	The Vertex-defined identifier for the transaction.
Transaction Perspective	The point of view for the transaction. Possible points of view are Buyer, Dispatcher, Owner, Recipient, and Seller.
Transaction Process Date	The date when the transaction was processed in Solution Reporting.
Transaction Process Time	The time that the transaction was processed in Solution Reporting. It displays in the format MM/DD/YEAR TIME.
Transaction Status	Indicates where the transaction resides in the returns processing cycle. Possible statuses include: • Active • Inactive

	- Deleted - Rolled Back
Transaction Synchronization ID	The identifier that corresponds to the transaction stored in the host system. It is used for synchronization services.
Transaction Type	The type of transaction. Transaction types correspond to the business event: - Supplies event transaction types - Sale, Rental, and Lease - Procurement event transaction types - Purchase, Rental, Lease, Asset/Goods Movement, and Inventory Removal
Unit of Measure	The code that indicates the type of measurement that is used for tax calculation. See "Unit of Measure codes" at the end of this article for these codes.
Unit Price	The price of a single unit.
Unrecoverable Percent	The percentage of input tax that the taxpayer is not able to recover, displayed as a decimal. For example, 1 equals 100% and 0 equals 0%.
Usage Class Code	The code for a group of usage taxability drivers that identifies the general way in which a product, material, or service is used.
Usage Class Name	The name of a group of usage taxability drivers that identifies the general way in which a product, material, or service is used.
Usage Code	The code for a usage taxability driver that identifies the general way in which the product, material, or service is used.
Usage Name	The name of a usage taxability driver that identifies the general way in which the product, material, or service is used.
VAT Tax Type	Identifies whether the tax is Input VAT, Output VAT, both Input and Output VAT, or Import VAT, according to the transaction perspective, to allow for reverse charges or self-accrual.
Vendor Class Code	The code for a group of vendors that have identical taxability.
Vendor Class Name	The name of a group of vendors that have identical taxability.
Vendor Code	The identifier for the vendor associated with the line item.

Vendor Name	The name of the vendor associated with the line item.
Vendor Physical Presence Indicator	A true/false value that indicates whether or not the vendor has a physical presence in the country where the vendor is registered.
Vendor Registration Number Country Code	The two-character or three-character alphabetic ISO code for the country where the vendor is registered.
Vendor Registration Number	The numeric identifier for the vendor's registration.
Vendor SKU Code	The Vendor stock-keeping unit (SKU) associated with the line item.
Vendor SKU Name	The name of the Vendor SKU/Product ID Code associated with the line item.
Vendor Validation Date	The date the vendor registration number was validated.
Vendor Validation Status	The status of the vendor registration number validation. Possible values are: Valid, Invalid, and Not Validated.
Vertex Tax Code	A nine-character code that can be used to classify the transaction at the tax level for reporting or tax return filing purposes.
Volume	The amount of space, measured in cubic units, that the product for the line item occupies.
Volume Unit of Measure	The code for the type of measurement used for the line-item product quantity. See "Unit of Measure codes" at the end of this article for these codes.
Wage Basis	The part of the line-item amount that is related to wages. Solution Reporting calculates the tax based on this amount when there is a basis rule of the Wage Basis type.
Weight	The weight of the product for the line item.
Weight Unit of Measure	The type of measurement used for the line-item product weight. See "Unit of Measure codes" at the end of this article for these codes.

Unit of Measure codes

Code	Unit of Measure
BO	Bottle
BX	Box
CHL	Channel (Communications Tax only)
CR	Crate
CS	Case
CT	Carton
CY	Cubic Yard
DAY	Day
EA	Each
FO	Fluid Ounce
GLL	Gallon (US)
HUR	Hour
KG	Kilogram
LB	Pound
LIN	Line (Communications Tax only)
LTR	Liter
MIN	Minutes (Communications Tax only)

OZ	Ounce
PF	Pallet
QT	Quart (US)
STN	Ton (US)
SYD	Square Yard
TRK	Trunk Line (Communications Tax only)

Transaction Summary extract in Solution Reporting Custom Reports - VRA

This report summarizes a taxpayer's transactions and tax amounts for a jurisdiction by tax type and jurisdiction level. You can use this report to help with your compliance and to reconcile Solution Reporting amounts to your General Ledger.

- This extract includes only transactions that were posted to the Tax Journal.
- This extract does not provide line-item detail.

Here are descriptions of the fields that can be used in this extract:

Field	Description
Cost Center Code	A unique, user-defined identifier indicating the cost center associated with the transaction.
Cost Center Name	The name of the cost center associated with the transaction.
Currency Code	A code for the type of currency used in the transaction.
Exempt Amount	The transaction amount that is not subject to tax due to an exempt status.
Filing	The code for the currency used when filing a tax return in the jurisdiction where tax is due. This field is

Currency Code	included in the VAT Returns Export file. It is not included in the Returns Export file.
Filing Exempt Amount	The exempt amount to use when filing a tax return. This amount is in the filing currency and is calculated by multiplying the exempt amount by the filing currency conversion rate. This field is included in the VAT Returns Export file. It is not included in the Returns Export file.
Filing Gross Amount	The gross amount to use when filing a tax return. This amount is in the filing currency and is calculated by multiplying the gross amount by the filing currency conversion rate. This field is included in the VAT Returns Export file. It is not included in the Returns Export file.
Filing Import Tax Amount	The import tax amount to use when filing a tax return. This amount is in the filing currency and is calculated by multiplying the import tax by the filing currency conversion rate. This field is included in the VAT Returns Export file. It is not included in the Returns Export file.
Filing Input Tax Amount	The input tax amount to use when filing a tax return. This amount is in the filing currency and is calculated by multiplying the input tax by the filing currency conversion rate. This field is not included in the VAT Returns Export file.
Filing Non-Recoverable Amount	The non-recoverable amount to use when filing a tax return. This amount is in the filing currency and is calculated by multiplying the non-recoverable amount by the filing currency conversion rate. This field is included in the VAT Returns Export file.
Filing Non-Taxable Amount	The non-taxable amount to use when filing a tax return. This amount is in the filing currency and is calculated by multiplying the non-taxable amount by the filing currency conversion rate. This field is included in the VAT Returns Export file. It is not included in the Returns Export file.
Filing Output Tax Amount	The output tax amount to use when filing a tax return. This amount is in the filing currency and is calculated by multiplying the output tax amount by the filing currency conversion rate. This field is not included in the VAT Returns Export file.
Filing Recoverable Amount	The recoverable amount to use when filing a tax return. This amount is in the filing currency and is calculated by multiplying the recoverable amount by the filing currency conversion rate. This field is included in the VAT Returns Export file.
Filing Tax Amount	The tax amount to use when filing a tax return. This amount is in the filing currency and is calculated by multiplying the tax amount by the filing currency conversion rate. This field is included in the VAT Returns Export file. It is not included in the Returns Export file.
Filing Taxable Amount	The taxable amount to use when filing a tax return. This amount is in the filing currency and is calculated by multiplying the taxable amount by the filing currency conversion rate. This field is included in the VAT Returns Export file. It is not included in the Returns Export file.
Financial Event Type	The type of movement or exchange of goods and services that may be subject to taxation.
Gross Amount	The total amount for all transaction lines, not including taxes or fees.

Import Tax Amount	The amount of tax charged by a government on goods transported to its territories from other countries.
Imposition Name	The name of the imposition that is imposed for the transaction.
Imposition Type	The type of imposition that is imposed for the transaction.
Input Tax Amount	The amount of value added tax (VAT) that a supplier charges on purchases from a business.
Jurisdiction Information	The ID, name, and type of the jurisdiction that has situs in the transaction. • Jurisdiction ID - Vertex-specific number that identifies a jurisdiction. • Jurisdiction Name - Name of the jurisdiction associated with the transaction. • Jurisdiction Type - Jurisdiction level that imposes tax, such as country, state, province, city, or county.
Location Code	The code that identifies a location. It is used when filing tax returns in jurisdictions where taxes must be filed for individual locations.
Non-Recoverable Amount	The amount of value added tax (VAT) on earned and unearned discounts and adjustments that you cannot claim as a deduction against tax liability.
Non-Taxable Amount	The transaction amount that is not subject to tax due to a nontaxable status.
Output Tax Amount	The amount of value added tax (VAT) applied to sales made to a customer.
Partition ID	The unique, system-generated identifier of the partition where the taxpayer is set up.
Posting Date	The date when the transaction was committed to the Tax Journal.
Rate Classification	The classification of applicable tax rates for value added tax (VAT) returns filing purposes. Possible classifications are: • Exempt • Luxury Rate • Mixed • Nontaxable

	• Outside the Scope • Reduced Rate 1-5 • Standard Rate • User Defined • Zero Rate
Recoverable Amount	The amount of input VAT or import VAT that the buyer can report on returns to recover the funds.
Situs Information	The location or jurisdiction where transaction tax is determined or applied. • Situs City Name - Name of the municipality where tax is determined or applied. • Situs Country Code 2 - Two-letter identifier of the country where tax is determined or applied. • Situs Country Code 3 - Three-letter identifier of the country where tax is determined or applied. • Situs Country Name - Name of the country where tax is determined or applied. • Situs Main Division - Name of the state, province, or territory where tax is determined or applied. • Situs Sub Division - Name of the county or parish where tax is determined or applied. • Situs Tax Area ID - Identifies the tax area for which rates and rules were applied during tax calculation.
Tax Amount	The amount of tax that is owed on the transaction.
Tax Date	The date when the transaction tax was calculated.
Tax Type	The type of tax charged for the transaction. It is determined during tax calculation and is based on situs, transaction type, financial event, and party roles. Tax types vary for Supplies and Procurement events: • Supplies event tax types - Sales, Seller Use, and VAT • Procurement event tax types - Sales, Seller Use, Consumer Use, and VAT
Taxable Amount	The transaction amount that is subject to tax.
Taxpayer Information	Names and codes for the transaction taxpayer's organizational entities. • Taxpayer Company Code - Code to identify the taxpayer company. • Taxpayer Company Name - Name of the taxpayer company. • Taxpayer Department Code - Code to identify a department in the taxpayer company.

	• Taxpayer Department Name - Name of a department in the taxpayer company. • Taxpayer Division Code - Code to identify a division in the taxpayer company. • Taxpayer Division Name - Name of a division in the taxpayer company.
Transaction Process Date	The date when the transaction was processed in Solution Reporting.
Transaction Type	The type of transaction. Transaction types correspond to the business event: • Supplies event transaction types - Sale, Rental, and Lease • Procurement event transaction types - Purchase, Rental, Lease, Asset/Goods Movement, and Inventory Removal

Unit Conversion Rules extract in Solution Reporting Custom Reports - VRA

This Vertex® O Series extract identifies user-defined and Vertex-defined [unit conversion tax rules for O Series communications tax](#). Unit conversion rules are mapped to line types to specify the appropriate unit conversion to apply to the line type during tax calculation.

Here are descriptions of the fields that can be used in this extract:

Field	Description
Additional Count	The conversion count to be applied in a unit conversion rule for the second line/channel and all additional lines/channels.
First Count	The number of source units (lines/channels) per each target unit (lines/channels) to be applied in a unit conversion rule.
Rule ID	The Vertex identifier for the tax rule.
Source ID	The Vertex identifier for the internal Partition ID from which a unit conversion rule is sourced. Vertex-supplied rules have a value of 1 . User-defined rules have a value other than 1 .
Source Unit	The unit of measure being converted by a unit conversion rule. The available units are: • CHL - Channel

	• LIN - Line
Target Unit	The unit of measure to which a unit conversion rule is converting. The available units are: • CHL - Channel • LIN - Line

Unmapped Taxability Drivers extract in Solution Reporting Custom Reports - VRA

This extract provides information about taxability drivers that are set up in My Enterprise but not yet mapped to a taxability category.

Here are descriptions of the fields that can be used in this Vertex® O Series extract:

Field	Description
Business Event Type	Indicates if the unmapped taxability driver is for supplies business events or procurement business events. Business events are activities that involve an exchange or movement of goods or services for which a tax evaluation is required. • Supplies business events are activities in which the taxpayer is a seller. • Procurement business events are activities in which the taxpayer is a buyer or owner.
Create Date	The date when the unmapped taxability driver was created in Solution Reporting.
End Date	The date when the unmapped taxability driver ceases to be effective in Solution Reporting.
Exempt Indicator	Indicates if the unmapped taxability driver is exempt from taxation.
Last Update Date	The date of the most recent update to the unmapped taxability driver.
Note	Information or comments entered for the unmapped taxability driver.
Partition ID	The unique, system-generated identifier of the partition where the unmapped taxability driver is set up.

Reason Code	The user-defined code or Vertex-supplied name that indicates why the taxability driver is nontaxable or exempt for returns filing purposes. See Reason codes for details.
Start Date	The date when the unmapped taxability driver becomes effective in Solution Reporting.
Taxability Driver Code	The user-defined code for the unmapped taxability driver.
Taxability Driver Detail ID	A Vertex-defined identifier for a taxability driver detail.
Taxability Driver ID	A Vertex-defined identifier for the taxability driver.
Taxability Driver Name	The name of the unmapped taxability driver.
Taxability Driver Type	The kind of taxability driver, such as product, purchase, usage class, or cost center.
Taxpayer Code	The code of the taxpayer that is associated with the unmapped taxability driver.
Taxpayer Name	The name of the taxpayer that is associated with the unmapped taxability driver.

Related articles

- [Set up your taxability drivers](#)
- [Map entities to taxability categories](#)

VAT Groups extract in Solution Reporting Custom Reports - VRA

This report presents information about the [VAT Groups](#) that are set up in your Vertex® O Series partition.

Here are descriptions of the fields that can be used in this extract:

Field	Description
Country Name	The country for which the VAT Group is set up. This is the country where the remittance for the VAT Group occurs.
Create Date	The date when the VAT Group was created in Solution Reporting.
End Date	The last day when a VAT Group is effective in Solution Reporting for tax processing purposes.
Last Update Date	The date when the VAT Group details and/or group member information were last updated.
Member End Date	The date when the participant member is no longer active as part of the VAT Group for tax processing purposes.
Member Name	The name of the participant member. If the member is an O Series taxpayer, customer, or vendor, the name from the entity record is used.
Member Registration ID	The participant member's VAT registration ID in the VAT Group country.
Member Start Date	The date when the participant member becomes active as part of the VAT Group for tax processing purposes.
Member Type	The member's entity type. Possible member types are: • Taxpayer defined in Solution Reporting • Customer defined in Solution Reporting • Vendor defined in Solution Reporting • Other Member for VAT Group members that are not entities in Solution Reporting
Partition ID	The unique, system-generated identifier of the partition where the VAT Group is active.
Rate Classification	The rate classification that applies to the VAT Group's transactions. Possible values are: • Exempt • Nontaxable • Outside the Scope • Zero Rate
Reportable	Indicates whether or not the VAT Group's transactions are reported in returns export files.

Representative Code	The Solution Reporting taxpayer code of the VAT Group's representative member.
Representative Name	The Solution Reporting taxpayer name of the VAT Group's representative member.
Representative Registration ID	The VAT registration ID of the VAT Group's representative member.
Start Date	The effective date for the VAT Group in Solution Reporting for tax processing purposes.
Taxability	The taxability of transactions for the VAT Group. Possible values are: • Taxable • Nontaxable • Exempt • No Tax
Use Simplification	A flag that indicates: • Yes - Apply the Registration Group (6) and Intra-Country (21) output notices to the line item tax in a VAT Group transaction. • No - Apply the Intra-Country (21) output notice to the line item tax in a VAT Group transaction. Any existing output notices are retained.
VAT Group ID	The identifier for the VAT Group.
VAT Group Name	The name of the VAT Group.

Related articles

[Create a VAT Group in prods<>](#)

[Manage a VAT Group in Solution Reporting](#)

[Sample transactions for VAT Groups in Solution Reporting](#)

Vendor Registrations extract in Solution Reporting Custom Reports - VRA

This extract provides information about vendor registrations that are set up in your Vertex® O Series instance. You can also use this extract to view the results of VIES validation.

Here are descriptions of the fields that can be used in this extract:

Field	Description
End Date	The date when the vendor registration ceases to be effective in Solution Reporting.
Format Validation Date	The date when the registration number format was validated.
Format Validation Status	The result of the registration number format validation. The possible statuses are: - Valid - Invalid - N/A (Not applicable)
Jurisdiction Name	The name of the jurisdiction where the vendor is registered.
Jurisdiction Type	The type of jurisdiction associated with the vendor registration – for example, country, state, province, city, or county.
Partition ID	The unique, system-generated identifier of the partition where the vendor is set up.
Physical Presence Indicator	Indicates if the vendor has a physical location in the registered jurisdiction. Note: If the Physical Presence indicator is selected, the Calculation Engine validates the jurisdiction to determine if there is an impact on situs. If there is no situs impact, the Calculation Engine uses Locations to determine impact on situs.
Registration ID	A Vertex-assigned identifier for the vendor registration.
Registration Number	The identifying number assigned by the jurisdiction's tax authority to the vendor.
Registration Type	Indicates the type of registration ID or registration number. Possible types are: - Business Number - Federal Employer Identification Number (FEIN) - Social Security Number (SSN) - State Identification Number - Tax Identification Number (TIN)

	• VAT Registration • Union Scheme, Non-Union Scheme, or Import One Stop Shop
Start Date	The date when the vendor registration becomes effective in Solution Reporting.
Vendor Code	The code of the registered vendor.
Vendor ID	A Vertex-defined identifier for the vendor.
Vendor Name	The name of the registered vendor.
VIES Validation Date	The date of the VAT Information Exchange System (VIES) validation on the vendor registration number.
VIES Validation Status	Indicates whether the vendor registration number is valid, invalid, or N/A (not applicable), according to VIES validation.

Related articles

[Set up vendor registrations](#)

Vendors extract in Solution Reporting Custom Reports - VRA

This extract provides information about vendors that are set up in your Vertex[®] O Series instance.

Here are descriptions of the fields that can be used in this extract:

Field	Description
Class	Indicates whether the vendor is part of a vendor class that shares identical taxability criteria.

Indicator	
Create Date	The date or time period when the vendor was created in Solution Reporting.
End Date	The date when the vendor ceases to be effective in Solution Reporting.
ERS Indicator	Indicates if a formalized agreement exists between the buyer and seller that places the tax calculation burden on the buyer.
Last Update Date	The date of the most recent update to the vendor record.
Note	Information or comments entered for the vendor.
Partition ID	The unique, system-generated identifier of the partition where the vendor is set up.
Reason Code	The user-defined code or Vertex-supplied name that indicates why the vendor is nontaxable or exempt for returns filing purposes. See Reason codes for details.
Start Date	The date when the vendor becomes effective in Solution Reporting.
Taxability	Indicates if the vendor is generally taxable or exempt.
Taxpayer Code	The code of the taxpayer that is associated with the vendor.
Taxpayer Name	The name of the taxpayer that is associated with the vendor.
Vendor Code	The user-defined code for the vendor.
Vendor Detail ID	The user-defined detail for the vendor.
Vendor ID	A Vertex-defined numeric identifier for the vendor.
Vendor Name	The user-defined name for the vendor.