

Battle of the Tech Bands Sydney 2026 — venue tech pack

Thursday 8 October 2026 · Manning Bar, University of Sydney · doors 6:30 pm

Five bands, sets of about 20–25 minutes each. **Running order to be confirmed**, so bands are listed below in no particular order.

1. Recording

We’re recording audio and filming video of the whole event. For the audio, we’d like to record every input, taken **before any desk processing**, plus the stereo mix, over the desk’s UB MADI USB port (up to 48 channels). We bring the recording laptop; we just need the USB connection at FOH and space for a laptop.

- **Tracks 1–32:** every input in the patch below, taken after the preamp and before EQ, dynamics, faders and mutes (direct outs at the earliest tap point, or the input patched straight to UB MADI).
- **Tracks 33–34:** the stereo main mix (post-fader L/R, or a matrix copy of it).
- 48 kHz / 24-bit. We’ll test it at soundcheck, then record continuously from the opening intro to the end of the night. One of our team will check on the laptop periodically.
- Because the recording follows the preamps, **please set gains at soundcheck and avoid changing them during a set**. Fader moves are fine; they don’t touch the multitrack.

Backup stereo mix: please also send the stereo mix to **two of the console’s rear XLR line outputs**. We’ll record them on our own Zoom recorder at FOH, taking them in at line level (XLR-female to TRS cables into the Zoom’s jack inputs, not its mic preamps). The Zoom may also record the room from FOH.

Could you supply two XLR-female to TRS (¼” jack) cables? The console’s line outputs run at line level. The Zoom’s XLR sockets go through its mic preamps, which would boost that signal and distort it, while its TRS jack inputs take line level cleanly.

2. Suggested festival patch

This is a **suggestion**, built from what the bands have told us they need. If your stage box, stock or usual layout suits a different patch, please change it; we’d just like it to stay the same for every band so changeovers are plug-in-and-play. Mic and DI choices are yours. Used by: **B** Bandlassian · **C** Canvanauts · **A** Amakazaam! · **V** V2 Voyagers · **S** ShipReX.

Ch	Source	Used by	Notes
1	Kick in	all	House DW kit (22” kick, 10” + 12” racks, 16” floor, 14” snare)
2	Kick out	all	
3	Snare top	all	
4	Snare bottom	all	
5	Hi-hat	all	
6	Rack tom 1	all	
7	Rack tom 2	all	
8	Floor tom	all	
9	Overhead L	all	
10	Overhead R	all	
11	Bass DI	all	Ampeg SVT-VR DI out, or the player’s own DI / modeller XLR
12	Bass cab mic	B A V (C)	Ampeg SVT 410 cab
13	Gtr 1 (Fender)	B A V S	Mic on the Fender ’65 Super Reverb, stage left as the audience sees it
14	Gtr 1 DI	C	Amp modeller
15	Gtr 2 (Vox)	B A S	Mic on the Vox AC30, next to the bass rig

Ch	Source	Used by	Notes
16	Gtr 2 DI	C	Amp modeller
17	Acoustic guitar DI	V (C)	V: acoustic guitar. C: their third amp modeller, as V are the only band with an acoustic
18	Instrument DI	S	Erhu pickup
19	Keys L	B C A S	DI
20	Keys R	B C A S	DI
21	Vox 1 (left)	C A S	Vocal mics numbered left → right as the audience sees the stage
22	Vox 2	B C V S	
23	Vox 3	B C A S	
24	Vox 4 (right)	V S	
25	Vox 5 (drums)	A	Speaking and one sung song from the kit
26	Wireless vocal (band's own)	A	Band's own receiver, XLR out
27	Playback L	B A V	Laptop audio (V: mono backing track on L only, via their own DI)
28	Playback R	B A	
29	Spare		
30	Spare		
31	Crowd L	recording	Keep out of FOH
32	Crowd R	recording	Keep out of FOH

The host uses one of the band vocal mics between sets; no separate MC mic needed.

Walk-in and changeover music on the desk's stereo line inputs, outside the 32.

Backline (hired in): DW Collectors kit with double pedal, 3 boom stands and stool · Zildjian 14" hats, 17" + 19" crashes, 20" ride · Ampeg SVT-VR head + SVT 410 cab · Fender '65 Super Reverb · Vox AC30 C2X · one single-tier X keyboard stand · drum mat.

Keyboard: Bandlassian and Canvanauts share a Korg Kronos 2 (stereo out to Keys L/R).

Stage layout (as the audience sees it): Fender · drum kit · Ampeg · AC30 across the back; Vox 1–4 across the front, left to right; Vox 5 at the kit. Keys and other instruments placed per band.

3. Band requirements

Bandlassian (Atlassian)

- **Inputs:** drums · bass (Ampeg, own pedal) · Fender · AC30 · keys L/R (shared Korg Kronos 2) · Vox 2, Vox 3 · playback L/R.
- **Monitors:** drummer brings their own in-ear amp and needs **one XLR mix feed**.
- **Screen:** laptop run by a band member; **video and audio over HDMI** for the walk-on, during songs and between songs.
- **Stage:** 10 players rotating on and off between songs. Keys next to the AC30 (one player switches between keys and guitar). Pokéball beach balls thrown into the crowd in the last song.

Canvanauts (Canva)

- **Inputs:** drums · bass (Ampeg + Quad Cortex; routing to confirm) · 3 guitar DIs (all amp modellers, no guitar amps) · keys L/R (shared Korg Kronos 2) · Vox 1, 2, 3.
- **Screen:** a visualiser on screen for every song; source to confirm.

Amakazaam! (Amazon)

- **Inputs:** drums · bass (Ampeg) · Fender · AC30 · keys L/R (stereo, **needs two DIs**) · Vox 1, Vox 3, Vox 5 · own wireless vocal (ch 26) · playback L/R.
- **Monitors:** lead singer has her own wireless in-ear transmitter (XLR in). Mix: her wireless vocal, plus Vox 5 when she sings from the kit, plus a little Vox 3 on one song.
- **Screen:** laptop at side stage on **HDMI**, with Alexa voice-over audio between songs and a graphic on screen throughout. The singer runs it with a clicker.
- **Stage:** **boomless straight stand** at centre (Vox 2 position) for the wireless mic and its clip. The singer and drummer swap on the kit for one song; the drummer plays cowbell at Vox 1 meanwhile. The drummer brings clamps for cowbell and tambourine.

V2 Voyagers (V2 AI)

- **Inputs:** drums · bass (Ampeg) · Fender · acoustic DI · Vox 2, Vox 4 · backing track (mono, ch 27, from their own DI).
- **Monitors:** lead singer brings their own wireless in-ears (Xvive U4) and needs a mix feed. The drummer's click comes from the band's own headphone amp, not the desk.
- **Screen:** the band's laptop sits **near the drum riser** and sends video over HDMI (no audio). Needs an HDMI run from the riser to the screen.
- **Stage:** two drummers; they swap before song 4 (about a minute).

ShipReX (Rex Software) — special guests

- **Inputs:** drums · bass (DI) · Fender · AC30 · keys L/R · erhu (pickup, ch 18) · Vox 1–4 (two singers share Vox 3).
- **Screen:** none.
- **Stage:** 10 people on stage.

4. Questions for the venue

1. **In-ear feeds:** we need three: one wired XLR feed (Bandlassian's drummer) and two for bands' own wireless transmitters (Amakazaam! and V2 Voyagers' lead singers).
2. **Boomless stand:** do you have a straight, boomless mic stand for Amakazaam!'s lead singer? It holds her wireless mic and clip at centre stage (Vox 2 position).
3. **Unused mics:** can the crew fold down or move the vocal mics a band isn't using before each set? We're filming and photographing every set, and clear sightlines to the players make a big difference.
4. **HDMI at the drum riser:** can we get an HDMI run from the riser to the screen, as well as side stage?
5. **Cables:** can you supply two XLR-female to TRS cables for the backup recorder (see section 1)?