

## Homework 01 (12Sep22)

Name: your name

Rubric for each assignment:

Context	Points
Precision of the answer	80%
Answer Markdown readability	10%
Code readability	10%

Guidance:

- Upload your answers in the Blackboard submission portal as:  
lastname-firstname-labwork-xx.pdf or lastname-firstname-labwork-xx.ipynb

### Table of Problems

- **Problem 1 (20 pts)** Atom density in enriched uranium.
- **Problem 2 (20 pts)** Co-60 decay.
- **Problem 3 (20 pts)** Sr-90 decay.
- **Problem 4 (20 pts)** Po-210 decay.
- **4.1**(6 pts) Curies.
- **4.2**(6 pts) Watts.
- **4.3**(8 pts) 1 MW.
- **Problem 5 (20 pts)** Fission products.
- **5.1**(6 pts) Time-dependent.
- **5.2**(6 pts) Long-time limit.
- **5.3**(8 pts) Maximum.

### Problem 1 (20 pts)

Calculate the atom density of U-235 in uranium enriched to 15% (a/o) in this isotope if the physical density of uranium is 19 g/cm<sup>3</sup>?

Answer:

### Problem 2 (20 pts)

What mass of Co-60,  $t_{1/2} = 5.26$  y, will have the same number of curies as 10 g of Sr-90,  $t_{1/2} = 28.8$  y?

Answer:

### Problem 3 (20 pts)

Suppose the Co-60 and Sr-90 in Problem 2 (with the same activity) are allowed to decay for 10 years. It is found that after 10 years 1.0 Ci of Co-60 remains. How many curies of Sr-90 remain?

Answer:

### Problem 4 (20 pts)

Po-210 decays to Pb-206 by emitting an alpha particle,  $t_{1/2} = 138$  d,  $E = 5.305$  MeV.

**4.1**(6 pts) How many curies are there in 1 g of pure Po-210?

Answer:

**4.2)**(6 pts) How many watts of heat are produced by 1 g of Po-210?

Answer:

**4.3)**(8 pts) What mass of Pb-210 is required to produce 1 MW of thermal energy from its radioactive decay?

Answer:

### Problem 5 (20 pts)

Consider the fission product chain  $A \xrightarrow{\beta} B \xrightarrow{\beta} C$  with decay constants  $\lambda_A$  and  $\lambda_B$  for  $A$  and  $B$  respectively. A reactor is started up at  $t = 0$  and produces fission product A at a rate  $A_0$  thereafter. Assuming that B and C are not produced directly from fission:

**5.1)**(6 pts) Find  $n_A(t)$  and  $n_B(t)$ .

Answer:

**5.2)**(6 pts) What are  $n_A(\infty)$  and  $n_B(\infty)$ ?

Answer:

**5.3)**(8 pts) Find the maximum of  $n_B(t)$ .

Answer: