Output tables for 1xN statistical comparisons.

May 16, 2022

1 Average rankings of Friedman test

Average ranks obtained by each method in the Friedman test.

Algorithm	Ranking
GaussianNB:ENANE	2.3611
GaussianNB:ENN	2.6389
GaussianNB:LSSm	2.5278
GaussianNB:base	2.4722

Table 1: Average Rankings of the algorithms (Friedman)

Friedman statistic (distributed according to chi-square with 3 degrees of freedom): 0.433333.
P-value computed by Friedman Test: 0.933274.

2 Post hoc comparison (Friedman)

P-values obtained in by applying post hoc methods over the results of Friedman procedure.

i	algorithm	$z = (R_0 - R_i)/SE$	p	Hochberg
3	GaussianNB:ENN	0.645497	0.518605	0.016667
2	GaussianNB:LSSm	0.387298	0.698535	0.025
1	GaussianNB:base	0.258199	0.796253	0.05

Table 2: Post Hoc comparison Table for $\alpha = 0.05$ (FRIEDMAN)

3 Adjusted P-Values (Friedman)

Adjusted P-values obtained through the application of the post hoc methods (Friedman).

i	algorithm	unadjusted p	$p_{Hochberg}$
1	GaussianNB:ENN	0.518605	0.796253
2	GaussianNB:LSSm	0.698535	0.796253
3	GaussianNB:base	0.796253	0.796253

Table 3: Adjusted p-values (FRIEDMAN) (I)

i	algorithm	unadjusted p
1	GaussianNB:ENN	0.518605
2	GaussianNB:LSSm	0.698535
3	GaussianNB:base	0.796253

Table 4: Adjusted p-values (FRIEDMAN) (II)