

Output tables for 1xN statistical comparisons.

May 16, 2022

1 Average rankings of Friedman test

Average ranks obtained by each method in the Friedman test.

Algorithm	Ranking
KNeighborsClassifier:ENANE	2.4722
KNeighborsClassifier:ENN	2.3611
KNeighborsClassifier:LSSm	2.9167
KNeighborsClassifier:base	2.25

Table 1: Average Rankings of the algorithms (Friedman)

Friedman statistic (distributed according to chi-square with 3 degrees of freedom): 2.766667.
P-value computed by Friedman Test: 0.429017.

2 Post hoc comparison (Friedman)

P-values obtained in by applying post hoc methods over the results of Friedman procedure.

i	algorithm	$z = (R_0 - R_i)/SE$	p	Hochberg
3	KNeighborsClassifier:LSSm	1.549193	0.121335	0.016667
2	KNeighborsClassifier:ENANE	0.516398	0.605577	0.025
1	KNeighborsClassifier:ENN	0.258199	0.796253	0.05

Table 2: Post Hoc comparison Table for $\alpha = 0.05$ (FRIEDMAN)

3 Adjusted P-Values (Friedman)

Adjusted P-values obtained through the application of the post hoc methods (Friedman).

i	algorithm	unadjusted p	$p_{Hochberg}$
1	KNeighborsClassifier:LSSm	0.121335	0.364006
2	KNeighborsClassifier:ENANE	0.605577	0.796253
3	KNeighborsClassifier:ENN	0.796253	0.796253

Table 3: Adjusted p -values (FRIEDMAN) (I)

i	algorithm	unadjusted p
1	KNeighborsClassifier:LSSm	0.121335
2	KNeighborsClassifier:ENANE	0.605577
3	KNeighborsClassifier:ENN	0.796253

Table 4: Adjusted p -values (FRIEDMAN) (II)