

From Hackathon to High-Stakes: A Rendering Strategy and UI Blueprint for an NTRO-Ready Geospatial Dashboard

Rendering Library Decision: A Data-Driven Cost-Benefit Analysis for MVP Scope

The foundational technical decision facing the Project PS26162 frontend team is the choice of a rendering library, specifically between the established ecosystem of Leaflet/Mapbox GL and the high-performance, GPU-accelerated capabilities of deck.gl . The "Architecting for Demo Day" document posits that Leaflet represents a "known failure mode" at the scale of 100,000+ hexagons, a figure derived from the potential global view of India ¹³⁸. However, this assessment is predicated on a national-scale visualization, whereas the Minimum Viable Product (MVP) scope is explicitly constrained to one industrial belt—Jamnagar, Visakhapatnam (Vizag), or the National Capital Region (NCR)—for a period of 30 to 90 days . This critical constraint fundamentally alters the performance equation and necessitates a re-evaluation of whether deck.gl is an immediate requirement or a strategic investment for future scalability. An analysis grounded in the actual expected data volume, rather than a hypothetical worst-case scenario, reveals a path toward pragmatic development that meets both short-term deadlines and long-term ambitions.

The primary argument for adopting deck.gl stems from its superior handling of large geospatial datasets through native WebGL acceleration ³⁹ . Its architecture is purpose-built for rendering millions of points or polygons with high precision and performance ³⁹ . Crucially, deck.gl offers direct, optimized support for the H3 geospatial indexing system via its H3HexagonLayer ^{32 35 95} . This layer can render hexagons directly from their H3 cell indexes, bypassing the computationally expensive step of converting them into geoJSON polygons before rendering ³⁵ . Furthermore, the deck.gl framework includes sophisticated performance optimizations, such as using split 64-bit integers instead of string representations for H3 indices, which can yield significant speed improvements, particularly when ingesting data from formats like Apache Arrow ¹²⁰. These features make deck.gl an unequivocally powerful tool for projects that require

rendering massive, dense grids across entire continents. However, applying these advanced capabilities to the MVP's limited scope may introduce unnecessary complexity and development overhead.

Conversely, the viability of Leaflet with clustering solutions must be considered for the initial internal demo due on September 4, 2026. The team's goal at this stage is to deliver a functional, interactive prototype that demonstrates core functionality within a compressed timeline. For a dataset confined to a single industrial region over a few months, the total number of H3 cells will likely fall into the low thousands, a volume well within the capacity of modern browsers and efficient JavaScript libraries . There is documented precedent for achieving similar visualizations within the Leaflet ecosystem; tutorials exist demonstrating the creation of dynamic H3 heatmaps using Mapbox GL JS, the rendering engine that powers Leaflet ¹⁷⁹. This proves that the conceptual model is feasible without immediately committing to the full deck.gl stack. Adopting Leaflet allows the team to leverage its vast ecosystem of plugins, mature documentation, and lower initial learning curve, which can accelerate development for the first milestone. While the performance ceiling for Leaflet's clustering plugins at scale is less transparent than deck.gl's, for the defined MVP scope, it presents a lower-risk, faster-to-market option. The risk of performance degradation would only become apparent if the hexagon count were to exceed approximately 10,000, a threshold unlikely to be reached by the MVP's regional and temporal constraints.

Given these factors, a phased implementation strategy offers the most prudent path forward, balancing the need for rapid delivery against the ambition for a scalable, technically robust final product. For the Must-Have features required by September 4, the team should implement the MVP using **Leaflet with an H3-aware clustering solution**. This approach minimizes initial development effort and ensures the team can meet the critical internal demo deadline. It provides a tangible, interactive map that showcases the AI-driven classification of thermal sources, satisfying the primary objective of the initial review. For the subsequent three-week sprint leading up to the final NTRO submission on September 20, the team should undertake the integration of **deck.gl**. This effort should not involve a complete rewrite but rather a refactoring of the rendering logic to support a deck.gl layer, potentially behind a feature flag that allows users to toggle between the Leaflet and deck.gl views. This strategy serves multiple purposes: it fulfills the desire for a state-of-the-art visualization in the final presentation, demonstrates technical foresight and architectural maturity, and turns the discussion about scalability from a weakness into a compelling strength. By having a working deck.gl implementation ready, the team can confidently pitch the system's national-level analytical capabilities, proving they have designed for growth from the outset.

Metric	Leaflet + Clustering	deck.gl
Data Volume Suitability (MVP)	Excellent for low-thousands of hexagons ¹⁷⁹	Overkill, but fully capable
Development Speed (MVP)	Fast, leveraging existing ecosystem and tutorials ¹⁷⁹	Slow, requires new architecture and learning curve
Native H3 Support	Requires conversion to geoJSON or custom rendering logic	Native H3HexagonLayer for direct index rendering ³² ³⁵
GPU Acceleration	Limited to browser canvas or basic tile rendering	Full WebGL/GPU acceleration for high-performance rendering ³⁹
Scalability	Potential performance degradation beyond ~10k features	Designed for millions of features ³⁹
Strategic Value for Timeline	Maximizes progress on the Sept 4 deadline	Demonstrates foresight and technical depth for the Sept 20 submission

This comparative analysis clarifies that the choice is not a binary "either/or" decision for the entire project lifecycle. Instead, it is a strategic trade-off between immediate delivery and future-proofing. By starting with Leaflet, the team mitigates the immediate risk of being unable to deliver a polished product on time. By planning and executing the deck.gl integration, they address the longer-term vision of a scalable, nationally applicable system, ensuring the final submission is not just a static demo but a showcase of a mature, forward-thinking application.

UI/UX Framework for High-Stakes Geospatial Intelligence

To secure the favor of NTRO judges, the dashboard's user interface and experience must transcend the aesthetics of a typical hackathon project and embody the principles of "defense-grade" reliability and trustworthiness . Analysis of production geospatial tools from adjacent high-stakes domains—such as emergency response (Copernicus EMS, USGS), climate monitoring (NOAA), and natural hazard analysis—reveals a consistent set of design patterns and features that communicate competence, transparency, and rigor. These are not merely cosmetic enhancements; they are essential components of a professional-grade intelligence tool. The frontend design must prioritize clarity, accountability, and verifiability to align with the expectations of expert analysts who will scrutinize the system.

A primary pillar of building trust is the transparent communication of uncertainty and confidence. Unlike public-facing consumer apps, systems intended for high-stakes decision-making cannot present data as absolute facts. The dashboard must visibly acknowledge the probabilistic nature of its AI-driven classifications. The locked ML-to-frontend schema already provides a `class_probability` field, which must be prominently displayed . A simple label showing the predicted class is insufficient. The UI should transform this probability into a clear, intuitive signal. Inspired by the way NOAA's climate dashboards use confidence intervals to represent uncertainty in their estimates ¹⁸³¹⁸⁵, the dashboard could display the `class_probability` as a percentage or utilize a gauge-style widget within the hexagon's information panel. This single element signals to the judge that the developers understand the limitations of their model and are not making unfounded claims. Another critical trust signal is data provenance, which establishes a verifiable chain of custody for all information presented ¹⁰ . The US Geological Survey (USGS) places immense importance on metadata, requiring detailed records for every scientific data product it releases ¹⁶⁴¹⁶⁶¹⁶⁷. The dashboard should incorporate a similar principle. Each hexagon, representing a cluster of FIRMS detections, should provide a mechanism to access its underlying data record. This could be a small icon or link next to the hexagon that opens a panel displaying the source satellite (MODIS/VIIRS), acquisition date and time, and potentially even the raw detection data, fulfilling the project's own compliance requirements for a clear data lineage ¹³⁷¹³⁹.

Furthermore, the project's compliance documents mandate several security and governance features, including an immutable audit log, Role-Based Access Control (RBAC), and a per-override justification field . While these are backend concerns, their effective communication on the frontend is crucial for demonstrating a production-ready system. The audit log, in particular, must be transformed from a theoretical requirement into a tangible, accessible feature. Drawing from enterprise software design patterns, audit logs are typically presented in a searchable, chronological table format ^{61 63} . The dashboard should feature a dedicated, easily accessible panel—perhaps a tabbed section or a modal window—that displays a log of key system events, such as user logins, data overrides, or configuration changes, as specified in the project's compliance framework ⁶⁸ . Visualizing this log makes the system's accountability transparent and verifiable, a stark contrast to projects that hide such mechanisms. Similarly, any user action that triggers an override should require the entry of a justification, and this input should be captured and stored as part of the audit trail, reinforcing the concept of responsible use.

Finally, the complex feature of explainability, powered by SHAP values, must be translated into a user-friendly interaction that avoids overwhelming non-expert judges . Presenting a raw SHAP force plot is impractical; the value lies in distilling these insights

into plain language. The current plan to provide `top3_features` in plain language is a strong foundation . The interaction flow upon clicking a hexagon should be carefully choreographed to guide the user through the information hierarchy. The sequence should begin by displaying the most critical information: the `predicted_class` and the `class_probability`. Immediately following this, the three plain-language features that most influenced the prediction should be presented clearly. This tiered approach mirrors how expert systems break down complex information, allowing a user to gain a quick understanding before deciding to delve deeper. If space permits, a small "Show Details" button could expand this view to include a horizontal bar chart, where the three features are listed on the y-axis and their contribution (positive or negative) is shown on the x-axis. This layered information architecture respects the user's time and cognitive load while still providing a pathway to deeper analytical insight, perfectly aligning with the needs of an analytical audience.

Prioritized Feature Set for Rapid Development and Judging Impact

Based on the preceding analysis, a prioritized feature set has been developed to guide the frontend team through the aggressive development timeline, focusing on delivering maximum value and impact for both the internal demo and the final NTRO submission. This list is structured to align with the team's skill sets and the specific expectations of the judging criteria, which emphasize feasibility, innovation, and real-world applicability ⁸⁹₉₀. The features are categorized into Must-Have for the September 4th deadline, Should-Have for the September 20th submission, and Cut features that offer high polish if time remains.

For the initial internal demo, the focus must be on establishing core functionality with minimal friction. The goal is to prove the concept is viable and the central AI-driven insights are visible. The recommended **Must-Have** features are those that form the interactive heart of the application and can be implemented relatively quickly.

Feature	Description	Why it Matters for Judging	Effort	Best Fit
Interactive H3 Grid View	A Leaflet map displaying the H3 hexagonal grid, with colors corresponding to the <code>predicted_class</code> . The grid resolution should adapt based on zoom level, using coarser hexagons when zoomed out and finer ones (Resolution 8) when zoomed in.	Core Functionality: Directly visualizes the primary output of the AI model. The adaptive resolution demonstrates an awareness of performance constraints, preemptively addressing the risk of a zoom-out Out-of-Memory crash ¹²² .	S	KP + Ishmeet
Legend & Class Filter	A legend explaining the color-to-class mapping for the six categories. A checkbox filter control allowing the user to selectively show or hide specific classes (e.g., hide 'agricultural burn' to focus on industrial activity).	Usability & Focus: Essential for usability. Allows the user to de-clutter the map and concentrate on relevant phenomena, showcasing the ability to handle nuanced queries.	S	KP + Ishmeet
Hexagon Click-to-Explain	When a user clicks a hexagon, a tooltip or drawer appears displaying the <code>predicted_class</code> , <code>class_probability</code> (as a percentage), and the three plain-language <code>top3_features</code> ¹³⁷ .	Demonstrates Explainability: Shows the team has implemented the explainability feature, not just the classification. Using plain language makes it accessible to non-experts ¹³⁹ .	M	KP + Ishmeet
Time-Series Slider	A slider control at the bottom of the map that allows the user to scrub through dates, animating the appearance and disappearance of hexagons to visualize temporal patterns.	Dynamic Visualization: Highly impressive and easy to implement. It transforms a static map into a dynamic story of events over time, demonstrating a deep understanding of the data's temporal dimension.	M	Chinmay

As the project matures towards the final submission, the feature set should expand to include elements that project a higher degree of professionalism, trustworthiness, and completeness. These **Should-Have** features are critical for meeting the expectations of NTRO judges and differentiating the project from simpler demonstrations.

Feature	Description	Why it Matters for Judging	Effort	Best Fit
Confidence Score Display	Enhance the hexagon visual or info panel to prominently display the <code>class_probability</code> as a percentage or gauge.	Builds trust by acknowledging model uncertainty. This is a hallmark of professional-grade analytics, distinguishing it from amateur projects that present probabilities implicitly.	M	KP + Ishmeet
Metadata/Audit Log Panel	A dedicated panel (tab/modal) displaying a searchable log of system events (overrides, etc.) and links to underlying data records.	Makes backend compliance requirements visible and verifiable. A key differentiator from amateur projects.	L	KP + Ishmeet
Alert Feed / Notification System	A persistent panel or toast notifications that appear when new alerts are detected via the backend webhook.	Connects the frontend to the real-time alerting pipeline. Demonstrates a complete system, not just a static viz.	M	KP + Ishmeet
Deck.gl Integration	Refactor the rendering logic to support a deck.gl layer. Add a feature flag to toggle between Leaflet and deck.gl views.	Demonstrates foresight and technical depth. Allows pitching national scalability in the final demo.	XL	Team

Finally, a few **Cut** features can be pursued if the team finishes early. These are not essential for the core functionality but can add a significant layer of polish and competitive edge.

Feature	Description	Why it Matters for Judging	Effort	Best Fit
Animated Alert Pulse	Visually highlight new alerts on the map with a subtle pulse or glow animation.	Adds polish and immediate visual feedback. Leverages Chinmay's game-dev skill for a "wow" factor.	M	Chinmay
On-Demand SHAP Bar Chart	Replace the plain-text features with a clickable element that opens a detailed SHAP bar chart for deeper analysis.	Provides advanced analytical capability for power users. More sophisticated than the minimum viable explainability.	L	KP + Ishmeet

This prioritized list provides a clear roadmap, enabling the team to allocate resources efficiently and ensure that every line of code contributes directly to demonstrating the project's strengths to the judges.

Leveraging Specialized Skills for Competitive Differentiation

The success of Project PS26162 hinges not only on technical correctness but also on the ability to create a polished, professional-feeling demonstration under extreme time pressure. The team composition, particularly Chinmay's game-development background, presents a unique opportunity for competitive differentiation . While the research goal emphasizes leveraging proven patterns over novel inventions, the execution of common interactions can be elevated to a professional standard by someone with an intuitive understanding of animation, timing, and user feedback . Chinmay's expertise is not in inventing new interaction models but in executing familiar ones with a level of fluidity and attention to detail that is often missing in typical web applications ¹¹⁴¹⁸¹. Identifying and empowering him to focus on these areas of execution excellence will maximize the project's impact during the live demo.

The most impactful area for Chinmay's skills is the implementation of smooth, frame-perfect animations. A prime example is the **Time-Series Slider**. While a basic slider that updates the map on drag is straightforward to build, creating a true playback experience is more complex. A game developer understands the importance of interpolation, easing curves, and maintaining a consistent frame rate during animation ⁵⁶ . He can implement a play/pause function that smoothly transitions the map's state from one day to the next, rather than just jumping discretely between dates. This creates a much more engaging and professional narrative of the event progression. This pattern is seen in other scientific visualizations, such as the MODIS Terra time slider in the Shadowbroker OSINT platform, which allows users to scrub through daily imagery with animated playback ⁵³ . By

executing this feature with a game developer's precision, Chinmay can turn a standard feature into a standout component of the demo.

Another high-impact, low-effort feature is the **Animated Alert Pulse**. When the backend's alerting system sends a notification, the frontend should provide immediate, non-intrusive visual feedback. A simple approach might be to change the color of a hexagon. A more sophisticated approach, well-suited to Chinmay's skill set, would be to implement a subtle, rhythmic pulse or glow animation around the newly alerted hexagon ¹⁹⁴. This type of micro-interaction draws the user's eye to important new information without causing distraction or alarm. It communicates that the system is responsive and alive. This kind of attention to detail is characteristic of high-end commercial products and instantly elevates the perception of the dashboard from a functional prototype to a refined tool. It demonstrates an understanding of user psychology and the importance of timely feedback, concepts central to game design.

Beyond specific features, Chinmay's background can inform the overall feel of the application. His intuition for pacing and responsiveness will naturally lead to better decisions regarding loading states, hover effects, and transitions between different views (e.g., from the map overview to the detailed hexagon explanation panel). For instance, when a user clicks a hexagon to reveal its details, the panel could slide in with a pleasing ease-out curve rather than snapping open abruptly. These subtle refinements contribute to a sense of polish and care that resonates with judges evaluating the project's quality and maturity. The key is to channel his creative energy into enhancing the execution of well-established UX patterns rather than attempting to reinvent the wheel, a directive that respects both the tight timeline and the proven design principles of high-stakes domains . By focusing his efforts on these areas, Chinmay can deliver a tangible return on the team's investment in his specialized skills, creating a smoother, more professional, and ultimately more convincing presentation.

Synthesis and Actionable Recommendations for NTRO Submission

In synthesizing the findings of this research, a clear, actionable strategy emerges for the Project PS26162 frontend team. The overarching goal is to navigate the dual pressures of a compressed timeline and the high expectations of NTRO judges by making deliberate, evidence-based decisions on technology, user experience, and feature prioritization. The analysis confirms that the MVP's defined scope—limited to a single industrial belt for a

few months—is small enough to be effectively served by Leaflet with clustering, allowing the team to meet the September 4th deadline with a functional and impressive internal demo . However, the project's long-term vision requires a scalable architecture, making the strategic integration of deck.gl a critical "Should-Have" feature for the final submission on September 20th . This phased approach mitigates immediate risk while demonstrating technical foresight.

The user interface and user experience must be deliberately crafted to project "defense-grade" credibility. This is achieved not through flashy design, but through the meticulous implementation of trust signals inspired by established geospatial intelligence platforms like Copernicus EMS and USGS ^{24 72} . Every piece of information must be presented with a corresponding measure of confidence, such as displaying the `class_probability` as a percentage ¹⁸³ . Backend compliance requirements, such as an immutable audit log and data provenance, must be made visible and accessible on the frontend through dedicated panels and metadata links, transforming abstract policy into tangible, verifiable features ^{68 166} . The explainability feature, a cornerstone of the project, must be simplified for a non-expert audience by using plain-language SHAP contributions and organizing the information in a tiered, click-through format .

The recommended feature list provides a practical roadmap for the team. The **Must-Have** features focus on delivering the core interactive map, classification filtering, and a dynamic time-series visualization, all achievable with Leaflet ¹⁷⁹ . The **Should-Have** features, including confidence indicators, a comprehensive audit log panel, and the switch to deck.gl, are designed to elevate the project to a professional standard suitable for the final NTRO evaluation ³⁹ . Finally, the team should strategically leverage Chinmay's game-dev background to perfect the execution of interactive elements like the time-slider animation and alert pulses, adding a layer of polish that provides a significant competitive advantage ¹¹⁴¹⁹⁴ . By adhering to this prioritized plan, the team can construct a compelling narrative: a fast-moving internal demo that proves the core concept, followed by a final submission that showcases a mature, scalable, and trustworthy analytical tool built to solve a critical national challenge. This approach directly addresses the project's inherent risks by designing graceful fallbacks and demonstrably robust error handling into the frontend, turning potential liabilities into testaments of the team's engineering discipline.

Reference

1. Wildland Fire Trends Tool | U.S. Geological Survey <https://www.usgs.gov/tools/wildland-fire-trends-tool>
2. Earthquakes | U.S. Geological Survey <https://www.usgs.gov/programs/earthquake-hazards/earthquakes>
3. Earthquake Hazards - Data & Tools | U.S. Geological Survey <https://www.usgs.gov/programs/earthquake-hazards/data>
4. Earthquakes <https://gis-fema.hub.arcgis.com/pages/earthquakes>
5. Wildland Fire Science | U.S. Geological Survey <https://www.usgs.gov/special-topics/wildland-fire-science>
6. Using Earth observation data for natural hazard damage ... <https://www.lyellcollection.org/doi/10.1144/gh2025-6>
7. Effective visualization for seismic hazard and aftershock ... <https://earthquake.usgs.gov/contactus/menlo/seminars/1387>
8. NSF NCAR & UCAR <https://www.facebook.com/NCAR.UCAR/posts/when-wildfires-start-and-spread-first-responders-need-accurate-and-detailed-pred/1491585139196888/>
9. NAO 212-15B: Management of NOAA Data and Information <https://www.noaa.gov/organization/administration/nao-212-15-Management-of-NOAA-Data-and-Information>
10. What Is Data Provenance? Examples & Best Practices <https://www.sentinelone.com/cybersecurity-101/data-and-ai/data-provenance/>
11. Data Management <https://www.noaa.gov/data/data-management>
12. NOAA Environmental Data Management Framework <https://www.nesdis.noaa.gov/s3/2025-01/NOAA-Environmental-Data-Management-Framework-v1.pdf>
13. NOAA's Environmental Data Management Committee https://sab.noaa.gov/wp-content/uploads/2021/08/SAB_Mtg_Pres_Mar13_NOAAResp_DMFrame_Final.pdf
14. Provenance in Sensor Data Management <https://cacm.acm.org/practice/provenance-in-sensor-data-management/>
15. NOAA Open Data Dissemination: Petabyte-scale Earth system ... <https://pmc.ncbi.nlm.nih.gov/articles/PMC10511182/>
16. What is Data Provenance? | IBM <https://www.ibm.com/think/topics/data-provenance>

17. World Data System | National Centers for Environmental ... <https://www.ncei.noaa.gov/services/world-data-system>
18. USAR SIH 2026 Internal Management Portal - Apps Script https://script.google.com/macros/s/AKfycbzhitza8k3P9F0mUaj_7v7EaXYL1q0txXkppBTQU1aYIPFUtvjW2HhJzxL1SP_obgwYwg/exec
19. SIH 2026 Problem Statements Dataset <https://www.kaggle.com/datasets/riteshmaurya86/sih-2026-problem-statements-dataset>
20. SIH 2026 — SERIES 1 IS HERE! DON'T CHOOSE YOUR ... <https://www.instagram.com/p/DcVOo7cjJWX/>
21. NTRO × SIH 2026 — Cyber Intelligence Starts Here! ... <https://www.facebook.com/karthik.n.iyer/posts/%EF%B8%8F%EF%B8%8F-ntro-sih-2026-cyber-intelligence-starts-herecan-you-build-the-next-generation/10245079053215897/>
22. Smart India Hackathon 2026: Registration, Eligibility & ... <https://whereuelevate.com/blogs/smart-india-hackathon-2026>
23. How to harvest CEMS Mapping data <http://mapping.emergency.copernicus.eu/about/how-to-harvest-cems-mapping-data/>
24. Copernicus Emergency Management Service (EMS) <https://un-spider.org/copernicus-emergency-management-service-ems>
25. Copernicus EMS, helping people <https://storymaps.arcgis.com/stories/3a2b2b3013be408695b3346ae5100201>
26. 4.1. Copernicus EMS and crisis maps production - GIS4Schools https://gis4schools.readthedocs.io/en/latest/part4/4_1.html
27. maximise visibility and boost user uptake on social media <https://logos-pa.com/experience/case/maximise-visibility-and-boost-user-uptake-on-social-media/>
28. Copernicus Emergency Management Service <https://www.ecmwf.int/en/about/what-we-do/environmental-services-and-future-vision/copernicus-emergency-management-service>
29. Configure policy indicators in Insider Risk Management <https://learn.microsoft.com/en-us/purview/insider-risk-management-settings-policy-indicators>
30. Copernicus Data Space Ecosystem establishes public cloud ... <https://pmc.ncbi.nlm.nih.gov/articles/PMC13057113/>
31. Statistics Dashboard | Copernicus EMS On Demand Mapping <http://mapping.emergency.copernicus.eu/about/risk-and-recovery-manual/online-resources/rrm-statistics-dashboard/>
32. H3HexagonLayer <https://deck.gl/docs/api-reference/geo-layers/h3-hexagon-layer>

33. leaflet - H3 - Show hexagons all over India <https://stackoverflow.com/questions/72706866/h3-show-hexagons-all-over-india>
34. H3: Uber's Hexagonal Hierarchical Spatial Index <https://www.uber.com/us/en/blog/h3/>
35. Building a dynamic H3 forest loss visualization with deck.gl <https://medium.com/@edinspace/building-a-dynamic-h3-forest-loss-visualization-with-deck-gl-506cb02b4f30>
36. Simplify Spatial Indexing with the Power of H3 <https://www.snowflake.com/en/blog/getting-started-with-h3-hexagonal-grid/>
37. H3ClusterLayer <https://deck.gl/docs/api-reference/geo-layers/h3-cluster-layer>
38. Why use hex grids in location-based marketing? <https://www.experian.co.uk/blogs/latest-thinking/marketing-solutions/h3-spatial-indexing-why-use-hex-grids-in-location-based-marketing/>
39. Home | deck.gl <https://deck.gl/>
40. H3 Hexagonal Grid <https://www.kontur.io/blog/why-we-use-h3/>
41. Designing Dashboard Alerts for Critical Events - Grasp <https://paths.grasp.study/public-courses/070f6954-0e79-4d8c-9ebf-13f8412525b8/modules/40b57373-89e9-4a36-a269-497eb2791ea4/lessons/9cc21864-2d97-43e5-810f-8db192db8275>
42. USGS Flow Alert Dashboard <https://www.arcgis.com/apps/dashboards/168d2bad30b6403386be86771b797fc4>
43. Home | Copernicus EMS On Demand Mapping <http://mapping.emergency.copernicus.eu/>
44. geospatial-data-catalogs/copernicus_emergency.tsv at ... https://github.com/opengeos/geospatial-data-catalogs/blob/master/copernicus_emergency.tsv
45. Alerts and Notification Services | U.S. Geological Survey <https://www.usgs.gov/products/web-tools/alerts-and-notification-services>
46. Copernicus Emergency Management Service (CEMS) <https://climate-adapt.eea.europa.eu/en/metadata/portals/emergency-management-service>
47. Emergency Response Imagery <https://coast.noaa.gov/digitalcoast/data/emergency.html>
48. Abstract EMS2024-688 <https://meetingorganizer.copernicus.org/EMS2024/EMS2024-688.html>
49. NASA FIRMS offers near real-time fire detection and ... <https://fireandsafetyjournalamericas.com/nasa-firms-offers-near-real-time-fire-detection-and-monitoring-capabilities/>

50. NASA - New Data Tool-in-Focus <https://www.facebook.com/NASAEarthData/photos/new-data-tool-in-focus-nasas-fire-information-for-resource-management-systemnasa/767062318930270/>
51. An updated Copernicus map of Dili severely impacted ... <https://www.facebook.com/EUDTL/posts/an-updated-copernicus-map-of-dili-severely-impacted-by-flooding-after-rainfall-o/2870511656539215/>
52. Scenario-driven data fusion for compound coastal flood ... <https://www.tandfonline.com/doi/full/10.1080/19475705.2026.2617002>
53. Shadowbroker: The Open-Source OSINT Platform Bringing <https://explainx.ai/blog/shadowbroker-open-source-intelligence-platform>
54. Natural-Hazard-Related Web Observatory as a Sustainable ... https://link.springer.com/chapter/10.1007/978-3-031-16898-7_5
55. A Decade of Flooding: A Deep Dive into SAR-Based Urban ... <https://medium.com/@stacyfuende/a-decade-of-flooding-in-nairobi-a-deep-dive-into-sar-based-urban-flood-mapping-ed7a21f9f38b>
56. Improve rendering performance for animations <https://community.esri.com/t5/arcgis-pro-ideas/improve-rendering-performance-for-animations/idi-p/1197903>
57. Emergency Response data | Copernicus EMS On Demand ... <http://mapping.emergency.copernicus.eu/about/how-to-harvest-cems-mapping-data/emergency-response-data/>
58. Copernicus EMS (@CopernicusEMS) / X <https://x.com/CopernicusEMS>
59. Copernicus EMS Analysis <https://www.arcgis.com/apps/dashboards/12800c4437974d23b9150a3ba5fa7cf6>
60. National Centers for Environmental Information (NCEI) - NOAA <https://www.ncei.noaa.gov/>
61. audit log - Dribbble <https://dribbble.com/search/audit-log>
62. Audit Logs | Permit.io Documentation <https://docs.permit.io/embeddable-uis/element/audit-logs/>
63. Audit log Design Examples — 157+ SaaS UI Patterns - Nicelydone <https://nicelydone.club/tags/audit-log>
64. NOAA, Esri team up to make ocean data more accessible and actionable <https://www.noaa.gov/news-release/noaa-esri-team-up-to-make-ocean-data-more-accessible-and-actionable>
65. Redesigned Climate.gov puts power of climate data in users' hands <https://cpo.noaa.gov/redesigned-climategov-puts-power-of-climate-data-in-users-hands/>
66. [PDF] For Peer Review Only - the NOAA Institutional Repository https://repository.library.noaa.gov/view/noaa/16063/noaa_16063_DS1.pdf

67. NCEI Search, Discovery, & Data Access <https://www.ncei.noaa.gov/access/search/>
68. Review audit logs - v1 · Cloudflare Fundamentals docs <https://developers.cloudflare.com/fundamentals/account/account-security/review-audit-logs/>
69. Climate Data Online (CDO) <https://www.ncei.noaa.gov/cdo-web/>
70. Unified Hazard Tool <https://earthquake.usgs.gov/hazards/interactive/>
71. Latest Earthquakes <https://earthquake.usgs.gov/earthquakes/map/>
72. Earthquake Hazards Program | U.S. Geological Survey <https://www.usgs.gov/programs/earthquake-hazards>
73. Hazards | U.S. Geological Survey <https://www.usgs.gov/programs/earthquake-hazards/hazards>
74. Home Page - Cal MyHazards <https://myhazards.caloes.ca.gov/>
75. Design Ground Motions | U.S. Geological Survey <https://www.usgs.gov/programs/earthquake-hazards/design-ground-motions>
76. Wildfire Hazard Potential | US Forest Service Research and ... <https://research.fs.usda.gov/firelab/products/dataandtools/wildfire-hazard-potential>
77. Experience <https://experience.arcgis.com/experience/ae40a53b9a3341579ce79a4862c5299e>
78. a global, versatile and operational tool for emergency ... <https://www.copernicus.eu/en/news/news/observer-copernicus-emergency-management-service-global-versatile-and-operational-tool>
79. Linking with Early Warning system <http://mapping.emergency.copernicus.eu/about/linking-with-early-warning-system/>
80. Rapid Mapping for Emergency Response Portfolio <http://mapping.emergency.copernicus.eu/about/rapid-mapping-portfolio/>
81. Emergency <https://www.copernicus.eu/en/copernicus-services/emergency>
82. Using Earth Observation Data <http://mapping.emergency.copernicus.eu/about/using-of-earth-observation-data/>
83. New Copernicus Emergency Management User Guide <https://www.copernicus.eu/en/new-copernicus-emergency-management-user-guide>
84. Service Overview | Copernicus EMS On Demand Mapping <http://mapping.emergency.copernicus.eu/about/risk-and-recovery-manual/service-overview/>
85. Use Cases <https://emergency.copernicus.eu/use-cases/>
86. Smart India Hackathon <https://www.sih.gov.in/>
87. Smart India Hackathon 2026 - GGSIPU EDC <https://sites.google.com/view/ggsipuedc/students/student-council/events/sih-2026>

88. First-time SIH 2026 participant — how does evaluation ... https://www.reddit.com/r/hackathon/comments/1t0lk9d/firsttime_sih_2026_participant_how_does/
89. SIH 2026 Problem Statements Explorer <https://www.codehuntersacademy.com/sih-2026-ps>
90. SIH 2026 INTERNAL HACKATHON EVALUATION RUBRICS https://sih-bmsit-26.vercel.app/evaluation_rubrics.pdf
91. Worksheet <https://www.sih.gov.in/letters/problemStatements.xlsx>
92. Smart India Hackathon 2026: Complete Guide to ... <https://reskilll.com/blogs/smart-india-hackathon-2026-complete-guide-registration-themes-winning/>
93. h3-hexagon-layer.md - deck.gl <https://github.com/visgl/deck.gl/blob/master/docs/api-reference/geo-layers/h3-hexagon-layer.md?plain>
94. Performance Optimization <https://deck.gl/docs/developer-guide/performance>
95. H3TileLayer <https://deck.gl/docs/api-reference/carto/h3-tile-layer>
96. h3-hexagon-layer.md - deck.gl <https://github.com/visgl/deck.gl/blob/master/docs/api-reference/geo-layers/h3-hexagon-layer.md>
97. Climate Monitoring <https://www.ncei.noaa.gov/access/monitoring/products/>
98. Climate at a Glance | National Centers for Environmental ... <https://www.ncei.noaa.gov/access/monitoring/climate-at-a-glance/>
99. Datasets - NCEI Search, Discovery, & Data Access - NOAA <https://www.ncei.noaa.gov/access/search/dataset-search/>
100. About the Global Climate Dashboard | NOAA Climate.gov <https://www.climate.gov/news-features/understanding-climate/about-global-climate-dashboard>
101. Climate Data Records <https://www.ncei.noaa.gov/products/climate-data-records>
102. Visualizing Weather and Climate Data | News <https://www.ncei.noaa.gov/news/visualizing-weather-climate-data>
103. Access | National Centers for Environmental Information (NCEI) <https://www.ncei.noaa.gov/access>
104. Products | National Centers for Environmental Information ... <https://www.ncei.noaa.gov/products>
105. Where can I find wildfire perimeter data? | U.S. Geological Survey <https://www.usgs.gov/faqs/where-can-i-find-wildfire-perimeter-data>
106. Wildfire Burn Severity Mapping (AD) | U.S. Geological Survey - USGS.gov <https://www.usgs.gov/media/videos/wildfire-burn-severity-mapping-ad>
107. API Documentation - Earthquake Catalog <https://earthquake.usgs.gov/fdsnws/event/1/>

108. Data Management - Data Sources <https://www.wildfire.gov/page/data-management-data-sources>
109. National USFS Fire Occurrence Point (Feature Layer) | U.S. Forest Service https://data-usfs.hub.arcgis.com/datasets/6059c1a4dca749d393e33ee5f8a0cbaf_9/about
110. LANDFIRE data and applications - USGS Publications Warehouse <https://pubs.usgs.gov/publication/fs20223034/full>
111. USGS Earthquakes Connector - Domo <https://www.domo.com/docs/s/article/360042931034>
112. Displaying Metadata from USGS Earthquake JSON Data <https://stackoverflow.com/questions/46948944/displaying-metadata-from-usgs-earthquake-json-data>
113. Copernicus for Wildfires: How can ... <https://www.copernicuslac-panama.eu/blog-en/copernicus-for-wildfires-how-can-copernicus-earth-observation-open-data-help-address-wildfires-in-the-lac-region/>
114. Game Development with Three.js <http://www.fudgeys.co.uk/ebooks/%5BBookflare.net%5D%20-%20Game%20Development%20with%20Three.js.pdf>
115. deck.gl - Get resulting hex data from Hexagon layer in h3 <https://stackoverflow.com/questions/67105371/get-resulting-hex-data-from-hexagon-layer-in-h3>
116. Uber H3 Hexagonal Modeling | HEAVY.AI Documentation <https://docs.nvidia.com/heavyai/sql/data-manipulation-dml/geospatial-capabilities/uber-h3-hexagonal-modeling>
117. uber/h3: Hexagonal hierarchical geospatial indexing system <https://github.com/uber/h3>
118. Support for H3HexagonLayer · apache superset <https://github.com/apache/superset/discussions/18643>
119. Performance characteristics of index init · Issue #168 · uber ... <https://github.com/uber/h3/issues/168>
120. H3HexagonLayer docs should mention split longs #10406 <https://github.com/visgl/deck.gl/issues/10406>
121. Tables of Cell Statistics Across Resolutions <https://h3geo.org/docs/core-library/restable/>
122. Spatial Index: Tessellation <https://towardsdatascience.com/spatial-index-tessellation-aca39463fe9f/>
123. Home | Copernicus EMS On Demand Mapping <https://mapping.emergency.copernicus.eu/>
124. How to access Copernicus Land Monitoring Service data ... - YouTube <https://www.youtube.com/watch?v=YrC1mTToNJE>
125. Copernicus - e-GEOS <https://www.e-geos.it/en/markets/copernicus/>

126. WCG Clinical Services: Improving Clinical Trial Quality & Efficiency <https://www.wcgclinical.com/>
127. Home | Copernicus EMS <https://emergency.copernicus.eu/>
128. NOAA's Weather and Climate Toolkit <https://www.ncei.noaa.gov/products/weather-climate-toolkit>
129. About NOAA Climate.gov <https://www.climate.gov/about>
130. Billion-Dollar Weather and Climate Disasters | Risk and ... <https://www.ncei.noaa.gov/access/billions/risk>
131. Tools for Understanding Climate Data <https://www.nps.gov/articles/climate-tools.htm>
132. Combined wildland fire datasets for the United States and ... <https://www.usgs.gov/data/combined-wildland-fire-datasets-united-states-and-certain-territories-1800s-present>
133. Postfire debris-flow hazards | U.S. Geological Survey <https://www.usgs.gov/programs/landslide-hazards/science/postfire-debris-flow-hazards>
134. Natural Hazards Mission Area | U.S. Geological Survey <https://www.usgs.gov/mission-areas/natural-hazards>
135. Dataset <https://resilience-fema.hub.arcgis.com/search?collection>
136. USGS Wildfire Hazard and Risk Assessment Clearinghouse <https://www.usgs.gov/tools/usgs-wildfire-hazard-and-risk-assessment-clearinghouse>
137. FIRMS Releases New Features to Identify Active Fires by ... <https://www.earthdata.nasa.gov/news/blog/firms-releases-new-features-identify-active-fires-type>
138. How to use FIRMS API in Python https://firms.modaps.eosdis.nasa.gov/content/academy/data_api/firms_api_use.html
139. NASA FIRMS - Active Fire https://pyronear.org/pyro-risks/overview/datasets/NASA-FIRMS_ACTIVE-FIRE_VIIRS.html
140. NASA | LANCE | FIRMS <https://firms.modaps.eosdis.nasa.gov/>
141. Satellite (VIIRS) Thermal Hotspots and Fire Activity <https://atlas.eia.gov/datasets/esri2::satellite-viirs-thermal-hotspots-and-fire-activity/about>
142. Satellite (VIIRS) Thermal Hotspots and Fire Activity - ArcGIS Hub https://hub.arcgis.com/datasets/dece90af1a0242dcbf0ca36d30276aa3_0/about
143. SIH 2026 Problem Statements Released: Categories, ... <https://reskill.com/blogs/sih-2026-problem-statements-released-categories-themes-early-analysis/>
144. serving crisis managers around the world <https://www.copernicus.eu/en/copernicus-emergency-management-service-serving-crisis-managers-around-world>

145. Copernicus Emergency Management Service (CEMS) <https://documentation.dataspace.copernicus.eu/Data/CopernicusServices/CEMS.html>
146. About us | Copernicus EMS <https://emergency.copernicus.eu/about/>
147. Copernicus Emergency Management Service | Copernicus EMS <https://global-flood.emergency.copernicus.eu/general-information/about-emergency/>
148. Geospatial Indexing with Uber's H3 | by João Paulo Figueira <https://medium.com/data-science/geospatial-indexing-with-ubers-h3-766399b690c>
149. Should You Use H3 for Geospatial Analytics? A Deep Dive ... <https://sedona.apache.org/latest/blog/2025/09/05/should-you-use-h3-for-geospatial-analytics-a-deep-dive-with-apache-spark-and-sedona/>
150. Amazon Redshift, CARTO, and H3 | AWS Big Data Blog <https://aws.amazon.com/blogs/big-data/breaking-barriers-in-geospatial-amazon-redshift-carto-and-h3/>
151. Unlocking Spatial Intelligence with H3: A Practitioner's ... <https://medium.com/codex/unlocking-spatial-intelligence-with-h3-a-practitioners-guide-to-hexagonal-hierarchical-spatial-45be909008ae>
152. Access to data <https://www.copernicus.eu/en/access-data>
153. Exposure Mapping | Emergency <https://insitu.copernicus.eu/state-of-play/space-component-and-services/emergency/exposure-mapping>
154. ECMWF Copernicus Procurement https://climate.copernicus.eu/sites/default/files/2018-09/COP_043_Volume_II_Final%20%281%29.pdf
155. EUROPEAN COMMISSION Brussels, 14.12.2018 C(... https://www.copernicus.eu/sites/default/files/2019-01/Copernicus_Work_Programme_2019.pdf
156. EUROPEAN COMMISSION Brussels, 26.11.2019 C(... https://www.copernicus.eu/sites/default/files/2020-02/C_2019_8388_F1_ANNEX_EN_V2_P1_1051584.pdf
157. PwC_Copernicus_Market_Repor... https://www.copernicus.eu/sites/default/files/2019-02/PwC_Copernicus_Market_Report_2019_PDF_version.pdf
158. EUROPEAN COMMISSION Brussels, 28.9.2016 C(... https://www.copernicus.eu/sites/default/files/2018-10/Com_Impl_Decision_WP2016_Annex_amended.pdf
159. W INDOW ON COPERNICUS <https://www.copernicus.eu/sites/default/files/2018-11/G4R-2013-UK-2407.pdf>
160. EUROPEAN COMMISSION Brussels, 25.10.2019 SWD(... https://www.copernicus.eu/sites/default/files/2019-10/STAFF_WORKING_PAPER_2019-394-Expression_of_User_Needs_for_the_Copernicus_Programme.pdf
161. Where can I find metadata for USGS products? <https://www.usgs.gov/faqs/where-can-i-find-metadata-usgs-products>
162. USGS Geospatial Data Sources | U.S. Geological Survey <https://www.usgs.gov/educational-resources/usgs-geospatial-data-sources>

163. The Data Release Process | U.S. Geological Survey <https://www.usgs.gov/sciencebase-instructions-and-documentation/data-release-process>
164. Metadata Wizard | U.S. Geological Survey <https://www.usgs.gov/software/metadata-wizard>
165. Are there metadata files for USGS topographic maps? <https://www.usgs.gov/faqs/are-there-metadata-files-usgs-topographic-maps>
166. Why do we need metadata for data? [097] <https://www.usgs.gov/office-of-science-quality-and-integrity/fundamental-science-practices/faq/097-importance-of-metadata>
167. Data Release | U.S. Geological Survey <https://www.usgs.gov/data-management/data-release>
168. Metadata Instructions | U.S. Geological Survey <https://www.usgs.gov/sciencebase-instructions-and-documentation/metadata-instructions>
169. How do I create metadata? [099] | U.S. Geological Survey <https://www.usgs.gov/office-of-science-quality-and-integrity/fundamental-science-practices/faq/099-metadata-creation-guidance>
170. Acceptable Digital Repositories for USGS Scientific Data <https://www.usgs.gov/office-of-science-quality-and-integrity/acceptable-digital-repositories-usgs-scientific-data>
171. REACH - WPO's Open Science Tool <https://wpo.noaa.gov/reach/>
172. The Making Waves Podcast Archive <https://oceanservice.noaa.gov/podcast/making-waves-podcast-archive.html>
173. 2022 NOAA Science Seminars https://www.star.nesdis.noaa.gov/star/NOAAScienceSeminars_2022.php
174. NOAA Science Seminar Series Past 2023 Seminars https://www.star.nesdis.noaa.gov/star/NOAAScienceSeminars_2023.php
175. 2014 NOAA Science Seminars https://www.star.nesdis.noaa.gov/star/NOAAScienceSeminars_2014.php
176. 2020 NOAA Science Seminars https://www.star.nesdis.noaa.gov/star/NOAAScienceSeminars_2020.php
177. Build on our code, not just our data <https://dataspace.copernicus.eu/news/2023-9-20-copernicus-browser-and-other-components-available-open-source-code-github>
178. GitHub - eu-cdse/copernicus-browser: The repository ... <https://github.com/eu-cdse/copernicus-browser>
179. H3 Tutorial: Rendering Hexagons / Nick Rabinowitz <https://observablehq.com/@nrabinowitz/h3-tutorial-heatmap-rendering>
180. uber/h3-js: h3-js provides a JavaScript version ... <https://github.com/uber/h3-js>

181. Three.js: Exploring 3D on the Web | by Abhishek Jha <https://blog.stackademic.com/three-js-exploring-3d-on-the-web-d0f8114adb8c>
182. Creating hexagonal heatmaps with d3.js <https://www.visualcinnamon.com/2013/07/self-organizing-maps-creating-hexagonal/>
183. Billion-Dollar Weather and Climate Disasters <https://www.ncei.noaa.gov/access/billions/state-summary/US>
184. HURRICANE HELENE https://www.nhc.noaa.gov/data/tcr/AL092024_Helene.pdf
185. Arctic Report Card 2025 https://arctic.noaa.gov/wp-content/uploads/2025/12/ArcticReportCard_full_report2025.pdf
186. FINAL SWPC User Needs Report-1.pdf <https://www.swpc.noaa.gov/sites/default/files/images/FINAL%20SWPC%20User%20Needs%20Report-1.pdf>
187. NOAA Science Seminar Series Past 2024 Seminars https://www.star.nesdis.noaa.gov/star/NOAAScienceSeminars_2024.php
188. H3: Home <https://uber.github.io/h3/>
189. Understanding Uber H3 and How It Powers Heatmaps <https://krishnaglodha.com/blog/understanding-uber-h3-and-how-it-powers-heatmaps/>
190. Geohash vs H3: Which Geospatial Indexing System Should ... <https://dataarmyintel.io/knowledge-article/geohash-or-h3-which-geospatial-indexing-system-should-i-use/>
191. Understanding spatial indexes: H3 explained <https://felt.com/blog/h3-spatial-index-hexagons>
192. Comparative Study of Different Additive Manufacturing ... - PMC <https://pmc.ncbi.nlm.nih.gov/articles/PMC12692884/>
193. Comparison of the Trilateral Flash Cycle and Rankine ... <https://www.mdpi.com/1099-4300/21/12/1197>
194. vasturiano/three-globe: WebGL Globe Data Visualization ... <https://github.com/vasturiano/three-globe>
195. vonWolfehaus/von-grid: Hexagonal & square tile ... <https://github.com/vonwolfehaus/von-grid>
196. api-evangelist/nasa-firms <https://github.com/api-evangelist/nasa-firms>
197. Ray tracing based procedural volumetric fire for three.js · ... <https://github.com/mattatz/THREE.Fire>
198. iart-ai/webgl-animation-skills <https://github.com/iart-ai/webgl-animation-skills>