


HTML


frontend
HTML, CSS & JS

frameworks
Bootstrap, React
Backend
MERN
MongoDB Express, React Node.js



<!DOCTYPE html> → specifies that this is an HTML5 page

<html> root of an HTML page
 <head> contain page metadata
 <title> JP VASANI </title> contains title
 </head>
 <body> → body Part (rendered by the browser)
 <h1> heading </h1>
 <p> Paragraph </p>
 </body>
 </html>



no content → empty tag →

Extension htm or html

< Comment >

<!-- HTML Comment -->

- Case Sensitivity
- ↪ Case insensitive language

- Attributes

add info corresponding to an html

→ anchor tag
 DARSHAN
↳ href attribute

- Heading

→ Jesa name aesa kam

<h1>	</h1>	big size
<h2>	</h2>	
<h3>	</h3>	Size
<h4>	</h4>	decreasing
<h5>	</h5>	
<h6>	</h6>	

- Paragraph

<p> </p>

- Anchor tag

→ add link to html page

< a href = "https://google.com" > click me

- Img tag

↳ Img on web

- Bold, italic and underline

 bold

<i> italic </i>

<u> underline </u>

-
 → used to create line breaks

- big & small tags

bit larger → <big>

bit smaller → <small>

-

create horizontal ruler. → use in separate the content

- subscript & superscript

_{this} is subscript

^{this} is superscript

- <pre>

→ to display a piece of text as is.

{ generally HTML avoid extra spaces and
newline }

<pre>

this is written

using pre

tag

→ Rendered

</pre>

as-is

Page Layout

<header> contains nav tag

<main>

website layout

<footer>

Inside main tag

<main>

<section> A page section

<article> a self contained content

<aside> Content aside from the content
(e.g. ads etc)

</main>

•

<p> My mother has blue
eyes. <p>

- link attributes

< a href = " contact" > Contact us
 ↳ opens in same tab

< a href = " /contact" target = " _blank " > contact
 us
 ↳ opens in new tab

link mail

< a href = "mailto:devagani@gmail.com"
 > send email

→ inside anchor tag → images, heading allowed

Page inside directory
 ↓ make sure
 link to the correct page.
 ↳ same for img tag
 as well

- Div tag

→ used as a container for other element

→ block level element

↳ always takes full width

- Span tag

→ span is an inline container

↳ Takes as much width as necessary

- anchor tag

- self-default
open in same tab

- blank
open in new tab

- parent
open in parent tab

- top
open in the full body of
the window

Lists tables & forms

- Unordered list

→ list item with bullet point

→ no particular order

- list item tag

 Home

 about

- Ordered List

→ particular order

→ used when showing of step

- tag

- src:

- tells browser where it can find image

- relative URL

- Path

- alt:

- text description of image if image cannot see it

- title:

- you can provide additional info about the image.

- height, width;

- size of image

```
<img src = "image-location.jpg" alt = "a logo  
image." title = "Logo of dp"/>
```

- video tag

- src:

- path

- controls - (when used)

- browser should apply own control for playback

- loop - (when used)

- video should start playing again once it has ended

- html attributes only appear in opening tag
- `autoplay`
 - it should play automatically
 - `preload`:
 - the what to do when the page loads
 - `height, width`
 - `size`

```
<video src="video/puppy.mp4" poster="images/puppy.jpg" width="400" height="300"
preload controls loop>
<p> video of puppy playing in the snow </p>
</video>
```

- `<button> </button>`
- as name says

Some Other tag

- `<abbr>` → Describes an abbreviation (acronyms)
- `<address>` → address info
- `` → bold
- `<code>` → specific computer code text
- `<caption>` → Define a table caption
- `` → specific text deleted in web document
- `<dl>` → define a definition list
- `<dd>` → defines a definition description in a def-list
- `<fieldset>` → defines a grouping of related form elements
- `<legend>` → add caption (title) to group of related form element that are grouped together into the `<fieldset>` tag.

`<ins>` → indicate text that is inserted in to page and indicates changes to a document.

`<map>` → clickable image map

`<q>` → Represents short quotation

`<s>` → Text display in strike through style

`<samp>` → Represent text that should be interpreted as sample output from a computer program

Creating table

`<table>`

`</table>`

- table row

`<tr>` `</tr>`

- table Data

`<td>` `</td>`

`<table>`

`<!-- First row -->`

`<tr>`

`<td> 15 </td>`

`<td> 15 </td>`

`<td> 15 </td>`

Output

15	15	30
45	60	45

`</tr>`

`<!-- second row -->`

`<tr>`

`<td> 45 </td>`

`<td> 60 </td>`

`<td> 45 </td>`

`</tr>`

`</table>`

• Table Heading row heading & col heading

<table>
① {<tr>
 |<th> </th> ②
 |<th scope="col"> Saturday </th>
 |<th scope="col"> Sunday </th>
 |</tr>

② {<tr>
 |<th scope="row"> Tickets sold: </th>
 |<td> 120 </td>
 |<td> 135 </td>
 |</tr>

③ {<tr>
 |<th scope="row"> Total sales: </th>
 |<td> \$600 </td>
 |<td> \$675 </td>
 |</tr>
 |</table>

①	②	Saturday	Sunday
②	Tickets sold:	120	135
③	Total sales:	\$600	\$675

• Spanning

<th>

<th> Monday </th>

<td colspan="2" Geography </td>

<td> Maths </td>

<td> Art </td>

output

for rowspan

<td rowspan="2">Monday Geography Maths Art

> Movie </td>

Monday	Geography	Maths	Art

• long table

<tbody> for lot of data, table can
be sectioned off
using this

• Table Head

→ name suggest work

<thead>

- table


{ header <thead> heading </thead>

{ body <tbody> body </tbody>

{ footer <tfoot> footer </tfoot>

HTML Forms

Diagram



<Form> </Form>

<header> </header>
 navigation links or introductory
 container content

• <nav></nav>
 block of navigation link
 <header> *हाइडेरेटिव एंड नेविगेशन*
 <nav> *नेविगेशन लिंक*
 लिंक लिस्ट
 Home
 About

 </nav>
 </header>

- Main Element

<main> </main>

↳ dominant content within a webpage.

→ using <main> as opposed to a <div> element

<main>

<header>

<h1> Operating System </h1>

</header>

<article>

<h3> MacOS </h3>

<p> MacOS is OS of macbook </p>

</article>

</main>

- <section> </section> define elements in a document

<article>

- <article> <p> name suggest </p> </article>

- Aside Element

→ for enhance → additional info

<aside>

<section> → this is also acceptable

</section>

</aside>

- Figure

<figure> </figure>

→ रेकॉर्ड, मीडिया और point 3)

img, illustration, diagram, code snippet etc

• Fig caption

< figure >

< img src = "macbook.jpg" >

< fig caption > Macbook Picture </ fig caption >

< / figure >

< fig > < fig >

footer Element

ai { ① 2023 DP15 NOTES }

about developer

or any add get register.

SEO

- on page seo → can be done by HTML developers
- off page seo

How?

1) nice title & to the point

2) Set the meta description

< meta name = "description" content = "... " >

3) Set a nice URL slug

4) Set the meta keywords tag

5) set the meta author tag

<meta name = "author" content = "DP">

6) Set a favicon

7) Compress image & other resources

8) Remove unused HTML / CSS & JS files + compress them

9) Add alt text to images

```
<input type="file">
```

Choose File No file chosen

```
<input type="radio">
```



```
<input type="range">
```



```
<input type="url">
```

www.google.com

Only url's

```
<input type="time">
```

-- : --

```
<input type="text">
```

Follow Coding Stella

Anything Can Be Written Here

```
<input type="submit">
```

Submit

Only Works In form tag



```
<input type="button">
```

Click me

```
<input type="checkbox">
```



```
<input type="color">
```



```
<input type="date">
```

dd-mm-yyyy --:-- --



```
<input type="password">
```

.....

All characters will be
replaced by a ("•") or ("*")

```
<input type="number">
```

1234567890

Only Number's



```
<input type="week">
```

Week --, ----



HTML Best Practices



NEXT →

Use the **figure** element to add captions to your images

Don't do this :

```
<div>
  
  <p>This is a picture of a man working on his computer</p>
</div>
```

Do this instead :

```
<figure>
  
  <figcaption>
    This is a picture of a man working on his computer
  </figcaption>
</figure>
```

NEXT →

Do not use divs to create headers and footers

Don't do this :

```
<div class="header">
  <a href="index.html">Home</a>
  <a href="#">About</a>
  <a href="#">Contact</a>
</div>

<div class="footer">
  <a href="index.html">Home</a>
  <a href="#">About</a>
  <a href="#">Contact</a>
</div>
```

Do this instead :

```
<header>
  <a href="index.html">Home</a>
  <a href="#">About</a>
  <a href="#">Contact</a>
</header>

<footer>
  <a href="index.html">Home</a>
  <a href="#">About</a>
  <a href="#">Contact</a>
</footer>
```

NEXT →

Avoid using **** and **<i>** to bold and italicize texts on a web page

Don't do this :

```
<p><i>Code at your own pace</i><p>
```

```
<p><b>code at your own pace</b><p>
```

Do this instead :

```
<p><strong>Code at your own pace</strong><p>
```

```
<p><em>code at your own pace</em><p>
```

NEXT →

Use only one `<h1>` element for one code sheet

Don't do this :

```
<main>
  <div>
    <h1>Can Coding be fun?</h1>
    <p>The more you code the better you become</p>
  </div>
  <div>
    <h1>Coding is fun</h1>
    <p>It is always better when you have fun</p>
  </div>
</main>
```

Do this instead :

```
<main>
  <div>
    <h1>Can coding be fun?</h1>
    <p>The more you code the better you become</p>
  </div>

  <div>
    <h2>Coding is fun</h2>
    <p>It is always better when you have fun</p>
  </div>
</main>
```

NEXT →

Don't place block-level element within inline elements.round

Don't do this :

```
<a href="#">  
    <p> Visit freecodecamp </p>  
</a>
```

Do this instead :

```
<p>  
    Visit <a href="www.freecodecamp.org" target="_blank">  
        FreecodeCamp</a>  
    to learn Javascript  
</p>
```

NEXT 

Other Tips

- 1. Use Meaningful Title Tags**
- 2. Always Declare a Doctype**
- 3. Use Descriptive Meta Tags**
- 4. Do not skip heading levels in HTML**
- 5. Code With SEO in Mind**
- 6. Group Relevant Sections**
- 7. Avoid Excessive Comments**
- 8. Use Alt Attributes with Images**
- 9. Use Lower Case Markup**
- 10. Minify External CSS and then link it to the HTML document**

Table of Content

Document Summary	<page> 1
Document Information	
Document Structure	<page> 2
Text Formatting	
Links	<page> 3
Images	
Lists	<page> 4
Forms	
Input Type Attributes	
Select Attributes	<page> 5
Option Attributes	
Table Formatting	<page> 6
Objects and iFrames	
iFrame Attributes	
Embed Attributes	<page> 7
HTML5 New Tags	
Collective Character Objects	

For web developers, it is crucial to be proficient in HTML. And while HTML is not the most difficult to get accustomed to, one can still manage to forget all the nooks and crannies it has to offer. A good solution, therefore, is to always have a cheat sheet at hand, helping you in your most troubling moments.

Document Summary

Let us see how we can break the code up in different components:

<html> ... </html>

This tag specifies that the webpage is written in HTML. It appears at the very first and last line of the webpage. It is mainly used to show that the page uses HTML5 – the latest version of the language. Also known as the root element, this tag can be thought of as a parent tag for every other tag used in the page.

<head> ... </head>

This tag is used to specify meta data about the webpage. It includes the webpage's name, its dependencies (JS and CSS scripts), font usage etc.

<title> ... </title>

As the name suggests, this tag contains the title/name of the webpage. You can see this in your browser's title bar for every webpage open in the browser. Search engines use this tag to extract the topic of the webpage, which is quite convenient when ranking relevant search results.

<body> ... </body>

Everything the user sees on a webpage is written inside this tag. It is a container for all the contents of the webpage.

Example

```
<html>
  <head>
    <title>My First Website</title>
  </head>
  <body>

  </body>
</html>
```

Document Information

<base/>

Used to specify the base URL of your site, this tag makes linking to internal links on your site cleaner.

<meta/>

This is the meta data tag for the webpage. Can be useful for mentioning the page's author, keywords, original published date etc.

<link/>

This is used to link to scripts external to the webpage. Typically utilized for including stylesheets.

<style> ... </style>

The style tag can be used as an alternative to an external style sheet, or complement it. Includes the webpage's appearance information.

<script> ... </script>

Used to add code snippets, typically in JavaScript, to make webpage dynamic. It can also be used to just link to an external script.

Example

```
<html>
  <head>
    <meta charset="utf-8">
    <base href="http://myfirstwebsite.com"
target="_blank" />
    <title>My Beautiful Website</title>
    <link rel="stylesheet" href="/css/master.css">
    <script type="text/javascript">
      var dummy = 0;
    </script>
  </head>
  <body>

  </body>
</html>
```



Document Structure

<h1..h6> ... </h1..h6>

Six different variations of writing a heading. <h1> has the largest font size, while <h6> has the smallest.

<div> ... </div>

A webpage's content is usually divided into blocks, specified by the div tag.

 ...

This tag injects inline elements, like an image, icon, emoticon without ruining the formatting / styling of the page.

<p> ... </p>

Plain text is placed inside this tag.

A line break for webpages. Is used when wanting to write a new line.

<hr/>

Similar to the above tag. But in addition to switching to the next line, this tag also draws a horizontal bar to indicate the end of the section.

Example

```
<div>
  <h1>Top 5 Greatest Films</h1>
  <p>These are considered the greatest
  <span>reel-icon</span> of all time </p>
  <hr/>
  <h2>1. The Godfather</h2>
  <p>This 1972 classic stars Marlon Brando and
  Al Pacino.</p>
</div>
```

Text Formatting

 ...

Makes text bold. Used to emphasize a point

 ...

Alternative to the above tag, also creates bold text.

 ...

Another emphasis tag, but this displays text in italics.

<i> ... </i>

Also used to display text in italics, but does not emphasize it like the above tag.

<tt> ... </tt>

Formatting for typewriter-like text. No longer supported in HTML5.

<strike> ... </strike>

Another old tag, this is used to draw a line at the center of the text, so as to make it appear unimportant or no longer useful.

<cite> ... </cite>

Tag for citing author of a quote.

 ...

Pre-formatted, 'monospace' text laid out with whitespace inside the element intact.

<ins> ... </ins>

Denotes text that has been inserted into the webpage.

<blockquote> ... </blockquote>

Quotes often go into this tag. Is used in tandem with the <cite> tag.

<q> ... </q>

Similar to the above tag, but for shorter quotes.

<abbr> ... </abbr>

Denotes abbreviations, along with the full forms.

<acronym> ... </acronym>

Tag for acronyms. No HTML5 support.

<address> ... </address>

Tag for specifying author's contact details.

<dfn> ... </dfn>

Tag dedicated for definitions.

<code> ... </code>

This is used to display code snippets within a paragraph.

_{...}

Used for writing a subscript (smaller font just below the mid-point of normal font). Example: ax

^{...}

Similar to the above tag, but for superscripting.

<small> ... </small>

Reduces text size. In HTML5, it often refers to redundant or invalid information.

Example

```
<p><strong>Bold text</strong> Regular text
<em>some words in italics</em> regular text
once again.</p>

<blockquote>
Anyone who has never made a mistake has never
tried anything new.<cite>- Albert Einstein</cite>
</blockquote>

<pre>
    Some pre-formatted text
</pre>
<p>A code snippet: <code>some code</code></p>
```

Links

** ... **
 Anchor tag. Primarily used for including hyperlinks.

** ... **
 Tag dedicated to sending emails.

** ... **
 Anchor tag for mentioning contact numbers. As the numbers are clickable, this can be particularly beneficial for mobile users.

** ... **
 This tag can be used to quickly navigate to a different part of the webpage.

** ... **
 A variation of the above tag, this is only meant to navigate to a div section of the webpage.

Images

 A tag to display images in the webpage.

src="url"
 The URL or path where the image is located on your drive or on the web.

alt="text"
 The text written here is displayed when user hovers mouse over the image. Can be used to give additional details of the image.

height=""
 Specifies image height in pixels or percentages.

width=""

Specifies image width in pixels or percentages.

align=""

The relative alignment of the image. Can change with changes to other elements in the webpage.

border=""

Specifies border thickness of the image. If not mentioned, defaults to 0.

<map> ... </map>

Denotes an interactive (clickable) image.

<map name=""> ... </map>

Name of the map associated between the image and the map.

<area />

Specifies image map area.

shape=""

Shape of the area.

coords=""

Coordinates of the vital information of the shape. Example: vertices for rectangles, center/radius for circles.

Example

```

<map name="planetmap">
  <area shape="rect" coords="0,0,60,100"
  href="sun.htm" alt="Sun">
  <area shape="circle" coords="90,58,3"
  href="mercur.htm" alt="Mercury">
  <area shape="circle" coords="124,58,8"
  href="venus.htm" alt="Venus">
</map>
```



Lists

** ... **

Tag for ordered or numbered list of items.

** ... **

Contrary to the above tag, used for unordered list of items.

** ... **

Individual item as part of a list.

<dl> ... </dl>

Tag for list of items with definitions.

<dt> ... </dt>

The definition of a single term inline with body content.

<dd> ... </dd>

The description for the defined term.

Example

```
<ol>
  <li>Monday</li>
  <li>Tuesday</li>
  <li>Wednesday</li>
</ol>
<ul>
  <li>France</li>
  <li>Germany</li>
  <li>Italy</li>
</ul>
<dl>
  <dt>Toyota</dt>
  <dd>Japanese car brand</dd>
  <dt>Armani</dt>
  <dd>Italian fashion brand</dd>
</dl>
```

Forms

<form> ... </form>

The parent tag for an HTML form.

action="url"

The URL listed here is where the form data will be submitted once user fills it.

method=""

It specifies which HTTP method (POST or GET) would be used to submit the form.

enctype=""

Only for POST method, this dictates the data encoding scheme to be used when form is submitted.

autocomplete

Determines if the form has auto-complete enabled.

novalidate

Determines whether the form should be validated before submission.

accept-charset

Determines character encodings when form is submitted.

target

After submission, the form response is displayed wherever this refers to, usually has the following values: _blank, _self, _parent, _top

<fieldset> ... </fieldset>

Identifies the group of all fields on the form.

<label> ... </label>

This is used to label a field in the form.

<legend> ... </legend>

This operates as a caption for the <fieldset> element.

<input />

This tag is used to take input from the user. Input type is determined by a number of attributes.

Input Type Attributes

type=""

Determines which type of input (text, dates, password) is requested from the user.

name=""

Specifies the name of the input field.

value=""

Specifies the value contained currently in the input field.

size=""

Determines the input element width (number of characters).

maxlength=""

Specifies the most input field characters allowed.

required

Makes an input field compulsory to be filled by the user. The form cannot be submitted if a required field is left empty.

width=""

Determines the width of the input element, in pixel values.

height=""

Determines the height of the input element, in pixel values.

placeholder=""

Can be used to give hints to the user about the nature of the requested data.

pattern=""

Specifies a regular expression, which can be used to look for patterns in the user's text.

min=""

The minimum value allowed for an <input> element.

max=""

The maximum value allowed for an <input> element.

autofocus

Forces focus on the input element when webpage loads completely.

disabled

Disables the input element. User can no longer enter data.

<textarea> ... </textarea>

For longer strings of input. Can be used to get multi-sentence text from the user.

<select> ... </select>

This tag specifies a list of options which the user can choose from.

Select Attributes

name=""

The name of a particular list of options.

size=""

Total number of options given to the user.

multiple

States whether the user can choose multiple options from the list.

required

Specifies whether choosing an option/s is necessary for form submission.

autofocus

Specifies that a drop-down list automatically comes into focus after a page loads.

<option> ... </option>

Tag for listing individual items in the list of options.

Option Attributes

value=""

The text visible to the user for any given option.

selected

Determines which option is selected by default when the form loads.

<button> ... </button>

Tag for creating a button for form submission.

Example

```
<form action="form_submit.php" method="post">
  <fieldset>
    <legend>Bio:</legend>
    First name:<br>
    <input type="text" name="first-name" value="John" placeholder="Please enter your first name here"><br>
    Last name:<br>
    <input type="text" name="last-name" value="Doe" placeholder="Please enter your last name here"><br><br>
    Favorite sport:<br>
    <select>
      <option value="soccer">Soccer</option>
      <option value="tennis">Tennis</option>
      <option value="golf">Golf</option>
    </select>
    <textarea name="description"></textarea>
    <input type="submit" value="Submit">
  </fieldset>
</form>
```

Tables

<table> ... </table>

Marks a table in a webpage.

<caption> ... </caption>

Description of the table is placed inside this tag.

<thead> ... </thead>

Specifies information pertaining to specific columns of the table.

<tbody> ... </tbody>

The body of a table, where the data is held.

<tfoot> ... </tfoot>

Determines the footer of the table.

<tr> ... </tr>

Denotes a single row in a table.

<th> ... </th>

The value of a heading of a table's column.

<td> ... </td>

A single cell of a table. Contains the actual value/data.

<colgroup> ... </colgroup>

Used for grouping columns together.

<col>

Denotes a column inside a table.

Example

```
<table>
  <colgroup>
    <col span="2">
    <col>
  </colgroup>
  <tr>
    <th>Name</th>
    <th>Major</th>
    <th>GPA</th>
  </tr>
  <tr>
    <td>Bob</td>
    <td>Law</td>
    <td>3.55</td>
  </tr>
  <tr>
    <td>Alice</td>
    <td>Medicine</td>
    <td>3.61</td>
  </tr>
</table>
```

Objects and iFrames

<object> ... </object>

This tag is used to embed additional multimedia into a webpage. Can be audio, video, document (pdf) etc.

height=""

Determines object height in pixel values.

width=""

Determines object width in pixel values.

type=""

The type/format of the object's contents.

<iframe> ... </iframe>

An inline block of content, this is used as a container for multimedia in a flexible manner. It floats inside a webpage, meaning it is placed relative to other webpage items.

iFrame Attributes

name=""

The name of the iFrame.

src=""

The source URL/path of the multimedia object to be held inside the iFrame.

srcdoc=""

Any HTML content to be displayed inside the iFrame.

height=""

Determines the height of the iFrame.

width=""

Determines the width of the iFrame.

<param />

For iFrame customization. This includes additional parameters to go along with the content.

<embed> ... </embed>

This is used to embed external objects, like plugins (e.g. a flash video).

Embed Attributes

`height=""`

Determines the height of the embedded item.

`width=""`

Determines the width of the embedded item.

`type=""`

The type or format of the embedded content.

`src=""`

The URL/path of the embedded item.

Example

```
<object width="1000" height="1000"></object>
<iframe src="some_other_webpage.html"
width="500" height="500"></iframe>
<embed src="some_video.swf" width="500"
height="500"></embed>
```

HTML5 New Tags

`<header> ... </header>`

Specifies the webpage header. Could also be used for objects inside the webpage.

`<footer> ... </footer>`

Specifies the webpage footer. Could also be used for objects inside the webpage.

`<main>...</main>`

Marks the main content of the webpage.

`<article>...</article>`

Denotes an article.

`<aside> ... </aside>`

Denotes content displayed in a sidebar of the webpage.

`<section>...</section>`

Specifies a particular section in the webpage.

`<details> ... </details>`

Used for additional information. User has the option to view or hide this.

`<summary> ... </summary>`

Used as a heading for the above tag. Is always visible to the user.

`<dialog>...</dialog>`

Used to create a dialog box.

`<figure>...</figure>`

A tag reserved for figures (diagrams, charts) in HTML5.

`<figcaption> ... </figcaption>`

A description of the figure is placed inside these.

`<mark>...</mark>`

Used to highlight a particular portion of the text.

`<nav>...</nav>`

Navigation links for the user in a webpage.

`<menuitem>...</menuitem>`

A particular item from a list or a menu.

`<meter>...</meter>`

Measures data within a given range.

`<progress>...</progress>`

Typically used as a progress bar, this is used to track progress.

`<rp>...</rp>`

This tag is meant for showing text for browsers without ruby annotation support.

`<rt>...</rt>`

Displays East Asian typography character details.

`<ruby>...</ruby>`

Describes a Ruby annotation for East Asian typography

`<time>...</time>`

Tag for formatting date and time.

`<wbr>`

A line-break within the content.

Collective Character Objects

`" "`

Quotation Marks - "

`& &`

Ampersand - &

`< <`

Less than sign - <

`@ Ü`

@ Symbol - @

`> >`

Greater than sign - >

`• ö`

Small bullet - ·

` `

Non-breaking space

`© ©`

Trademark symbol - ™

`© ©`

Copyright symbol - ©