

Risk Triage

Admin Operations and Configuration Manual

Manual 03 of 25
Route: /admin-risk-triage
Group: Platform
Generated: May 10, 2026


1. Section Overview

Risk Triage is the active queue for hidden-risk compliance findings detected from uploaded credit report tradelines. These findings are not server errors; they are possible consumer-reporting issues that require evidence-first review.

Use this section to review high-risk findings, open the affected user or account, preview the finding with AI assistance, route source defects to Finding Corrections, or mark a finding false positive when source evidence does not support it.

2. Current Admin Screenshot

Screenshot source: localhost development admin environment with test data. Test data is permitted for these manuals and should still be treated as internal.



The screenshot shows aggregate risk counts, the risk queue, affected user/account context, evidence status, and action buttons.

3. Access and Operating Rules

- Sign in with an account that has admin access. Support users may see some reference sections, but admin configuration and review tools require admin role.
- Use the intended environment. Local admin browser testing uses `http://localhost:5175`. The backend port, `http://localhost:3333`, is API-only.
- Treat screenshots, exports, logs, report text, and record IDs as internal test-environment material. Do not paste them into public channels.
- Confirm the page route, active filters, selected user, selected report, and selected environment before any save, delete, reset, dismissal, or finalize action.
- When an action affects customer-facing findings, packets, pricing, feature flags, or parser truth, record the reason and verify the downstream record after refresh.
- A high-risk label means manual review is urgent. It does not mean the finding is already legally confirmed.
- Use Fix Source when parser evidence or extraction data may be wrong. Use False Positive only when the source data is right but the finding should not stand.
- If a finding has no source run, preserve the finding ID, tradeline ID, user, and timestamp for developer investigation.

4. Screen Anatomy and Controls

Area	What it means	Admin procedure
Explanation panel	Clarifies that queue items are compliance findings, not application errors.	Use this distinction when deciding whether to open Error Logs or Finding Corrections.
Summary cards	Show unresolved risk findings, affected users, high-risk findings, and needs-review counts.	Prioritize high-risk and stale findings first.
Search toolbar	Filters by finding ID, user, creditor, bureau, account, or category.	Search exact finding IDs from support or developer reports.
Risk queue	Lists finding label, severity, user, account, evidence state, source run, and actions.	Review the full row before choosing a resolution path.
Actions	Open User, Account, AI Preview, Fix Source, or False Positive.	Pick the action based on what is uncertain: user context, account context, source extraction, or validity.

5. Step-by-Step Instructions

Review a high-risk item end to end

This is the detailed procedure behind the simple instruction 'Review high-risk items.'

Procedure

1. Open Risk Triage and sort your attention by severity, age, and affected user impact.
2. Search the finding ID when the work came from a ticket, log entry, or developer note.
3. Read the finding label, category, and severity. Confirm whether it is a stale-reporting, timing, bankruptcy, identity, balance, or source-document issue.
4. Confirm the affected user and account. If user identity or account ownership is unclear, click User or Account before resolving the finding.
5. Read the Evidence column. If a packet already exists, treat the finding as higher operational risk because customer-facing materials may have been generated.
6. If the source run exists, click Fix Source to inspect machine extraction, admin correction state, evidence, and regulation mapping.
7. If the source run is absent, do not dismiss blindly. Capture the row, finding ID, tradeline ID, report artifact ID if visible, and timestamp for escalation.
8. Decide the outcome: confirm/correct in Finding Corrections, mark false positive, or leave unresolved with an internal note for further review.
9. Refresh the queue after action and confirm the item remains or leaves according to the decision.

Decision options

- The finding has a documented outcome.
- Dismissed findings leave the active queue after refresh.
- Corrected findings have saved admin correction records, evidence, and regulation status where applicable.

Verification

- User: open when role, subscription, account ownership, or reset history may explain the problem.
- Account: open when tradeline-level context, packet gate, dispute history, or account status matters.
- AI Preview: use for drafting a neutral internal summary, then verify facts in source records.
- Fix Source: use when parser fields, evidence excerpts, or regulation mapping may be wrong.
- False Positive: use only after source evidence shows the finding should not remain active.

Escalate a parser or rule defect

Use this when the queue item is probably caused by wrong extraction, stale source data, or detector behavior.

Procedure

1. Open the queue row and record finding ID, category, severity, creditor, bureau, account mask, tradeline ID, and extraction run ID.
2. Click Fix Source and inspect the original extraction beside any saved admin correction.
3. Check whether the field used by the detector is actually present in the source report.
4. If a parser value is wrong, create or update the correction with exact source evidence and a parser instruction.
5. If detector logic is wrong but extraction is right, document the detector category and why the rule should be adjusted.
6. Do not mark false positive solely to clear the queue when a source defect should be repaired.

Decision options

- Escalation includes route, IDs, screenshot, source evidence, and desired behavior.
- The active queue state remains understandable to the next reviewer.

Verification

- Parser correction: use for wrong/missing source fields.
- Rule configuration review: use for detector threshold or category behavior.
- Developer escalation: use for no source run, replay mismatch, or impossible UI state.

6. Common Tasks With Drilldown Examples

Mark a finding false positive

Example: The queue flags stale reporting, but the source report shows a valid update date and no outdated status.

Drilldown procedure

1. Open the affected Account and source correction page before dismissing.
2. Verify that the source data is correctly parsed and the finding is unsupported.
3. Return to Risk Triage and click False Positive for the exact row.
4. Read the browser confirmation and confirm the finding ID matches the row under review.
5. Accept the confirmation once. Wait for the success message.
6. Refresh and confirm the row no longer appears in the active queue.
7. Check Activity Logs for the dismissal entry.

Best practices for this task

- False positive is not a parking lot for inconvenient findings.
- Never dismiss a finding because a customer does not like it. Dismiss only because evidence does not support it.
- If evidence is missing, use correction/escalation instead.

Done when

- The finding is dismissed from the active queue.
- The reason is visible in audit context or the admin note trail.

Use AI Preview safely

Example: You need a short internal explanation before opening a support ticket reply.

Drilldown procedure

1. Click AI Preview from the exact finding row.
2. Ask for an internal summary of the finding, affected account, and review questions.
3. Compare every factual statement against Risk Triage, Account, and Finding Corrections source data.
4. Remove unsupported conclusions, legal advice, or customer-facing commitments.
5. Use the verified summary only as an internal note or draft.

Best practices for this task

- AI is assistance, not evidence.
- Do not paste secrets, reset links, or unrelated customer records into prompts.
- Keep customer-facing language neutral and evidence-based.

Done when

- The final note cites the source record, not just the AI summary.
- Unsupported statements were removed before use.

7. Configuration and Change-Control Scope

- False Positive changes the active finding state by dismissing it from the queue.
- Fix Source routes to the admin truth layer inside Parser Testing and Finding Corrections.
- AI Preview is advisory only and must not replace source evidence review.

8. Common Errors

Problem	Likely cause	Admin response
Access denied or redirected to login	The session expired, the role is not admin, or the wrong environment is open.	Sign back in, confirm admin role, and reopen the route from the sidebar instead of using an old bookmark.
Expected record is missing	Search terms, tabs, filters, pagination, or environment selection are hiding the record.	Clear filters, search by exact ID or email, verify the environment, and compare Activity Logs when available.
Save appears to do nothing	Required fields are missing, there are no dirty changes, or the API returned a validation error.	Read the inline validation text, correct one field at a time, save again, refresh, and check Error Logs if the state still does not persist.
risk triage state conflicts with another page	The source record was changed elsewhere or the current page is stale.	Refresh the page, reopen the source record, and use timestamps or record IDs to decide which state is authoritative.

9. Troubleshooting

Check	Why it matters	How to proceed
Start with a refresh	A refresh confirms whether the risk triage view is stale or whether the backend rejected the action.	Refresh once, then repeat the exact search or selection. Do not repeat destructive actions until the latest state is visible.
Check Activity Logs	Successful admin actions should leave an audit trail for sensitive workflows.	Search by actor, affected user, entity ID, route, or timestamp. Use the log entry as confirmation, not just the toast message.
Check Error Logs	Repeated UI failures usually have matching server or API errors.	Search around the action time. Capture the route, status, error summary, and request context for developer follow-up.
Escalate with evidence	Developer review is faster when the exact record and reproduction path are known.	Provide environment, route, selected filters, record ID, expected outcome, actual outcome, screenshot, and timestamp.

10. Best Practices

- Review high-risk rows before warning rows.
- Open source evidence before using False Positive.
- Use Fix Source when the question is data quality, parser truth, or regulation mapping.
- Record finding IDs, tradeline IDs, and extraction run IDs in escalation notes.

11. Completion Checklist

- The risk triage page was reopened or refreshed after the change.
- The expected saved state remained visible after refresh.
- Related logs, downstream records, or generated artifacts agree with the visible page state.
- Any customer-facing wording, finding status, packet state, or support note was reviewed for factual and neutral language.
- Any unresolved risk, failed test, suspicious log, or unclear source evidence was escalated with record IDs and screenshots.

12. Related Admin Areas

- Finding Corrections
- Parser Testing
- Rule Check Settings
- Admin AI Assist
- Activity Logs
- Error Logs