

Rule Check Settings

Admin Operations and Configuration Manual

Manual 04 of 25
Route: /admin-compliance-config
Group: Platform
Generated: May 10, 2026


1. Section Overview

Rule Check Settings controls compliance detector enablement, confidence thresholds, user-facing alert messaging, postal pricing settings, revenue summaries, and limited app settings such as production mode.

Use this page to tune detection sensitivity and operational settings under change control. Changes can affect findings, user explanations, packet economics, and paid-plan availability.

2. Current Admin Screenshot

Screenshot source: localhost development admin environment with test data. Test data is permitted for these manuals and should still be treated as internal.



The screenshot shows detector threshold cards, save/reset actions, and tabs for messaging, pricing, and app settings.

3. Access and Operating Rules

- Sign in with an account that has admin access. Support users may see some reference sections, but admin configuration and review tools require admin role.
- Use the intended environment. Local admin browser testing uses `http://localhost:5175`. The backend port, `http://localhost:3333`, is API-only.
- Treat screenshots, exports, logs, report text, and record IDs as internal test-environment material. Do not paste them into public channels.
- Confirm the page route, active filters, selected user, selected report, and selected environment before any save, delete, reset, dismissal, or finalize action.
- When an action affects customer-facing findings, packets, pricing, feature flags, or parser truth, record the reason and verify the downstream record after refresh.
- Thresholds affect what the detector considers actionable. A low threshold increases review volume and false positives; a high threshold can suppress real risks.
- Messaging changes may become customer-facing. Review wording as carefully as a template change.
- Postal pricing accepts only valid non-negative numeric values, and surcharge percentage is constrained to 0 through 100.

4. Screen Anatomy and Controls

Area	What it means	Admin procedure
Detection Thresholds	Cards for each finding category with enable switches and confidence sliders.	Change one category at a time and rerun regression checks after meaningful detector changes.
Alert Messaging	Templates for user explanation and recommended action text.	Keep wording factual, neutral, and supported by evidence.
Postal Pricing	Registered and first-class mail cost inputs plus revenue summary.	Validate numeric ranges and expected markup before saving.
App Settings	Production mode switch for paid subscription availability.	Treat as high impact and change only with approval.
Save and Reset	Save persists dirty config; Reset discards unsaved changes.	Use Reset if the page has been used for exploration and no approved change should persist.

5. Step-by-Step Instructions

Adjust a detector threshold safely

Use this when a category has too many unsupported findings or misses evidence-backed findings.

Procedure

1. Open Detection Thresholds and identify the exact finding category by label.

2. Review recent Risk Triage examples and parser correction outcomes before changing the slider.
3. Change only the target category. Do not adjust multiple sliders in one pass unless the change request explicitly covers them.
4. Move the confidence threshold in a small increment and note the previous value.
5. Confirm the card shows dirty/unsaved state.
6. Click Save All Changes and wait for completion.
7. Refresh the page and confirm the saved value remains.
8. Run parser/violation correction regression checks or targeted manual review for affected categories.

Decision options

- Saved threshold persists after refresh.
- Risk Triage volume changes are expected and documented.
- Regression tests or targeted review do not show unacceptable new failures.

Verification

- Raise threshold: use when valid source data is generating too many weak findings.
- Lower threshold: use when evidence-backed findings are repeatedly below threshold.
- Disable category: use only with explicit approval and a rollback plan.

Update user-facing alert wording

Use this when the explanation or recommended action needs better clarity without changing detector logic.

Procedure

1. Open Alert Messaging and expand the target category.
2. Read the current User Explanation Template and Recommended Action Template.
3. Edit wording to explain what was detected, what evidence supports it, and what the user should review next.
4. Use approved variables only, such as account number, creditor name, or date drift where the template supports them.
5. Avoid legal conclusions unless the platform has verified authority language for the category.
6. Save the changes and refresh.
7. Generate or inspect an affected finding to confirm the wording renders correctly.

Decision options

- Template persists after refresh.
- Rendered wording is factual, neutral, and readable.
- No unsupported legal conclusion was introduced.

Verification

- Template edit: use for clarity and tone changes.
- Rule/detector change: use when wording cannot honestly describe what the detector does.
- Legal/reference review: use when the change introduces statutory language or jurisdiction-specific claims.

6. Common Tasks With Drilldown Examples

Change postal pricing

Example: Operations updates the registered mail base cost after a vendor price change.

Drilldown procedure

1. Open Postal Pricing.
2. Enter the registered mail base cost in CAD using a non-negative number with cents if needed.
3. Enter the surcharge percentage between 0 and 100.
4. For first-class mail, enter the PostGrid base cost and review the displayed 15 percent markup result.
5. Compare computed totals against the approved pricing request.
6. Click Save Pricing and wait for the save to complete.
7. Refresh and confirm the values and computed totals remain.

Best practices for this task

- Do not enter currency symbols in numeric fields.
- Do not save exploratory pricing values.
- Keep a dated note of the approved cost source.

Done when

- Saved values persist after refresh.
- Computed totals match the approved pricing note.
- No Error Logs entries appear for pricing validation.

Handle unsaved changes

Example: An admin moved a threshold while exploring but no approval exists.

Drilldown procedure

1. Look for the unsaved indicator in the header and dirty card styling.
2. If the change is not approved, click Reset.
3. Confirm the browser reset prompt.
4. Refresh the page and confirm the previous saved state is restored.
5. If the change is approved, document the reason and click Save All Changes instead.

Best practices for this task

- Reset before leaving a shared admin session idle.
- Save only after review and approval are clear.

Done when

- No dirty cards remain.
- Saved values reflect the approved decision, or exploratory values are discarded.

7. Configuration and Change-Control Scope

- Enabled/disabled category state and confidence thresholds affect compliance detection behavior.
- Explanation and recommended-action templates affect customer-facing or admin-facing text generated for findings.
- Postal pricing changes can affect the amount charged to users for mail transactions.

- Production mode can enable paid plan purchase flows and must be treated as a controlled setting.

8. Common Errors

Problem	Likely cause	Admin response
Access denied or redirected to login	The session expired, the role is not admin, or the wrong environment is open.	Sign back in, confirm admin role, and reopen the route from the sidebar instead of using an old bookmark.
Expected record is missing	Search terms, tabs, filters, pagination, or environment selection are hiding the record.	Clear filters, search by exact ID or email, verify the environment, and compare Activity Logs when available.
Save appears to do nothing	Required fields are missing, there are no dirty changes, or the API returned a validation error.	Read the inline validation text, correct one field at a time, save again, refresh, and check Error Logs if the state still does not persist.
rule settings state conflicts with another page	The source record was changed elsewhere or the current page is stale.	Refresh the page, reopen the source record, and use timestamps or record IDs to decide which state is authoritative.

9. Troubleshooting

Check	Why it matters	How to proceed
Start with a refresh	A refresh confirms whether the rule settings view is stale or whether the backend rejected the action.	Refresh once, then repeat the exact search or selection. Do not repeat destructive actions until the latest state is visible.
Check Activity Logs	Successful admin actions should leave an audit trail for sensitive workflows.	Search by actor, affected user, entity ID, route, or timestamp. Use the log entry as confirmation, not just the toast message.
Check Error Logs	Repeated UI failures usually have matching server or API errors.	Search around the action time. Capture the route, status, error summary, and request context for developer follow-up.
Escalate with evidence	Developer review is faster when the exact record and reproduction path are known.	Provide environment, route, selected filters, record ID, expected outcome, actual outcome, screenshot, and timestamp.

10. Best Practices

- Change one detector category at a time.
- Pair rule changes with Risk Triage review and parser regression checks.
- Keep customer-facing wording cautious and evidence-based.
- Treat production mode as a controlled release switch.

11. Completion Checklist

- The rule settings page was reopened or refreshed after the change.
- The expected saved state remained visible after refresh.
- Related logs, downstream records, or generated artifacts agree with the visible page state.
- Any customer-facing wording, finding status, packet state, or support note was reviewed for factual and neutral language.
- Any unresolved risk, failed test, suspicious log, or unclear source evidence was escalated with record IDs and screenshots.

12. Related Admin Areas

- Risk Triage
- Finding Corrections
- Parser Testing
- Activity Logs
- Error Logs
- Version Management