

# Activity Logs

## Admin Operations and Configuration Manual

Manual 05 of 25  
Route: /admin-activity-logs  
Group: Platform  
Generated: May 10, 2026


### 1. Section Overview

Activity Logs show user and system actions across the platform. They are the primary audit trail for confirming who performed an action, what entity was affected, and when it happened.

Use this section to verify sensitive changes, support investigations, reset workflows, settings updates, upload activity, packet generation, and admin review history.

### 2. Current Admin Screenshot

Screenshot source: localhost development admin environment with test data. Test data is permitted for these manuals and should still be treated as internal.



The screenshot shows log filters, tabular action records, actor/entity context, status, and timestamps.

### 3. Access and Operating Rules

- Sign in with an account that has admin access. Support users may see some reference sections, but admin configuration and review tools require admin role.
- Use the intended environment. Local admin browser testing uses `http://localhost:5175`. The backend port, `http://localhost:3333`, is API-only.
- Treat screenshots, exports, logs, report text, and record IDs as internal test-environment material. Do not paste them into public channels.
- Confirm the page route, active filters, selected user, selected report, and selected environment before any save, delete, reset, dismissal, or finalize action.
- When an action affects customer-facing findings, packets, pricing, feature flags, or parser truth, record the reason and verify the downstream record after refresh.
- Activity Logs confirm actions. Error Logs explain failures. Use both when a save outcome is unclear.
- Timestamps are more useful when recorded with the environment and timezone context.
- Do not paste full logs into customer replies.

### 4. Screen Anatomy and Controls

| Area                 | What it means                                                             | Admin procedure                                                                |
|----------------------|---------------------------------------------------------------------------|--------------------------------------------------------------------------------|
| Filters              | Search or filter by actor, action, status, date, user, or entity context. | Use exact IDs and timestamps from the source workflow when available.          |
| Log table            | Displays action, actor, entity, result, and time.                         | Use the table as evidence that an action happened or did not happen.           |
| Pagination           | Moves through older records.                                              | Do not stop at the first page when reviewing older support claims.             |
| Status/result fields | Indicate whether the action succeeded or failed.                          | Escalate successful-looking UI actions that have no successful activity entry. |

### 5. Step-by-Step Instructions

#### Confirm a sensitive admin action

Use this after resets, support-agent creation, rule changes, false-positive dismissal, finalization, or feature flag changes.

##### Procedure

1. Open Activity Logs immediately after the source workflow completes.
2. Search by affected user email, entity ID, or action name.
3. Narrow by timestamp if the result set is large.
4. Confirm the actor is the expected admin account.

5. Confirm the entity matches the source record, not a similarly named user or account.
6. Record the timestamp and action result in the internal note.
7. If the log is missing, refresh once and then check Error Logs before retrying the source action.

#### Decision options

- Log entry exists with expected actor, entity, action, and timestamp.
- The source page state matches the log result.

#### Verification

- Successful action: use as confirmation after source page refresh.
- Failed action: open Error Logs and do not assume the source workflow completed.
- Missing action: treat as unresolved until source state and logs agree.

### Trace a support claim

Use when a user or support agent says something happened but the source page is ambiguous.

#### Procedure

1. Collect the reported user email, action, approximate time, and route from the ticket.
2. Search Activity Logs by exact email or user ID.
3. Review nearby actions before and after the reported event.
4. Open the related source page in a separate tab if the log identifies an entity.
5. If a failure is implied, search Error Logs in the same time window.
6. Summarize facts neutrally: observed action, actor, time, and current source state.

#### Verification

- The support note distinguishes observed logs from user-reported events.
- Any gap or missing action is marked unresolved rather than guessed.

## 6. Common Tasks With Drilldown Examples

### Verify a reset

*Example: User Management reported that report artifacts and tradelines were deleted.*

#### Drilldown procedure

1. Search Activity Logs by the affected user email.
2. Find the reset action around the time of the User Management success message.
3. Confirm the actor is the admin who performed the reset.
4. Open User Management and confirm the derived data counts now match the reset outcome.
5. If the log is absent, check Error Logs and do not run reset again until state is understood.

#### Best practices for this task

- Use reset result counts from the success message and logs together.
- Avoid a second reset attempt when the first result is ambiguous.

**Done when**

- Reset action has a successful audit record.
- Derived counts changed as expected.

**Audit a settings change**

*Example: A detector threshold changed and Risk Triage volume shifted.*

**Drilldown procedure**

1. Search Activity Logs for rule or system setting update actions.
2. Confirm the action timestamp aligns with the observed queue change.
3. Open Rule Check Settings and verify the current saved value.
4. Review Error Logs for failed validation messages around the same time.
5. Document whether the volume shift is explained by a deliberate settings change.

**Best practices for this task**

- Always verify current config in the source settings page.
- Do not rely only on a log description when exact current values matter.

**Done when**

- The settings source page and audit log agree.
- Any unexpected change is escalated with actor and timestamp.

**7. Configuration and Change-Control Scope**

- Activity Logs are read-only from the UI.
- They may expose test data, emails, IDs, and internal actions.
- Use logs to support decisions, not to change state directly.

**8. Common Errors**

| Problem                                         | Likely cause                                                                                     | Admin response                                                                                                                               |
|-------------------------------------------------|--------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|
| Access denied or redirected to login            | The session expired, the role is not admin, or the wrong environment is open.                    | Sign back in, confirm admin role, and reopen the route from the sidebar instead of using an old bookmark.                                    |
| Expected record is missing                      | Search terms, tabs, filters, pagination, or environment selection are hiding the record.         | Clear filters, search by exact ID or email, verify the environment, and compare Activity Logs when available.                                |
| Save appears to do nothing                      | Required fields are missing, there are no dirty changes, or the API returned a validation error. | Read the inline validation text, correct one field at a time, save again, refresh, and check Error Logs if the state still does not persist. |
| activity logs state conflicts with another page | The source record was changed elsewhere or the current page is stale.                            | Refresh the page, reopen the source record, and use timestamps or record IDs to decide which state is                                        |

| Problem | Likely cause | Admin response |
|---------|--------------|----------------|
|         |              | authoritative. |

## 9. Troubleshooting

| Check                  | Why it matters                                                                                         | How to proceed                                                                                                                 |
|------------------------|--------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|
| Start with a refresh   | A refresh confirms whether the activity logs view is stale or whether the backend rejected the action. | Refresh once, then repeat the exact search or selection. Do not repeat destructive actions until the latest state is visible.  |
| Check Activity Logs    | Successful admin actions should leave an audit trail for sensitive workflows.                          | Search by actor, affected user, entity ID, route, or timestamp. Use the log entry as confirmation, not just the toast message. |
| Check Error Logs       | Repeated UI failures usually have matching server or API errors.                                       | Search around the action time. Capture the route, status, error summary, and request context for developer follow-up.          |
| Escalate with evidence | Developer review is faster when the exact record and reproduction path are known.                      | Provide environment, route, selected filters, record ID, expected outcome, actual outcome, screenshot, and timestamp.          |

## 10. Best Practices

- Use exact emails, IDs, and timestamps.
- Keep log summaries factual and concise.
- Pair Activity Logs with source page refresh and Error Logs for ambiguous saves.
- Never expose internal log detail to customers unless an approved customer-safe summary is prepared.

## 11. Completion Checklist

- The activity logs page was reopened or refreshed after the change.
- The expected saved state remained visible after refresh.
- Related logs, downstream records, or generated artifacts agree with the visible page state.
- Any customer-facing wording, finding status, packet state, or support note was reviewed for factual and neutral language.
- Any unresolved risk, failed test, suspicious log, or unclear source evidence was escalated with record IDs and screenshots.

## 12. Related Admin Areas

- Error Logs
- User Management
- Rule Check Settings
- Risk Triage
- Support Tickets

