

Security & Compliance

Admin Operations and Configuration Manual

Manual 07 of 25
Route: /admin-security
Group: Platform
Generated: May 10, 2026


1. Section Overview

Security & Compliance contains audit-log review, retention controls, and semantic audit tools. It helps admins verify compliance controls, retention posture, and policy-sensitive content.

Use this page for compliance oversight, retention review, and targeted semantic audit checks under approved scope.

2. Current Admin Screenshot

Screenshot source: localhost development admin environment with test data. Test data is permitted for these manuals and should still be treated as internal.



The screenshot shows the Security & Compliance page tabs and available security/compliance tools.

3. Access and Operating Rules

- Sign in with an account that has admin access. Support users may see some reference sections, but admin configuration and review tools require admin role.
- Use the intended environment. Local admin browser testing uses `http://localhost:5175`. The backend port, `http://localhost:3333`, is API-only.
- Treat screenshots, exports, logs, report text, and record IDs as internal test-environment material. Do not paste them into public channels.
- Confirm the page route, active filters, selected user, selected report, and selected environment before any save, delete, reset, dismissal, or finalize action.
- When an action affects customer-facing findings, packets, pricing, feature flags, or parser truth, record the reason and verify the downstream record after refresh.
- Retention workflows can delete or alter data availability. Do not run them casually.
- Semantic audit results can contain sensitive context. Store exports only in approved internal locations.
- Security review should use least necessary scope.

4. Screen Anatomy and Controls

Area	What it means	Admin procedure
Audit Logs	Security-oriented view of recorded actions and access events.	Use for security investigations and control verification.
Data Retention	Retention status and enforcement controls.	Treat retention enforcement as destructive and verify scope carefully.
Semantic Audit	Policy-sensitive content scanning tools.	Run only on approved scope and review results before exporting.

5. Step-by-Step Instructions

Review audit history

Use when verifying security-sensitive actions or investigating access concerns.

Procedure

1. Open Security & Compliance from the Platform sidebar group.
2. Select Audit Logs.
3. Narrow by user, action, entity, or date range.
4. Read actor, target, timestamp, result, and context fields.
5. Compare with Activity Logs if the event also changed application state.
6. Record a customer-safe summary only if a support response requires it.

Verification

- The event is confirmed or documented as absent.

- Any suspicious access pattern is escalated with timestamp and actor details.

Run a retention review

Use when operations asks whether data is eligible for retention cleanup.

Procedure

1. Open Data Retention and read the current retention status before taking action.
2. Confirm the approved scope: environment, data class, date range, and user population.
3. Run read-only review or preview first where available.
4. Record counts and affected categories before enforcement.
5. Do not enforce retention if the scope, approval, or expected outcome is unclear.
6. After enforcement, refresh and verify counts and logs.

Decision options

- Retention outcome matches approved scope.
- Activity/audit logs confirm the action.
- No out-of-scope data was affected.

Verification

- Preview/review: preferred first step.
- Enforce: use only with explicit approval.
- Escalate: use when counts are unexpectedly high or include protected test cases.

6. Common Tasks With Drilldown Examples

Run a semantic audit check

Example: Compliance asks whether support notes include policy-sensitive wording.

Drilldown procedure

1. Confirm the approved record set and purpose.
2. Open Semantic Audit.
3. Run the smallest scope that answers the question.
4. Review flagged items manually before treating them as violations.
5. Export results only if required and store them in approved internal storage.

Best practices for this task

- Use semantic audit as a detection aid, not automatic discipline or legal judgment.
- Avoid broad scans when a targeted search is enough.

Done when

- Flagged records were reviewed by a human.
- Export handling follows internal storage rules.

Verify sidebar access after security changes

Example: A route repair claims Security & Compliance is now visible.

Drilldown procedure

1. Open the admin sidebar.
2. Search for Security & Compliance.
3. Open the route and confirm the page content loads.
4. Sign in with a non-admin/support account in a separate test only if route permissions are under review.
5. Confirm unauthorized roles cannot access admin-only functions.

Best practices for this task

- Visibility and authorization are separate checks.
- Never test admin controls with a real customer account.

Done when

- Admin can discover and open the section.
- Non-admin access remains blocked where expected.

7. Configuration and Change-Control Scope

- Retention controls may affect stored data lifecycle.
- Semantic audit configuration and exports may affect compliance evidence.
- This page should remain discoverable from the admin sidebar for operational readiness.

8. Common Errors

Problem	Likely cause	Admin response
Access denied or redirected to login	The session expired, the role is not admin, or the wrong environment is open.	Sign back in, confirm admin role, and reopen the route from the sidebar instead of using an old bookmark.
Expected record is missing	Search terms, tabs, filters, pagination, or environment selection are hiding the record.	Clear filters, search by exact ID or email, verify the environment, and compare Activity Logs when available.
Save appears to do nothing	Required fields are missing, there are no dirty changes, or the API returned a validation error.	Read the inline validation text, correct one field at a time, save again, refresh, and check Error Logs if the state still does not persist.
security and compliance state conflicts with another page	The source record was changed elsewhere or the current page is stale.	Refresh the page, reopen the source record, and use timestamps or record IDs to decide which state is authoritative.

9. Troubleshooting

Check	Why it matters	How to proceed
Start with a refresh	A refresh confirms whether the security and compliance view is stale or whether the backend rejected the action.	Refresh once, then repeat the exact search or selection. Do not repeat destructive actions until the latest state is visible.
Check Activity Logs	Successful admin actions should leave an audit trail for sensitive workflows.	Search by actor, affected user, entity ID, route, or timestamp. Use the log entry as confirmation, not just the toast message.
Check Error Logs	Repeated UI failures usually have matching server or API errors.	Search around the action time. Capture the route, status, error summary, and request context for developer follow-up.
Escalate with evidence	Developer review is faster when the exact record and reproduction path are known.	Provide environment, route, selected filters, record ID, expected outcome, actual outcome, screenshot, and timestamp.

10. Best Practices

- Use least necessary scope for audit and retention work.
- Treat retention enforcement as destructive.
- Protect semantic audit exports.
- Escalate suspicious access patterns with factual evidence only.

11. Completion Checklist

- The security and compliance page was reopened or refreshed after the change.
- The expected saved state remained visible after refresh.
- Related logs, downstream records, or generated artifacts agree with the visible page state.
- Any customer-facing wording, finding status, packet state, or support note was reviewed for factual and neutral language.
- Any unresolved risk, failed test, suspicious log, or unclear source evidence was escalated with record IDs and screenshots.

12. Related Admin Areas

- Activity Logs
- Error Logs
- User Management
- Support Tickets