

Support Tickets

Admin Operations and Configuration Manual

Manual 08 of 25
Route: /support-tickets
Group: Platform
Generated: May 10, 2026


1. Section Overview

Support Tickets organizes customer and internal support requests with priority, status, assignment, conversation, and account context.

Use this section to triage support issues, verify related platform records, document completed actions, and close tickets only when the issue is resolved.

2. Current Admin Screenshot

Screenshot source: localhost development admin environment with test data. Test data is permitted for these manuals and should still be treated as internal.



The screenshot shows support ticket filters, list/detail entry points, status/priority labels, and ticket context.

3. Access and Operating Rules

- Sign in with an account that has admin access. Support users may see some reference sections, but admin configuration and review tools require admin role.
- Use the intended environment. Local admin browser testing uses `http://localhost:5175`. The backend port, `http://localhost:3333`, is API-only.
- Treat screenshots, exports, logs, report text, and record IDs as internal test-environment material. Do not paste them into public channels.
- Confirm the page route, active filters, selected user, selected report, and selected environment before any save, delete, reset, dismissal, or finalize action.
- When an action affects customer-facing findings, packets, pricing, feature flags, or parser truth, record the reason and verify the downstream record after refresh.
- Support notes should distinguish user-reported statements from admin-verified facts.
- Use User Management, Activity Logs, Error Logs, Risk Triage, or Parser Testing to verify facts before replying.
- Do not promise legal outcomes or unsupported credit-reporting results.

4. Screen Anatomy and Controls

Area	What it means	Admin procedure
Ticket list	Displays open, assigned, unassigned, and historical tickets.	Start with priority and age, then verify user/account context.
Filters	Narrow by status, priority, category, or assignment.	Clear filters before concluding the queue is empty.
Ticket detail	Shows conversation, account context, and internal notes.	Keep replies customer-safe and avoid internal stack traces.
Assignment/status actions	Move work to the correct support owner and lifecycle state.	Close only after verification is complete.

5. Step-by-Step Instructions

Triage a new ticket

Use when a ticket arrives or is assigned to admin/support review.

Procedure

1. Open Support Tickets and clear filters if the expected ticket is not visible.
2. Read subject, category, priority, status, requester, and age.
3. Open the ticket detail and identify the requested outcome.
4. Search User Management by exact email if the ticket concerns account access, reports, or packets.

5. Open Activity Logs and Error Logs when the ticket describes a failed action.
6. Set or confirm assignment and update status according to the work state.
7. Write an internal note with verified facts and next action.

Decision options

- Ticket has a clear owner/status.
- Internal notes identify verified facts and unresolved items.

Verification

- Assign: use when a named owner will continue work.
- Pending/internal review: use when waiting on admin, developer, or compliance review.
- Close: use only after the issue is resolved or accurately answered.

Prepare a customer-safe reply

Use after source records have been reviewed.

Procedure

1. Read the latest customer message and determine the exact question.
2. Verify facts in source pages. Do not rely on memory or dashboard counts.
3. Translate internal findings into plain language without stack traces, endpoint names, private IDs, or unsupported legal conclusions.
4. State what was reviewed, what was changed if anything, and what the user should do next.
5. If the issue is still under investigation, say what is being investigated and avoid promising a timeline unless approved.

Verification

- Reply is factual, neutral, and free of internal-only details.
- Ticket status matches the next action.

6. Common Tasks With Drilldown Examples

Escalate a technical support issue

Example: A user cannot download a packet and Error Logs show a server exception.

Drilldown procedure

1. Open the ticket and record requester, route, time, and described behavior.
2. Open Error Logs and capture the error summary, endpoint/route, status, and timestamp.
3. Open Activity Logs to check whether any later retry succeeded.
4. Add an internal note with reproduction details and affected IDs.
5. Assign or tag the ticket for developer/admin follow-up according to the local process.

Best practices for this task

- Do not send raw stack traces to the user.
- Do not mark closed while the underlying issue is still active.

Done when

- Escalation contains reproduction path and log context.
- Ticket status communicates that work is pending.

Close a resolved ticket

Example: A support agent confirms a user can now access the corrected report.

Drilldown procedure

1. Verify the resolved state in the source page.
2. Add a final internal note describing the action taken and evidence checked.
3. Send a customer-safe reply if customer communication is required.
4. Set the ticket to closed/resolved.
5. Refresh the ticket list and confirm it no longer appears in open filters.

Best practices for this task

- Close for completed support outcomes, not for work transferred elsewhere.
- If a defect remains open, use pending/escalated state instead.

Done when

- The source issue is resolved or accurately answered.
- Ticket status and notes match the outcome.

7. Configuration and Change-Control Scope

- Ticket state changes affect support workflow and may notify or inform users depending on implementation.
- Internal notes should remain internal and customer-safe.
- Ticket closure is an operational decision, not proof the underlying defect is repaired unless verified.

8. Common Errors

Problem	Likely cause	Admin response
Access denied or redirected to login	The session expired, the role is not admin, or the wrong environment is open.	Sign back in, confirm admin role, and reopen the route from the sidebar instead of using an old bookmark.
Expected record is missing	Search terms, tabs, filters, pagination, or environment selection are hiding the record.	Clear filters, search by exact ID or email, verify the environment, and compare Activity Logs when available.
Save appears to do nothing	Required fields are missing, there are no dirty changes, or the API returned a validation error.	Read the inline validation text, correct one field at a time, save again, refresh, and check Error Logs if the state still does not persist.
support tickets state conflicts with another page	The source record was changed elsewhere or the current page is stale.	Refresh the page, reopen the source record, and use timestamps or record IDs to decide which state is

Problem	Likely cause	Admin response
		authoritative.

9. Troubleshooting

Check	Why it matters	How to proceed
Start with a refresh	A refresh confirms whether the support tickets view is stale or whether the backend rejected the action.	Refresh once, then repeat the exact search or selection. Do not repeat destructive actions until the latest state is visible.
Check Activity Logs	Successful admin actions should leave an audit trail for sensitive workflows.	Search by actor, affected user, entity ID, route, or timestamp. Use the log entry as confirmation, not just the toast message.
Check Error Logs	Repeated UI failures usually have matching server or API errors.	Search around the action time. Capture the route, status, error summary, and request context for developer follow-up.
Escalate with evidence	Developer review is faster when the exact record and reproduction path are known.	Provide environment, route, selected filters, record ID, expected outcome, actual outcome, screenshot, and timestamp.

10. Best Practices

- Verify before replying.
- Separate internal notes from customer-facing language.
- Use exact user email and ticket ID in admin notes.
- Close only when the support outcome is complete.

11. Completion Checklist

- The support tickets page was reopened or refreshed after the change.
- The expected saved state remained visible after refresh.
- Related logs, downstream records, or generated artifacts agree with the visible page state.
- Any customer-facing wording, finding status, packet state, or support note was reviewed for factual and neutral language.
- Any unresolved risk, failed test, suspicious log, or unclear source evidence was escalated with record IDs and screenshots.

12. Related Admin Areas

- User Management
- Activity Logs
- Error Logs
- Risk Triage
- Admin AI Assist

