

Credit Reporting Companies

Admin Operations and Configuration Manual

Manual 11 of 25
Route: /bureaus
Group: Legal & Rules
Generated: May 10, 2026


1. Section Overview

Credit Reporting Companies stores reference information about bureaus and reporting companies used by platform workflows.

Use this section to confirm bureau names, addresses, contact details, and operational context before packet generation, evidence review, or reference updates.

2. Current Admin Screenshot

Screenshot source: localhost development admin environment with test data. Test data is permitted for these manuals and should still be treated as internal.



The screenshot shows bureau/reference records and fields used for operational confirmation.

3. Access and Operating Rules

- Sign in with an account that has admin access. Support users may see some reference sections, but admin configuration and review tools require admin role.
- Use the intended environment. Local admin browser testing uses `http://localhost:5175`. The backend port, `http://localhost:3333`, is API-only.
- Treat screenshots, exports, logs, report text, and record IDs as internal test-environment material. Do not paste them into public channels.
- Confirm the page route, active filters, selected user, selected report, and selected environment before any save, delete, reset, dismissal, or finalize action.
- When an action affects customer-facing findings, packets, pricing, feature flags, or parser truth, record the reason and verify the downstream record after refresh.
- Reference data should be verified before important packet or compliance work.
- Do not change bureau reference data based on memory or old documents.
- Record the source for any significant reference-data correction.

4. Screen Anatomy and Controls

Area	What it means	Admin procedure
Reference list	Shows available credit reporting company records.	Find the company before relying on address or contact data.
Record details	Expose address, contact, and related operational notes where configured.	Compare with approved source when a significant change is requested.
Search/browse	Allows locating a company by name or context.	Use exact names from reports and packets.

5. Step-by-Step Instructions

Confirm bureau contact information

Use before packet generation or when a support ticket questions bureau address/contact data.

Procedure

1. Open Credit Reporting Companies.
2. Search or browse for the bureau named in the credit report or packet.
3. Open the record and read the contact and address fields.
4. Compare the field to the approved reference source or current operational policy.
5. If the record is correct, document the confirmation in the related task.
6. If the record may be stale, do not update immediately. Capture the source and route for review.

Verification

- The exact bureau/company record was identified.
- The confirmation source is recorded.

Review a bureau-specific handling note

Use when a report layout or packet workflow behaves differently for a bureau.

Procedure

1. Open the bureau record and read operational notes.
2. Compare the note to the affected report or parser case.
3. Check Parser Testing or Reporting Format Guide if the issue is data layout rather than contact data.
4. Document whether the bureau note explains the workflow behavior.
5. Escalate if the note is outdated or conflicts with current parser behavior.

Verification

- Bureau-specific behavior is either explained or escalated.

6. Common Tasks With Drilldown Examples

Verify a packet address

Example: A support ticket asks whether a bureau packet was sent to the correct address.

Drilldown procedure

1. Open the packet record or support ticket and identify the bureau name.
2. Open Credit Reporting Companies and find the matching record.
3. Compare the address in the packet to the reference record.
4. Open Activity Logs for packet generation/delivery timing if needed.
5. If the address differs, determine whether the packet used stale data or a bureau-specific override.

Best practices for this task

- Use the exact bureau name from the packet.
- Do not assume all bureaus use the same destination.

Done when

- Packet and reference data either agree or the discrepancy is documented.

Request a reference-data update

Example: A verified source shows a bureau address changed.

Drilldown procedure

1. Capture the current record field and proposed new value.
2. Capture the authoritative source and date checked.
3. Assess downstream impact on packets and templates.
4. Submit the update through the approved change path.

5. After update, regenerate or preview affected packet output.

Best practices for this task

- Keep source citations with reference changes.
- Review generated output after changing address/contact data.

Done when

- Updated value persists and generated output uses it where expected.

7. Configuration and Change-Control Scope

- Reference records may feed packet addressing, bureau-specific handling, and compliance review.
- Changes can affect generated outputs across users.
- Updates should be source-backed and reviewed.

8. Common Errors

Problem	Likely cause	Admin response
Access denied or redirected to login	The session expired, the role is not admin, or the wrong environment is open.	Sign back in, confirm admin role, and reopen the route from the sidebar instead of using an old bookmark.
Expected record is missing	Search terms, tabs, filters, pagination, or environment selection are hiding the record.	Clear filters, search by exact ID or email, verify the environment, and compare Activity Logs when available.
Save appears to do nothing	Required fields are missing, there are no dirty changes, or the API returned a validation error.	Read the inline validation text, correct one field at a time, save again, refresh, and check Error Logs if the state still does not persist.
credit reporting company references state conflicts with another page	The source record was changed elsewhere or the current page is stale.	Refresh the page, reopen the source record, and use timestamps or record IDs to decide which state is authoritative.

9. Troubleshooting

Check	Why it matters	How to proceed
Start with a refresh	A refresh confirms whether the credit reporting company references view is stale or whether the backend rejected the action.	Refresh once, then repeat the exact search or selection. Do not repeat destructive actions until the latest state is visible.
Check Activity Logs	Successful admin actions should leave an audit trail for sensitive workflows.	Search by actor, affected user, entity ID, route, or timestamp. Use the log entry as confirmation, not just the toast message.

Check	Why it matters	How to proceed
Check Error Logs	Repeated UI failures usually have matching server or API errors.	Search around the action time. Capture the route, status, error summary, and request context for developer follow-up.
Escalate with evidence	Developer review is faster when the exact record and reproduction path are known.	Provide environment, route, selected filters, record ID, expected outcome, actual outcome, screenshot, and timestamp.

10. Best Practices

- Use exact bureau names.
- Verify reference changes against an approved source.
- Check packet output after changes.
- Separate contact/reference issues from parser layout issues.

11. Completion Checklist

- The credit reporting company references page was reopened or refreshed after the change.
- The expected saved state remained visible after refresh.
- Related logs, downstream records, or generated artifacts agree with the visible page state.
- Any customer-facing wording, finding status, packet state, or support note was reviewed for factual and neutral language.
- Any unresolved risk, failed test, suspicious log, or unclear source evidence was escalated with record IDs and screenshots.

12. Related Admin Areas

- Reporting Format Guide
- Letter Templates
- Activity Logs
- Parser Testing