

# Parser Mappings

## Admin Operations and Configuration Manual

Manual 22 of 25  
Route: /admin-parser-mappings  
Group: Tools  
Generated: May 10, 2026


### 1. Section Overview

Parser Mappings controls how report text fields are interpreted and assigned to platform fields. It supports deterministic extraction and field normalization.

Use this section to find, review, and maintain mapping rules when bureau layouts or source labels change.

### 2. Current Admin Screenshot

Screenshot source: localhost development admin environment with test data. Test data is permitted for these manuals and should still be treated as internal.



The screenshot shows mapping tables, filters, field context, and mapping-management surfaces.

### 3. Access and Operating Rules

- Sign in with an account that has admin access. Support users may see some reference sections, but admin configuration and review tools require admin role.
- Use the intended environment. Local admin browser testing uses `http://localhost:5175`. The backend port, `http://localhost:3333`, is API-only.
- Treat screenshots, exports, logs, report text, and record IDs as internal test-environment material. Do not paste them into public channels.
- Confirm the page route, active filters, selected user, selected report, and selected environment before any save, delete, reset, dismissal, or finalize action.
- When an action affects customer-facing findings, packets, pricing, feature flags, or parser truth, record the reason and verify the downstream record after refresh.
- Broad mapping changes can silently alter many parser outputs.
- Conflicting mappings should be escalated before saving.
- Fixture coverage is required for meaningful mapping changes.

### 4. Screen Anatomy and Controls

| Area                    | What it means                                                  | Admin procedure                                   |
|-------------------------|----------------------------------------------------------------|---------------------------------------------------|
| Mapping list            | Displays known parser field mappings.                          | Search before adding or changing mappings.        |
| Filters/search          | Narrow mappings by bureau, field, status, or text.             | Use exact bureau and source label when available. |
| Mapping details/history | Show field normalization and previous changes where available. | Review history before altering a broad mapping.   |
| Test/suggestion panels  | Help validate mapping behavior.                                | Use fixture evidence before activation.           |

### 5. Step-by-Step Instructions

#### Find and review a mapping

Use before changing parser behavior for a field.

##### Procedure

1. Open Parser Mappings.
2. Search by exact source label, normalized field path, bureau, or report concept.
3. Open mapping details and review source pattern, target field, bureau scope, and status.
4. Check history/diff behavior if visible.
5. Open Parser Testing to find a fixture that exercises the mapping.
6. Document whether the mapping is current, stale, conflicting, or missing.

##### Verification

- Mapping status is understood before edits.
- Relevant fixture or source report is identified.

## Correct a stale mapping

Use when a bureau layout or source label changed and parser output is now wrong.

### Procedure

1. Collect source evidence from the PDF/raw text and the incorrect parser output.
2. Find the existing mapping by old label or target field.
3. Determine whether the mapping needs a narrower scope, new alias, or deactivation.
4. Make the smallest mapping change that addresses the observed source.
5. Run the affected parser test case.
6. Run broader regression checks if the mapping is shared across many fields or bureaus.
7. Document the before/after behavior and source evidence.

### Decision options

- Affected test case passes.
- No broad regression failures are introduced.

### Verification

- Narrow alias: use when one bureau/layout variant changed.
- Broad mapping update: use only with fixture coverage across affected layouts.
- Escalate conflict: use when two source labels map to the same target with different meanings.

## 6. Common Tasks With Drilldown Examples

### Validate a mapping after report format change

*Example: Equifax changes a balance label that parser no longer recognizes.*

#### Drilldown procedure

1. Use Stage Lab to parse the new sample report.
2. Identify the missing or wrong field in canonical output.
3. Open Reporting Format Guide to confirm target meaning.
4. Open Parser Mappings and search for the old and new labels.
5. Create or update mapping scope based on evidence.
6. Save and rerun the sample as a parser test.

#### Best practices for this task

- Use bureau-specific scope when a label is not universal.
- Do not guess target fields from label text alone.

#### Done when

- The new sample parses correctly and existing fixtures still pass.

## Resolve conflicting mappings

*Example: Two source labels look similar but one means credit limit and one means high credit.*

### Drilldown procedure

1. Collect source examples for both labels.
2. Compare field meanings in Reporting Format Guide.
3. Review current mapping history.
4. Narrow mapping scope by bureau/layout/account type if possible.
5. Create a parser correction or developer task if UI controls cannot express the needed distinction.

### Best practices for this task

- Conflicts should be resolved with examples, not preference.
- Avoid broad fallback rules when source labels are ambiguous.

### Done when

- Each source example maps to the correct target without breaking the other.

## 7. Configuration and Change-Control Scope

- Mappings influence deterministic parser output.
- Mapping changes can affect findings, packets, and regression cases.
- Updates should be paired with parser tests.

## 8. Common Errors

| Problem                                           | Likely cause                                                                                     | Admin response                                                                                                                               |
|---------------------------------------------------|--------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|
| Access denied or redirected to login              | The session expired, the role is not admin, or the wrong environment is open.                    | Sign back in, confirm admin role, and reopen the route from the sidebar instead of using an old bookmark.                                    |
| Expected record is missing                        | Search terms, tabs, filters, pagination, or environment selection are hiding the record.         | Clear filters, search by exact ID or email, verify the environment, and compare Activity Logs when available.                                |
| Save appears to do nothing                        | Required fields are missing, there are no dirty changes, or the API returned a validation error. | Read the inline validation text, correct one field at a time, save again, refresh, and check Error Logs if the state still does not persist. |
| parser mappings state conflicts with another page | The source record was changed elsewhere or the current page is stale.                            | Refresh the page, reopen the source record, and use timestamps or record IDs to decide which state is authoritative.                         |

## 9. Troubleshooting

| Check                  | Why it matters                                                                                           | How to proceed                                                                                                                 |
|------------------------|----------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|
| Start with a refresh   | A refresh confirms whether the parser mappings view is stale or whether the backend rejected the action. | Refresh once, then repeat the exact search or selection. Do not repeat destructive actions until the latest state is visible.  |
| Check Activity Logs    | Successful admin actions should leave an audit trail for sensitive workflows.                            | Search by actor, affected user, entity ID, route, or timestamp. Use the log entry as confirmation, not just the toast message. |
| Check Error Logs       | Repeated UI failures usually have matching server or API errors.                                         | Search around the action time. Capture the route, status, error summary, and request context for developer follow-up.          |
| Escalate with evidence | Developer review is faster when the exact record and reproduction path are known.                        | Provide environment, route, selected filters, record ID, expected outcome, actual outcome, screenshot, and timestamp.          |

## 10. Best Practices

- Search before changing mappings.
- Use exact source labels and target field paths.
- Prefer narrow scoped changes with fixtures.
- Run parser regression after meaningful mapping changes.

## 11. Completion Checklist

- The parser mappings page was reopened or refreshed after the change.
- The expected saved state remained visible after refresh.
- Related logs, downstream records, or generated artifacts agree with the visible page state.
- Any customer-facing wording, finding status, packet state, or support note was reviewed for factual and neutral language.
- Any unresolved risk, failed test, suspicious log, or unclear source evidence was escalated with record IDs and screenshots.

## 12. Related Admin Areas

- Parser Testing
- Reporting Format Guide
- Finding Corrections
- Error Logs