PRODUCT REQUIREMENTS DOCUMENT

B2B Opportunity Intelligence Platform

Detect business intent, connect the right people to the right companies, explain the problem, and surface actionable opportunities.

Document	Value
Status	Product definition / working PRD
Version	1.0
Product type	Multi-tenant B2B SaaS
Primary users	B2B sales teams, agencies, outsourcing/BPO providers, recruiters
Core object	Opportunity

Product thesis

Do not sell a list of contacts. Surface evidence-backed business opportunities: Company + Person + Problem + Intent + Evidence + Timing + Fit + Action.

Document Contents

#	Section
1	Executive Summary
2	Problem Statement
3	Product Vision & Principles
4	Goals and Non-Goals
5	Target Customers & Personas
6	Core Use Cases
7	Product Concepts & Terminology
8	User Experience / Screens
9	Opportunity Intelligence Model
10	Signal Taxonomy
11	AI Requirements
12	Scoring & Ranking
13	Data Model
14	Data Ingestion & Provider Architecture
15	APIs & Backend Requirements
16	Search & Monitoring
17	Integrations & Exports
18	Admin & Governance
19	Security & Privacy Requirements
20	Non-Functional Requirements
21	Analytics & Product Metrics
22	Acceptance Criteria
23	Open Product Decisions
24	Future Expansion

1. Executive Summary

The B2B Opportunity Intelligence Platform is a SaaS product that discovers sales opportunities from business intent, public/authorized signals, company events, workforce activity, startup activity, and licensed data providers. It resolves people and companies, enriches entities, extracts the underlying problem, correlates multiple signals, scores the opportunity, and presents an evidence-backed action plan to the customer.

Primary user promise

Tell us what you sell and who you sell to; we will continuously surface organizations that show relevant evidence of a current or emerging business need, explain why they surfaced, identify relevant decision-makers, and provide usable business contact information where legally and contractually permitted.

Core differentiator

The product should not attempt to win by owning the largest contact database. Data suppliers remain replaceable. The product should win through intent interpretation, identity resolution, signal stacking, problem extraction, explainable scoring, service matching, and outcome learning.

Four discovery modes

Mode	User intent	Example
Company Discovery	Find companies matching an ICP	UK accounting firms, 20-200 employees, 3+ locations
Intent Discovery	Find organizations/people actively expressing a need	Businesses requesting website redesign or software development
Business Event Discovery	Find events likely to create commercial needs	Funding, expansion, hiring surge, technology migration
Emerging Startup Discovery	Find companies before they become mature database entries	New startup, MVP stage, founder announcement, early hiring

2. Problem Statement

Traditional prospecting tools optimize around static company and contact attributes. A salesperson may receive a technically accurate record while still lacking the most important context: whether the company has a problem now, what triggered the need, which person is connected to it, and why the outreach should happen today.

Problems to solve

- Cold prospect lists contain many companies that fit an ICP but have no current buying context.
- Useful intent is scattered across job postings, procurement notices, startup activity, public company updates, authorized data feeds, and other permitted sources.
- The same person may appear under different names, roles, companies, or source records; entity resolution is often the hardest part.
- Raw signals are not directly actionable. Sales teams need the problem, impact, likely need, timing, relevant buyer, and evidence.
- One signal can be misleading. Multiple independent signals can form a much stronger business story.
- Different service businesses have different definitions of a qualified opportunity.
- Customers need transparent evidence rather than unexplained AI-generated scores.

Product problem statement

Build a system that converts fragmented, permitted business signals into structured, traceable opportunities tailored to each customer's service capability and ideal customer profile.

3. Product Vision & Principles

Vision

Become the intelligence layer that helps B2B companies discover demand before competitors do, by continuously turning weak and strong business signals into explainable opportunity records.

Product principles

Principle	Requirement
Evidence first	Important claims must link to source evidence, observation time, and confidence.
Data-provider agnostic	External providers are adapters, not the product.
Intent over volume	Optimize for qualified opportunities rather than raw record count.
Explainability	Every score and recommendation should have a human-readable reason.
Identity safety	Never present uncertain person/company matches as facts.
Freshness	Store observation and verification timestamps for dynamic fields.
Customer-specific	Customers define their ICP, services, target roles, geographies, and signal priorities.
Actionability	Every high-value opportunity should suggest a next action.
Compliant ingestion	Use only sources and access methods permitted by applicable agreements, licenses, APIs, and law.
Human review where uncertainty matters	The UI should surface uncertainty instead of hiding it.

4. Goals and Non-Goals

Goals

- Detect explicit and implicit B2B demand signals.
- Connect signals to the correct organization and relevant person with confidence scoring.
- Combine company fit, intent, timing, and evidence into a prioritization model.
- Extract the business problem and potential requirement from source material.
- Support BPO, outsourcing, staff augmentation, recruitment/RPO, software, web, marketing, and consulting use cases.
- Allow natural-language search and saved monitoring recipes.
- Provide source provenance and evidence timelines.
- Provide usable business contact information only through permitted providers/workflows.
- Learn from customer outcomes over time.

Non-goals for initial product

- Building a massive proprietary contact database from scratch.
- Replicating another provider's product or database.
- Unrestricted scraping of sites whose terms do not permit it.
- Full multi-channel sales automation as the first release.

- Predicting that a prospect will definitely buy.
- Building a full CRM to replace established CRM products.

5. Target Customers & Personas

Segment	Typical need	Signals of value
Software development / IT services	Find organizations needing developers, products, modernization	Funding + hiring + project requests + technical leadership changes
Staff augmentation	Find capacity gaps	Repeated engineering hiring, contractors, long vacancies, launches
BPO / customer support	Find operational workforce demand	Large support hiring, seasonal peaks, international expansion, outsourcing requests
Recruitment / RPO	Find hiring pressure	High vacancy volume, recruiting team constraints, rapid headcount growth
Web / digital agencies	Find current digital problems	Website requests, complaints, launches, expansion, rebrand
Marketing agencies	Find growth-stage demand	Funding, product launch, new market, marketing hiring, vendor searches
Consultancies	Find strategic projects	RFPs, technology change, leadership change, transformation signals

Core personas

- Founder/agency owner: wants qualified opportunities without building a research team.
- Sales manager: wants a consistent daily opportunity feed and prioritization.
- SDR/researcher: wants contact + problem + evidence in one place.
- BPO/outsourcing sales leader: wants signals of workforce or capacity pressure.
- Recruitment/RPO leader: wants high-volume hiring and procurement opportunities.
- Workspace admin: manages users, providers, credits, data policy, integrations, and audit activity.

6. Core Use Cases

Use Case A - ICP-based company discovery

Find UK accounting companies with 20-200 employees, 3+ locations, recent expansion, and evidence of website or marketing needs.

Expected result: ranked companies plus relevant people, current signals, evidence, and contactability.

Use Case B - Explicit intent discovery

Find businesses in the UK that have recently requested website redesign, SEO, CRM implementation, software development, or outsourcing services.

Expected result: opportunity records centered on the expressed problem, not merely the source record.

Use Case C - Staff augmentation opportunity

Find US SaaS companies with multiple engineering vacancies, long-running/reposted roles, recent funding, and product expansion.

Expected result: potential capacity-gap opportunities with engineering leadership and contact details.

Use Case D - BPO opportunity

Find companies hiring large numbers of customer-support, appointment-setting, data-entry, claims, or back-office roles.

Expected result: workforce-pressure opportunities classified by function and likely outsourcing model.

Use Case E - Startup/MVP opportunity

Find newly emerging or recently funded startups that appear to be at idea, prototype, MVP, beta, or launch stage and show evidence of building activity.

Expected result: startup profile + lifecycle stage + founder/team + funding + product signals + potential service needs.

Use Case F - RFP/procurement opportunity

Find public or licensed procurement records that match a customer service, geography, company type, and timeframe. Surface scope, buyer/procurement role where permitted, deadline, evidence, and status.

7. Product Concepts & Terminology

Term	Definition
Signal	A normalized observation from a permitted source that may indicate business intent, a problem, or a company event.
Intent	Evidence that an organization or person is actively considering, requesting, comparing, evaluating, or procuring a solution.
Problem	The business issue inferred or explicitly stated by a signal; must be labeled as observed, derived, or inferred.
Opportunity	A structured sales-relevant object connecting company, person, problem, intent, evidence, timing, fit, and potential next action.
Opportunity Graph	Relationships among people, companies, signals, events, problems, services, and opportunities.
Recipe	A saved search definition combining ICP, service, intent, signal, geography, size, and timing criteria.
Signal Stack	Multiple corroborating signals that together strengthen an opportunity hypothesis.
Evidence Pack	Traceable source records supporting an opportunity or important company/person claim.
Identity Confidence	Confidence that the person/company/source records refer to the same real-world entity.
Opportunity Score	A prioritization score; not a purchase probability and not a guarantee of intent.

8. User Experience / Screens

8.1 Authentication

- Sign up / sign in
- Password reset
- Optional SSO in later version
- Workspace creation
- Role-based access

8.2 Onboarding

Capture the customer's value proposition before showing complex search controls.

Input	Examples
What do you sell?	Software teams, BPO, web development, SEO, recruitment
Ideal customers	Industry, geography, size, business model
Buyer roles	Founder, CEO, CTO, HR, Procurement, Marketing
Services	Specific service categories and delivery capabilities
Preferred signals	Funding, hiring, requests, RFPs, complaints, expansion
Commercial constraints	Minimum contract size, preferred countries, team size

8.3 Main Dashboard

The dashboard should answer “what changed since my last visit?”

Module	Content
New opportunities	Recently detected, qualified opportunities
High-intent	Explicit or strongly corroborated demand
Workforce gaps	Staff augmentation / BPO / RPO signals
Funding radar	Recently funded or emerging startups
RFPs	New procurement opportunities and deadlines
Monitors	Saved recipes with newly found opportunities
Activity	Saved/contacted/replied/meeting status

8.4 Search

Primary interaction should support natural language plus structured filters.

> Find UK professional-services firms with 20-500 employees, 3+ locations, that recently expanded and have shown website, SEO, or outsourcing intent in the last 30 days.

8.5 Opportunity Feed

Each row/card should provide enough context to decide whether to open it.

Field	Purpose
Opportunity type	Website, staff augmentation, BPO, RPO, MVP, RFP, etc.
Company	Canonical company identity
Person	Primary relevant person, if resolved
Problem	One-line problem statement
Why now	Top current signals
Intent	Intent score
ICP	Customer fit score
Identity	Entity match confidence
Freshness	Most recent important signal
Status	New, saved, contacted, meeting, won/lost

8.6 Opportunity Detail

This is the primary product surface.

- Opportunity header + scores
- Why this opportunity surfaced
- Problem / impact / requirements
- Evidence pack with source links
- Company intelligence
- Person/decision-maker intelligence

- Contact information + verification state
- Signal timeline
- Potential service match
- Suggested next action
- User notes and status

8.7 Company Detail

Company overview, firmographics, locations, funding, hiring, technology, people, signals, timeline, opportunities, and source freshness.

8.8 Person Detail

Person identity, role, company relationship, relevant authored signals, business contactability, and identity confidence.

8.9 Recipes / Monitoring

Users save recurring searches and receive new opportunities matching them.

8.10 Lists

Users organize opportunities into custom lists such as “Websites”, “BPO”, “Staff Aug”, “Funded Startups”, and “Contact Today”.

8.11 Integrations

Provider connections, CRM, webhooks, exports, notification channels, and usage controls.

8.12 Admin

Workspace/user management, provider health, ingestion health, AI usage, credits, audit logs, data requests, and system settings.

9. Opportunity Intelligence Model

Company + Person + Problem + Intent + Evidence + Timing + ICP Fit + Service Fit + Contactability = Opportunity

Opportunity states

State	Meaning
Detected	Source signal has been ingested.
Analyzing	Entity resolution, enrichment, and AI analysis are running.
Qualified	Opportunity meets configured quality thresholds.
Saved	User deliberately retained the opportunity.
Contacted	User or integrated workflow indicates outreach occurred.
Replied	Customer recorded a response.
Meeting	Conversation/meeting recorded.
Proposal	Commercial proposal recorded.
Won	Customer marked the opportunity as converted.
Lost	Customer marked it as not converted.

Evidence labels

Label	Meaning	Example
Observed	Directly supported by source evidence	Company announced a funding round.
Derived	Deterministic transformation from observations	Company added 8 open roles.

Inferred	Model-generated interpretation	May have a capacity gap.
Unknown	Not sufficiently supported	Budget is unknown.

10. Signal Taxonomy

Explicit buying signals

- Service request
- RFP / tender
- Request for quotation
- Vendor recommendation request
- Freelance/project request
- Outsourcing request
- Staff augmentation request
- Development partner request
- MVP development request
- Agency/vendor search
- Technology comparison during evaluation

Problem signals

- Complaint about existing solution
- Repeated discussion of a problem
- Competitor dissatisfaction
- Operational pain
- Technology migration pain
- Hiring difficulty
- Customer experience problem
- Conversion / website problem

Company event signals

- Funding
- New startup detected
- Company formation
- Expansion
- New location
- New product/service
- Launch
- Rebrand
- Technology change
- Leadership change
- M&A

Workforce signals

- Hiring surge
- Long-running vacancy
- Reposted position

- Multiple same-role openings
- Contractor hiring
- Temporary/seasonal hiring
- Large engineering hiring
- Large customer-support hiring
- Recruiting pressure
- Vendor-management hiring

Digital signals

- Website launch
- Website redesign
- New domain
- New landing page
- CMS/technology change
- E-commerce expansion
- Digital transformation event

11. AI Requirements

AI module A - Signal classification

Classify each normalized source record into one or more signal types, intent levels, service categories, urgency, and confidence.

```
{"signal_type":"website_redesign_request","intent":"explicit","urgency":"high","services":["web_development"],"confidence":0.97}
```

AI module B - Entity extraction

Extract person, company, role, location, product, service, date, deadline, amount, and relevant organization context.

AI module C - Problem extraction

Produce structured fields: problem, business impact, requirements, desired outcome, urgency, timeframe, and budget evidence.

AI module D - Opportunity reasoning

Combine structured signals and customer ICP/service configuration to generate opportunity type, why-now explanation, potential need, and uncertainty notes.

AI module E - Sales personalization

Generate evidence-based personalization only after the opportunity has been qualified. Do not invent personal familiarity, events, results, or claims.

AI guardrails

- Never invent contact details or company facts.
- Never treat an inferred need as a confirmed requirement.
- Show source evidence for high-impact claims.
- Preserve uncertainty in outputs.
- Prefer structured data for filtering and scoring; use generative AI for interpretation and summarization.

- Evaluate models against a labeled benchmark of real and synthetic cases before production changes.

12. Scoring & Ranking

Score components

Score	Question	Purpose
Intent Score	How strong is the evidence of a current need?	Prioritize active demand
ICP Fit	How closely does the company match the customer profile?	Avoid irrelevant accounts
Identity Confidence	How confident are we about entity matching?	Prevent incorrect attribution
Service Fit	How well does the opportunity map to what the customer sells?	Make results commercially useful
Opportunity Score	What should the customer investigate first?	Single prioritization view

Initial Intent Score weights

Factor	Weight
Explicit buying request	30
Problem severity	15
Evaluation activity	15
Recency	15
Urgency	10
Corroborating signals	10
Source reliability	5

Initial ICP Score weights

Factor	Weight
Industry	15
Geography	10
Company size	15
Location count	10
Revenue/business scale	10
Technology fit	10
Business model	10
Service compatibility	20

Initial Opportunity Score

```
Opportunity Score = Intent * 0.40 + ICP Fit * 0.25 + Recency * 0.15 + Identity Confidence * 0.10 + Service Fit * 0.10
```

This score is a prioritization mechanism. It must not be described as a probability that the prospect will buy.

Recency

Signal age	Initial multiplier
0-2 days	1.00
3-7 days	0.85
8-14 days	0.65
15-30 days	0.40
31-60 days	0.20
60+ days	0.05

Signal-specific decay curves may replace this generic curve after sufficient outcome data is available.

Signal stacking

Corroborating signals should increase confidence when they are independent, recent, and semantically compatible. Avoid double-counting duplicate versions of the same event.

Negative signals

Layoffs, hiring freezes, closures, cost-cutting, project cancellations, or other verified negative business signals may reduce opportunity priority where relevant to the service.

13. Data Model

PostgreSQL is the recommended MVP system of record. Use relational fields for stable entities, JSONB for flexible provider metadata, and pgvector for semantic similarity where required.

Core entities

Entity	Key fields
workspaces	id, name, plan, timezone, settings
users	id, workspace_id, email, name, role, status
companies	id, canonical_name, domain, industry, size, revenue range, location count, status
people	id, name, title, seniority, location, professional URL, contactability, identity confidence
company_people	company_id, person_id, relationship, title, dates, confidence
sources	id, name, provider, source type, authorization status, status
source_records	id, source_id, external_id, URL, type, published_at, observed_at, hash
signals	id, source_record_id, company_id, person_id, signal_type, intent level, confidence, timestamps
signal_evidence	signal_id, source URL, excerpt/summary, metadata, captured_at
funding_events	company_id, round, amount, currency, date, source record
job_signals	company_id, title, function, location, employment type, dates, source
opportunities	workspace_id, company_id, primary_person_id, type, problem, scores, status, why_now
opportunity_signals	opportunity_id, signal_id, weight, relationship
services	workspace_id, name, categories, capabilities, target roles/industries
scoring_profiles	workspace_id, name, weights/config
recipes	workspace_id, name, query definition, schedule, active
lists	workspace_id, name
saved_opportunities	workspace_id, opportunity_id, list_id
enrichment_jobs	entity, provider, status, cost, timing, error
provider_accounts	workspace_id, provider, credential reference, status
audit_logs	workspace_id, actor, action, entity, metadata, timestamp

Freshness and provenance rule

Dynamic data must store value + source + observed_at + verified_at + confidence. This enables the UI to distinguish current information from stale information.

14. Data Ingestion & Provider Architecture

Adapter architecture

```
SourceAdapter
  discover()
  fetch()
  normalize()
  identify()
  enrich()
  get_evidence()
  health_check()
```

Every provider or source should implement an adapter behind a stable internal interface. This protects the application from vendor changes and makes it possible to use multiple authorized/licensed data providers.

Ingestion pipeline

```
SOURCE -> INGEST -> NORMALIZE -> DEDUPLICATE -> ENTITY RESOLUTION -> CLASSIFY -> ENRICH -> VERIFY -> STACK SIGNALS -> SCORE -> OPPORTUNITY
```

Provider waterfall

Use multiple providers for enrichment where commercially permitted. Example: attempt provider A for email; if unavailable, use provider B; then verify. Costs and provider terms must be visible to administrators.

Source policy requirements

- Record the authorization/license state for each source.
- Store provider-specific terms reference and internal compliance notes.
- Do not assume that public accessibility equals permission for automated extraction, storage, or redistribution.
- Respect source-specific rate limits, retention requirements, deletion requests, and attribution requirements.
- Make a provider removable without changing the core opportunity model.

15. APIs & Backend Requirements

REST API

```
POST /api/v1/search
GET  /api/v1/opportunities
GET  /api/v1/opportunities/:id
GET  /api/v1/opportunities/:id/evidence
GET  /api/v1/opportunities/:id/timeline
GET  /api/v1/companies/:id
GET  /api/v1/people/:id
GET  /api/v1/signals/:id
POST /api/v1/recipes
POST /api/v1/recipes/:id/run
POST /api/v1/exports
GET  /api/v1/integrations
```

Search request

{"query":"UK accounting firms with recent website intent","filters":{"employees":{"min":20,"max":200},"locations":{"min":3},"signal_age_days":30},"limit":50}

Opportunity response

{"id":"opp_123","company":"ABC Accounting Ltd","person":"Sarah Williams","type":"website_redesign","intent_score":94,"icp_score":91,"identity_confidence":98,"service_fit":93,"opportunity_score":92,"why_now":["Explicit request posted 2 days ago","Company expanded to 3 locations"],"evidence_count":4}

Webhooks

- opportunity.created
- opportunity.updated
- signal.created
- person.resolved
- enrichment.completed
- recipe.completed
- export.completed
- alert.triggered

Background jobs

- ingestion
- normalization
- entity_resolution
- enrichment
- AI classification
- problem extraction
- scoring
- export
- alerts

16. Search & Monitoring

Natural-language query planner

The system should convert free-form user intent into structured filters, signal types, date windows, service categories, and exclusions. The generated plan should be inspectable before expensive data operations when useful.

Structured filters

- Industry
- Country/region/city
- Employee count
- Revenue range
- Location count
- Technology
- Funding stage/amount/date

- Hiring activity
- Signal type
- Signal age
- Opportunity type
- Role/seniority
- Score thresholds
- Service match

Saved recipes

A recipe is a reusable opportunity definition. Users can run it on demand or monitor it continuously. New matching opportunities should appear without requiring a fresh manual query.

Alerts

- In-app
- Email
- Slack/webhook in later integration phase
- Deadline reminders for RFPs
- High-intent notifications

17. Integrations & Exports

MVP integration categories

Category	Purpose
Company/contact data provider	Entity enrichment and contactability
Email verification	Validate deliverability state
Startup/funding provider	Funding and startup intelligence
Job data provider	Hiring and workforce signals
CRM export	CSV, JSON, webhook
Notifications	Email first; Slack/webhooks later

CRM integration design

Do not hard-code the opportunity model to a single CRM. Create a mapping layer that maps company, person, opportunity status, source evidence, and notes to CRM objects.

CSV export fields

```
opportunity_id, company_name, domain, person_name, job_title, email, phone, opportunity_type, problem, why_now, intent_score, icp_score, identity_confidence, service_fit, opportunity_score, latest_signal_date, source_url
```

18. Admin & Governance

Admin dashboard

Area	Requirements
Workspaces	List, inspect, suspend, plan/usage view
Users	Invite, role, deactivate, audit
Providers	Status, credentials state, usage, errors, cost

Data quality	Duplicate rate, match rate, enrichment success, verification rate
AI quality	Classification failure, schema parse failures, latency, cost, confidence distribution
Compliance	Suppression, deletion, source authorization, retention rules
System	Queue health, API latency, errors, backups

Usage metering

Track signals processed, searches, enrichments, email verification, AI usage, exports, monitoring volume, and provider spend. Usage should be observable per workspace and provider.

19. Security & Privacy Requirements

Security

- Tenant isolation on every workspace-owned entity.
- Server-side authorization for all resource access.
- Secrets stored in a secrets manager, not plaintext database fields.
- Encryption in transit and at rest.
- Audit logs for administrative and data-sensitive actions.
- Rate limiting and abuse detection.
- Signed webhooks.
- Regular backups and restore testing.
- Least-privilege provider credentials.

Privacy / data governance

- Maintain source provenance and permitted-use context.
- Provide mechanisms to suppress or delete records where required.
- Minimize retention of raw source content.
- Keep timestamps and confidence for dynamic personal/company data.
- Do not expose private or non-permitted personal information.
- Honor provider-specific data restrictions.
- Separate observed facts from model inferences.

20. Non-Functional Requirements

Area	MVP expectation
Performance	Interactive search response should return initial usable results quickly; expensive enrichment continues asynchronously.
Availability	Production target suitable for early SaaS customers; monitor API, queue, database, and provider failures.
Scalability	Horizontal background-job processing; provider calls isolated from request path.
Reliability	Idempotent ingestion and deduplication to prevent duplicate opportunities.
Observability	Structured logs, metrics, traces, provider health, AI job health.
Maintainability	Provider interfaces and domain services separated from UI.
Explainability	Scores and AI summaries must be reproducible from stored evidence and config.

Freshness	Dynamic fields must show observation/verification timestamps.
Cost control	Provider and AI calls must be metered and cached where permitted.
Accessibility	Keyboard-friendly, readable tables, accessible forms, semantic headings.

21. Analytics & Product Metrics

North-star metric

Qualified opportunities delivered

Number of opportunities a customer saves or advances because the platform surfaced useful, evidence-backed demand.

Product metrics

Metric	Definition
Search-to-qualified rate	Qualified opportunities / search
Signal-to-opportunity rate	Qualified opportunities / normalized signals
Identity match accuracy	Correct company/person matches / reviewed matches
Enrichment success	Successful enrichments / requested enrichments
Contact verification rate	Verified contact records / contact attempts
Opportunity save rate	Saved opportunities / viewed opportunities
Action rate	Contacted or exported opportunities / saved opportunities
Reply rate	Replies / contacted opportunities
Meeting rate	Meetings / contacted opportunities
Conversion rate	Won opportunities / qualified opportunities
False-positive rate	Reviewed opportunities judged unsupported or materially incorrect
Provider cost per qualified opportunity	Provider spend / qualified opportunities

Learning loop

```
OPPORTUNITY -> CONTACTED -> REPLIED -> MEETING -> PROPOSAL -> WON/LOST -> LABEL -> MODEL / WEIGHT UPDATE
```

Outcome data should improve scoring only after sufficient volume and quality. Changes should be evaluated offline before becoming production defaults.

22. Acceptance Criteria

Search

- User can describe a target opportunity in natural language.
- System translates the query into inspectable structured criteria.
- Results can be filtered by company, signal, date, score, and opportunity type.
- Duplicate companies/opportunities are suppressed according to configured rules.

Opportunity quality

- Every opportunity identifies its company.

- A person is shown only when identity confidence passes configured thresholds.
- High-impact claims have evidence references.
- Problem summaries distinguish observed, derived, and inferred information.
- Scores are explainable from stored factors.
- Latest signal date is visible.

Enrichment

- Provider failures do not break the opportunity pipeline.
- Contact verification state is displayed.
- Provider and enrichment timestamps are retained.
- Provider-specific costs are metered.

Monitoring

- User can save a recipe.
- System can re-run the recipe.
- New opportunities are deduplicated against existing results.
- User receives configured alerts for qualifying opportunities.

Security

- Workspace A cannot access Workspace B data.
- Administrative actions are logged.
- Credentials are never exposed to end users.
- API and webhook authentication is enforced.

23. Open Product Decisions

Decision	Options to validate	Recommended MVP direction
Primary source mix	Build in-house vs licensed APIs vs hybrid	Hybrid with licensed/authorized sources and a small number of controlled connectors
Contact depth	Email only vs email + phone	Email first, phone where permitted and cost-justified
Outbound	Manual export vs automated sequences	Manual/export first; automation later
Scoring	Rules vs LLM vs hybrid	Hybrid: deterministic features + LLM classification/reasoning
Search	Structured only vs natural language	Natural language + structured
CRM	One native CRM vs generic export	Generic export/webhook first; native integrations after validation
Startup stage	Database only vs pre-funding detection	Start with reliable funding/startup data, then add emerging detection
Learning	Global model vs per-customer	Per-customer configuration first; customer-specific learning after outcome volume

24. Future Expansion

Opportunity monitoring

Customers receive a continuously refreshed stream of new opportunities matching saved recipes.

Opportunity graph

Expand entity relationships across companies, people, signals, vendors, services, events, funding, technology and procurement.

Service-to-problem ontology

Map business problems to service capabilities, allowing the system to understand what each customer can actually deliver.

Personalized scoring

Learn from each customer's historical saves, replies, meetings and wins.

Revenue intelligence

Connect opportunity signals to actual pipeline and revenue outcomes.

Advanced workforce intelligence

Model capacity pressure, hiring difficulty, workforce mix, contractor usage, seasonal demand, and likely outsourcing paths.

Advanced startup intelligence

Detect emerging companies from early formation, founder activity, domain changes, product launches, MVP requests, and early hiring, subject to lawful and authorized data access.

Appendix A - Example Opportunity Records

Example 1 - Website agency

Company: ABC Accounting Ltd
Person: Sarah Williams, Managing Director
Opportunity: Website redesign
Problem: Existing site does not support multi-location booking
Signals: Explicit redesign request + 3 new locations + marketing hire
Intent: 94 | ICP: 91 | Identity: 98 | Service Fit: 93
Opportunity: 92
Why now: Explicit request posted recently and company is expanding

Example 2 - Staff augmentation

Company: ABC SaaS
Person: CTO
Opportunity: Engineering capacity
Signals: Funding + 8 engineering vacancies + reposted roles + product launch
Potential requirement: 5-8 developers
Intent: 88 | ICP: 94 | Identity: 97 | Service Fit: 95
Opportunity: 91

Example 3 - BPO

Company: XYZ Retail
Opportunity: Customer support outsourcing
Signals: 38 support roles + seasonal demand + international expansion
Potential service: outsourced customer support
Outsourcing Fit: 82
Confidence: Medium

Example 4 - Startup/MVP

Company: Emerging AI startup
Stage: MVP -> Beta
Signals: founder announcement + new product domain + MVP request + early technical hiring
Potential needs: product engineering, UI/UX, cloud, launch support
Confidence: 84%

Appendix B - Product Quality Rules

- No unsupported factual claims in surfaced opportunity summaries.
- No low-confidence identity shown as definitive.
- Every important dynamic field carries freshness metadata.
- Every opportunity can be traced back to one or more source records.
- Every score can be decomposed into factors.
- Provider costs are measurable.
- Data ingestion can be disabled per provider/workspace.
- User outcomes can feed analytics without changing historical records retroactively.

End of PRD - Version 1.0