

DQuez Carr
MCY 612
Lab 3 AWS Inspector
April, 2025

MCY 612 Cloud Security Lab#3: Securing EC2 with Inspector

In this lab, you will study the Inspector. You will use the AWS CLI to inspect an EC2 instance.

Tools and Materials

AWS credentials

AWS CloudShell CLI

Ubuntu Server 16.04 LTS AMI: ami-0ee02acd56a52998e

What is ID of the VPC that you created in lab 2?

What is ID of the subnet that you created in lab 2?

What is ID of the security group that you created in lab 2?

Note: You need to replace words in italics with your information.

1. Start your AWS CloudShell terminal. Create an instance in the subnet of your VPC that you created in lab 2 via the following command:

```
aws ec2 run-instances --image-id ami-0ee02acd56a52998e --count 1 --instance-type t3.micro --key-name  
your_username-key --security-group-ids your_security_group_id --subnet-id your_subnet_id --tag-specifications  
'ResourceType=instance,Tags=[{Key=your_username,Value=your_username_lab3}]'
```

What is your command and its complete output? What is the instance id?

i-0ba150866c4d58b02

```
-- $ aws ec2 run-instances --image-id ami-0ee02acd56a52998e --count 1 --instance-type t3.micro --key-name corrd12-key --security-group-ids sg-8b1cf43fd7ea02b --subnet-id subnet-89df9d6645ae6  
ede --tag-specifications 'ResourceType=instance,Tags=[{Key=corrd12,Value=corrd12_lab3}]'  
{  
  "ReservationId": "r-885cd808e48af5e8",  
  "OwnerId": "881490118823",  
  "Group": [],  
  "Instances": [  
    {  
      "Architecture": "x86_64",  
      "BlockDeviceMappings": [],  
      "ClientToken": "e0a1ef2b-fc88-4442-a8e6-7f8af4a83cf9",  
      "EbsOptimized": false,  
      "Endpoint": true,  
      "Hypervisor": "xen",  
      "NetworkInterfaces": [  
        {  
          "Attachment": {  
            "AttachTime": "2025-04-05T21:13:01+00:00",  
            "AttachmentId": "eni-attach-963e85cbcb86a0eb8",  
            "DeleteOnTermination": true,  
            "DeviceIndex": 0,  
            "Status": "attaching",  
            "NetworkCardIndex": 0  
          },  
          "Description": "",  
          "Groups": [  
            {  
              "GroupId": "sg-8b1cf43fd7ea02b",  
              "GroupName": "corrd12"  
            }  
          ],  
          "Ipv4Addresses": [],  
          "MacAddress": "12:56:a4:cc:9d:77",  
          "NetworkInterfaceId": "eni-497932c3349a356c65"
```

```
        "NetworkInterfaceId": "eni-09792f3349a356c65",
        "OwnerId": "881490118823",
        "PrivateIpAddress": "10.6.8.14",
        "PrivateIpAddresses": [
            {
                "Primary": true,
                "PrivateIpAddress": "10.6.8.14"
            }
        ],
        "SourceDestCheck": true,
        "Status": "in-use",
        "SubnetId": "subnet-09df9a6645aea6ede",
        "VpcId": "vpc-0cb3e30db617f6175",
        "InterfaceType": "interface",
        "Operator": {
            "Managed": false
        }
    },
    "RootDeviceName": "/dev/sda1",
    "RootDeviceType": "ebs",
    "SecurityGroups": [
        {
            "GroupId": "sg-0b1cfa43fd7ea602b",
            "GroupName": "carrd12"
        }
    ],
    "SourceDestCheck": true,
    "StateReason": {
        "Code": "pending",
        "Message": "pending"
    },
    "Tags": [
        {
```

```
        {
            "Key": "carrd12",
            "Value": "carrd12_lab3"
        }
    ],
    "VirtualizationType": "hvm",
    "CpuOptions": {
        "CoreCount": 1,
        "ThreadsPerCore": 2
    },
    "CapacityReservationSpecification": {
        "CapacityReservationPreference": "open"
    },
    "MetadataOptions": {
        "State": "pending",
        "HttpTokens": "optional",
        "HttpPutResponseHopLimit": 1,
        "HttpEndpoint": "enabled",
        "HttpProtocolIpv6": "disabled",
        "InstanceMetadataTags": "disabled"
    },
    "EnclaveOptions": {
        "Enabled": false
    },
    "PrivateDnsNameOptions": {
        "HostnameType": "ip-name",
        "EnableResourceNameDnsARecord": false,
        "EnableResourceNameDnsAAAARecord": false
    },
    "MaintenanceOptions": {
        "AutoRecovery": "default"
    },
    "CurrentInstanceBootMode": "legacy-bios",
    "Operator": {
```

```
    },
    "CurrentInstanceBootMode": "legacy-bios",
    "Operator": {
      "Managed": false
    },
    "InstanceId": "i-0ba150866c4d58b02",
    "ImageId": "ami-0ee02acd56a52998e",
    "State": {
      "Code": 0,
      "Name": "pending"
    },
    "PrivateDnsName": "ip-10-6-8-14.ec2.internal",
    "PublicDnsName": "",
    "StateTransitionReason": "",
    "KeyName": "carrd12-key",
    "AmiLaunchIndex": 0,
    "ProductCodes": [],
    "InstanceType": "t3.micro",
    "LaunchTime": "2025-04-05T21:13:01+00:00",
    "Placement": {
      "GroupName": "",
      "Tenancy": "default",
      "AvailabilityZone": "us-east-1c"
    },
    "Monitoring": {
      "State": "disabled"
    },
    "SubnetId": "subnet-09df9a6645aea6ede",
    "VpcId": "vpc-0cb3e30db617f6175",
    "PrivateIpAddress": "10.6.8.14"
  }
]
~ $
```

2. Initiate a SSH connection to your EC2 Instance with the following command:

`ssh -i devenv-key.pem ubuntu@the public IP address of your instance`

What is your SSH command and its complete output?

```

~ $ ssh -i devenv-key.pem ubuntu@3.92.188.30
The authenticity of host '3.92.188.30 (3.92.188.30)' can't be established.
ED25519 key fingerprint is SHA256:UBPRq7hty/5rk5G1f7/eai3iml5YuMfcQmaUE1ERSqA.
This key is not known by any other names
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '3.92.188.30' (ED25519) to the list of known hosts.
Welcome to Ubuntu 16.04.7 LTS (GNU/Linux 4.4.0-1128-aws x86_64)

 * Documentation:  https://help.ubuntu.com
 * Management:    https://landscape.canonical.com
 * Support:       https://ubuntu.com/advantage

0 packages can be updated.
0 of these updates are security updates.

The programs included with the Ubuntu system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by
applicable law.

To run a command as administrator (user "root"), use "sudo <command>".
See "man sudo_root" for details.

ubuntu@ip-10-6-8-14:~$

```

3. After log in, run `sudo -s` or `su` to elevate privileges and then run the following commands to update the distribution:

```

apt-get update -y
apt-get dist-upgrade -y

```

You may see the following.

Click the tab to move to <OK>. Then click Enter.

```

apt-get upgrade -y
apt autoremove -y

```

3. Install the AWS Inspector Agent in the EC2 Instance for vulnerability assessment capability on your EC2 instance.

Run the following commands:

```

wget https://inspector-agent.amazonaws.com/linux/latest/install
bash install

```

4. Check the inspector agent with the following command:

```

/etc/init.d/awsagent status

```

5. After installing the agent, exit the ssh connection to your EC2 instance via the following commands:

```

exit
exit

```

After running the exit command twice, you should get back to your CloudShell terminal.

6. Create a resource group with the following command:

```

aws inspector create-resource-group --resource-group-tags key=your_username,value=your_username_lab3

```

What is your command and its complete output? What is your resourceGroupArn?

arn:aws:inspector:us-east-1:881490118823:resourcegroup/0-cgj0DPtr

```
~ $ aws inspector create-resource-group --resource-group-tags key=carrd12,value=carrd12_lab3
{
  "resourceGroupArn": "arn:aws:inspector:us-east-1:881490118823:resourcegroup/0-cgj0DPtr"
}
~ $
```

7. Creates a new assessment target using the ARN of the resource group that is generated at step 6. Run the following command:

aws inspector create-assessment-target --assessment-target-name *your_username*-lab3 --resource-group-arn *your_resourceGroupArn*

What is your command and its complete output? What is your assessmentTargetArn?

arn:aws:inspector:us-east-1:881490118823:target/0-ZIyA5QsH

```
~ $ aws inspector create-assessment-target --assessment-target-name carrd12-lab3 --resource-group-arn arn:aws:inspector:us-east-1:881490118823:resourcegroup/0-cgj0DPtr
{
  "assessmentTargetArn": "arn:aws:inspector:us-east-1:881490118823:target/0-ZIyA5QsH"
}
~ $
```

8. List all available Amazon Inspector rules packages. Run the following command:

aws inspector list-rules-packages

What is the output?

```
~ $ aws inspector list-rules-packages
{
  "rulesPackageArns": [
    "arn:aws:inspector:us-east-1:316112463485:rulespackage/0-PmNV0Tcd",
    "arn:aws:inspector:us-east-1:316112463485:rulespackage/0-R01qwB5Q",
    "arn:aws:inspector:us-east-1:316112463485:rulespackage/0-gEjTy7T7",
    "arn:aws:inspector:us-east-1:316112463485:rulespackage/0-rExsr2X8"
  ]
}
~ $
```

What is the rules package name for each ARN in the output? Please look at

https://docs.aws.amazon.com/inspector/latest/userguide/inspector_rules-arns.html

https://docs.aws.amazon.com/inspector/latest/userguide/inspector_rule-packages.html

US East (N. Virginia)

Rules Package Name	ARN
Common Vulnerabilities and Exposures	arn:aws:inspector:us-east-1:316112463485:rulespackage/0-gEjTy7T7
CIS Operating System Security Configuration Benchmarks	arn:aws:inspector:us-east-1:316112463485:rulespackage/0-rExsr2X8
Network Reachability	arn:aws:inspector:us-east-1:316112463485:rulespackage/0-PmNV0Tcd
Security Best Practices	arn:aws:inspector:us-east-1:316112463485:rulespackage/0-R01qwB5Q

9. Use the Common Vulnerabilities and Exposures rules package (arn:aws:inspector:us-east-1:316112463485:rulespackage/0-gEjTy7T7) to create an assessment template for the assessment target that is created at step 7. Run the following command:

```
aws inspector create-assessment-template --assessment-target-arn your_assessmentTargetArn
--assessment-template-name carrd12-lab3 --duration-in-seconds 180 --rules-package-arns
arn:aws:inspector:us-east-1:316112463485:rulespackage/0-gEjTy7T7 --user-attributes-for-findings
key=carrd12,value=carrd12-assessment
```

What is your command and its complete output? What is your assessmentTemplateArn?

```
arn:aws:inspector:us-east-1:881490118823:target/0-ZIyA5QsH/template/0-wCfGxWN7
~ $ aws inspector create-assessment-template --assessment-target-arn arn:aws:inspector:us-east-1:881490118823:target/0-ZIyA5QsH --assessment-template-name carrd12-lab3 --duration-in-seconds 180
--rules-package-arns arn:aws:inspector:us-east-1:316112463485:rulespackage/0-gEjTy7T7 --user-attributes-for-findings key=carrd12,value=carrd12-assessment
{
  "assessmentTemplateArn": "arn:aws:inspector:us-east-1:881490118823:target/0-ZIyA5QsH/template/0-wCfGxWN7"
}
```

10. Start the assessment run with the following command:

```
aws inspector start-assessment-run --assessment-run-name InitialInspectorTrial --assessment-template-arn your_assessmentTemplateArn
```

What is your command and its complete output? What is your assessmentRunArn?

```
arn:aws:inspector:us-east-1:881490118823:target/0-ZIyA5QsH/template/0-wCfGxWN7/run/0-PuGPubbV
~ $ aws inspector start-assessment-run --assessment-run-name InitialInspectorTrial --assessment-template-arn arn:aws:inspector:us-east-1:881490118823:target/0-ZIyA5QsH/template/0-wCfGxWN7
{
  "assessmentRunArn": "arn:aws:inspector:us-east-1:881490118823:target/0-ZIyA5QsH/template/0-wCfGxWN7/run/0-PuGPubbV"
}
```

11. Wait for 7 or 8 minutes and then produce an assessment report that includes detailed and comprehensive results of the assessment run. Run the following command:

```
aws inspector get-assessment-report --assessment-run-arn your_assessmentRunArn --report-file-format PDF
--report-type FULL
```

What is your command and its complete output?

```
~ $ aws inspector get-assessment-report --assessment-run-arn arn:aws:inspector:us-east-1:881490118823:target/0-ZIyA5QsH/template/0-wCfGxWN7/run/0-PuGPubbV --report-file-format PDF --report-type FULL
{
  "status": "COMPLETED",
  "url": "https://inspector-temp-reports-prod-us-east-1.s3.amazonaws.com/arn%3Aaws%3Ainspector%3Aus-east-1%3A881490118823%3Atarget/0-ZIyA5QsH/template/0-wCfGxWN7/run/0-PuGPubbV-full-report.pdf?response-content-type=application%2Fpdf&X-Amz-Algorithm=AWS4-HMAC-SHA256&X-Amz-Date=20250405T215547Z&X-Amz-SignedHeaders=host&X-Amz-Expires=899&X-Amz-Credential=AKIAUTG0FMZ6STOELRNNK2F20250405%2Fus-east-1%2Ffs3%2Faws4_request&X-Amz-Signature=933c58cbc43ddab5a9176bf8589aa31953bf2dc5c69af541528bd8971d6bfcb8"
}
```

Note: if the report status says “WORK_IN_PROGRESS” wait a couple more minutes and try again. The status should say “COMPLETED”

12. List findings that are generated by the assessment run. Run the following command:

```
aws inspector list-findings
```

What is the output (just copy or take a screenshot of the first page)?

```

~ $ aws inspector list-findings
{
  "findingArns": [
    "arn:aws:inspector:us-east-1:881490118823:target/0-ZIyASQsH/template/0-wCfGxWN7/run/0-PuGPubbV/finding/0-0P9osvPC",
    "arn:aws:inspector:us-east-1:881490118823:target/0-ZIyASQsH/template/0-wCfGxWN7/run/0-PuGPubbV/finding/0-0UcAFQ7c",
    "arn:aws:inspector:us-east-1:881490118823:target/0-ZIyASQsH/template/0-wCfGxWN7/run/0-PuGPubbV/finding/0-3PaTx8L9",
    "arn:aws:inspector:us-east-1:881490118823:target/0-ZIyASQsH/template/0-wCfGxWN7/run/0-PuGPubbV/finding/0-3ZMA90HY",
    "arn:aws:inspector:us-east-1:881490118823:target/0-ZIyASQsH/template/0-wCfGxWN7/run/0-PuGPubbV/finding/0-4DnHSUuW",
    "arn:aws:inspector:us-east-1:881490118823:target/0-ZIyASQsH/template/0-wCfGxWN7/run/0-PuGPubbV/finding/0-6CtmyhYk",
    "arn:aws:inspector:us-east-1:881490118823:target/0-ZIyASQsH/template/0-wCfGxWN7/run/0-PuGPubbV/finding/0-81bAz0jD",
    "arn:aws:inspector:us-east-1:881490118823:target/0-ZIyASQsH/template/0-wCfGxWN7/run/0-PuGPubbV/finding/0-8P2LSHhW",
    "arn:aws:inspector:us-east-1:881490118823:target/0-ZIyASQsH/template/0-wCfGxWN7/run/0-PuGPubbV/finding/0-8vkdYzVc",
    "arn:aws:inspector:us-east-1:881490118823:target/0-ZIyASQsH/template/0-wCfGxWN7/run/0-PuGPubbV/finding/0-9z8FFAWs",
    "arn:aws:inspector:us-east-1:881490118823:target/0-ZIyASQsH/template/0-wCfGxWN7/run/0-PuGPubbV/finding/0-AniOmKZ",
    "arn:aws:inspector:us-east-1:881490118823:target/0-ZIyASQsH/template/0-wCfGxWN7/run/0-PuGPubbV/finding/0-BHzkKdV",
    "arn:aws:inspector:us-east-1:881490118823:target/0-ZIyASQsH/template/0-wCfGxWN7/run/0-PuGPubbV/finding/0-CfGvPlcB",
    "arn:aws:inspector:us-east-1:881490118823:target/0-ZIyASQsH/template/0-wCfGxWN7/run/0-PuGPubbV/finding/0-EQYukBDs",
    "arn:aws:inspector:us-east-1:881490118823:target/0-ZIyASQsH/template/0-wCfGxWN7/run/0-PuGPubbV/finding/0-GGkPfpv7",
    "arn:aws:inspector:us-east-1:881490118823:target/0-ZIyASQsH/template/0-wCfGxWN7/run/0-PuGPubbV/finding/0-GGkQaKq",
    "arn:aws:inspector:us-east-1:881490118823:target/0-ZIyASQsH/template/0-wCfGxWN7/run/0-PuGPubbV/finding/0-IY4VtXgl",
    "arn:aws:inspector:us-east-1:881490118823:target/0-ZIyASQsH/template/0-wCfGxWN7/run/0-PuGPubbV/finding/0-Jo0IewDf",
    "arn:aws:inspector:us-east-1:881490118823:target/0-ZIyASQsH/template/0-wCfGxWN7/run/0-PuGPubbV/finding/0-KQJINEkj",
    "arn:aws:inspector:us-east-1:881490118823:target/0-ZIyASQsH/template/0-wCfGxWN7/run/0-PuGPubbV/finding/0-MALSRApD",
    "arn:aws:inspector:us-east-1:881490118823:target/0-ZIyASQsH/template/0-wCfGxWN7/run/0-PuGPubbV/finding/0-NAWY1W2u",
    "arn:aws:inspector:us-east-1:881490118823:target/0-ZIyASQsH/template/0-wCfGxWN7/run/0-PuGPubbV/finding/0-Opfeekx9",
    "arn:aws:inspector:us-east-1:881490118823:target/0-ZIyASQsH/template/0-wCfGxWN7/run/0-PuGPubbV/finding/0-PBzkLEck",
    "arn:aws:inspector:us-east-1:881490118823:target/0-ZIyASQsH/template/0-wCfGxWN7/run/0-PuGPubbV/finding/0-PY2zSns",
    "arn:aws:inspector:us-east-1:881490118823:target/0-ZIyASQsH/template/0-wCfGxWN7/run/0-PuGPubbV/finding/0-Qdf86Bns",
    "arn:aws:inspector:us-east-1:881490118823:target/0-ZIyASQsH/template/0-wCfGxWN7/run/0-PuGPubbV/finding/0-Qv5Tz3Cz",
    "arn:aws:inspector:us-east-1:881490118823:target/0-ZIyASQsH/template/0-wCfGxWN7/run/0-PuGPubbV/finding/0-RUAFbVQ0",
    "arn:aws:inspector:us-east-1:881490118823:target/0-ZIyASQsH/template/0-wCfGxWN7/run/0-PuGPubbV/finding/0-S0xjm7lj",
    "arn:aws:inspector:us-east-1:881490118823:target/0-ZIyASQsH/template/0-wCfGxWN7/run/0-PuGPubbV/finding/0-VXI1Kslb",
    "arn:aws:inspector:us-east-1:881490118823:target/0-ZIyASQsH/template/0-wCfGxWN7/run/0-PuGPubbV/finding/0-WauY8PhA",
  ]
}

```

13. Describe the first finding that is generated at step 12. Run the following command:

`aws inspector describe-findings --finding-arns arn_of_the_first_finding`

What is your command and its complete output? What is the title of the finding? What is the finding severity? What is the recommendation for the finding?

[Title] Instance i-0ba150866c4d58b02 is vulnerable to CVE-2021-47171

[Severity] Medium

[Recommendation] Use your Operating System's update feature to update package

linux-image-4.4.0-1128-aws-0:4.4.0-1128.142, linux-image-aws-0:4.4.0.1128.133-0. For more information see <https://cve.mitre.org/cgi-bin/cvename.cgi?name=CVE-2021-47171>

```

~ $ aws inspector describe-findings --finding-arns arn:aws:inspector:us-east-1:881490118823:target/0-ZIyASQsH/template/0-wCfGxWN7/run/0-PuGPubbV/finding/0-0P9osvPC
{
  "findings": [
    {
      "arn": "arn:aws:inspector:us-east-1:881490118823:target/0-ZIyASQsH/template/0-wCfGxWN7/run/0-PuGPubbV/finding/0-0P9osvPC",
      "schemaVersion": 1,
      "service": "Inspector",
      "serviceAttributes": {
        "schemaVersion": 1,
        "assessmentRunArn": "arn:aws:inspector:us-east-1:881490118823:target/0-ZIyASQsH/template/0-wCfGxWN7/run/0-PuGPubbV",
        "rulesPackageArn": "arn:aws:inspector:us-east-1:316112463485:rulespackage/0-gEjY7Y77"
      },
      "assetType": "ec2-instance",
      "assetAttributes": {
        "schemaVersion": 1,
        "agentId": "i-0ba150866c4d58b02",
        "amiId": "ami-0ee02acd56a52998e",
        "hostname": "ip-10-6-8-14",
        "ipv4Addresses": [],
        "tags": [
          {
            "key": "carrrd12",
            "value": "carrrd12_lab3"
          }
        ],
        "networkInterfaces": [
          {
            "networkInterfaceId": "eni-09792f3349a356c65",

```

```
"networkInterfaceId": "eni-09792f3349a356c65",
"subnetId": "subnet-09df9a6645a0a6ede",
"vpcId": "vpc-0c3be3bd063176175",
"privateIpAddress": "10.6.8.14",
"privateIpAddresses": [
  {
    "privateIpAddress": "10.6.8.14"
  }
],
"publicIp": "3.92.188.30",
"ipv6Addresses": [],
"securityGroups": [
  {
    "groupName": "carrd12",
    "groupId": "sg-0b1cfa43fd7ea682b"
  }
]
},
{
  "id": "CVE-2021-47171",
  "title": "Instance i-0ba150866c4d58b02 is vulnerable to CVE-2021-47171",
  "description": "In the linux kernel, the following vulnerability has been resolved:\n\nnet: usb: fix memory leak in smsc75xx_bind\n\nSyzbot reported memory leak in smsc75xx_bind. The problem was is non-freed memory in case of\n\nerrors after memory allocation.\n\n\nbacktrace:\n\n [ffffffff84245b62] kmalloc include/linux/slab.h:556 [inline]\n [ffffffff84245b62] kzalloc include/linux/slab.h:686 [inline]\n [ffffffff84245b62] smsc75xx_bind+0x7a/0x334 drivers/net/usb/smsc75xx.c:1460\n [ffffffff82b5b2e6] usbnet_probe+0x3b6/0xc30 drivers/net/usb/usbnet.c:1728",
  "recommendation": "Use your Operating System's update feature to update package linux-image-4.4.0-1128-aws-0:4.4.0-1128.142, linux-image-aws-0:4.4.0-1128.133-0. For more information see [https://cve.mitre.org/cgi-bin/cvename.cgi?name=CVE-2021-47171](https://cve.mitre.org/cgi-bin/cvename.cgi?name=CVE-2021-47171)",
  "severity": "Medium",
  "numericSeverity": 6.0,
  "confidence": 10,
  "indicatorOfCompromise": false,
  "attributes": [
    {
      "key": "CVSS3_SCORE",
      "value": "5.5"
    },
    {
      "key": "package_name",
      "value": "linux-image-4.4.0-1128-aws-0:4.4.0-1128.142, linux-image-aws-0:4.4.0-1128.133-0"
    },
    {
      "key": "CVSS3_VECTOR",
      "value": "AV:L/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H"
    },
    {
      "key": "CVE_ID",
      "value": "CVE-2021-47171"
    },
    {
      "key": "INSTANCE_ID",
      "value": "i-0ba150866c4d58b02"
    }
  ],
  "userAttributes": [
    {
      "key": "carrd12",
      "value": "carrd12-assessment"
    }
  ],
  "createdAt": "2025-04-05T21:48:42.272000+00:00",
  "updatedAt": "2025-04-05T21:48:42.272000+00:00"
},
{
  "failedItems": {}
}

$ █
```

Part 3: Cleanup

14. Terminate your instance.

What is your command and its complete output?

```

~ $ aws ec2 terminate-instances --instance-ids i-0ba150866c4d58b02
{
  "TerminatingInstances": [
    {
      "InstanceId": "i-0ba150866c4d58b02",
      "CurrentState": {
        "Code": 32,
        "Name": "shutting-down"
      },
      "PreviousState": {
        "Code": 16,
        "Name": "running"
      }
    }
  ]
}
~ $

```

15.Delete the assessment run with the following command:

aws inspector delete-assessment-run --assessment-run-arn *your_assessmentRunArn*

What is your command?

```

~ $ aws inspector delete-assessment-run --assessment-run-arn arn:aws:inspector:us-east-1:881490118823:target/0-ZIyA5QsH/template/0-wCfGxWN7/run/0-PuGPubbV

```

16.Delete the assessment template with the following command:

aws inspector delete-assessment-template --assessment-template-arn *your_assessmentTemplateArn*

What is your command?

```

~ $ aws inspector delete-assessment-template --assessment-template-arn arn:aws:inspector:us-east-1:881490118823:target/0-ZIyA5QsH/template/0-wCfGxWN7

```

17.Deletes the assessment target with the following command:

aws inspector delete-assessment-target --assessment-target-arn *your_assessmentTargetArn*

What is your command?

```

~ $ aws inspector delete-assessment-target --assessment-target-arn arn:aws:inspector:us-east-1:881490118823:target/0-ZIyA5QsH

```

Submission instructions

After completing this work, submit this word document with your answers to Canvas. In your word document, your answers should be in **bold** print. At the end of your word document, you should write a few sentences that explain the goals of this lab and a paragraph or two that summarizes (high level) the steps one needs to take in order to complete those goals.

I learned about AWS Inspector, a security evaluation tool that assists in locating weaknesses and departures from recommended practices on AWS resources. I automated the security assessment process by configuring and running Inspector on an EC2 instance using the AWS CLI. I was able to learn how to read Inspector reports to enhance instance security and obtain insights into the instance's security posture by using this to check for CVE results.