

Prompt Bank for Doctors and Pharma Professionals

Safe, structured prompts for clinician-in-the-loop GenAI workflows

Use these prompts only with synthetic or de-identified data. Add local policy, tool terms, and regulatory restrictions before real-world use.

1. Patient empathy rewrite

Prompt type	Beginner
Exact prompt	Rewrite the following instruction in simple, empathetic language for a patient with low health literacy. Keep medical meaning unchanged. Add 3 red flags and 3 follow-up reminders. Text: [paste synthetic text].
Expected output	Structured draft for human review, with assumptions and uncertainty flagged.
Common mistake	Pasting identifiable patient data; accepting output without checking sources, dose, contraindications, or local policy.

2. Discharge simplification

Prompt type	Structured
Exact prompt	Act as a clinician-supervised patient education assistant. Input: synthetic discharge summary. Output: 1) diagnosis in simple words, 2) medicine schedule table, 3) warning signs, 4) diet/activity advice, 5) follow-up date, 6) questions to ask the doctor. Use no more than Grade 6 language.
Expected output	Structured draft for human review, with assumptions and uncertainty flagged.
Common mistake	Pasting identifiable patient data; accepting output without checking sources, dose, contraindications, or local policy.

3. Multilingual counselling

Prompt type	Role-based
Exact prompt	You are helping a doctor prepare bilingual counselling. Translate the key advice into [language] using respectful, culturally appropriate phrasing. Keep drug names in English. Include a note: "Please confirm this with your doctor."

Expected output	Structured draft for human review, with assumptions and uncertainty flagged.
Common mistake	Pasting identifiable patient data; accepting output without checking sources, dose, contraindications, or local policy.

4. Differential diagnosis safety

Prompt type	Safety-aware clinical
Exact prompt	For this synthetic case, create a differential diagnosis checklist for clinician review. Separate likely, must-not-miss, and red-flag diagnoses. Do not provide final diagnosis. Ask what additional history, exam, and tests are needed. Case: [paste synthetic OPD row].
Expected output	Structured draft for human review, with assumptions and uncertainty flagged.
Common mistake	Pasting identifiable patient data; accepting output without checking sources, dose, contraindications, or local policy.

5. SOAP note draft

Prompt type	Clinical productivity
Exact prompt	Convert the following synthetic encounter into a SOAP note. Mark assumptions clearly. Add missing information checklist. Do not invent lab values. Encounter: [paste synthetic case].
Expected output	Structured draft for human review, with assumptions and uncertainty flagged.
Common mistake	Pasting identifiable patient data; accepting output without checking sources, dose, contraindications, or local policy.

6. PV triage

Prompt type	Pharma-compliant
Exact prompt	Classify this synthetic adverse-event report: seriousness, expectedness unknown, missing fields, follow-up questions, and neutral case narrative. Do not assess causality beyond “requires medical review.” Report: [paste AE row].
Expected output	Structured draft for human review, with assumptions and uncertainty flagged.
Common mistake	Pasting identifiable patient data; accepting output without checking sources, dose, contraindications, or local policy.

7. Medical information response

Prompt type	Pharma-compliant
Exact prompt	Draft a balanced, non-promotional response to this medical query. Include: scope, label status, evidence needed, limitations, when to escalate to medical affairs/PV. Do not make off-label recommendations. Query: [paste row].
Expected output	Structured draft for human review, with assumptions and uncertainty flagged.
Common mistake	Pasting identifiable patient data; accepting output without checking sources, dose, contraindications, or local policy.

8. Literature review PICO

Prompt type	Research synthesis
Exact prompt	Convert this research idea into PICO/PECO, 3 PubMed search strings, inclusion/exclusion criteria, evidence table columns, and 5 likely limitations. Topic: GenAI for patient education in chronic disease.
Expected output	Structured draft for human review, with assumptions and uncertainty flagged.
Common mistake	Pasting identifiable patient data; accepting output without checking sources, dose, contraindications, or local policy.

9. Research gap extraction

Prompt type	Research synthesis
Exact prompt	From these abstracts, create a synthesis matrix with design, population, intervention, outcome, limitation, and gap. Then propose 3 feasible study questions. Use citations only when source metadata is provided.
Expected output	Structured draft for human review, with assumptions and uncertainty flagged.
Common mistake	Pasting identifiable patient data; accepting output without checking sources, dose, contraindications, or local policy.

10. Feedback analytics

Prompt type	Data-analysis
Exact prompt	Analyze this synthetic patient feedback CSV. Provide top 5 themes, departments needing attention, 3 charts to create, and a service recovery action plan. Flag uncertainty and data quality issues.

Expected output	Structured draft for human review, with assumptions and uncertainty flagged.
Common mistake	Pasting identifiable patient data; accepting output without checking sources, dose, contraindications, or local policy.