JQuery

- *jQuery is a lightweight Javascript library which is blazing fast and concise.*

- *This library was created by John Resig in 2006 and*

- *jQuery has been designed to simplify HTML DOM tree traversal and manipulation, as well as event handling, CSS animation, and Ajax.*

jQuery has been developed with the following principles:

1. *Separation of JavaScript and HTML, which encourages developers to completely separate JavaScript code from HTML markup.*

2. *Brevity and clarity promotes features like chainable functions and shorthand function names.*

3. Eliminates of cross-browser incompatibilities, so developers does not need to worry about browser compatibility while writing code using jQuery library.

4. Extensibility, which means new events, elements, and methods can be easily added in jQuery library and then reused as a plugin.

jQuery Features

- ***DOM manipulation*** *− The jQuery made it easy to select DOM elements, negotiate them and modifying their content by using cross-browser open source selector engine called Sizzle.*

- ***Event handling*** *− The jQuery offers an elegant way to capture a wide variety of events, such as a user clicking on a link, without the need to clutter the HTML code itself with event handlers.*

- ***AJAX Support*** − *The jQuery helps you a lot to develop a responsive and featurerich site using AJAX technology.*

- ***Animations*** − *The jQuery comes with plenty of built-in animation effects which you can use in your websites.*

- ***Lightweight*** − *The jQuery is very lightweight library - about 19KB in size (Minified and gzipped).*

- ***Cross Browser Support*** − *The jQuery has cross-browser support, and works well in IE 6.0+, FF 2.0+, Safari 3.0+, Chrome and Opera 9.0+*

- ***Latest Technology*** − *The jQuery supports CSS3 selectors and basic XPath syntax.*

Document Ready Event

Before we execute any jQuery statement, we would like to wait for the document to be fully loaded. This is because jQuery works on DOM and if complete DOM is not available before executing jQuery statements, then we will not get desired result.

```
$(document).ready(function(){
  // jQuery code goes here...
});
```

jQuery Syntax

Following is the basic syntax for selecting HTML elements and then performing some action on the selected element(s):

```
$(document).ready(function(){
    $(selector).action()
});
```

*Any jQuery statement starts with a dollar sign **$** and then we put a selector inside the braces (). This syntax **$(selector)** is enough to return the selected HTML elements, but if you have to perform any action on the selected element(s) then **action()** part is required.*

jQuery Selectors

Selector Name	Description
The **element** Selector	Represents an HTML element name available in the DOM. For example **$('p')** selects all paragraphs <p> in the document.
The **#id** Selector	Represents a HTML element available with the given ID in the DOM. For example **$('#some-id')** selects the single element in the document that has **some-id** as element Id.
The **.class** Selector	Represents a HTML elements available with the given class in the DOM. For example **$('.some-class')** selects all elements in the document that have a class of **some-class**.

jQuery - Event Handling

Mouse Events	Keyboard Events	Form Events	Document Events
click	keypress	submit	load
dblclick	keydown	change	resize
hover	keyup	select	scroll
mousedown		blur	unload
mouseup		focusin	ready

jQuery - Attributes Manipulation

- className
- tagName
- id
- href
- title
- rel
- src
- style

Thanks