

Research Supplement: Decomposing Momentary Mood among Dispositionally Negative Young Adults

Matthew G. Barstead Kathryn A. DeYoung Allegra S. Anderson
Jennifer S. Weinstein Alexander J. Shackman

Note: will remove author page for submission.

Description

This document contains supplemental information and graphics designed to enhance the transparent reporting of our results in an empirical study titled: “Decomposing Momentary Mood among Dispositionally Negative Young Adults”, published in *XXXXXX*. For those interested in the raw `.Rmd` (i.e., the Rmarkdown file) used to generate this document, it can be found at [GitHub Link - BLINDED FOR REVIEW].


Supplemental Table S1 - Rotated Loadings from Split-Half Factor Analysis of Study 2 Momentary Mood Items

Table 1:


	Positive	Negative	Angry	Tired
Enthus	0.82			
Joy	0.87			
Cheer	0.85			
Calm	0.67			
Content	0.78			
Relax	0.71			
Nerv		0.84		
Worry		0.81		
Afraid		0.74		
Annoy			0.83	
Angry			0.92	
Slug				0.84
Sad		0.47	0.3	
Tired				0.86
Hopeless		0.61		

Note. $N = 114, N_{obs} = 5577$


Supplemental Figure S1 - Histogram and Density Overlay of Study 1 Dispositional Negativity Scores



Supplemental Figure S2 - Histogram and Density Overlay of Study 2 Dispositional Negativity Scores




Supplemental Figure S3 - Histogram and Density Overlay of Study 1 Momentary Mood Scores




Panel A of **Supplemental Figure S2** displays the histogram and density overlay of momentary negative mood ratings, which are clearly positively skewed. Panel B of **Supplemental Figure S2** displays the relatively more symmetrical distribution of positive mood ratings.

Supplemental Figure SX - Bivariate Associations between Dispositional Negativity Scores and Study 1 Average Event Ratings




Note. DN = Dispositional Negativity. The top histogram is effectively repeated across each plot. The top row displays the association between dispositional negativity scores and participants' mean negative event ratings in plot **A** and the association between dispositional negativity and participants' mean negative momentary mood ratings in panel **B**. The same associations are presented in panels **C** and **D** but for the corresponding positively valenced measures.

Supplemental Figure SX - Bivariate Associations between Dispositional Negativity Scores and Study 2 Negatively Valenced EMA Summary Scores




Note. DN = Dispositional Negativity. The top histogram is effectively repeated across each plot. The top row displays the association between dispositional negativity scores and participants' relative frequency of reporting a negative event in plot **A** and the association between dispositional negativity and participants' mean negative momentary mood ratings in panel **B** (a combination of *anxious* and *depressed* items). The same associations are presented in panels **C** and **D** but for the separate *anxious* and *depressed* mood averages.

Supplemental Figure SX - Bivariate Associations between Dispositional Negativity Scores and Study 2 Positively Valenced EMA Summary Scores




Note. DN = Dispositional Negativity. The top histogram is effectively repeated across each plot. The top row displays the association between dispositional negativity scores and participants' relative frequency of reporting a negative event in plot **A** and the association between dispositional negativity and participants' mean negative momentary mood ratings in panel **B** (a combination of *anxious* and *depressed* items). The same associations are presented in panels **C** and **D** but for the separate *anxious* and *depressed* mood averages.

Supplemental Figure S4 - Scree Plots of Split Half Principal Components Analysis for Study 2 Momentary Mood Items




Results from the split-half parallel analysis support retention of four factors using the 95th percentile values from randomly generated uncorrelated data with equivalent dimensionality.

Supplemental Figure S5 - Histograms and Density Overlays of Study 2 Momentary Mood Composites and *a priori* Proposed Facets



The first column of the plot (i.e., Panels A, D, and G) contains the negative mood composite derived from the split half factor analysis results, and two *a priori* facets designed to tap anxious and depressed momentary mood. The second column (i.e., Panels B, E, and H) displays similar composites and facets in our momentary measures of positive affect. The third and final column (i.e., Panels C and F) display the distributions of momentary tired and angry mood ratings.

Supplemental Figure S6 - Correlations, Univariate, and Bivariate Distributions of Study 2 Momentary Mood Composites and Facets



Supplemental Analysis - Initial and Final Confirmatory Factor Analysis Models

We analyzed a subset of momentary mood items taken from the second half of study 2 participants. We performed an exploratory factor analysis on the first half of the randomly split data set. Given the nested structure of the data we employed a multilevel confirmatory factor analysis approach in *lavaan* (CITE). Latent factors were allowed to correlate (i.e., an orthogonal structure was not assumed).

The initial model include no item-level covariances either at the within-subject or the between-subject levels of the model. The final model included within-subject covariances for items loading on the separate positive and negative mood facets. There were also two error covariances added at the between-subjects level of the model. Standardized model summaries are available on the next two pages. The **Std.all** contains the standardized values for each parameter. Readers are most likely interested in the **Latent Variables:** tables in the output at each level of the model.

Initial CFA - No Item-Level Covariances

```
## lavaan 0.6-5 ended normally after 131 iterations
##
##      Estimator                      ML
##      Optimization method          NLMINB
##      Number of free parameters      87
##
##      Number of observations          5647
##      Number of clusters [ID]         114
##
## Model Test User Model:
##
##      Standard      Robust
##      Test Statistic 4224.059 3041.653
##      Degrees of freedom 168      168
##      P-value (Chi-square) 0.000    0.000
##      Scaling correction factor      1.389
##      for the Yuan-Bentler correction (Mplus variant)
##
## Model Test Baseline Model:
##
##      Test statistic 26715.975 15878.493
##      Degrees of freedom 210      210
##      P-value 0.000    0.000
##      Scaling correction factor      1.683
##
## User Model versus Baseline Model:
##
##      Comparative Fit Index (CFI)      0.847    0.817
##      Tucker-Lewis Index (TLI)         0.809    0.771
##
##      Robust Comparative Fit Index (CFI)      0.849
##      Robust Tucker-Lewis Index (TLI)         0.811
##
## Loglikelihood and Information Criteria:
##
##      Loglikelihood user model (H0)      -81618.647 -81618.647
##      Scaling correction factor      5.454
##      for the MLR correction
##      Loglikelihood unrestricted model (H1) -79506.617 -79506.617
##      Scaling correction factor      2.776
##      for the MLR correction
##
##      Akaike (AIC) 163411.293 163411.293
##      Bayesian (BIC) 163988.876 163988.876
##      Sample-size adjusted Bayesian (BIC) 163712.416 163712.416
##
## Root Mean Square Error of Approximation:
##
##      RMSEA 0.065    0.055
##      90 Percent confidence interval - lower 0.064    0.054
##      90 Percent confidence interval - upper 0.067    0.056
##      P-value RMSEA <= 0.05 0.000    0.000
##
```

```

## Robust RMSEA 0.065
## 90 Percent confidence interval - lower 0.063
## 90 Percent confidence interval - upper 0.067
##
## Standardized Root Mean Square Residual (corr metric):
##
## SRMR (within covariance matrix) 0.072 0.072
## SRMR (between covariance matrix) 0.096 0.096
##
## Parameter Estimates:
##
## Information Observed
## Observed information based on Hessian
## Standard errors Robust.huber.white
##
##
## Level 1 [within]:
##
## Latent Variables:
## Estimate Std.Err z-value P(>|z|) Std.lv Std.all
## W_PA =~
## Joy 1.000 0.651 0.774
## Cheer 1.089 0.022 50.383 0.000 0.709 0.807
## Enthus 0.944 0.023 40.623 0.000 0.614 0.721
## Content 0.890 0.036 24.957 0.000 0.580 0.680
## Relax 0.635 0.046 13.712 0.000 0.413 0.481
## Calm 0.539 0.042 12.890 0.000 0.351 0.422
## W_NA =~
## Nerv 1.000 0.438 0.657
## Worry 1.111 0.055 20.067 0.000 0.486 0.711
## Afraid 0.601 0.050 11.956 0.000 0.263 0.599
## Hopeless 0.435 0.089 4.895 0.000 0.191 0.438
## Sad 0.487 0.089 5.493 0.000 0.213 0.403
## W_ANG =~
## Angry 1.000 0.325 0.685
## Annoy 1.709 0.173 9.860 0.000 0.555 0.759
## W_TRD =~
## Tired 1.000 0.751 0.771
## Slug 0.802 0.046 17.521 0.000 0.602 0.730
##
## Covariances:
## Estimate Std.Err z-value P(>|z|) Std.lv Std.all
## W_PA ~~
## W_NA -0.132 0.014 -9.351 0.000 -0.464 -0.464
## W_ANG -0.095 0.013 -7.273 0.000 -0.449 -0.449
## W_TRD -0.211 0.019 -11.032 0.000 -0.431 -0.431
## W_NA ~~
## W_ANG 0.068 0.014 4.889 0.000 0.480 0.480
## W_TRD 0.049 0.010 4.807 0.000 0.150 0.150
## W_ANG ~~
## W_TRD 0.037 0.008 4.517 0.000 0.150 0.150
##
## Intercepts:
## Estimate Std.Err z-value P(>|z|) Std.lv Std.all

```

##	.Joy	0.000			0.000	0.000
##	.Cheer	0.000			0.000	0.000
##	.Enthus	0.000			0.000	0.000
##	.Content	0.000			0.000	0.000
##	.Relax	0.000			0.000	0.000
##	.Calm	0.000			0.000	0.000
##	.Nerv	0.000			0.000	0.000
##	.Worry	0.000			0.000	0.000
##	.Afraid	0.000			0.000	0.000
##	.Hopeless	0.000			0.000	0.000
##	.Sad	0.000			0.000	0.000
##	.Angry	0.000			0.000	0.000
##	.Annoy	0.000			0.000	0.000
##	.Tired	0.000			0.000	0.000
##	.Slug	0.000			0.000	0.000
##	W_PA	0.000			0.000	0.000
##	W_NA	0.000			0.000	0.000
##	W_ANG	0.000			0.000	0.000
##	W_TRD	0.000			0.000	0.000

##

Variances:

##		Estimate	Std.Err	z-value	P(> z)	Std.lv	Std.all
##	.Joy	0.283	0.019	14.588	0.000	0.283	0.400
##	.Cheer	0.270	0.021	13.070	0.000	0.270	0.349
##	.Enthus	0.349	0.023	15.179	0.000	0.349	0.480
##	.Content	0.390	0.021	18.139	0.000	0.390	0.537
##	.Relax	0.568	0.031	18.155	0.000	0.568	0.769
##	.Calm	0.569	0.030	18.957	0.000	0.569	0.822
##	.Nerv	0.253	0.024	10.454	0.000	0.253	0.569
##	.Worry	0.231	0.027	8.620	0.000	0.231	0.494
##	.Afraid	0.124	0.014	8.713	0.000	0.124	0.642
##	.Hopeless	0.153	0.020	7.721	0.000	0.153	0.808
##	.Sad	0.234	0.023	10.167	0.000	0.234	0.837
##	.Angry	0.119	0.014	8.435	0.000	0.119	0.531
##	.Annoy	0.227	0.028	8.064	0.000	0.227	0.424
##	.Tired	0.385	0.035	11.029	0.000	0.385	0.405
##	.Slug	0.318	0.027	11.606	0.000	0.318	0.467
##	W_PA	0.424	0.035	12.113	0.000	1.000	1.000
##	W_NA	0.192	0.025	7.674	0.000	1.000	1.000
##	W_ANG	0.105	0.022	4.885	0.000	1.000	1.000
##	W_TRD	0.564	0.045	12.640	0.000	1.000	1.000

##

##

Level 2 [ID]:

##

Latent Variables:

##		Estimate	Std.Err	z-value	P(> z)	Std.lv	Std.all
##	B_PA =~						
##	Joy	1.000				0.655	0.956
##	Cheer	0.963	0.035	27.773	0.000	0.631	0.975
##	Enthus	0.930	0.038	24.345	0.000	0.609	0.931
##	Content	0.825	0.070	11.774	0.000	0.540	0.799
##	Relax	0.686	0.070	9.776	0.000	0.449	0.730
##	Calm	0.690	0.069	9.980	0.000	0.452	0.732


```

## B_NA =~
## Nerv          1.000          0.363  0.830
## Worry         1.084  0.047  22.830  0.000  0.393  0.847
## Afraid        0.762  0.142  5.367  0.000  0.276  0.942
## Hopeless      0.790  0.218  3.626  0.000  0.286  0.854
## Sad           0.914  0.236  3.877  0.000  0.331  0.861
## B_ANG =~
## Angry         1.000          0.209  0.989
## Annoy         1.279  0.179  7.138  0.000  0.267  0.859
## B_TRD =~
## Tired         1.000          0.444  0.762
## Slug          1.125  0.196  5.746  0.000  0.499  0.985
##
## Covariances:
##          Estimate Std.Err z-value P(>|z|) Std.lv Std.all
## B_PA ~~
## B_NA      -0.017  0.021  -0.823  0.410  -0.071  -0.071
## B_ANG      0.004  0.012   0.294  0.769   0.026   0.026
## B_TRD     -0.011  0.031  -0.362  0.718  -0.039  -0.039
## B_NA ~~
## B_ANG      0.068  0.021   3.318  0.001   0.897   0.897
## B_TRD      0.087  0.027   3.283  0.001   0.543   0.543
## B_ANG ~~
## B_TRD      0.052  0.020   2.578  0.010   0.561   0.561
##
## Intercepts:
##          Estimate Std.Err z-value P(>|z|) Std.lv Std.all
## .Joy        1.222  0.065  18.731  0.000   1.222   1.784
## .Cheer       1.301  0.062  21.003  0.000   1.301   2.010
## .Enthus      1.076  0.062  17.238  0.000   1.076   1.645
## .Content     1.894  0.064  29.425  0.000   1.894   2.802
## .Relax       1.869  0.059  31.841  0.000   1.869   3.038
## .Calm        1.970  0.059  33.482  0.000   1.970   3.193
## .Nerv        0.488  0.042  11.552  0.000   0.488   1.116
## .Worry       0.554  0.045  12.385  0.000   0.554   1.193
## .Afraid      0.186  0.028   6.600  0.000   0.186   0.632
## .Hopeless    0.187  0.032   5.879  0.000   0.187   0.558
## .Sad         0.277  0.037   7.555  0.000   0.277   0.720
## .Angry       0.159  0.021   7.669  0.000   0.159   0.752
## .Annoy       0.419  0.031  13.619  0.000   0.419   1.345
## .Tired       1.187  0.056  21.126  0.000   1.187   2.037
## .Slug        0.702  0.049  14.399  0.000   0.702   1.386
## B_PA        0.000          0.000  0.000
## B_NA        0.000          0.000  0.000
## B_ANG       0.000          0.000  0.000
## B_TRD       0.000          0.000  0.000
##
## Variances:
##          Estimate Std.Err z-value P(>|z|) Std.lv Std.all
## .Joy        0.040  0.008   4.807  0.000   0.040   0.086
## .Cheer       0.021  0.007   2.880  0.004   0.021   0.050
## .Enthus      0.057  0.013   4.503  0.000   0.057   0.134
## .Content     0.165  0.030   5.508  0.000   0.165   0.361
## .Relax       0.177  0.028   6.285  0.000   0.177   0.467

```

##	.Calm	0.176	0.029	6.119	0.000	0.176	0.464
##	.Nerv	0.060	0.024	2.500	0.012	0.060	0.312
##	.Worry	0.061	0.023	2.601	0.009	0.061	0.282
##	.Afraid	0.010	0.003	2.803	0.005	0.010	0.113
##	.Hopeless	0.030	0.013	2.267	0.023	0.030	0.271
##	.Sad	0.038	0.018	2.084	0.037	0.038	0.259
##	.Angry	0.001	0.003	0.376	0.707	0.001	0.022
##	.Annoy	0.025	0.007	3.854	0.000	0.025	0.262
##	.Tired	0.142	0.033	4.372	0.000	0.142	0.419
##	.Slug	0.007	0.039	0.188	0.851	0.007	0.029
##	B_PA	0.429	0.056	7.683	0.000	1.000	1.000
##	B_NA	0.131	0.031	4.238	0.000	1.000	1.000
##	B_ANG	0.044	0.019	2.353	0.019	1.000	1.000
##	B_TRD	0.197	0.054	3.640	0.000	1.000	1.000

Final CFA - Includes Item Error Covariances

```
## lavaan 0.6-5 ended normally after 157 iterations
##
##      Estimator                      ML
##      Optimization method          NLMINB
##      Number of free parameters      99
##
##      Number of observations          5647
##      Number of clusters [ID]         114
##
## Model Test User Model:
##
##              Standard      Robust
##      Test Statistic      1339.321  1014.170
##      Degrees of freedom           156      156
##      P-value (Chi-square)       0.000      0.000
##      Scaling correction factor           1.321
##      for the Yuan-Bentler correction (Mplus variant)
##
## Model Test Baseline Model:
##
##      Test statistic      26715.975  15878.493
##      Degrees of freedom           210      210
##      P-value              0.000      0.000
##      Scaling correction factor           1.683
##
## User Model versus Baseline Model:
##
##      Comparative Fit Index (CFI)      0.955      0.945
##      Tucker-Lewis Index (TLI)         0.940      0.926
##
##      Robust Comparative Fit Index (CFI)      0.957
##      Robust Tucker-Lewis Index (TLI)         0.942
##
## Loglikelihood and Information Criteria:
##
##      Loglikelihood user model (H0)      -80176.278  -80176.278
##      Scaling correction factor           5.068
##      for the MLR correction
##      Loglikelihood unrestricted model (H1) -79506.617  -79506.617
##      Scaling correction factor           2.776
##      for the MLR correction
##
##      Akaike (AIC)      160550.556  160550.556
##      Bayesian (BIC)     161207.805  161207.805
##      Sample-size adjusted Bayesian (BIC) 160893.213  160893.213
##
## Root Mean Square Error of Approximation:
##
##      RMSEA      0.037      0.031
##      90 Percent confidence interval - lower      0.035      0.030
##      90 Percent confidence interval - upper      0.038      0.033
##      P-value RMSEA <= 0.05      1.000      1.000
##
```

```

## Robust RMSEA 0.036
## 90 Percent confidence interval - lower 0.034
## 90 Percent confidence interval - upper 0.038
##
## Standardized Root Mean Square Residual (corr metric):
##
## SRMR (within covariance matrix) 0.047 0.047
## SRMR (between covariance matrix) 0.086 0.086
##
## Parameter Estimates:
##
## Information Observed
## Observed information based on Hessian
## Standard errors Robust.huber.white
##
##
## Level 1 [within]:
##
## Latent Variables:
## Estimate Std.Err z-value P(>|z|) Std.lv Std.all
## W_PA =~
## Joy 1.000 0.561 0.668
## Cheer 1.079 0.029 36.642 0.000 0.606 0.689
## Enthus 0.908 0.029 31.572 0.000 0.510 0.598
## Content 1.127 0.059 18.984 0.000 0.633 0.742
## Relax 0.750 0.067 11.183 0.000 0.421 0.490
## Calm 0.615 0.058 10.610 0.000 0.345 0.415
## W_NA =~
## Nerv 1.000 0.262 0.393
## Worry 1.330 0.101 13.151 0.000 0.349 0.510
## Afraid 0.757 0.079 9.535 0.000 0.198 0.452
## Hopeless 0.843 0.153 5.515 0.000 0.221 0.508
## Sad 1.055 0.162 6.496 0.000 0.277 0.524
## W_ANG =~
## Angry 1.000 0.340 0.718
## Annoy 1.554 0.140 11.068 0.000 0.529 0.724
## W_TRD =~
## Tired 1.000 0.751 0.771
## Slug 0.801 0.048 16.544 0.000 0.602 0.730
##
## Covariances:
## Estimate Std.Err z-value P(>|z|) Std.lv Std.all
## .Relax ~~
## .Calm 0.225 0.020 11.038 0.000 0.225 0.396
## .Hopeless ~~
## .Sad 0.025 0.008 2.998 0.003 0.025 0.149
## .Nerv ~~
## .Worry 0.152 0.016 9.557 0.000 0.152 0.423
## .Afraid 0.074 0.011 6.723 0.000 0.074 0.309
## .Worry ~~
## .Afraid 0.053 0.010 5.120 0.000 0.053 0.229
## .Content ~~
## .Relax 0.061 0.018 3.473 0.001 0.061 0.143
## .Calm 0.072 0.014 4.992 0.000 0.072 0.166

```

```

## .Joy ~~
## .Enthus      0.135    0.019    7.309    0.000    0.135    0.317
## .Cheer       0.145    0.019    7.503    0.000    0.145    0.363
## .Cheer ~~
## .Enthus      0.163    0.019    8.614    0.000    0.163    0.376
## W_PA ~~
## W_NA         -0.095    0.014   -6.901    0.000   -0.647   -0.647
## W_ANG        -0.097    0.012   -7.822    0.000   -0.509   -0.509
## W_TRD        -0.182    0.022   -8.461    0.000   -0.431   -0.431
## W_NA ~~
## W_ANG         0.058    0.012    5.002    0.000    0.655    0.655
## W_TRD         0.046    0.008    5.960    0.000    0.233    0.233
## W_ANG ~~
## W_TRD         0.036    0.008    4.296    0.000    0.141    0.141
##
## Intercepts:
##           Estimate Std.Err  z-value  P(>|z|)  Std.lv  Std.all
## .Joy           0.000
## .Cheer          0.000
## .Enthus         0.000
## .Content        0.000
## .Relax          0.000
## .Calm           0.000
## .Nerv           0.000
## .Worry          0.000
## .Afraid         0.000
## .Hopeless       0.000
## .Sad            0.000
## .Angry          0.000
## .Annoy          0.000
## .Tired          0.000
## .Slug          0.000
## W_PA           0.000
## W_NA            0.000
## W_ANG           0.000
## W_TRD           0.000
##
## Variances:
##           Estimate Std.Err  z-value  P(>|z|)  Std.lv  Std.all
## .Joy           0.392    0.026   15.032    0.000    0.392    0.554
## .Cheer         0.405    0.026   15.561    0.000    0.405    0.525
## .Enthus        0.466    0.029   15.893    0.000    0.466    0.642
## .Content       0.326    0.023   14.027    0.000    0.326    0.449
## .Relax         0.562    0.032   17.531    0.000    0.562    0.760
## .Calm          0.573    0.030   18.853    0.000    0.573    0.828
## .Nerv          0.375    0.028   13.214    0.000    0.375    0.845
## .Worry         0.346    0.024   14.141    0.000    0.346    0.740
## .Afraid        0.154    0.019    7.988    0.000    0.154    0.796
## .Hopeless      0.141    0.019    7.450    0.000    0.141    0.742
## .Sad           0.203    0.021    9.582    0.000    0.203    0.726
## .Angry         0.109    0.014    7.576    0.000    0.109    0.485
## .Annoy         0.254    0.027    9.253    0.000    0.254    0.476
## .Tired         0.384    0.036   10.635    0.000    0.384    0.405
## .Slug          0.319    0.029   10.853    0.000    0.319    0.468

```

```

##      W_PA      0.315    0.035    9.077    0.000    1.000    1.000
##      W_NA      0.069    0.015    4.653    0.000    1.000    1.000
##      W_ANG     0.116    0.022    5.348    0.000    1.000    1.000
##      W_TRD     0.565    0.048   11.778    0.000    1.000    1.000
##
##
## Level 2 [ID]:
##
## Latent Variables:
##      Estimate Std.Err z-value P(>|z|) Std.lv Std.all
##      B_PA =~
##      Joy      1.000
##      Cheer    0.965    0.036   26.576    0.000    0.634    0.978
##      Enthus   0.930    0.039   23.721    0.000    0.611    0.933
##      Content  0.809    0.068   11.939    0.000    0.531    0.791
##      Relax    0.662    0.065   10.129    0.000    0.435    0.711
##      Calm     0.667    0.064   10.353    0.000    0.438    0.713
##      B_NA =~
##      Nerv     1.000
##      Worry    1.092    0.053   20.427    0.000    0.363    0.780
##      Afraid   0.806    0.126    6.397    0.000    0.268    0.916
##      Hopeless 0.897    0.185    4.836    0.000    0.298    0.894
##      Sad      1.031    0.197    5.221    0.000    0.343    0.895
##      B_ANG =~
##      Angry    1.000
##      Annoy    1.257    0.161    7.795    0.000    0.264    0.851
##      B_TRD =~
##      Tired    1.000
##      Slug     1.126    0.207    5.438    0.000    0.499    0.986
##
## Covariances:
##      Estimate Std.Err z-value P(>|z|) Std.lv Std.all
##      .Relax ~~
##      .Calm      0.172    0.026    6.504    0.000    0.172    0.929
##      .Nerv ~~
##      .Worry     0.067    0.019    3.606    0.000    0.067    0.810
##      B_PA ~~
##      B_NA      -0.015    0.019   -0.793    0.428   -0.070   -0.070
##      B_ANG      0.004    0.012    0.378    0.705    0.032    0.032
##      B_TRD     -0.012    0.032   -0.362    0.717   -0.040   -0.040
##      B_NA ~~
##      B_ANG      0.064    0.021    3.107    0.002    0.917    0.917
##      B_TRD      0.079    0.026    3.063    0.002    0.539    0.539
##      B_ANG ~~
##      B_TRD      0.051    0.020    2.530    0.011    0.551    0.551
##
## Intercepts:
##      Estimate Std.Err z-value P(>|z|) Std.lv Std.all
##      .Joy      1.222    0.065   18.731    0.000    1.222    1.782
##      .Cheer    1.301    0.062   21.005    0.000    1.301    2.009
##      .Enthus   1.077    0.062   17.239    0.000    1.077    1.644
##      .Content  1.894    0.064   29.427    0.000    1.894    2.819
##      .Relax    1.870    0.059   31.863    0.000    1.870    3.058
##      .Calm     1.969    0.059   33.459    0.000    1.969    3.206

```

##	.Nerv	0.487	0.042	11.542	0.000	0.487	1.114
##	.Worry	0.554	0.045	12.381	0.000	0.554	1.190
##	.Afraid	0.185	0.028	6.598	0.000	0.185	0.634
##	.Hopeless	0.187	0.032	5.879	0.000	0.187	0.561
##	.Sad	0.277	0.037	7.553	0.000	0.277	0.723
##	.Angry	0.159	0.021	7.668	0.000	0.159	0.756
##	.Annoy	0.419	0.031	13.619	0.000	0.419	1.350
##	.Tired	1.186	0.056	21.127	0.000	1.186	2.039
##	.Slug	0.702	0.049	14.398	0.000	0.702	1.387
##	B_PA	0.000				0.000	0.000
##	B_NA	0.000				0.000	0.000
##	B_ANG	0.000				0.000	0.000
##	B_TRD	0.000				0.000	0.000
##							
##	Variances:						
##		Estimate	Std.Err	z-value	P(> z)	Std.lv	Std.all
##	.Joy	0.039	0.008	4.792	0.000	0.039	0.083
##	.Cheer	0.018	0.008	2.350	0.019	0.018	0.043
##	.Enthus	0.056	0.013	4.343	0.000	0.056	0.130
##	.Content	0.169	0.030	5.571	0.000	0.169	0.374
##	.Relax	0.185	0.027	6.812	0.000	0.185	0.494
##	.Calm	0.185	0.028	6.569	0.000	0.185	0.491
##	.Nerv	0.081	0.020	4.108	0.000	0.081	0.422
##	.Worry	0.085	0.020	4.231	0.000	0.085	0.391
##	.Afraid	0.014	0.006	2.204	0.028	0.014	0.160
##	.Hopeless	0.022	0.008	2.957	0.003	0.022	0.200
##	.Sad	0.029	0.014	2.052	0.040	0.029	0.200
##	.Angry	0.000	0.002	0.112	0.911	0.000	0.006
##	.Annoy	0.027	0.006	4.357	0.000	0.027	0.277
##	.Tired	0.142	0.034	4.153	0.000	0.142	0.420
##	.Slug	0.007	0.042	0.173	0.863	0.007	0.029
##	B_PA	0.431	0.056	7.699	0.000	1.000	1.000
##	B_NA	0.111	0.029	3.767	0.000	1.000	1.000
##	B_ANG	0.044	0.018	2.414	0.016	1.000	1.000
##	B_TRD	0.196	0.055	3.571	0.000	1.000	1.000

Comparing Model Fit:

For the sake of completeness, a test of model improvement from model 1 to model 11 is presented below. The reason for 11 models is that we used modifications indices as a partial guide in determining the appropriateness of adding certain error covariances.

```
## Scaled Chi-Squared Difference Test (method = "satorra.bentler.2001")
##
## lavaan NOTE:
##   The "Chisq" column contains standard test statistics, not the
##   robust test that should be reported per model. A robust difference
##   test is a function of two standard (not robust) statistics.
##
##           Df      AIC      BIC  Chisq Chisq diff Df diff Pr(>Chisq)
## fit.CFA11 156 160551 161208 1339.3
## fit.CFA   168 163411 163989 4224.1      1268.3      12 < 2.2e-16 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

Note that this is not an exhaustive test of the factor structure of these momentary mood items. There are certainly other reasonable model structures that were not tested here, especially considering the various ways one could specify the between-subjects and within-subjects models. Caveats aside, we see these analyses as a relatively robust effort to develop an appropriate measurement model for the set of mood items we collected during our EMA surveys.

Reliability Measures

```
## $within
##           W_PA      W_NA      W_ANG      W_TRD      total
## alpha  0.8166953 0.6878633 0.6435746 0.7139527 0.2662924
## omega  0.6862027 0.4832302 0.6753958 0.7227583 0.4032980
## omega2 0.6862027 0.4832302 0.6753958 0.7227583 0.4032980
## omega3 0.6927551 0.4885602 0.6754632 0.7228190 0.4405226
## avevar 0.3756052 0.2257811 0.5213774 0.5688410 0.3984145
##
## $ID
##           B_PA      B_NA      B_ANG      B_TRD      total
## alpha  0.9517211 0.9288524 0.8816782 0.8535716 0.8237813
## omega  0.9164925 0.8759634 0.8930190 0.8559520 0.9181722
## omega2 0.9164925 0.8759634 0.8930190 0.8559520 0.9181722
## omega3 0.8907635 0.8722430 0.8881353 0.8518007 0.9875855
## avevar 0.7414826 0.6929347 0.8087142 0.7488385 0.7358273
```


References

Rosseel, Y. (2012). `lavaan`: An R package for structural equation modeling. *Journal of Statistical Software*, 48, 1-36. doi: 10.18637/jss.v048.i02