
GO terms enriched in the shared response (top 8 per direction); outlined: FDR < 0.05
extracellular region [CC]
NADH dehydrogenase activity [MF]
oxidoreductase activity, acting on NAD(P)H, quinone or sim... [MF]
biological process involved in interspecies interaction be... [BP]
NADH dehydrogenase (ubiquinone) activity [MF]
oxidoreductase activity, acting on NAD(P)H [MF]
lipid localization [BP]
polysaccharide biosynthetic process [BP]
DNA-binding transcription factor activity [MF]
transcription regulator activity [MF]
response to heat [BP]
response to temperature stimulus [BP]
sequence-specific DNA binding [MF]
transcription cis-regulatory region binding [MF]
transcription regulatory region nucleic acid binding [MF]
sequence-specific double-stranded DNA binding [MF]
22/98
19/98
18/98
6/16
10/16
6/16
6/21
10/21
6/21
15/96
15/96
13/96
4/10
8/10
4/10
10/30
6/30
5/16
6/26
46/154
50/154
41/154
46/160
50/160
41/160
7/9
7/9
7/9
7/11
7/11
7/11
29/108
39/108
26/108
27/97
35/97
24/97
27/97
35/97
24/97
27/98
35/98
24/98
n.t.
clinostat up
RPM up
shared up (n = 149)
clinostat down
RPM down
shared down (n = 384)
fold enrichment
2x
4x
8x
−log10 FDR
0
1
2
3
4
5
6
7