

Visit: python.mykvs.in for regular updates

Python Library – Pandas

It is a most famous Python package for data science, which offers powerful and flexible data structures that make data analysis and manipulation easy. Pandas makes data importing and data analyzing much easier. Pandas builds on packages like NumPy and matplotlib to give us a single & convenient place for data analysis and visualization work.






Python Library – Matplotlib

Matplotlib is a comprehensive library for creating static, animated, and interactive visualizations in Python.It is used to create

- 1. Develop publication quality plots with just a few lines of code
- 2. Use interactive figures that can zoom, pan, update...

We can customize and Take full control of line styles, font properties, axes properties... as well as export and embed to a number of file formats and interactive environments



Visit: python.mykvs.in for regular updates

Basic Features of Pandas

help a lot in keeping track of our data.

- 2. With a pandas dataframe, we can have different data types (float, int, string, datetime, etc) all in one place
- 3. Pandas has built in functionality for like easy grouping & easy joins of data, rolling windows
- 4. Good IO capabilities; Easily pull data from a MySQL database directly into a data frame
- 5. With pandas, you can use patsy for R-style syntax in doing regressions.
- 6. Tools for loading data into in-memory data objects from different file formats.
- 7. Data alignment and integrated handling of missing data.
- 8. Reshaping and pivoting of data sets.
- Label-based slicing, indexing and subsetting of large data sets.

Pandas - Installation/Environment Setup

- Pandas module doesn't come bundled with Standard Python.
- If we install Anaconda Python package Pandas will be installed by default.

Steps for Anaconda installation & Use

- 1. visit the site https://www.anaconda.com/download/
- 2. Download appropriate anaconda installer
- 3. After download install it.
- 4. During installation check for set path and all user
- 5. After installation start spyder utility of anaconda from start menu
- 6. Type import pandas as pd in left pane(temp.py)
- 7. Then run it.
- 8. If no error is show then it shows pandas is installed.
- 9. Like default temp.py we can create another .py file from new window option of file menu for new program.

Pandas - Installation/Environment Setup

- Pandas installation can be done in Standard Python distribution, using following steps.
- 1. There must be service pack installed on our computer if we are using windows. If it is not installed then we will not be able to install pandas in existing Standard Python (which is already installed). So install it first (google it).

2. We can check it through properties option of my computer

icon.



3. Now install latest version (any one above 3.4) of python.

Pandas - Installation/Environment Setup



- 4. Now move to script folder of python distribution in command prompt (through cmd command of windows).
- 5. Execute following commands in command prompt serially.
 - >pip install numpy
 - >pip install six
 - >pip install pandas

Wait after each command for installation

Now we will be able to use pandas in standard python distribution.

- 6. Type import pandas as pd in python (IDLE) shell.
- 7. If it executed without error(it means pandas is installed on your system)

Data Structures in Pandas

Two important data structures of pandas are—Series, DataFrame


1. Series

Series is like a one-dimensional array like structure with homogeneous data. For example, the following series is a collection of integers.



Basic feature of series are

- Homogeneous data
- Size Immutable
- Values of Data Mutable



2. DataFrame

DataFrame is like a two-dimensional array with heterogeneous data.

SR.	Admn	Student Name	Class	Section	Gender	Date Of
No.	No					Birth
1	001284	NIDHI MANDAL	I	А	Girl	07/08/2010
2	001285	SOUMYADIP	I	А	Boy	24/02/2011
		BHATTACHARYA				
3	001286	SHREYAANG	I	А	Boy	29/12/2010
		SHANDILYA				

Basic feature of DataFrame are

- Heterogeneous data
- Size Mutable
- Data Mutable



Pandas Series

It is like one-dimensional array capable of holding data of any type (integer, string, float, python objects, etc.). Series can be created using constructor.

Syntax: - pandas. Series (data, index, dtype, copy) Creation of Series is also possible from – ndarray, dictionary, scalar value.

Series can be created using

- 1. Array
- 2. Dict
- 3. Scalar value or constant



Pandas Series

Create an Empty Series

e.g.

import pandas as pseries
s = pseries.Series()
print(s)

Output

Series([], dtype: float64)



Pandas Series

Create a Series from ndarray

Without index e.a.

```
import pandas as pd1
import numpy as np1
data = np1.array(['a','b','c','d'])
s = pd1.Series(data)
print(s)
```

Output

1 a

2 b

3 c

4 d

dtype: object

Note: default index is starting

from 0

With index position e.a.

```
import pandas as p1
import numpy as np1
data = np1.array(['a','b','c','d'])
s = p1.Series(data,index=[100,101,102,103])
print(s)
```

Output

100 a 101 b 102 c

103d dtype:

object

Note: index is starting from 100

Pandas Series Create a Series from dict

Ea.1(without index)

import pandas as pd1
import numpy as np1
data = {'a' : 0., 'b' : 1., 'c' : 2.}
s = pd1.Series(data)
print(s)

Output

a 0.0

b 1.0

c 2.0

dtype: float64

Eq.2 (with index)

import pandas as pd1
import numpy as np1
data = {'a' : 0., 'b' : 1., 'c' : 2.}
s = pd1.Series(data,index=['b','c','d','a'])
print(s)

Output

b 1.0

c 2.0

d NaN

a 0.0

dtype: float64

```
Create a Series from Scalar
e.g
import pandas as pd1
```

import paridas as pur import numpy as np1 s = pd1.Series(5, index=[0, 1, 2, 3]) print(s)

Output

0 5

1 5

2 5

3 5

dtype: int64

Note:- here 5 is repeated for 4 times (as per no of index)

Pandas Series Maths operations with Series

```
e.g.
import pandas as pd1
s = pd1.Series([1,2,3])
t = pd1.Series([1,2,4])
u=s+t #addition operation print (u)
u=s*t # multiplication operation
                                            dtype: int64
print (u)
                              output
                                            dtype: int64
```

Pandas Series Head function e.g

```
import pandas as pd1
s = pd1.Series([1,2,3,4,5],index = ['a','b','c','d','e'])
print (s.head(3))
```

Output

a 1

b. 2

с. 3

dtype: int64

Return first 3 elements



Pandas Series tail function e.a

```
import pandas as pd1
s = pd1.Series([1,2,3,4,5],index = ['a','b','c','d','e'])
print (s.tail(3))
```

Output

c 3

d. 4

e. 5

dtype: int64

Return last 3 elements



Accessing Data from Series with indexing and slicing


```
<u>e.g.</u>
```

```
import pandas as pd1
s = pd1.Series([1,2,3,4,5],index = ['a','b','c','d','e'])
print (s[0])#/for 0 index position
print (s[:3]) #for first 3 index values
print (s[-3:]) # slicing for last 3 index values
Outra
dtype: i⊯64 c
dtype: int64
```

```
Pandas Series
Retrieve Data Using Label as (Index)
e.g.
```

```
import pandas as pd1
s = pd1.Series([1,2,3,4,5],index = ['a','b','c','d','e'])
print (s[['c','d']])
```

```
Output c
3
d 4
dtype: int64
```



Pandas Series

Retrieve Data from selection

There are three methods for data selection:

- loc gets rows (or columns) with particular labels from the index.
- iloc gets rows (or columns) at particular positions in the index (so it only takes integers).
- ix usually tries to behave like loc but falls back to behaving like iloc if a label is not present in the index.
 ix is deprecated and the use of loc and iloc is encouraged instead

Pandas Series Retrieve Data from selection

```
e.g.
```

NaN NaN

```
>>> s = pd.Series(np.nan, index=[49,48,47,46,45, 1, 2, 3, 4, 5])
>>> s.iloc[:3] # slice the first three rows
49 NaN
48 NaN
47 NaN
>>> s.loc[:3] # slice up to and including label 3
49 NaN
48 NaN
47 NaN
48 NaN
47 NaN
48 NaN
47 NaN
48 NaN
47 NaN
48 NaN
49 NaN
```

```
>>> s.ix[:3] # the integer is in the index so s.ix[:3] works like loc
49 NaN
48 NaN
47 NaN
46 NaN
45 NaN
1 NaN
2 NaN
3 NaN
```

Pandas DataFrame

It is a two-dimensional data structure, just like any table (with rows & columns).

Basic Features of DataFrame

- ☐ Columns may be of different types
- ☐ Size can be changed(Mutable)
- Labeled axes (rows / columns)
- Arithmetic operations on rows and columns

Structure

SR.	Admn	Student Name	Class	Section	Gender	Date Of
No.	No					Birth
1	001284	NIDHI MANDAL	I	А	Girl	07/08/2010
2	001285	SOUMYADIP	I	Α	Boy	24/02/2011
		BHATTACHARYA				
3	001286	SHREYAANG	I	А	Boy	29/12/2010
		SHANDILYA				

Rows

It can be created using constructor

pandas.DataFrame(data, index, columns, dtype, copy)

Visit: python.mykvs.in for regular updates

Pandas DataFrame

Create DataFrame

It can be created with followings

- ☐ Lists
- □ dict
- **□** Series
- Numpy ndarrays
- □ Another DataFrame


Create an Empty DataFrame e.g.

import pandas as pd1
df1 = pd1.DataFrame()
print(df1)

output

Empty
DataFrame
Columns: []
Index: []

Pandas DataFrame



import pandas as pd1
data1 = [['Freya',10],['Mohak',12],['Dwivedi',13]]
df1 = pd1.DataFrame(data1,columns=['Name','Age'])
print (df1)
output

Name Age
1 Freya 10
2 Mohak 12
2 Dwivedi 13

Write below for numeric value as float df1 = pd1.DataFrame(data,columns=['Name','Age'],dtype=float)

```
Pandas DataFrame
Create a DataFrame from Dict of ndarravs / Lists
<u>e.a.1</u>
import pandas as pd1
data1 = {'Name':['Freya', 'Mohak'],'Age':[9,10]}
df1 = pd1.DataFrame(data1)
print (df1)
Output
  Name Age
  Freya
2 Mohak 10
```

Write below as 3rd statement in above prog for indexing

df1 = pd1.DataFrame(data1, index=['rank1','rank2','rank3','rank4'])

Pandas DataFrame

Create a DataFrame from List of Dicts

Write below as 3rd stmnt in above program for indexing df = pd.DataFrame(data, index=['first', 'second'])

```
Pandas DataFrame
Create a DataFrame from Dict of Series
e.g.1
import pandas as pd1
d1 = {'one' : pd1.Series([1, 2, 3], index=['a', 'b', 'c']),
   'two': pd1.Series([1, 2, 3, 4], index=['a', 'b', 'c', 'd'])}
df1 = pd1.DataFrame(d1)
print (df1)
<u>Output</u>
 one
        two
a 1.0
b 2.0 2
c 3.0 3
d NaN 4
Column Selection -> print (df ['one'])
Adding a new column by passing as Series: ->
df1['three']=pd1.Series([10,20,30],index=['a','b','c'])
Adding a new column using the existing columns values
df1['four']=df1['one']+df1['three']
                Visit: python.mykvs.in for regular updates
```

Create a DataFrame from .txt file

Having a text file './inputs/dist.txt' as:

```
1 1 12.92
```

1 2 90.75

1 3 60.90

2 1 71.34

Pandas is shipped with built-in reader methods. For example the pandas.read_table method seems to be a good way to read (also in chunks) a tabular data file.

import pandas

```
df = pandas.read_table('./input/dists.txt', delim_whitespace=True,
names=('A', 'B', 'C'))
```

will create a DataFrame objects with column named A made of data of type int64, B of int64 and C of float64

Create a DataFrame from csv(comma separated value) file / import data from cvs file

```
e.g.
```

Suppose filename.csv file contains following data

Date, "price", "factor_1", "factor_2"

2012-06-11,1600.20,1.255,1.548

2012-06-12,1610.02,1.258,1.554

import pandas as pd

- # Read data from file 'filename.csv'
- # (in the same directory that your python program is based)
- # Control delimiters, rows, column names with read_csv
- data = pd.read_csv("filename.csv")
- # Preview the first 1 line of the loaded data data.head(1)

Pandas DataFrame

Column addition

```
df = pd.DataFrame({"A": [1, 2, 3], "B": [4, 5, 6]})
c = [7,8,9]
df['C'] = c
```

Column Deletion

```
del df1['one'] # Deleting the first column using DEL function df.pop('two') #Deleting another column using POP function
```

Rename columns

```
df = pd.DataFrame({"A": [1, 2, 3], "B": [4, 5, 6]})
>>> df.rename(columns={"A": "a", "B": "c"})
    a    c
0  1  4
1  2  5
2  3  6
```

Pandas DataFrame Row Selection. Addition. and Deletion

```
#Selection by Label
import pandas as pd1
d1 = {'one' : pd1.Series([1, 2, 3], index=['a', 'b', 'c']),
    'two' : pd1.Series([1, 2, 3, 4], index=['a', 'b', 'c', 'd'])} df1
= pd1.DataFrame(d1)
print (df1.loc['b'])
Output
one 2.0
two 2.0
Name: b, dtype: float64
```

Pandas DataFrame

Name: c, dtype: float64

two 3.0

```
#Selection by integer location
import pandas as pd1
d1 = {'one' : pd1.Series([1, 2, 3], index=['a', 'b', 'c']),
    'two' : pd1.Series([1, 2, 3, 4], index=['a', 'b', 'c', 'd'])}
df1 = pd1.DataFrame(d1)
print (df1.iloc[2])

Output
one 3.0
```

Slice Rows: Multiple rows can be selected using ': 'operator. print (df1[2:4])

Pandas DataFrame

Addition of Rows

import pandas as pd1

```
df1 = pd1.DataFrame([[1, 2], [3, 4]], columns = ['a','b'])
df2 = pd1.DataFrame([[5, 6], [7, 8]], columns = ['a','b'])
df1 = df1.append(df2)
print (df1)
```

Deletion of Rows

Drop rows with label 0 df1 = df1.drop(0)



Pandas DataFrame

Iterate over rows in a dataframe

Output freya 10

mohak 1

Pandas DataFrame

Head & Tail

head() returns the first **n** rows (observe the index values). The default number of elements to display is five, but you may pass a custom number. tail() returns the last n rows .e.g.

```
import pandas as pd
import numpy as np
#Create a Dictionary of series
d = {'Name':pd.Series(['Tom','James','Ricky','Vin','Steve','Smith','Jack']),
    'Age':pd.Series([25,26,25,23,30,29,23]),
    'Rating':pd.Series([4.23,3.24,3.98,2.56,3.20,4.6,3.8])}
#Create a DataFrame
df = pd.DataFrame(d)
print ("Our data frame is:")
print df
print ("The first two rows of the data frame is:")
print df.head(2)
```

Pandas DataFrame

Indexing a DataFrame using .loc[]:

This function selects data by the label of the rows and columns.

#import the pandas library and aliasing as pd import pandas as pd import numpy as np

```
df = pd.DataFrame(np.random.randn(8, 4),
index = ['a','b','c','d','e','f','g','h'], columns = ['A', 'B', 'C', 'D'])
```

#select all rows for a specific column
print df.loc[:,'A']

Accessing a DataFrame with a boolean index:

In order to access a dataframe with a boolean index, we have to create a dataframe in which index of dataframe contains a boolean value that is "True" or "False".

```
# importing pandas as pd
import pandas as pd

# dictionary of lists
dict = {'name':["Mohak", "Freya", "Roshni"],
        'degree': ["MBA", "BCA", "M.Tech"],
        'score':[90, 40, 80]}

# creating a dataframe with boolean index
df = pd.DataFrame(dict, index = [True, False, True])
# accessing a dataframe using .loc[] function
print(df.loc[True]) #it will return rows of Mohak and Roshni only(matching true only)
```

import csv file in Pandas DataFrame

```
e.g.
import pandas as pd
```

```
# Takes the file's folder
filepath = r"csv file path"
```

```
# read the CSV file
df = pd.read_csv(filepath)
```

print the first five rows
print(df.head())



```
Export Pandas DataFrame to a CSV File
e.g.
import pandas as pd
cars = {'Brand': ['Honda Civic', Toyota Corolla', Ford Focus', Audi A4'],
    'Price': [22000,25000,27000,35000]
df = pd.DataFrame(cars, columns= ['Brand', 'Price'])
df.to_csv (r'C:\export_dataframe.csv', index = False, header=True)
print (df)
```