```
1 | function [azimuth backAzimuth] = slope2Az (m)
2
     slope2Az.m - calculate the azimuth of a line given the slope.
3 | %
      Input: slope
4
  용
5
  용
      Output: azimuth from north in degrees, m in radians from +X-axis.
6
7
  % Syntax:
           [azimuth] = slope2Az (m)
8
10 % Other m-files required:
11 | %
12 % MAT-files required: none
13 | %
14 % See also:
16 % Author: Peter J Dailey
17 % 140 Sunset Drive Charleston WV 25301
18 % email: daileypj@mac.com
19 % Website: http://
20 % Last revision: 27-March-2010
22 | %
23 % Copyright 2010 by Peter J Dailey
24 8
25 % Permission to use, copy, modify, distribute, and sell this software and i
26 % documentation for any purpose is hereby granted without fee, provided that
27 % the above copyright notice appear in all copies and that both that
28 % copyright notice and this permission notice appear in supporting
29 % documentation, and that the name of Peter J Dailey not be used in
30 % advertising or publicity pertaining to distribution of the software withou
31 % specific, written prior permission.
32 % Peter J Dailey makes no representations about the
33 % suitability of this software for any purpose. It is provided "as is"
34 8 without express or implied warranty.
36 | %
37 % Radians from the X-axis to in decimal degrees
38 | az = atan(1/m)*180/pi;
39
40 % Insure 0 < Azimuth < 360
41 if az > 0 && az < 360
42
      azOut = az;
43 elseif az < 0
      azOut = az + 360;
44
45 elseif az > 360;
46
      azOut = az - 360;
47 end
48 % end if
49
50 8 Back azimuth
51 azimuth = azOut;
52
53 | if azimuth > 180
      backAzimuth
                 = azimuth - 180;
55 else
      backAzimuth
                 = azimuth + 180;
56
57 end
58
59 end %function
```

60