Esocket.POS EVD integration



April 2014

CONTENTS

1 Introduction 2

2 XML Interface 2

2.1 Voucher Request Message 0100 2

2.1.1 Sample 2

2.1.2 Fields 2

2.2 Voucher Request Response Message 0110 3

2.2.1 Successful Response Sample 3

2.2.2 Fields to note 3

2.2.3 Failed Response Sample 3

2.2.4 Fields to note 4

2.3 Voucher Completion Request 0220 4

2.3.1 Sample 4

2.3.2 Fields to Note 4

2.4 Voucher Completion Response 0230 4

2.4.1 Sample 4

2.5 VOUCHER REVERSAL 4

2.5.1 Voucher request 5

2.5.2 Voucher Response 5

2.5.3 Voucher Reversal Request 5

2.5.4 Voucher Reversal Response 5

3 Receipt Information 6

CONFIDENTIAL

1 INTRODUCTION

This document serves to provide guidelines to a developer who is integrating into esocket.POS Voucher sales. Covering Airtime and other voucher based products

***NOTE* The Product ID of the EVD voucher must be preconfigured on esocket.POS and received in a configserver download, if not, all voucher requests will be rejected before being sent upstream.**

2 XML INTERFACE

Airtime sales are split into two transactions, the first for a voucher request which will receive and store the voucher, then the second for the voucher confirmation of sale. This process flow is used so that:

- The till operator selects the voucher product, a voucher request is sent to the Server to attempt a reservation and receive the voucher. From this the till operator will either need to see that the voucher has been added to the purchase list or be notified that it is out of stock.
- On completion of Sale the Retail application will send a voucher completion to esocket to confirm that the sale has been processed.
- If the Till operator cancels the transaction then there will be no completion message, the voucher will be returned to stock after a few days
  NB* the Completion message MUST ALWAYS be sent on sale completion.

2.1 VOUCHER REQUEST MESSAGE 0100

2.1.1 Sample

```
<?xml version="1.0" encoding="UTF-8"?>
  <Esp:Interface Version="1"
xmlns:Esp="http://www.mosaicsoftware.com/Postilion/eSocket.POS/">
    <Esp:Merchandise DateTime="0227013325" ExtendedTransactionType="9100"
ProductId="81000265" ProductType="TELEPHONE PREPAY" ReceivingInstIdCode="010920"
RetrievalRefNr="100000075870" TerminalId="10000008" TransactionAmount="000000000100"
TransactionId="100758" Type="REQUEST"></Esp:Merchandise>
  </Esp:Interface>
```

2.1.2 Fields

`DateTime`	MMddHHmmss
`ExtendedTransactionType`	9100 (static)
`ProductId`	Product ID of the Voucher (NB this much match esocket Configurations)

CONFIDENTIAL

ProductType	TELEPHONE PREPAY (Static)
RetrievalRefNr	Transaction reference number
TerminalId	Terminal Identifier
TransactionAmount	Voucher Value in Cents, left padded with 0's to 12 char total
TransactionId	Transaction Identifier
Type	REQUEST (static)

2.2 VOUCHER REQUEST RESPONSE MESSAGE 0110

2.2.1 Successful Response Sample

```
<?xml version="1.0" encoding="UTF-8"?>
  <Esp:Interface Version="1"
xmlns:Esp="http://www.mosaicsoftware.com/Postilion/eSocket.POS/">
    <Esp:Merchandise ActionCode="APPROVE" AmountTransactionFee="C0"
DateTime="0227013325" ExtendedTransactionType="9100" HostResponseCode="00"
IssuerName="ECONET TEXT" ItemAmount="100" ItemMessage="ENTER*123*PIN#DIAL"
ItemPin="123456789012345" ItemSerialNumber="60045228532" LocalDate="0227"
LocalTime="013325" MessageReasonCode="9790" NetworkId="ECONET TEXT"
ProductId="81000265" ProductName="E-$1 TEXT USD" ResponseCode="00"
ResponseMsg="Approved" RetrievalRefNr="100000075870" TerminalId="10000008"
TransactionAmount="000000000100" TransactionId="100758" Type="REQUEST">
      <Esp:StructuredData Name="ResponseFromPostilion"
Value="ResponseFromPostilion"></Esp:StructuredData>
    </Esp:Merchandise>
  </Esp:Interface>
```

2.2.2 Fields to note

ResponseCode	Contains the Transaction response "00" for successful
ItemMessage	Additional info to be printed on the reciept
ItemPin	Voucher PIN
ItemSerialNumber	Voucher Serial Number
ProductName	Voucher Product Name

2.2.3 Failed Response Sample

```
<?xml version="1.0" encoding="UTF-8"?>
  <Esp:Interface Version="1"
xmlns:Esp="http://www.mosaicsoftware.com/Postilion/eSocket.POS/">
    <Esp:Merchandise ActionCode="DECLINE" AmountTransactionFee="C0"
DateTime="0227010202" ExtendedTransactionType="9100" HostResponseCode="N1"
LocalDate="0227" LocalTime="010202" MessageReasonCode="9790" ProductId="81000272"
ResponseCode="N1" ResponseMsg="Out of Stock" RetrievalRefNr="100000075569"
TerminalId="10000008" TransactionAmount="000000000000" TransactionId="100755"
Type="REQUEST">
      <Esp:StructuredData Name="ResponseFromPostilion"
Value="ResponseFromPostilion"></Esp:StructuredData>
    </Esp:Merchandise>
  </Esp:Interface>
```

CONFIDENTIAL

2.2.4 Fields to note

`ResponseCode` "**N1**" translates to "out of Stock", "**N3**" is invalid Product

2.3 VOUCHER COMPLETION REQUEST 0220

2.3.1 Sample

```
<?xml version="1.0" encoding="UTF-8"?>
  <Esp:Interface Version="1"
xmlns:Esp="http://www.mosaicsoftware.com/Postilion/eSocket.POS/">
    <Esp:Merchandise DateTime="0227013330" ExtendedTransactionType="9100"
ProductType="TELEPHONE PREPAY" RetrievalRefNr="100000075970" TerminalId="10000008"
TransactionAmount="000000000100" TransactionId="100758"
Type="CONFIRM"></Esp:Merchandise>
  </Esp:Interface>
```

2.3.2 Fields to Note

`TransactionId`	Same as Voucher Request
`RetrievalRefNr`	Same as Voucher Request
`TransactionAmount`	Same as Voucher Request

2.4 VOUCHER COMPLETION RESPONSE 0230

2.4.1 Sample

```
<?xml version="1.0" encoding="UTF-8"?>
  <Esp:Interface Version="1"
xmlns:Esp="http://www.mosaicsoftware.com/Postilion/eSocket.POS/">
    <Esp:Merchandise ActionCode="APPROVE" DateTime="0227013330"
ExtendedTransactionType="9100" LocalDate="0227" LocalTime="013325"
MessageReasonCode="9792" ResponseCode="00" RetrievalRefNr="100000075970"
TerminalId="10000008" TransactionAmount="000000000100" TransactionId="100758"
Type="CONFIRM"></Esp:Merchandise>
  </Esp:Interface>
```

2.5 VOUCHER REVERSAL

__note__ All voucher requests that have been completed successfully should be reversed if the transaction is voided, this will return the voucher back to stock for resale.

CONFIDENTIAL

2.5.1 Voucher request

```
<?xml version="1.0" encoding="UTF-8"?>
  <Esp:Interface Version="1"
xmlns:Esp="http://www.mosaicsoftware.com/Postilion/eSocket.POS/">
    <Esp:Merchandise DateTime="0401122749" ExtendedTransactionType="9100"
ProductId="81000203" ProductType="TELEPHONE PREPAY" RetrievalRefNr="SP0401122749"
TerminalId="13000007" TransactionAmount="000000000100" TransactionId="480695"
Type="REQUEST"></Esp:Merchandise>
  </Esp:Interface>
```

2.5.2 Voucher Response

```
<?xml version="1.0" encoding="UTF-8"?>
  <Esp:Interface Version="1"
xmlns:Esp="http://www.mosaicsoftware.com/Postilion/eSocket.POS/">
    <Esp:Merchandise ActionCode="APPROVE" AmountTransactionFee="C0"
DateTime="0401122749" ExtendedTransactionType="9100" HostResponseCode="00"
IssuerName="ECONET" ItemAmount="100" ItemMessage="ENTER*123*PIN#DIAL"
ItemPin="EC289981DB99C58697" ItemSerialNumber="60055394208" LocalDate="0401"
LocalTime="122749" MessageReasonCode="9790" NetworkId="ECONET" ProductId="81000203"
ProductName="E-$1 BUDDIE USD" ResponseCode="00" ResponseMsg="Approved"
RetrievalRefNr="SP0401122749" TerminalId="13000007" TransactionAmount="000000000100"
TransactionId="480695" Type="REQUEST">
      <Esp:StructuredData Name="ResponseFromPostilion"
Value="ResponseFromPostilion"></Esp:StructuredData>
    </Esp:Merchandise>
  </Esp:Interface>
```

2.5.3 Voucher Reversal Request

```
<?xml version="1.0" encoding="UTF-8"?>
  <Esp:Interface Version="1"
xmlns:Esp="http://www.mosaicsoftware.com/Postilion/eSocket.POS/">
    <Esp:Merchandise DateTime="0401122820" ExtendedTransactionType="9100"
ProductId="81000203" ProductType="TELEPHONE PREPAY" RetrievalRefNr="SP0401122820"
TerminalId="13000007" TransactionAmount="000000000000" TransactionId="480695"
Type="REVERSE"></Esp:Merchandise>
  </Esp:Interface>
```

2.5.4 Voucher Reversal Response

```
<?xml version="1.0" encoding="UTF-8"?>
  <Esp:Interface Version="1"
xmlns:Esp="http://www.mosaicsoftware.com/Postilion/eSocket.POS/">
    <Esp:Merchandise ActionCode="APPROVE" DateTime="0401122820"
ExtendedTransactionType="9100" LocalDate="0401" LocalTime="122749"
MessageReasonCode="9792" ResponseCode="00" RetrievalRefNr="SP0401122820"
TerminalId="13000007" TransactionAmount="000000000000" TransactionId="480695"
Type="REVERSE">
      <Esp:StructuredData Name="store" Value="store"></Esp:StructuredData>
    </Esp:Merchandise>
```

CONFIDENTIAL

```
</Esp:Interface>
```

3 RECEIPT INFORMATION



```
** NON-FISCAL RECEIPT **
No.NF: 00000011          27-02-2014 08:01:14
    ECONET VOUCHER
    CUSTOMER COPY
Merchant      : 1000000000000002
Trace Nr      : 62
Supplier      : ECONET
Product       : E-$1 BUDDIE USD
Voucher Nr    : 60055394209
----------------------------------------
Pin Nr        : 97148104452498320
----------------------------------------
ENTER*123*PIN#DIAL
----------------------------------------
----------  ----------------------------
```

Things to Note

- Product, Voucher Nr and Pin Nr are both from the Voucher Request Response
- The whole of the "**ENTER*123*PIN#DIAL**" Line is the content sent in the ItemMessage from the Request response message

CONFIDENTIAL