



Cutting Boards

by dweep123

Problem

Submissions

Leaderboard

Discussions

Editorial

[Chinese Version](#)[Russian Version](#)

Alice gives Bob a board composed of $m \times n$ wooden squares and asks him to find the minimum cost of breaking the board back down into individual 1×1 pieces. To break the board down, Bob must make cuts along its horizontal and vertical lines.

To reduce the board to squares, x_{n-1} vertical cuts must be made at locations $x_1, x_2, \dots, x_{n-2}, x_{n-1}$ and y_{m-1} horizontal cuts must be made at locations $y_1, y_2, \dots, y_{m-2}, y_{m-1}$. Each cut along some x_i (or y_j) has a cost, c_{x_i} (or c_{y_j}). If a cut of cost c passes through n already-cut segments, the total cost of the cut is $n \times c$.

The cost of cutting the whole board down into 1×1 squares is the sum of the cost of each successive cut. Recall that the cost of a cut is multiplied by the number of already-cut segments it crosses through, so each cut is increasingly expensive.

Can you help Bob find the minimum cost?

Input Format

The first line contains a single integer, q , denoting the number of queries. The $3 \cdot q$ subsequent lines describe each query over 3 lines according to the following format:

1. The first line has two positive space-separated integers, m and n , detailing the respective height (y) and width (x) of the board.
2. The second line has $m - 1$ space-separated integers listing the cost, c_{y_j} , of cutting a segment of the board at each respective location from $y_1, y_2, \dots, y_{m-2}, y_{m-1}$.
3. The third line has $n - 1$ space-separated integers listing the cost, c_{x_i} , of cutting a segment of the board at each respective location from $x_1, x_2, \dots, x_{n-2}, x_{n-1}$.

Note: If we were to superimpose the $m \times n$ board on a 2D graph, x_0, x_n, y_0 , and y_n would all be edges of the board and thus not valid cut lines.

Constraints

- $1 \leq q \leq 20$
- $2 \leq m, n \leq 1000000$
- $0 \leq c_{x_i}, c_{y_j} \leq 10^9$

Output Format

For each of the q queries, find the minimum cost ($minCost$) of cutting the board into 1×1 squares and print the value of $minCost \% (10^9 + 7)$.

Sample Input 0

```
1
2 2
2
1
```

Sample Output 0

```
4
```

Explanation 0

We have a 2×2 board, with cut costs $c_{y_1} = 2$ and $c_{x_1} = 1$. Our first cut is horizontal at y_1 , because that is the line with the highest cost (2). Our second cut is vertical, at x_1 . Our first cut has a **totalCost** of 2, because we are making a cut with cost $c_{y_1} = 2$ across 1 segment (the uncut board). The second cut also has a **totalCost** of 2, because we are making a cut of cost $c_{x_1} = 1$ across 2 segments. Thus, our answer is

$$\text{minCost} = ((2 \times 1) + (1 \times 2)) \% (10^9 + 7) = 4.$$

Sample Input 1

```
1
6 4
2 1 3 1 4
4 1 2
```

Sample Output 1

42

Explanation 1

Our sequence of cuts is: y_5 , x_1 , y_3 , y_1 , x_3 , y_2 , y_4 and x_2 .

Cut 1: Horizontal with cost $c_{y_5} = 4$ across 1 segment. $\text{totalCost} = 4 \times 1 = 4$.

Cut 2: Vertical with cost $c_{x_1} = 4$ across 2 segments. $\text{totalCost} = 4 \times 2 = 8$.

Cut 3: Horizontal with cost $c_{y_3} = 3$ across 2 segments. $\text{totalCost} = 3 \times 2 = 6$.

Cut 4: Horizontal with cost $c_{y_1} = 2$ across 2 segments. $\text{totalCost} = 2 \times 2 = 4$.

Cut 5: Vertical with cost $c_{x_3} = 2$ across 4 segments. $\text{totalCost} = 2 \times 4 = 8$.

Cut 6: Horizontal with cost $c_{y_2} = 1$ across 3 segments. $\text{totalCost} = 1 \times 3 = 3$.

Cut 7: Horizontal with cost $c_{y_4} = 1$ across 3 segments. $\text{totalCost} = 1 \times 3 = 3$.

Cut 8: Vertical with cost $c_{x_2} = 1$ across 6 segments. $\text{totalCost} = 1 \times 6 = 6$.

When we sum the totalCost for all minimum cuts, we get $4 + 8 + 6 + 4 + 8 + 3 + 3 + 6 = 42$. We then print the value of $42 \% (10^9 + 7)$.

f t in

Submissions: 4884

Max Score: 60

Difficulty: Hard

Rate This Challenge:

☆☆☆☆☆

[More](#)

Current Buffer (saved locally, editable)
C++

```

1 #include <cmath>
2 #include <cstdio>
3 #include <vector>
4 #include <iostream>
5 #include <algorithm>
6 using namespace std;
7
8
9 int main() {
10     /* Enter your code here. Read input from STDIN. Print output to STDOUT */
11     return 0;
12 }
13

```

Line: 1 Col: 1

Upload Code as File ☐ Test against custom input

Run Code

Submit Code

Copyright © 2017 HackerRank. All Rights Reserved

Join us on IRC at [#hackerrank](#) on freenode for hugs or bugs.

[Contest Calendar](#) | [Interview Prep](#) | [Blog](#) | [Scoring](#) | [Environment](#) | [FAQ](#) | [About Us](#) | [Support](#) | [Careers](#) | [Terms Of Service](#) | [Privacy Policy](#) | [Request a Feature](#)