👍 **7348**   👎 **206**   ♡   ▾

1. Two Sum

Notes

📋 Description (/problems/two-sum/description/)   💡 Hints (/problems/two-sum/hints/)   ⟨⟩ Submissions (/problems/two-sum/submissions/)   📄 Notes

⤭ Pick One (/problems/random-one-question/)

Given an array of integers, return **indices** of the two numbers such that they add up to a specific target.

You may assume that each input would have *exactly* one solution, and you may not use the *same* element twice.

Example:

```
Given nums = [2, 7, 11, 15], target = 9,

Because nums[0] + nums[1] = 2 + 7 = 9,
return [0, 1].
```

Seen this question in a real interview before?   Yes   No   ⊗

Subscribe (/subscribe/) to see which companies asked this question.

Related Topics ▾

Similar Questions ▾

Python   ▾   ⟨⟩   ⟳   >_   ⚙

```
1 ▾ class Solution(object):
2 ▾     def twoSum(self, nums, target):
3           """
4           :type nums: List[int]
5           :type target: int
6           :rtype: List[int]
7           """
8
```

Notes

☐ **Custom Testcase** (**Contribute ❶**)

▶ Run   ☁ Submit

Copyright © 2018 LeetCode

Contact Us (/support/) | Frequently Asked Questions (/faq/) | Terms of Service (/terms/) | Privacy Policy (/privacy/)

🇺🇸 United States (/region/)